



CHEMISTRY

JEE MAIN AND ADVANCED

PRINCIPLES OF QUALITATIVE ANALYSIS

Example

1. How can you distinguish between

(i) CO_3^{-2} and SO_3^{-2} ions?







(ii) NO_3^- ion and NO_2^- ion ?



[Watch Video Solution](#)

2. Complete the following reaction.

(i) $CaCO_3 \xrightarrow{\Delta} [A] + [B]_{\text{gas}}$



 [Watch Video Solution](#)

3. Concentrated HCl cannot be used as group reagent in first group precipitation. Why ?

 [Watch Video Solution](#)

4. How does aqua-regia act in dissolving black HgS?

 [Watch Video Solution](#)

5. Explain why in the precipitation of group I cations as chlorides, it is preferable to add a slightly more quantity of dil HCl than required.

 [Watch Video Solution](#)

6. A colourless water soluble solid (X) on heating gives equimolar quantities of (Y) and (Z). Y gives dense white fumes with HCl and Z does so with NH_3 . Y gives brown ppt. with K_2Hgl_4 (Nesslers reagent) and Z gives white precipitate with nitrates of Ag^+ , Pb^{2+} and Hg^+ . What is X?

 [Watch Video Solution](#)

7. A certain compound (A) is used in the laboratory for analysis, its aqueous solution gives the following reactions:

- On addition to copper sulphate, a brown precipitate is obtained which turns white on addition of excess of the $Na_2S_2O_3$ solution.
- On addition to the Ag^{\oplus} ion solution, a yellow curdy precipitate is

obtained which is insoluble in ammonium hydroxide. Identify (A) and give equations for the reactions at steps (a) and (b).

 [Watch Video Solution](#)

8. A compound (A) when treated with KI gives a Scarlet red ppt. (B) which dissolves in excess of KI. This solution is made alkaline with NaOH and gave brown precipitate (C) when NH_3 gas is passed through it. When (A) is added with small amount of $SnCl_2$ it gives a white ppt (D) but gives grey precipitate with excess amount of $SnCl_2$. When H_2S gas is passed through an acidic solution of (A) a black precipitate (E) is obtained. Identify (A) to (E). Write the reactions involved.

 [Watch Video Solution](#)




Try Yourself

1. If in solution containing Cl^- & Br^- ions, $AgNO_3$ is added then initial precipitate of which colour will be formed ?

 [Watch Video Solution](#)

Assignment Section A



1. Which among the following sulphates is insoluble in water ?



Answer: C

 [Watch Video Solution](#)


2. Which of the following will not give positive chromyl chloride test?






Answer: B



Watch Video Solution



Compound [A] and [B] are



D. PbI_2 and $K_2[PbI_2]$ respectively

Answer: C

 [Watch Video Solution](#)

4. The reagents, NH_4Cl and aqueous NH_3 will precipitate

A. Ca^{2+}

B. Al^{3+}

C. Mg^{2+}

D. Zn^{2+}

Answer: B

 [Watch Video Solution](#)

5. Mark the correct statement out of the following

- A. Group I basic radicals precipitate as chlorides
- B. Group IV basic radicals precipitate as sulphides
- C. Group V basic radicals precipitate as carbonates
- D. All of the above statements are correct

Answer: D

 [Watch Video Solution](#)

6. Which of the following is not a preliminary test used to detect ions?

- A. Borax bead test
- B. Flame test
- C. Brown ring test
- D. Microcosmic salt bead test

Answer: C

 [Watch Video Solution](#)

7. Which compound does not dissolve in hot dilute HNO_3 ?

A. HgS

B. CuS

C. PbS

D. CdS

Answer: A



[Watch Video Solution](#)

8. When $K_2Cr_2O_7$ crystals are heated with conc. HCl, the gas evolved is

A. O_2

B. Cl_2

C. CrO_2Cl_2

D. HCl

Answer: B

 [Watch Video Solution](#)

9. The only cations present in a slightly acidic solution are Fe^{3+} , Zn^{2+} and Cu^{2+} . The reagent that when added in excess to this solution would identify and separate Fe^{3+} in one step is

A. 2 M HCl

B. 6 M NH_3





C. 6 M $NaOH$

D. H_2S gas

Answer: B

 [Watch Video Solution](#)

10. The brown ring test for NO_3^- is due to the formation of the complex ion with formula



Answer: C



Watch Video Solution

11. A salt which gives CO_2 with hot H_2SO_4 and also decolourizes acidified $KMnO_4$ on warming is



C. Oxalate ion

D. Acetate ion

Answer: C

 [Watch Video Solution](#)

12. An aqueous solution $FeSO_4$, $Al_2(SO_4)_3$ and chrome alum is heated with excess of Na_2O_2 and filtered. The materials obtained are

A. A colourless filtrate and a green residue

B. A yellow filtrate and a green residue

C. A yellow filtrate and a brown residue

D. A green filtrate and a brown residue

Answer: C

 [Watch Video Solution](#)

13. When conc. H_2SO_4 is added to dry KNO_3 brown fumes evolve. These fumes are of

A. SO_2

B. SO_3

C. NO

D. NO_2

Answer: D



[Watch Video Solution](#)

14. In the fifth group, $(NH_4)_2CO_3$ is added to precipitate out the carbonates, we do not add Na_2CO_3 because

A. $MgCO_3$ is soluble in Na_2CO_3

B. Na_2CO_3 increases the solubility of fifth group carbonates

C. $MgCO_3$ will also be precipitated out in fifth group

D. Na_2CO_3 will decrease the solubility product of $MgCO_3$

Answer: C

 [Watch Video Solution](#)

15. White substance dissolves in hot water. A black precipitate appears on passing H_2S gas in its aqueous solution. The black precipitate dissolves in hot HNO_3 . A white precipitate is obtained on adding concentrated H_2SO_4 in its solution. This white precipitate is of-

A. $BaSO_4$

B. $SrSO_4$


C. $PbSO_4$

D. $CdSO_4$

Answer: C

 [Watch Video Solution](#)

16. A salt on treatment with dil. HCl gives a pungent smelling gas and a yellow precipitate. The salt gives green flame when tested. The solution gives a yellow ppt. with potassium chromate. The salt is



Answer: B



[Watch Video Solution](#)

17. A violet colour is obtained on adding Cl_2 water in solution of potassium halide in presence of chloroform and on adding excess of Cl_2 water, violet colour disappears and colourless solution appears. The test shows the presence of

A. Iodide ion

B. Bromide ion

C. Chloride ion


D. Iodide and bromide ion

Answer: A



[View Text Solution](#)

18. A substance on treatment with dilute H_2SO_4 liberates a colourless gas which produces (i) turbidity with baryta water and (ii) turns acidified dichromate solution green. The reaction indicates the presence of :



Answer: C

 [Watch Video Solution](#)

19. Which of the following statement is correct?

- A. Fe^{2+} gives brown colour with ammonium thiocyanate
- B. Fe^{2+} gives blue precipitate with potassium ferricyanide
- C. Fe^{3+} gives brown colour with potassium ferrocyanide
- D. Fe^{3+} gives red colour with potassium ferrocyanide

Answer: B

 [Watch Video Solution](#)

20. When H_2S gas is passed through an ammoniacal salt solution X, a slightly white precipitate is formed. The X can be:

A. Cobalt salt

B. Nickel salt

C. Manganese salt

D. Zinc salt

Answer: D

 [Watch Video Solution](#)

21. A mixture is known to contain NO_3^- and NO_2^- before performing ring test for NO_3^- . The aq. Solution should be made free of NO_2^- . This is done by heating with

A. NH_4Cl

B. Zn dust

C. Conc. HNO_3


D. dil. HNO_3

Answer: A



View Text Solution

22. The ion most difficult to remove as precipitate is




Answer: B



Watch Video Solution

23. Which of the following white ppts are insoluble in NH_3 ?



B. Hg_2Cl_2

C. $PbCl_2$

D. All of these

Answer: C

 [View Text Solution](#)

24. The brown ring complex compound is formulated as

$[Fe(H_2O)_5NO]SO_4$. The oxidation state of Fe is

A. +1

B. +2




C. +3

D. +4

Answer: A

 [Watch Video Solution](#)

25. Choose the correct pair regarding solubility




Answer: A




[View Text Solution](#)

Assignment Section B

1. Which of the following salts will not give borax bead test ?







Answer: A::D

 [Watch Video Solution](#)

2. Which of the following sulphates are soluble in water?



Answer: A::C

 [Watch Video Solution](#)

3. An aqueous solution containing S^{2-} ions will not give:

- A. A yellow precipitate with the suspension of $CdCO_3$ in water
- B. Black precipitate with lead acetate solution
- C. White precipitate with $CaCO_3$ suspension
- D. Purple colour with sodium thiosulphate solution

Answer: C::D



Watch Video Solution



4. Hydrogen sulphide is not a group reagent for (basic radical)

- A. 2nd group radicals
- B. 3rd group radicals
- C. 4th group radicals
- D. 5th group radicals

Answer: B::D

 [View Text Solution](#)


5. Which of the following radicals evolve gas or vapour when treated with dil HCl?



Answer: A::C::D

 [View Text Solution](#)



6. To the aqueous solution of the salt acidified potassium permanganate is added and its colour is discharged. It indicates the absence of



Answer: B::C

 [Watch Video Solution](#)




7. Which among the following will be soluble in excess of $NaOH$?



Answer: C::D

 [Watch Video Solution](#)

8. Which of the following compound will not turn black on adding NH_4OH to it ?





Answer: A::C::D



Watch Video Solution

9. Which pair of compounds is expected to show similar colour in aqueous medium?



C. $VOCl_2$ and $FeCl_2$

D. $FeCl_2$ and $MnCl_2$

Answer: A



Watch Video Solution

10. Brown vapours can be of

A. Cl_2

B. I_2

C. Br_2


D. NO_2

Answer: C::D



Watch Video Solution

11. If silver nitrate solution is added to a salt solution and a yellow precipitate is obtained the salt may contain





Answer: A::B



[Watch Video Solution](#)

12. Which of the following sulphates are yellow ?




Answer: A::B::C



View Text Solution

13. To an acidic solution of an anion, a few drops of $KMnO_4$ solution are added. Which of the following, if present, will not decolourise the $KMnO_4$ solution?






Answer: A::B::D



Watch Video Solution

14. If $Pb[CH_3COO]_2$ and Na_2S are mixed and dissolved in water and the solution is filtered then the filtrate will give test of



Answer: B::D



[Watch Video Solution](#)

15. A solution of salt in HCl when diluted with water turns milky. It indicates the presence of



D. Zn

Answer: B::C

 Watch Video Solution

Assignment Section C

1. $FeCl_3$ is acidic towards litmus. On treatment with excess of NH_4SCN it gives red coloured compound (A) and on treatment with excess of $K_2Cr_2O_7$ in the presence of conc. H_2SO_4 , it evolves deep red vapours of (B) on passing the vapours of (B) into $NaOH$, then adding a solution of acetic acid and lead acetate it gives yellow ppt. of compound of chromium (C)

What is the hybridisation of chromium in compound (C) ?

A. sp^3d

B. sp^3

C. dsp^2

D. sp^2

Answer: B



Watch Video Solution

2. $FeCl_3$ is acidic towards litmus. On treatment with excess of NH_4SCN it gives red coloured compound (A) and on treatment with excess of $K_2Cr_2O_7$ in the presence of conc. H_2SO_4 , it evolves deep red vapours of (B) on passing the vapours of (B) into $NaOH$, then adding a solution of acetic acid and lead acetate it gives yellow ppt. of compound of chromium (C)

The compound B is

A. NO_2

B. Br_2

C. CrO_2Cl_2

D. $CrOCl_4$





Answer: C



Watch Video Solution

3. $FeCl_3$ is acidic towards litmus. On treatment with excess of NH_4SCN it gives red coloured compound (A) and on treatment with excess of $K_2Cr_2O_7$ in the presence of conc. H_2SO_4 , it evolves deep red vapours of (B) on passing the vapours of (B) into $NaOH$, then adding a solution of acetic acid and lead acetate it gives yellow ppt. of compound of chromium (C)

The compound A is



Answer: B



4. Borax [$Na_2B_4O_7 \cdot 10H_2O$] when heated on platinum loop it gives a dark transparent glass like bead. The hot bead is dipped in the salt till it reacts with transition metal oxide. It produces characteristic bead of meta borate.

Colour of the bead	Ion
(a) Blue green or light blue	Cu^{+2}
(b) Yellow	Fe^{+2} or Fe^{+3}
(c) Green	Cr^{+3}
(d) Violet	Mn^{+2}
(e) Dark blue	Co^{+2}
(f) Brown	Ni^{+2}

The hybridisation of B in Borax is

- A. sp^2
- B. sp^3
- C. Both (1) & (2)
- D. sp




Answer: C



5. Borax [$Na_2B_4O_7 \cdot 10H_2O$] when heated on platinum loop it gives a dark transparent glass like bead. The hot bead is dipped in the salt till it reacts with transition metal oxide. It produces characteristic bead of meta borate.

Colour of the bead	Ion
(a) Blue green or light blue	Cu^{+2}
(b) Yellow	Fe^{+2} or Fe^{+3}
(c) Green	Cr^{+3}
(d) Violet	Mn^{+2}
(e) Dark blue	Co^{+2}
(f) Brown	Ni^{+2}

Glassy bead is of



Answer: A

6. Borax [$Na_2B_4O_7 \cdot 10H_2O$] when heated on platinum loop it gives a dark transparent glass like bead. The hot bead is dipped in the salt till it reacts with transition metal oxide. It produces characteristic bead of meta borate.

Colour of the bead	Ion
(a) Blue green or light blue	Cu^{+2}
(b) Yellow	Fe^{+2} or Fe^{+3}
(c) Green	Cr^{+3}
(d) Violet	Mn^{+2}
(e) Dark blue	Co^{+2}
(f) Brown	Ni^{+2}

The colour of bead $Ni(BO_2)_2$ is

- A. Green
- B. Brown
- C. Violet
- D. Blue

Answer: B




7. Borax [$Na_2B_4O_7 \cdot 10H_2O$] when heated on platinum loop it gives a dark transparent glass like bead. The hot bead is dipped in the salt till it reacts with transition metal oxide. It produces characteristic bead of meta borate.

Colour of the bead	Ion
(a) Blue green or light blue	Cu^{+2}
(b) Yellow	Fe^{+2} or Fe^{+3}
(c) Green	Cr^{+3}
(d) Violet	Mn^{+2}
(e) Dark blue	Co^{+2}
(f) Brown	Ni^{+2}

The flame used in Borax Bead test is

- A. Reducing
- B. Oxidising
- C. Both (1) & (2)
- D. Neither (1) nor (2)

Answer: C






8.

The compound E may be

- A. NaSnO_2
- B. $\text{Al}(\text{OH})_3$
- C. Na_2ZnO_2
- D. MnO_2

Answer: C



The gas C may be

A. SO_2


B. CO_2

C. Cl_2

D. H_2S

Answer: D

 Watch Video Solution



10.

The salt A may be

- A. MnSO_4
- B. ZnS
- C. CuSO_4
- D. $\text{Al}_2(\text{SO}_4)_3$

Answer: B

 [Watch Video Solution](#)

1. STATEMENT - 1 : SO_2 turns acidified $K_2Cr_2O_7$ green. And

STATEMENT - 2 : SO_2 converts $Cr_2O_7^{2-}$ ion to Cr^{+3} which gives green colour.

A. Statement-1 is True, Statement-2, is True, Statement-2 is a correct explanation for Statement-1

B. Statement-1 is True, Statement-2, is True, Statement-2 is NOT a correct explanation for Statement-1

C. Statement-1 is True, Statement-2 is False

D. Statement-1 is False, Statement-2 is True

Answer: A



[Watch Video Solution](#)

2. STATEMENT - 1 : A dark blue colour is obtained on adding excess of dilute NH_4OH solution in aqueous solution of copper sulphate.

STATEMENT - 2 : Dark blue colour is due to the formation of $[Cu(NH_3)_4]^{2+}$ complex ion.

- A. Statement-1 is True, Statement-2, is True, Statement-2 is a correct explanation for Statement-2
- B. Statement-1 is True, Statement-2, is True, Statement-2 is NOT a correct explanation for Statement-2
- C. Statement-1 is True, Statement-2 is False
- D. Statement-1 is False, Statement-2 is True

Answer: A



[View Text Solution](#)

3. STATEMENT - 1 : CdS and As_2S_3 are coloured compounds.

STATEMENT - 2 : CdS and As_2S_3 can be separated by ammonium sulphide.

- A. Statement-1 is True, Statement-2, is True, Statement-2 is a correct explanation for Statement-3
- B. Statement-1 is True, Statement-2, is True, Statement-2 is NOT a correct explanation for Statement-3
- C. Statement-1 is True, Statement-2 is False
- D. Statement-1 is False, Statement-2 is True

Answer: B



[View Text Solution](#)

4. STATEMENT - 1 : A mixture of ZnO and CuO can be separated by boiling the mixture with $NaOH$ solution.

STATEMENT - 2 : ZnO dissolves in $NaOH$ solution while CuO remains undissolved.

- A. Statement-1 is True, Statement-2, is True, Statement-2 is a correct explanation for Statement-4

- B. Statement-1 is True, Statement-2, is True, Statement-2 is NOT a correct explanation for Statement-4
- C. Statement-1 is True, Statement-2 is False
- D. Statement-1 is False, Statement-2 is True

Answer: A

 [View Text Solution](#)

5. STATEMENT - 1 : Co^{2+} gives green colour with Br_2 water in presence of $KHCO_3$

STATEMENT - 2 : Green colour is due to formation of $CoCO_3$.

- A. Statement-1 is True, Statement-2, is True, Statement-2 is a correct explanation for Statement-5
- B. Statement-1 is True, Statement-2, is True, Statement-2 is NOT a correct explanation for Statement-5
- C. Statement-1 is True, Statement-2 is False

D. Statement-1 is False, Statement-2 is True

Answer: C

 [View Text Solution](#)

6. STATEMENT - 1 : Moistened ammonium salts give the smell of NH_3 .

and

STATEMENT - 2 : Ammonium salts give NH_3 on heating with conc. $NaOH$

A. Statement-1 is True, Statement-2, is True, Statement-2 is a correct

explanation for Statement-6

B. Statement-1 is True, Statement-2, is True, Statement-2 is NOT a

correct explanation for Statement-6

C. Statement-1 is True, Statement-2 is False

D. Statement-1 is False, Statement-2 is True

Answer: B



[View Text Solution](#)

7. STATEMENT - 1 : HCO_3^- and CO_3^{2-} both gives colourless gas on addition of dil. HCl.

STATEMENT - 2 : Both HCO_3^- and CO_3^{2-} gives with ppt with Mg^{+2}

- A. Statement-1 is True, Statement-2, is True, Statement-2 is a correct explanation for Statement-7
- B. Statement-1 is True, Statement-2, is True, Statement-2 is NOT a correct explanation for Statement-7
- C. Statement-1 is True, Statement-2 is False
- D. Statement-1 is False, Statement-2 is True

Answer: C



[Watch Video Solution](#)

8. STATEMENT - 1 : Fe^{+3} gives brown coloured ppt with $K_3[Fe(CN)_6]$.

and

STATEMENT - 2 : Formation of undissociated complex $Fe[Fe(CN)_6]$ take place.

- A. Statement-1 is True, Statement-2, is True, Statement-2 is a correct explanation for Statement-1
- B. Statement-1 is True, Statement-2, is True, Statement-2 is NOT a correct explanation for Statement-1
- C. Statement-1 is True, Statement-2 is False
- D. Statement-1 is False, Statement-2 is True

Answer: B



Watch Video Solution

9. STATEMENT - 1 : Cu^{+2} is unstable in presence of Cl^- ion.

and

STATEMENT - 2 : Formation of $CuCl$ is more favourable.

- A. Statement-1 is True, Statement-2, is True, Statement-2 is a correct explanation for Statement-9
- B. Statement-1 is True, Statement-2, is True, Statement-2 is NOT a correct explanation for Statement-9
- C. Statement-1 is True, Statement-2 is False
- D. Statement-1 is False, Statement-2 is True

Answer: B





[View Text Solution](#)

Assignment Section E

1. Match the Following :

Column I

(Addition of dil. HCl/dil H_2SO_4)



Column II

(Observation)

(p) Gas evolved turns lime water

(q) Gas turns lead acetate paper

(r) Gas turns acidified $K_2Cr_2O_7$

(s) Gives white turbidity

 [View Text Solution](#)






2. Match the Following :

Column I

Column II



(p) Inorganic benzene



 [View Text Solution](#)

3. Match the complex with its oxidation state of central metal

Column I

Column II

- (A) Chromyl chloride test (p) S^{2-}
(B) Ring test (q) NO_3^-
(C) Smell of vinegar (r) CH_3COO^-
(D) Smell of rotten eggs (s) Cl^-

 [View Text Solution](#)

4. Match the compound reaction's product given in column I to the properties given in column II

Column I




Column II

- (A) $NaNO_2 \xrightarrow{HCl} A \xrightarrow{FeSO_4} P$ (p) White ppt
(B) $HgCl_2 \xrightarrow{SnCl_2} P$ (q) Oxidation state of metal in product is
(C) $Hg_2Cl_2 \xrightarrow{NH_4OH} P$ (r) Metal-metal bond is present
(D) $Zn \xrightarrow[NH_4OH / NH_4Cl]{H_2S} P$ (s) Colour is due to complex formation
(t) Black ppt

 [View Text Solution](#)

5. Match the following

Column I



Column II

(p) A gas which gives green colour

(q) A gas which forms oleum with

(r) A gas which is mixed anhydride


(s) A gas which is also given by

(t) Green colour

 [View Text Solution](#)

Assignment Section F

1. How many moles of KCN are required to convert 1 mole of $CuSO_4$ to



 [Watch Video Solution](#)

2. The oxidation state of Fe in brown complex $[Fe(H_2O)_5NO]SO_4$ is

 [Watch Video Solution](#)

3. A metal ion give chocolate coloured ppt with $K_4[Fe(CN)_6]$

What is the oxidation state of that metal in its ion ?

 [View Text Solution](#)

4. Oxidation number of Fe in violet coloured complex

$Na_4[Fe(CN)_5(NOS)]$ is :

 [Watch Video Solution](#)

5. How many cations are placed in 6th group?

 [View Text Solution](#)

6. During detection of P we get canary yellow ppt on addition of ammonium molybdate. The number of element in sp^3 hybridisation from

15th group is _____.

 [View Text Solution](#)

Assignment Section G

1. STATEMENT - 1 : $NaNO_2$ on treatment with dil. HCl gives brown coloured gas directly.

STATEMENT - 2 : $[Fe(CN)_5NO]^{+2}$ is used for the detection of S^{-2} .

STATEMENT - 3 : Precipitate of AgI are of yellow colour

A. FTF

B. FTT

C. TTF

D. TTT

Answer: B

 [Watch Video Solution](#)

2. STATEMENT - 1 : H_2S in acidic medium is the group reagent for II^{nd} group in basic radical.

STATEMENT - 2 : K_{sp} of sulphides of II^{nd} group ions is less.

STATEMENT - 3 : All sulphides of II^{nd} group element are coloured.

A. FTF

B. TTT

C. FFF

D. TTF

Answer: B



[Watch Video Solution](#)

3. STATEMENT - 1 : solubility of sulphide is higher in acidic medium than pure water.

STATEMENT - 2 : Aq. Solution of metal sulphides is neutral.

STATEMENT - 3 : Metal sulphides are salt of strong base and weak acid.

A. TFF

B. FTT

C. TFT

D. TTF

Answer: A



Watch Video Solution

4. STATEMENT - 1 : All Pb^{+2} form white ppt with dil. HCl in estimation.

STATEMENT - 2 : Al^{+3} form white ppt with NH_4OH / NH_4Cl .

STATEMENT - 3 : $Fe(OH)_3$ is soluble in excess $NaOH$.

A. TTF

B. TTT

C. FTT

D. FTF

Answer: C

 [Watch Video Solution](#)

5. STATEMENT - 1 : $NaNO_2$ and $NaNO_3$ gives brown ring test.

STATEMENT - 2 : Both gives blue coloured gas with conc. H_2SO_4 .

STATEMENT - 3 : NO_3^- gives ammonia with $NaOH$ in presence of Cu .

A. TFT

B. TTT

C. FTF

D. TTF

Answer: B

 [View Text Solution](#)

1. When a white powder (A) is strongly heated, it gives of a colourless, odourless gas (B) which turns lime water milky (C) and if the passage of this gas is continued the milkyness disappears and gives a solution (D). The solid residue (E) is yellow when hot, but turns white on cooling. Identify (A) to (E) with help of the equations.

 [Watch Video Solution](#)

2. A solid laboratory reagent (A) give following reactions.

(i) It impart green colour of flame :

(ii) Its solution does not give ppt. on passong H_2S .

(iii) When it is heated with $K_2Cr_2O_7$ and conc. H_2SO_4 , a red gas (B) is evolved. The gas when passed in aq. NaOH solution turns it yellow (C).

Identify (A), (B), (C) giving chemical reactions.

 [View Text Solution](#)

3. An aqueous solution of a gas (X) shows the following reactions :

(a) It turns red litmus blue.

(b) When added in excess to a copper sulphate solution, a deep blue coloured solution is obtained.

(c) On addition to $FeCl_3$ solution, a brownish precipitate is formed, which is soluble in HNO_3 .

Identify (X) and give an explanation for step (a), (b) and (c).

 [Watch Video Solution](#)

4. A black mineral (A) on heating in presence of air gives a gas (B). The mineral (A) on reaction with dilute H_2SO_4 gives a gas (C) and a solution of a compound (D) on passing the gas (C) into an aqueous solution of (B), a white turbidity is obtained. The aqueous solution of (D) on reaction with potassium ferricyanide gives a blue compound (E). Identify (A) to (E) and give chemical equations for the reaction involved.

 [Watch Video Solution](#)

5. When gas A is passed through dry KOH at low temperature, a deep red coloured compound, B and a gas C are obtained. The gas A , on reaction with but-2-ene, followed by treatment with Zn/H_2O yields acetaldehyde. Identify A , B and C .

 [Watch Video Solution](#)

6. The gas liberated on heating a mixture of two salts with $NaOH$, gives a reddish brown precipitate with an alkaline solution of K_2HgI_4 . The aqueous solution of the mixture on treatment with $BaCl_2$ gives a white precipitate which is sparingly soluble in conc. HCl . On heating the mixture of $K_2Cr_2O_7$ and conc H_2SO_4 red vapours (A) are produced. The aqueous solution of the mixture gives a deep blue colouration (B) with potassium ferricyanide solution. Identify the radicals in the given mixture and write the balanced equations for the formation of (A) and (B).

 [Watch Video Solution](#)

7. A certain salt (X) gives the following tests :

(a) Its aqueous solution is alkaline to litmus.

(b) On strong heating. It swells to give a glassy bead.

(c) When conc H_2SO_4 is added to a hot concentrated solution of (X), white crystals of a weak acid separates out. Identify (X) and write down the chemical equations for reaction at steps a , b and c .

 [Watch Video Solution](#)

8. An unknown inorganic compound (X) loses its water of crystallisation on heating and its aqueous solution gives the following reaction.

(i) It gives a white turbidity with dilute hydrochloric acid solution.

(ii) It decolourises a solution of iodine in potassium iodide.

(iii) It gives a white precipitate with silver nitrate solution which turns black on standing. Identify the compound (X) and give chemical equations for the reaction at step (i) to (iii).

 [Watch Video Solution](#)

9. A compound (X) on heating with an excess of NaOH solution gives a gas (Y) which gives white fumes on exposure to HCl. Heating is continued to expel the gas completely. The resultant alkaline solution again liberates the same gas (Y) when heated with Zn powder. However, when the compound (X) is heated alone does not give nitrogen. Identify (X) and (Y).



[Watch Video Solution](#)