





CHEMISTRY

JEE MAIN AND ADVANCED

THE P-BLOCK ELEMENTS



1. Why does boron trifluoride behave as a Lewis acid?

Watch Video Solution

2. Possible oxidation states of boron family elements are :

3. Give colour of bead when glassy bead reacts with TiO.

Watch Video Solution
4. Give the basicity of orthoboric acid.
Watch Video Solution
5. Why boron fibre is used in body armour?
Watch Video Solution
6. How boron isotope controls nuclear reaction?
Watch Video Solution

7. Name an aluminium compound that can be used in chromatography.



10. Why $[SiCl_6]^-$ cannot exist?

11. Give correct order of increasing first ionization energy in carbon

family.

Watch Video Solution

12. Name two elements of carbon family which have nearly same

catenation tendency.

Watch Video Solution

13. Which element of the carbon family does not dissolve in aqueous

NaOH to evolve hydrogen gas?



Watch Video Solution
15. What is hybridisation of carbon in CO_2 ?
Vatch Video Solution
16. Silicones are used as.
Watch Video Solution
17. Why silicon dioxide in non-reactive?
Watch Video Solution

18. (a) Though nitrogen exhibits +5 oxidation state, it does not form

pentahalide. Give reason.

(b) PH_3 has lower boiling point than NH_3 . Why?

Watch Video Solution
19. PH_3 has lower boiling point that NH_3 . Why ?
Watch Video Solution
20. Write the reaction of thermal decomposition of sodium azide
Vatch Video Solution

21. Why does NH_3 acts as a Lewise base?



26. How do you account for reducing behaviour of H_3PO_2 on the

basis of its structure?

Watch Video Solution
27. Write the structure of pyrophosphoric acid.
Watch Video Solution
28. Which among the elements of group 16 is radioactive ?



29. (a) Elements of group 16 generally show lower value of first ionisation enthalpy as compared to the corresponding periods of

group 15. Why ?
(b) H_2S is less than acidic than H_2Te . Why ?
Vatch Video Solution
30. Why is H_2S less acidic than H_2Te ?
Watch Video Solution
31. Predict hybridisation and shape of SF_4 molecule.
Watch Video Solution
32. What happens when

(i) Concentrated H_2SO_4 is added to calcium fluoride.

(ii) SO_3 is passed through water ?

33. Give one example each of acidic, basic, amphoteric and neutral oxides.

Watch Video Solution
34. Draw structure of peroxodisulphuric acid.
Vatch Video Solution
35. Why do halogens have maximum negative electron gain enthalpy
in the respective periods of the periodic table?
Watch Video Solution

36. Although $\Delta_{eq}H$ of luorine is less negative than that of chlorine,

but fluorine is a stronger oxidising agent than chlorine. Why?



37. Fluorine exhibits only -1 oxidation state whereas other halogens

show +1, +3, +5 and +7 oxidation states also. Explain.

Watch Video Solution

38. Give correct order of boiling point of hydride of group 17.



39. Write balanced equation for reaction of Cl_2 with hot and conc.

NaOH is this reaction a disproportionation one? Justify.



40. Give two use of Cl_2

Watch Video Solution

41. (a)When HCI reacts with finely powdered iron , it forms ferrous chloride and not ferric chloride. Why ?

(b) Chlorine water tuns blue litmus red but solution becomes colourless after sometime.

> Watch Video Solution

42. Deduce the molecular shape of BrF_3 on the basis VSEPR theory.



46. AlF_3 is insoluble in anhydrous HF but when little KF is added to the compound it becomes soluble. On addition of BF_3 , AlF_3 is precipitated. Write balanced chemical equation. **47.** A mixture $Al(OH)_3$ and $Fe(OH)_3$ is given to you. How would you separate it??



3. Give hydrolysis product of trihalides of boron family.

Watch Video Solution
4. $2\ln(s)+2NaOH(aq)+2H_2O ightarrow$
A. NH_3
В.
С.
D.
View Text Solution

5. What happens when aluminium is treated with conc. HNO_3 ?

6. Give oxidation state of all boron atom in borax.

Watch Video Solution
7. Give chemical composition of glassy bead.
Vatch Video Solution
8. Give colour of bead produced when glassy bead reacts with CuO
Watch Video Solution
9. How would you prepare boric anhydride from boric acid?

View Text Solution



14. Give one use of alum.

Watch Video Solution

15. name an aluminium compound that can be used in manufacture

of dyes, drugs and perfumes.

Watch Video Solution

16. Which one of the following is hardest compound of boron?

D Watch Video Solution

17. Give one use of borax.



18. The order of catenation power is

Watch Video Solution

19. Why is+20xidiation state of lead more stable than +4 oxidation

state?

Watch Video Solution

20. Why m.p. and b.p. of group 14 elements are higher in comparison

to group 13?



21. Why tetrahalides other than carbon can increase its coordination number?





29. Name the superior quality of coal which burns with non-smoky

flame.



33. Compound that is used as catalyst I petrochemical industries.





37. Why is BiH_3 the strongest reducing agent amongst all the hydrides of group 15 elements ?

38. Why is N_2 less reactive at room temperature ?

39. Mention the conditions required to maximise the yield of ammonia.

Watch Video Solution

Watch Video Solution

40. How does ammonia react with blue solution having Cu^{2+} ions ?

D Watch Video Solution

41. Bond angle in PH_4^+ is higher than that in PH_3 .Why ?

42. What happens when white phosphorus is heated with concentrated NaOH solution in an inert atomosphere of CO_2 ?

Watch Video Solution
43. What happens when PCl_5 is heated ?
Watch Video Solution
44. Write the balanced equation for the hydrolytic reaction of PCl_5 in heavy water.
Watch Video Solution
45. What happens when phosphorus acids (H_3PO_3) is heated ?

46. List the important sources of sulphur.

Watch Video Solution
47. Why is H_2O a liquid and H_2S a gas?
S Watch Video Solution
48. Write the order of the thermal stability of the hydrides of group
16 elements.
Watch Video Solution

49. Anomalous behaviour of oxygen is due to

50. Which of the following does not react with oxygen directly? Zn, Ti, Pt, Fe.

Watch Video Solution	

51. Complete the following reactions :

- (i) $C_2H_4+O_2
 ightarrow$
- (ii) $Al+O_2
 ightarrow$

Watch Video Solution

52. Why does O_3 act as a powerful oxidising agent ?



53. How is O_3 estimated quantitatively ?

• Watch Video Solution 54. What happens when sulphur dioxide is passed through an aqueous solution of Fe(III) salt? • Watch Video Solution

55. Comment on the nature of two S-O bonds formed in SO_2 molecule. Are the two bonds in the molecule equal ?



56. How is the presence of SO_2 detected?

57. Mention three areas in which H_2SO_4 plays an important role.



electron gain enthalpy and hydration enthalpy, compare the



64. Name three gases which can be prepared from chlorine gas.

Watch Video Solution
65. Why is ICI more reactive than I_2 ?
Watch Video Solution
66. Draw structure and give hybridisation of IF_7 .
67. Why is helium used in diving apparatus ? Watch Video Solution





76. Give oxidation state of all boron atom in borax.

Watch Video Solution
77. Give chemical composition of glassy bead .
Vatch Video Solution
78. Give colour of bead produced when glassy bead reacts with CuO
Vatch Video Solution
79. How would you prepare boric anhydride from boric acid ?
Watch Video Solution



81. Name anhydride of boron family which is highly unstable.

82. Name a compound which is artifical Lapis-Lazuli.

Watch Video Solution

Watch Video Solution

83. What is the percentage of sulphur in ultramarine?

84. Give one use of Alum.

Watch Video Solution

85. name an aluminium compound that can be used in manufacture

of dyes, drugs and perfumes.

Watch Video Solution

86. Which one of the following is hardest compound of boron?

D Watch Video Solution

87. Give one use of borax.
88. Give decreasing order of catenation of carbon family .

89. Why +2 oxidation state is more predominant for lead compounds ?

Watch Video Solution

Watch Video Solution

90. Why m.p. and b.p. of group 14 elements are higher in comparison

to group 13?



91. Give hydrolysis product of CCl_4 .





95. Name the type of bonding in SnF_4 and PbF_4 .

96. Name the element in carbon family that can be afected by water.

Watch Video Solution
97. Give number of pentagonal rings in fullerence .
Watch Video Solution
98. name two form of graphite.
Vatch Video Solution
99. What is the type of graphite structure?

100. Why graphite is preferred over grease as lubricating agent?

• Watch Video Solution 101. How can you obtain lampblack? • Watch Video Solution

102. Name the superior quality of coal which burns with non-smoky

flame.

Watch Video Solution

103. How will you prepare fullerene?

104. What is the type of layer arrangement in β -graphite?

Watch Video Solution

105. What is glass?

Watch Video Solution

106. Name a compound that is used as catalyst in petrochemical

industries.

Watch Video Solution

107. Name one natural silicate and one synthetic silicate?



Watch Video Solution
109. Why are pentahalides more covalent than trihalides?
Watch Video Solution
110. Why is BiH₃ the strongest reducing agent amongst all the

hydrides of Group 15 elements ?

Watch Video Solution

111. Why is N_2 less reactive at room temperature ?

112. Mention the conditions required to maximise the yield of ammonia.



116. What happens when white phosphorus is heated with conc. NaOH solution in an inert atmosphere of CO_2 ?







elements.



Watch Video Solution
125. Which of the following does not react with oxygen directly ? Zn,
Ti, Pt, Fe.
Vatch Video Solution

126. Complete the following reactions:

(i) $C_2H_4+O_2
ightarrow$

(ii) $4Al+3O_2
ightarrow$





molecule. Are the two S-O bonds in this molecule equal ?

131. How is the presence of SO_2 detected?

Watch Video Solution
132. Mention three areas in which H_2SO_4 plays an important role.
Watch Video Solution
133. Write the conditions to maximize the yield of H_2SO_4 by contact
process.
Watch Video Solution

134. Why is $K_{a_2} < \ < \ K_{a_1}$ for H_2SO_4 in water ?

135. Considering the parameters such as bond dissociation enthalpy, electron gain enthalpy and hydration enthalpy, compare the oxidizing power of F_2 and Cl_2 .

Watch Video Solution

136. Give two examples to show the anomalous behaviour of fluorine.

Watch Video Solution

137. Sea is the greatest source of some halogens. Comment.



142. Why is helium used in diving apparatus?

• Watch Video Solution 143. Balance the following equation : $XeF_6 + H_2O \rightarrow XeO_2F_2 + HF$ • Watch Video Solution

144. Why has it been difficult to study the chemistry of radon?



145. List out the uses of Neon.

1. On moving down the group 13 density

A. Increases

B. Decreases

C. First decreases then increases

D. Remains same

Answer: A

Watch Video Solution

2. Boron has an extremely high melting point because of

A. Small covalent molecule

B. Giant covalent molecule

- C. Giant covalent solid
- D. Giant ionic molecule

Answer: C

Watch Video Solution

3. Elements of group 13 mainly form covalent compounds because

A. Size of ions is small

B. Sum of three ionisation energies is very high

C. Electronegativity values are high

D. All of these

Answer: D

View Text Solution

4. On moving down the group, the basic nature of hydroxide of boron family.

A. Decreases

B. Increases

C. First decreases then increases

D. Remains same

Answer: B

Watch Video Solution

5. General oxidation state shown by group 13 elements is

A. +1 and +3

B.+1, +2 and +3

C. +2, +3 and +4

D. +1 and +4

Answer: A



6. Which one of the following elements of group 13 can react with alkali solutions to give H_2 gas?

A. Boron

B. Aluminium

C. Gallium

D. All of these

Answer: D



7. The Lewis acid character of boron trihalides decreases as: $BBr_3>BCl_3>BF_3.$ Explain ?

A. $Bl_3 > BBr_3 > BCl_3 > BF_3$

 $\mathsf{B}.\,BF_3>BCl_3>BBr_3>Bl_3$

C. $BCl_3 > BF_3 > BBr_3 > Bl_3$

D. $Bl_3 > BBr_3 < BF_3 < HCl_3$

Answer: A

Watch Video Solution

8. Dimer Al_2Cl_6 is formed because

A. Al is electron rich

B. Aluminium is having lone pair of electron

C. aluminium forms covalent bonds with chlorine to complete its

octet

D. Aluminium donates lone pair to form bridge

Answer: C

Watch Video Solution

9. When we heat borax strongly then it will yield the following compound

A. $NaBO_2$

 $\mathsf{B}.\,B_2O_3$

 $\mathsf{C.}\,Na_2B_4O_7$

D. Both 1 and 2

Answer: D

10. $B(OH)_3$ will accept how many $OH^{\,-}\,$ ions?

A. 1 B. 2 C. 3 D. 4

Answer: A

View Text Solution

11. Boric acid is polymeric due to

A. Basic nature

B. Acidic nature

C. Hydrogen bonds

D. Co-ordinate bonds

Answer: C

Watch Video Solution

12. Select the incorrect statement for B_2H_6

A. It contains B-B ionic bond

B. Each boron is ${{{\it sp}}^3}$ hybridised

C. it has two types of hydrogen bonds

D. All of these

Answer: A

View Text Solution

13. If diborane each boron has three electrons bonds around each B

atom and form

A. Two

B. Three

C. Four

D. Five

Answer: C

O Watch Video Solution

14. Which of the following structure is smaller to graphite?

A. Boron nitride

B. Boron carbide

C. Aluminium oxide

D. Aluminium carbide

Answer: A



15. The number of sigma and pi bonds present I inorganic benzene are respectively

A. 3σ , 12π

B. 12σ , 3π

C. 3σ , 3π

D. 12σ , 12π

Answer: B

16. Why are alloys used for making standard resistance coils?

A. Resistance to corrosion

B. Poor conductivity

C. heaviness

D. All of these

Answer: A

Watch Video Solution

17. Which of the following alkali metal does not form alum?

A. Li

B. Na

C. K

D. All of these



18. What is the general valence shell electronic configuration of group 14 elements?

A. ns^2

B. ns^2np^4

 $C. ns^2 np^6$

D. ns^2np^2

Answer: D

19. Tendency of carbon for catenation is because carbon-carbon atoms bond energy is

A. Low

B. High

C. Zero

D. Negative

Answer: B

Watch Video Solution

20. All elements except carbon have tendency to show maximum covalency of six

A. Due to absence of vacant d-orbitals

B. Due to presence of vacant d-orbitals

- C. Due to presence of partially filled d-orbitals.
- D. Due to presence of completely filled d-orbitals.

Answer: B

Watch Video Solution

21. Aluminium is the most abundant metal in the earth's crust.

A. Silicon

B. Germanium

C. Aluminium

D. Arsenic

Answer: C

22. Metalloid among the following is

A. Carbon.

B. Germanium

C. Lead

D. All of these

Answer: B

Watch Video Solution

23. On moving down the group, acidic nature of oxides of group 14.

A. Decreases

B. Increases

C. Remains same

D. Increases then decreases

Answer: A



24. Which one of the following elements orms double or triple bond

involving $p\pi - p\pi$ bonding?

A. Carbon

B. Silicon

C. Germanium

D. Tin

Answer: A

25. Allotropy is due to

A. Difference in the number of atoms in the molecules in the

crystal

- B. difference in the preparation
- C. Difference in physical properties
- D. All of these

Answer: D

Watch Video Solution

26. Which of the following elements exhibit maximum number of allotropes ?

A. Tin

B. Germanium

C. Silicon

D. Lead

Answer: A

Watch Video Solution

27. Hybridisation of carbon atoms in diamond is

A. sp^3 hybridisation

B. sp hybridisation

C. sp^2 hybridisation

D. sp^3d^2 hybridisation

Answer: A

28. Graphite has

- A. 2-D sheet structure
- B. Van der waals forces between different layers
- C. sp^2 hybridised carbon linked with other three carbon atoms in

hexagonal planar structure

D. All of these

Answer: D

Watch Video Solution

29. Fullerenes

A. Interlocking of hexagonal carbon rings

B. Interlocking of pentagonal carbon rings

C. Interlocking of hexagonal and pentagonal carbon rings

D. Interlocking of hexagonal and heptagonal carbon rings

Answer: C

Watch Video Solution

30. In graphite, the bond is

A. Ionic

B. Covalent

C. Co-ordinate

D. Metallic

Answer: B

31. Which one of the following is properties of CO gas?

A. It is a colourless gas

B. it is an odourless gas

C. it is a neutral oxide

D. All of these

Answer: D

Watch Video Solution

32. Carbonic acid is a

A. Weak tribasic acid

B. Weak dibasic acid

C. Strong tribasic acid
D. Strong dibasic acid

Answer: B



34. Number of points at which tetrahedral units are linked in pyrosilicates is

A. Five point

B. Six point

C. Two point

D. One point

Answer: D

Watch Video Solution

35. The geometry of SiO_4^{4-} ion is

A. Triangular

B. Tetrahedral

C. Pentagonal bipyramidal

D. Linear

Answer: B

Watch Video Solution

36. A liquid which is permanently supercooled is frequently called a

A. Glass

.....

B. Silicates

C. Silicones

D. Silica garden

Answer: A

37. Which is mismatched,

A. halogens- group 17

B. Chalcogents-group 16

C. Pnicogens - group 14

D. Noble gases - group 18

Answer: C

Watch Video Solution

38. Fluoroapatitive is represented by the formula

A. CaF_2

B. Na_3AlF_6

 $\mathsf{C.}\, Ca_3(PO_4)_2$

D.
$$3Ca_3(PO_4)_2 \cdot CaF_2$$

Answer: D



Answer: A

40. Maximum covalent character is shown by

A. NCl_3

 $\mathsf{B.}\,PCl_3$

C. $AsCl_3$

D. $SbCl_3$

Answer: A

Watch Video Solution

41. HNO_2 on disproportionation gives HNO_3 and

A. NO_2

B. N_2O_5

C. NO

D. All of these can form

Answer: C



Answer: D

43. In which of the following reactions, products given are not correct?

A.
$$(NH_4)_2 Cr_2 O_7 \xrightarrow{\Delta} N_2 + 4H_2 O + Cr_2 O_3$$

B. $Ba(N_3)_2 \xrightarrow{\Delta} Ba + 3N_2$
C. $3Mg + N_2 \xrightarrow{\Delta} Mg_3 N_2$
D. $NH_4 Cl + NaNO_2 \rightarrow NaCl + NH_3 + NO_2$

Answer: D

Watch Video Solution

44. Oxide of nitrogen which is acidic in nature and blue solid

A. N_2O

 $\mathsf{B.}\,NO$

C. N_2O_3

 $\mathsf{D.}\,NO_2$

Answer: C

Watch Video Solution

45. Valency and oxidation number of nitrogen in N_2O_5

A. 5,+5

B. 4,+5

C. 3,+3

D. 3,+5

Answer: B

46. Which has maximum bond angle?

A. NH_3

 $\mathsf{B.}\, PH_3$

 $\mathsf{C}.AsH_3$

D. SbH_3

Answer: A

Watch Video Solution

47.
$$(A) + SbF_5
ightarrow [XeF_3]^+ [SbF_6]^-$$

Compound (A) is

A. XeF_2

 $\mathsf{B.} \, XeF_4$

 $C. XeF_6$

D. Both 1 and 2

Answer: B



48. Which set of oxide of nitrogen is paramagnetic in monomeric state?

A. No, N_2O

 $\mathsf{B}.\,NO_2,\,N_2O$

 $\mathsf{C}.NO,NO_2$

 $D. N_2O, NO, NO_2$

Answer: C

49. The incorrect statement among the following is

A. Reducing character of hydrides of group 15 increases down

the group

B. Basicity of hydrides of group 15 increases down the group

C. Phosphorus and arsenic can form $p\pi-d\pi$ bond

D. NCl_5 does not exist

Answer: B

Watch Video Solution

50.
$$Cu + HNO_3 \rightarrow \text{products}$$

the products formed in above reaction is

A. CuO + NO

 $\mathsf{B.}\,Cu(NO_3)_2+N_2O$

$$\mathsf{C.}\,Cu(NO_3)_2 + NO_2$$

D. All of these can form

Answer: C

Watch Video Solution

51. Which of the following metals does not dissolve in concentrated

 HNO_3 ?

A. Cr

B. Zn

C. Al

D. Both 1 and 3

Answer: D

52. In brown ring test for nitrate ions, brown ring is formed due to complex

A.
$$[Fe(H_2O)_6]^{2+}$$

B. $[Fe(H_2O)_5NO]^{2+}$
C. $[Fe(H_2O)_5NO]^{3+}$
D. $[Fe(H_2O)_5NO_2]^{2+}$

Answer: B

Watch Video Solution

53. Allotrope of phosphorus which is polymeric consisting of chains

of P_4 tetrahedral linked together is

A. White phosphorus

B. Red phosphorus

C. Black phosphorus

D. Both 1 and 2

Answer: B

Watch Video Solution

54. $Ca_3P_2 + H_2O ightarrow Ca(OH)_2 + (A)$

Product (A) is is used in

A. Holme's signal

B. Smoke screen

C. Manufacture of NH_4NO_3

D. Both 1 and 2

Answer: D

55. Which is dibasic?

A. Orthosphoric acid

B. Pyrophosphoric acid

C. phosphorus acid

D. Hypophosphorus acid

Answer: C

Watch Video Solution

56. Cyclotrimeta phosphoric acid has total number of P=O & P-O bonds respectively

B. 3,5

C. 3,6

D. 5,6

Answer: C

Watch Video Solution

57. Which is mismatched regarding the formula?

A. Epsom salt $-MgSO_4.7H_2O$

B. Bartyte- $BeSO_4$

C. Copperr pyrite- $CuFeS_2$

D. Galena-PbS

Answer: B



58. The one with lowest electron affinity in group 16 is

A. Oxygen

B. Sulphur

C. Selenium

D. Tellurium

Answer: A

Watch Video Solution

59. The set having correct possible oxidation state for oxygen is

A. 0, +4 only

B. 0, -6 only

C. -2, 0, +1, +2

D. 0,+2,+4,+6`

Answer: C

Watch Video Solution

60. Which has maximum number of lone pair of electrons present on

central atom i.e., xenon?

A. XeF_4

 $\mathsf{B.}\, XeO_2F_2$

 $\mathsf{C.}\, XeF_2$

D. $XeOF_4$

Answer: C

61. The boiling points of hydrides of group 16 are in the order

A.
$$H_2O < H_2S < H_2Se < H_2Te$$

B. $H_2Te < H_2Se < H_2S < H_2O$
C. $H_2S < H_2Se < H_2Te < H_2O$

D. $H_2O < H_2Te < H_2Se < H_2S$

Answer: C

Watch Video Solution

62. Dioxygen can be prepared by

A. heating $KClO_3$

B. Thermal decomposition of oxides like Ag_2O , Pb_3O_4 etc.

C. Electrolysis of water

D. All of these

Answer: D



64. The incorrect statement regarding structure of ozone

A. The two oxygen-oxygen bond length in ozone are identical

B. It is linear

C. Bond angle is less than 120°

D. Both 2 and 3

Answer: B

Watch Video Solution

65. Form of sulphur which shows paramagnetic behaviour

A. S_8 -Rhombic

B. S_8 -Monoclinic

C. S_2 is vapour state

D. Not possible

Answer: C



66.
$$FeS_2 + O_2
ightarrow$$
 ?

The product formed in above reaction is

A. $FeO + SO_2$

$$\mathsf{B.} Fe_2O_3 + SO_2$$

 $\mathsf{C.}\,Fe_2O_3+SO_3$

D. $FeO + SO_3$

Answer: B



67. Which has bleaching action due to reducing property and it is temporary?

A. H_2O_2

 $B.O_3$

 $\mathsf{C}.SO_2$

D. Cl_2

Answer: C



68. On reaction of moist SO_2 with potassium permangnate (Acidic)

which is correctly observed?

A. Colour of $KMnO_4$ is decolourised

B. SO_2 is oxidised to SO_3

C. MnO_4^- is reduced to MnO_2

D. All of these

Answer: A

Watch Video Solution

69. S-S bond is present in

A. $H_2S_2O_7$

 $\mathsf{B.}\,H_2S_2O_8$

 $\mathsf{C.}\,H_2S_2O_6$

D. H_2SO_3

Answer: C

70. In the reaction

- $Cu+ {H_2SO_4 \atop (Conc.)}
 ightarrow CuSO_4 + SO_2 + H_2O$
- H_2SO_4 behaves w.r.t. Cu as

A. Dehydrating agent

B. oxidising agent

C. An acid

D. All of these

Answer: B

Watch Video Solution

71. H_2SO_4 is manufactured by

A. Ostwald process

B. Haber's process

C. Contact process

D. Frasch process

Answer: C

> Watch Video Solution

72. Radioactive element of group 17 is

A. Polonium.

B. Francium

C. Astatine

D. Radium

Answer: C

73. Deacon's process of manufacture of chlorine is represented by the equation

A.
$$MnO_2 + HCl
ightarrow MnCl_2 + Cl_2 + H_2O$$

 $\mathsf{B}. KMnO_4 + HCl \rightarrow KCl \rightarrow MnCl_2 + H_2O + Cl_2$

$$\mathsf{C}.\,HCl+O_2 \xrightarrow{CuCl_2} Cl_2 + H_2O$$

D.

 $NaCl + MnO_2 + H_2SO_4 \rightarrow Cl_2 + MnCl_2 + NaHSO_4 + H_2O_4$

Answer: C

Watch Video Solution

74. The colour shown by halogen is incorrectly given by

A.
$$F_2$$
=yellow

B. Cl_2 =colourless

C. Br_2 =Red

D. I_2 =Violet

Answer: B

Watch Video Solution

75. Which is incorrectly given according to order incicated?

A. $F_2 > Cl_2 > Br_2 > l_2,$ Oxidising power

B. Hl > HBr > HCl > HF: Acidic strength

C. $F_2 > Cl_2 > Br_2 > l_2$, Bond dissociation enthalpy

D. HF > Hl > HBr > HCl, Boiling point

Answer: C

76. Cl_2 on reaction with excess of NH_3 gives

A. $NH_4Cl + N_2$

B. $NCl_3 + HCl$

C. NCl_3Cl only

D. $NH_4Cl + NCl_3$

Answer: A

Watch Video Solution

77. Complete the following chemical reaction equations :

- (i) $NaOH_{(
 m cold \ and \ dilute)} + Cl_2
 ightarrow$
- (ii) $XeF_6 + H_2O
 ightarrow (ext{excess})$

A. NaOCl

B. $NaClO_3$

C. $NaClO_4$

D. $NaClO_2$

Answer: A

Watch Video Solution

78.
$$Cl_2 + F_2 \xrightarrow{573K} (A)$$

Shape of compound (A) is

A. Linear

B. Tetrahedral

C. Square Pyramidal

D. Trigonal bipyramidal

Answer: C



79. The correct order of acidic strength is

A. $HClO_4 > HClO_3 > HClO_2 > HClO$

B. $HClO_3 > HBrO_3 > HlO_3$

 ${\sf C}.\, H_3PO_2>H_3PO_3>H_3PO_4$

D. All of these

Answer: D

View Text Solution

80. The one with maximum oxidising power is

A. Hypochlorous acid

B. Chlorous acid

C. Chloric acid

D. Perchloric acid

Answer: A



81. Total number of F-I-F bond angles which are $90^{\,\circ}\,$ present in lF_7 is

A. zero

B. Two

C. Five

D. Ten

Answer: D

82. In general interhalogen compounds are more reactive than halogens, except

A. F_2

 $\mathsf{B.}\,Cl_2$

 $\mathsf{C}.\,Br_2$

D. I_2

Answer: A

Watch Video Solution

83. Cl_2 is used preparation of poisonous gases, one of them is mustard gas, which can be represented by the formula

A. $CHCl_3$

B. $COCl_2$

 $\mathsf{C}. CCl_3NO_2$

 $\mathsf{D.} ClCH_2CH_2SCH_2CH_2Cl$

Answer: D

> Watch Video Solution

84. Anamolous behaviour of fluorine in group 17 is due to

A. Small size

B. High electronegativity

C. Low F-F bond dissociation enthalpy and absence of vacant d

orbital

D. All of these

Answer: D

85. $^{226}_{-86}$ $Ra
ightarrow .^A_Z$ $Rn + .^4_2$ He

Radon is prepared by $\alpha\text{-decay}$ from radium, in above reaction A and

Z are respectively

A. 226, 86

B. 222,90

C. 222,86

D. 230,90

Answer: C



86. Noble gases are mostly inert. Assign reasons.

A. Completely filled electronic configuration
- B. High ionisation enthalpy
- C. More positive electron gain enthalpy

D. All of these

Answer: D

Watch Video Solution

87.
$$Xe + Fe_2 \xrightarrow[(1:20)]{573K, 60-70 \text{ bar}} ?$$

The compound formed in above reaction is

A. XeF_2

 $\mathsf{B.} XeF_4$

 $\mathsf{C}. XeF_6$

D. $XeOF_4$

Answer: C

88. Noble gases used in diving apparatus and discharge tube is respectively (main use)

A. He, Ne

B. Ne, Ne

C. He, He

D. He, Ar

Answer: A



89. Which is mismatched regarding the shape?

A. XeF_4 =Square planar

- B. $XeOF_4$ =Square pyramidal
- C. XeF_6 =Distorted octahedral
- D. XeO_3 =Bent T shape

Answer: D

Watch Video Solution

90. Compound of which of the noble gases, are neither isolated nor identified?

A. He,Ne,Ar,Kr,Rn

B. He,Ne,Kr

C. He,Ne,Ar

D. He only

Answer: C



91. Structure of XeO_2F_2 is correctly represented by



D. Both 2 and 3

Answer: B



92. Why has it been difficult to study the chemistry of radon?

A. it is radioactive with short half life

B. it is chemically inert

C. its compound is not isolated

D. it has low boiling point

Answer: A

Watch Video Solution

93. The ease of liquefaction of noble gases decreases in the order

A. HegtNegtArgtKrgtXe

B. XegtKrgtArgtNegtHe

C. NegtArgtKrgtXegtHe

D. He=Ne=Ar=Kr=Xe

Answer: B



94. Noble gases are sparingly soluble in water due to

A. London forces

B. Dipole-dipole interaction

C. dipole-induced dipole interaction

D. lon-dipole interaction

Answer: C

1. Which is correct for the structure of diborane ?

A.
$$[BH_2]^+ [BH_4]^-$$

B. $h \cdot \stackrel{H}{B} - \stackrel{H}{B} \cdot H$
 $\stackrel{|}{H} \stackrel{H}{H}$
C. $\stackrel{(3)}{H} \stackrel{H}{B} \stackrel{H}{H} \stackrel{H}{B} \stackrel{H}{H}$

$$\mathbf{D.} \quad \begin{bmatrix} \mathbf{H} \\ \mathbf{H} \\ \mathbf{H} \end{bmatrix} = \mathbf{B} \\ \mathbf{H} \\ \mathbf{H} \end{bmatrix} \mathbf{H}_{2}$$

Answer: C



2. The following sequence of reactions is used to convert borax into

boron (B).

$$Na_{2} \Big[B_{4}O_{5}(OH)_{4} \Big] . 8H_{2}O \xrightarrow{x} H_{3}BO_{3} \xrightarrow{\Delta} B_{2}O_{3} \xrightarrow{Y} B_{\text{Boron}}$$

Reagents X and Y are respectively

A. Acid, Al

B. Base, C

C. Base, Fe

D. Acid, Mg

Answer: D



3. Which of the following reaction represents the correct product

formation?

A. $Al_4C_3 + H_2O
ightarrow CH_4$

B. $Mg_2C_3 + H_2O
ightarrow CH \equiv CH$

C. $CaC_2 + H_2O
ightarrow C_2H_4$

D. $Be_2C + H_2O
ightarrow CH_3 - C \equiv CH$

Answer: A

Watch Video Solution

4. Stability of trivalent and mono valent cation of group 13 (Boron family) will be in order :

A.
$$Ga^{3+} > \ln^{3+} > Tl^{3+}$$

B. $Tl^{3+} > \ln^{3+} > Ga^{3+}$
C. $\ln^{3+} > Ga^{3+} > Tl^{3+}$
D. $\ln^{3+} > Ti^{3+} > Ga^{3+}$

Answer: A

5. Ionisation of boric acid in aqusous medium gives which one of the

following?

A. $[B(OH)_4]^-$ B. $[B(OH)_2O]^-$ C. $[B(OH)O_2]^{2-}$ D. $[BO_3]^{3-}$

Answer: A

Watch Video Solution

6. Shortest C-O bond is present in

A. Carbon monoxide

B. Carbon dioxide

C. Carbonate ion

D. Acetone

Answer: A

Watch Video Solution

7. Boron halides behave as Lewis acid because of their ____ nature.

A. lonisation property

B. Electron deficient nature

C. Acidic nature

D. Covalent nature

Answer: B

8. In graphite, electrons are

A. Localised on each carbon-atom

B. Localised on every third C-atom

C. Delocalised within the layer

D. Present in anti-bonding orbital

Answer: C

Watch Video Solution

9. From B_2H_6 , all the following can be prepared except

A. H_3BO_3

B. $B_2(CH_3)_4H_2$

 $\mathsf{C}.\,B_2(CH_3)_6$

D. $NaBH_4$

Answer: C



Answer: B

11. Specify the coordination geometry around and the hybridisation of N and B atoms in 1:1 complex of BF_3 and NH_3 .

A. N is tetrahedral, sp^3 , B is tetrahedral, sp^3

B. N is pyramidal, sp^3 , B is pyramidal, sp^3

C. N is pyramidal, sp^3 , B is planar, sp^2

D. N is pyramidal, sp^3 , B is tetrahedral sp^3

Answer: A

Watch Video Solution

12. Carbondioxide is used for extinguishing fire because

A. it has a relatively high critical temperature

B. In solid state, it is called dry ice

C. It is neither combustible nor a supporter of combustion

D. it is a colourless gas

Answer: C

Watch Video Solution

13. Boron nitride on reacting with steam gives

A. NH_3

 $\mathsf{B.}\,N_2O$

 $C. Na_2BO_2$

D. NO_2

Answer: A

14. Borax is written as

A. $Na_2 ig | B_4 O_5 (OH)_4 ig] \cdot 8 H_2 O$

B. $Na_2B_4(OH)_7O_2\cdot 3H_2O$

 $\mathsf{C.}\, Na_2OB_4O_8H_2$

D. $Na_{2}B_{4}O_{17}H_{2}O$

Answer: A

Watch Video Solution

15. Write the chemical reactions of P_4O_6 with cold and hot water.

A. Ortho phosphoric acid

B. Meta phosphoric acid

C. Pyrophosphoric acid

D. Hypophosphorous acid

Answer: A



16. Which of following trihalides of nitrogen behaves as the weakest

base?

A. NF_3

B. NCl_3

 $\mathsf{C.}\,NBr_3$

D. Nl_3

Answer: A



17. Arrange the following molecules in the increasing order of bond

angle.

 $egin{aligned} &H_2OH_2SH_2SeH_2Te\ &II &III &IV \end{aligned}$ A. $H_2O>H_2S>H_2Se>H_2Te$ B. $H_2O>H_2Te>H_2Se>H_2Se>H_2S$ C. $H_2S>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2Se>H_2$

D.

Answer: B

Watch Video Solution

18. The colour of I_2 is violet because it

A. Absorbs violet light

B. Does not absorb light

C. Absorbs yellow and green light

D. property of l_2

Answer: C

Watch Video Solution

19. $(NH_4)_2 Cr_2 O_7$ on heating gives a gas which is also given by :

A. Heating NH_4NO_2

B. Heating NH_4NO_3

 $\mathsf{C.}\, Mg_3N_2+H_2O$

D. NH_4Cl

Answer: A

20. $K_2Cr_2O_7 + SO_2 \xrightarrow{H_+}$ products

the oxidation state of chromium changes from

A. $+\,12$ to +6

B.+3 to +6

 $\rm C.+6$ to +3

D.+6 to +4

Answer: C

Watch Video Solution

21. N_2O_4 is a mixed anhydride because it

A. Is a mixture of N_2O_3 and N_2O_5

B. Decomposes into two oxides of nitrogen

C. Reacts with water to give nitric acid

D. Reacts with water to form two acids

Answer: D



bleaching powder is

A. 0.12

B. 0.35

C. 0.58

D. 0.85

Answer: B



23. A certain compound when burned gives three oxides. The first turned lime water milky, the second turned anhydrous $CuSO_4$ blue and the third formed an aqueous solution of low pH. The elements present in the compound are

A. C,S,Ca

B. N,S,K

C. C,H,S

D. C,H,Ca

Answer: A

Watch Video Solution

24. Which of the following gas has highest solubility in water?

 $\mathsf{B.}\,CO_2$

 $\mathsf{C}.SO_3$

 $\mathsf{D.}\, CO$

Answer: C

Watch Video Solution

25. Which of the following compound is paramagnetic?

A. N_2O_4

B. ClO_2

 $\mathsf{C.}\,Cl_2O_7$

D. N_2O

Answer: B

26. The strongest oxidising agent among the following is



- $\mathsf{B.}\,BrO_4^{\,-}$
- $\operatorname{\mathsf{C}}.\operatorname{\mathit{lO}}_4^-$
- D. ClO_3

Answer: B

Watch Video Solution

Assignment Section-C)

1. Which of the following compounds are acidic?

A. $B(OH)_3$

 $\mathsf{B.}\,Al(OH)_3$

 $\mathsf{C}.BF_3$

 $\mathsf{D.}\, CO_2$

Answer: A::C::D

Watch Video Solution

2. Which of the following compounds contain boron?

A. Borax

B. Colemarite

C. Feldspar

D. kernite

Answer: A::B::D

3. Which of the following compound react with BF_3 ?

A. Ethers

 $\mathsf{B}.\,H_2O$

C. Ethylalcohol

D. NH_3

Answer: A::B::C::D

Watch Video Solution

4. Which of the following statement is/are correct regarding B-F bond in BF_3 ?

A. All the three B-F bond lengths are equal and each of them is

shorter than the sum of the covalent radii of boron and

fluorine

B. The bond energy of the B-F bond is very high, higher than for any other single bond C. The unusual shortness and strength of the B-F bond may be explained by $p\pi - p\pi$ interaction between boron and fluorine

atoms

D. The unusual shortness and strength of the bonds may be

explained by a $p\pi - d\pi$ interaction between boron and

fluorine atoms.

Answer: A::B::C



5. Which of the following compound react with B_2H_6 ?

A. Cl_2

 $\mathsf{B.}\,CO$

 $\mathsf{C}.NH_3$

D. $(CH_3)_3N$

Answer: A::B::C::D



6. Which of the following statement is/are correct?

A. $B(OH)_3$ partially reacts with water to form H_3O^+ and

 $[B(OH_4)]^-$ and behaves like a weak acid

B. $B(OH)_3$ behaves like a strong monobasic acid in presence of

sugars and this acid can be titrated against NaOH solution

using phenolphthalein as an indicator

C. $B(OH)_3$ does not donate a proton and hence does not form

any salt with NaOH

D. $B(OH)_3$ reacts with NaOH, forming $Na[B(OH)_4]$

Answer: A::B::D

View Text Solution

7. Which of the following molecules have zero dipole?

A. CS_2

B. CO_2

 $C. CCl_4$

D. CH_2Cl_2

Answer: A::B::C

8. Which of the following halides of carbon are solids?

A. CF_4

B. CCl_4

 $\mathsf{C.}\, CBr_4$

D. Cl_4

Answer: C::D

Watch Video Solution

9. Borazine is the product of reaction between

A. B_2H_6

 $\mathsf{B.}\,NH_3$

 $\mathsf{C}.BF_3$

D. BCl_3

Answer: A::B

Watch Video Solution

10. Which of the followig statements is/are correct?

A. The carbon-di-oxide molecule behaves as a nonpolar molecule

even through two of its resonating structures. . $O - C \equiv O^+$ and $O^+ \equiv C - O^-$ are dipolar

B. Carbon di-oxide is the anhydride of the unstable dibasic acid

 $O = C(OH)_2$

C. The carbon dioxide molecule is linear because the carbon atom utilizes its sp orbitals to form σ bonds D. The carbon atom is sp^2 - hybridised in the CO_2 molecule as

well as the molecule of its hydrate H_2CO_3

Answer: A::B::C

Watch Video Solution

11. Which of the following statement is/are correct?

A. Aluminium carbide as well as beryllium carbide produce

methane gas on treatment with water

B. On reacting with water, calcium carbide (CaC_2) produces

acetylene while magnesium carbide (Mg_2C_3) gives propyne

- C. Calcium carbide has one sigma and two pi bonds
- D. Diamond is more stable than graphite.

Answer: A::B::C



12. Choose the correct statement regarding oxy acids of halogens

A. F does not form oxy acid

B. $HClO_4$ is stronger acid than $HBrO_4$

C. All oxy acids are monobasic

D. $HClO_4$ is stronger oxidising agent than $HBrO_4$

Answer: B::C

Watch Video Solution

13. Which of the following compounds give ammonia with water?

A. Mg_3N_2

 $\mathsf{B.}\,AlN$

 $\mathsf{C.}\, CaCN_2$

 $\mathsf{D.}\, Ca(CN)_2$

Answer: A::B::C

Watch Video Solution

14. Which of the following oxides are amphoteric?

A. CO

B. SnO_2

C.ZnO

 $\mathsf{D}.\,BeO$

Answer: B::C::D

15. Which of the following ammonium salt evolves N_2 on heating?

A. $(NH_4)_2SO_4$

 $\mathsf{B.}\, NH_4NO_2$

 $\mathsf{C}.NH_4NO_3$

D. $(NH_4)_2 Cr_2 O_7$

Answer: B::D

Watch Video Solution

16. Bromine react with NaOH to produce

A. NaBr and $NaBrO_3$ in hot solution

B. NaBr and NaBrO in cold solution

C. NaBr and NaBrO in hot solution

D. Only NaBr in cold and NaBrO in hot

Answer: A::B



17. Which of the following compounds have same hybridisation?

A. ClF_3

 $\mathsf{B.}\, PF_5$

 $\mathsf{C}.\, XeF_4$

D. SF_4

Answer: A::B::D
18. Which of the following statement is/are correct regarding halogens?

A. All halogens form oxyacids

B. Oxidising power of halogen $F_2 > Cl_2 > Br_2 > l_2$

C. Electron affinity of fluorine is highest

D. All halogens show oxidation state from -1 to +7.

Answer: A::B

Watch Video Solution

19. Which of the following are correctly matched?

A. $HClO < HClO_2 < HClO_3 < HClO_4
ightarrow$ Thermal stability

B. $HClO < HClO_2 < HClO_3 < HClO_4 \rightarrow$ Acid strength.

C. $HClO < HClO_2 < HClO_3 < HClO_4 \rightarrow$ Oxidising power

D. Hl < HCl < HBr < H - F
ightarrow Acidic strength

Answer: A::B

Watch Video Solution

20. For H_3PO_3 and H_3PO_4 the correct choice is

A. H_3PO_3 is a dibasic acid

B. H_3PO_4 is a tribasic acid

C. H_3PO_4 is a reducing agent

D. H_3PO_3 is a reducing agent

Answer: A::B::D



21. Which of the following pairs are correctly matched?

A. Habar's process (NH_3)

B. Bayer's process (H_2SO_4)

C. Birkeland-Eyde process (HNO_3)

D. Solvay process (Na_2CO_3)

Answer: A::C::D

Watch Video Solution

22. Which of the following compounds show self ionisation in liquid

state?

A. NO_2

B. ClF_3

 $C. BrF_5$

D. PCl_5

Answer: A::B::C



23. Which of the following compound(s) contains(s) N-N bond?

A. N_2O_3

 $\mathsf{B.}\,N_2O_5$

 $\mathsf{C.}\,N_3H$

D. N_2O_4

Answer: A::C::D

Watch Video Solution



Q. In the above reaction the product (C) resembles with

A. Graphite

B. Benzene

C. Fullerene

D. Diamond

Answer: A

Watch Video Solution

$$\begin{array}{c|c} Na_{2}B_{4}O_{7} \cdot 10H_{2}O \\ Borax \end{array} \xrightarrow{HCI} (A) \xrightarrow{C_{2}H_{5}OH} (B) \\ & +NaCI \\ \hline \Delta \end{array}$$

Q. Hybridization of B in compound (B) is

A. ${\it sp}^3$ hybridisation

 $\mathsf{B.}\, sp^2$

2.

 $\mathsf{C}.\,dsp^2$

D. sp^3d^2

Answer: B





3.

- Q. Borax structure contains
 - A. Two BO_4 groups and two BO_3 groups
 - B. Four BO_4 groups only
 - C. Three BO_4 and one BO_3 groups

D.

Answer: A



4. Allotropes of carbon: There are three forms of carbon. i.e., diamond, graphite and fullerene which exxist in crystalline form. Graphite and diamond occur in nature. The structure of diamond is tetrahedral with sp^3 hybridisation and diamond exist in 3-D netowrk solid. in graphite, carbon is sp^2 hybridised. each carbon linked to other carbon linked to other carbon atom forms hexagonal ring. it has a layered structure. diamond and graphite are purest form of carbon. Fullerene constitute a new family of carbon allotropes. Consisting of large spheroidal molecule of compound with general formula C_{2n} . common fullerene C_6, C_{70} , contain 5 and 6 membered

rings.

Q. Which of the following statement is correct regarding C_{60} fullerene?

A. It contains 20, six membered ring and 12, five membered ringsB. It contains 20, six membered ring and 12, five membered ringsC. It consist of 25, six membered and 12, five membered rings

D. It consists of 12, six membered and 25, five membered rings.

Answer: B

Watch Video Solution

5. Allotropes of carbon: There are three forms of carbon. i.e., diamond, graphite and fullerene which exxist in crystalline form. Graphite and diamond occur in nature. The structure of diamond is tetrahedral with sp^3 hybridisation and diamond exist in 3-D netowrk solid. in graphite, carbon is sp^2 hybridised. each carbon linked to other carbon linked to other carbon atom forms hexagonal ring. it has a layered structure. diamond and graphite are purest form of carbon. Fullerene constitute a new family of carbon allotropes. Consisting of large spheroidal molecule of compound with general formula C_{2n} . common fullerene C_6, C_{70} , contain 5 and 6 membered

rings.

Q. Which of the following statement is incorrect for graphite?

A. Very small, the layers being tightly packed

B. Many times larger than the covalent radius of carbon

C. More than twice the covalent radius of carbon

D. The same as the covalent radius of carbon

Answer: C



6. Allotropes of carbon: There are three forms of carbon. i.e., diamond, graphite and fullerene which exxist in crystalline form. Graphite and diamond occur in nature. The structure of diamond is tetrahedral with sp^3 hybridisation and diamond exist in 3-D netowrk solid. in graphite, carbon is sp^2 hybridised. each carbon linked to other carbon atom forms hexagonal ring. it has a layered structure. diamond and graphite are purest form of carbon. Fullerene constitute a new family of carbon allotropes.

Consisting of large spheroidal molecule of compound with general formula C_{2n} . common fullerene C_6 , C_{70} , contain 5 and 6 membered rings.

Q. Which of the following statement is incorrect for graphite?

A. Its density is lower than that of diamond

B. It has a layered structrue and the bonding

C. its layers are very tightly packed, almost without any space

between them

D. it cleaves easily between the layers which accounts for the

remarkable softness of the crystals

Answer: C





If (C) is silicone, then answer the following questions.

Q. (A) and (B) are

A.
$$R_{2}SiCl_{2}\&R_{2}Si(OH)_{2}$$

B. $R_{2}SiCl_{2}\&R_{2}Si = O$
C. $RSiCl_{3}\&Rsi(OH)_{3}$
D. $RSiCl_{3}\&RSi - OH$

Answer: C





If (C) is silicon, then answer the following questions.

Q. Structure of 'C' is





Answer: D



9. Nitrogen forms largest number of oxides in which oxidation state of nitrogen varies from +1 to +5 N_2O , NO, N_2O_3 , N_2O_4 and N_2O_5

respectively. The largest number of oxides are formed due to capability of forming stable multiple bonds by nitrogen with oxygen. Q. Which of the following is/are correct statement(s)?

A. In N_2O_4 the N-N bond length is longer than the usual N-N

single bond distance

B. NO_2 molecule is angular and N-O bond length is intermediate

between a single and a double bond

C. N_2O is linear molecule and has small dipole moment

D. All of these

Answer: D



10. Nitrogen forms largest number of oxides in which oxidation

state of nitrogen varies from +1 to +5

 N_2O , NO, N_2O_3 , N_2O_4 and N_2O_5 respectively. The largest number of oxides are formed due to capability of forming stable multiple bonds by nitrogen with oxygen.

Q. Which of the following oxides is known as anhydride of nitric acid?

A. N_2O_5

 $\mathsf{B.}\,N_2O_3$

C. *NO*

D. All of these

Answer: A



11. Nitrogen forms largest number of oxides in which oxidation state of nitrogen varies from +1 to +5 N_2O , NO, N_2O_3 , N_2O_4 and N_2O_5

respectively. The largest number of oxides are formed due to capability of forming stable multiple bonds by nitrogen with oxygen. Q. Which of the following statements is/are correct regarding oxides of nitrogen?

- A. Dinitrogen trioxide dissolves in KOH forming potassium nitrate
- B. Aqueous solution by nitrogen dioxide behave both as a reducing an as an oxidising agent
- C. Nitrous oxide is fairly soluble in cold water and turns blue

litmus red

D. Nitrogen dioxide is soluble in water to form nitric acid only

Answer: B

Watch Video Solution

12. Tin and lead form divalent Sn (II) and lead (II) and tetravalent i.e., Tin (IV) and lead. (IV) compounds. Tetravalent and dioxides of lead and Tin are amphoteric in nature. Lead tetra fluorite is ionic solid where as $PbCl_4$ is covalent. Pbl_4 does not exist. lead (II) halides are white whereas Pbl_2 is yellow in colour.

Q. Reaction of SnO with NaOH gives

A. Na_2SnO_2

B. H_2SnO_2

 $C. Na_3SnO_2$

D. SnO_2

Answer: A

View Text Solution

13. Tin and lead form divalent Sn (II) and ead (II) and tetravalent i.e., Tin (IV) and lead. (IV) compounds. Tetravalent and dioxides of lead and Tin are amphoteric in nature. Lead tetra fluorite is ionic solid where as $PbCl_4$ is covalent. Pbl_4 does not exist. lead (II) halides are white whereas Pbl_2 is yellow in colour.

Q. Pbl_4 does not exist due to

A. Inert pair effect

B. High reducing power of l^-

C. High oxidising power of l^-

D. High electronegativity of l.

Answer: B



14. Tin and lead form divalent Sn (II) and lead (II) and tetravalent i.e., Tin (IV) and lead. (IV) compounds. Tetravalent and dioxides of lead and Tin are amphoteric in nature. Lead tetra fluorite is ionic solid where as $PbCl_4$ is covalent. Pbl_4 does not exist. lead (II) halides are white whereas Pbl_2 is yellow in colour.

Q. $SnCl_2$ is solid whereas $SnCl_4$ is liquid, this is because?

A. $SnCl_2$ is ionic whereas $SnCl_4$ is covalent

B. $SnCl_2$ is covalent whereas $SnCl_4$ is ionic

C. $SnCl_2$ exist in polymeric form

D. $SnCl_2$ is linear and $SnCl_4$ is square planar in-structure.

Answer: A

Watch Video Solution

Assignment Section-E)

1. Assertion: Boron always froms covalent bond.

Reason: The small size of B^{3+} favours formation of covalent bond.

A. Statement-1 is true, statement-2 is true, statement-2 is a

correct explanation for statement-1

B. Statement-1 is true, statement-2 is true, statement-2 is not

correct explanation for statement-1

C. Statement-1 is true, statement-2 is false

D. Statement-1 is false, statement-2 is true

Answer: A



2. Statement-1: White P is considered as the elemental state of P.

Statement-2: White P is most stable allotropic state of P.

A. Statement-1 is true, statement-2 is true, statement-2 is a

correct explanation for statement-1

B. Statement-1 is true, statement-2 is true, statement-2 is not

correct explanation for statement-1

C. Statement-1 is true, statement-2 is false

D. Statement-1 is false, statement-2 is true

Answer: C



3. Statement-1: Aluminium chloride has chloro-bridged structure in vapour phase.

Statement-2: Aluminium chloride in acidified aqueous solution forms

 $ig[Al(H_2O)_6ig]^{3\,+}$

A. Statement-1 is true, statement-2 is true, statement-2 is a

correct explanation for statement-1

B. Statement-1 is true, statement-2 is true, statement-2 is not

correct explanation for statement-1

C. Statement-1 is true, statement-2 is false

D. Statement-1 is false, statement-2 is true

Answer: B

Watch Video Solution

4. Statement-1: $B(OH)_3$ behaes as a lewis acid.

Statement-2: Second ionisation is very much difficult in boric acid.

A. Statement-1 is true, statement-2 is true, statement-2 is a

correct explanation for statement-1

B. Statement-1 is true, statement-2 is true, statement-2 is not

correct explanation for statement-1

C. Statement-1 is true, statement-2 is false

D. Statement-1 is false, statement-2 is true

Answer: B

Watch Video Solution

5. Statement-1: B does not form $\left[BF_6\right]^{3-1}$

Statement-2: Co-ordination number of B is 4.

A. Statement-1 is true, statement-2 is true, statement-2 is a

correct explanation for statement-1

B. Statement-1 is true, statement-2 is true, statement-2 is not

correct explanation for statement-1

C. Statement-1 is true, statement-2 is false

D. Statement-1 is false, statement-2 is true

Answer: B

Watch Video Solution

6. Statement-1: B_2H_6 on heating with excess of ammonia forms boron nitride.

Statement-2: B_2H_6 contain three centre two electron pair bonds.

A. Statement-1 is true, statement-2 is true, statement-2 is a

correct explanation for statement-1

B. Statement-1 is true, statement-2 is true, statement-2 is not

correct explanation for statement-1

C. Statement-1 is true, statement-2 is false

D. Statement-1 is false, statement-2 is true

Answer: B

Watch Video Solution

7. Statement-1: BCl_3 and CCl_4 do not undergo hydrolysis.

Statement-2: Both B and carbon do not have empty d-orbitals.

A. Statement-1 is true, statement-2 is true, statement-2 is a

correct explanation for statement-1

B. Statement-1 is true, statement-2 is true, statement-2 is not

correct explanation for statement-1

C. Statement-1 is true, statement-2 is false

D. Statement-1 is false, statement-2 is true

Answer: D

8. Statement-1: Silicones are used as high class industrial insulators. Statement-2: Silicones are large covalent solids so bad conductors of electricity.

A. Statement-1 is true, statement-2 is true, statement-2 is a

correct explanation for statement-1

B. Statement-1 is true, statement-2 is true, statement-2 is not

correct explanation for statement-1

- C. Statement-1 is true, statement-2 is false
- D. Statement-1 is false, statement-2 is true

Answer: A



9. Statement-1: Pyro-silicates are 1-D polymers.

Statement-2: In pyro-silicates two orthosilicates are connected through one oxygen atom common.

A. Statement-1 is true, statement-2 is true, statement-2 is a

correct explanation for statement-1

B. Statement-1 is true, statement-2 is true, statement-2 is not

correct explanation for statement-1

C. Statement-1 is true, statement-2 is false

D. Statement-1 is false, statement-2 is true

Answer: D



10. Statement-1: Inter-stitial carbides are formed when heavy metals react chemically with C(gas).

Statement-2: In such carbides 'C' occupy voids available in heavy metals.

A. Statement-1 is true, statement-2 is true, statement-2 is a

correct explanation for statement-1

B. Statement-1 is true, statement-2 is true, statement-2 is not

correct explanation for statement-1

- C. Statement-1 is true, statement-2 is false
- D. Statement-1 is false, statement-2 is true

Answer: D

View Text Solution

11. Assertion: All clatharate compound of noble gas are the compounds in which the molecules of noble gases are trapped in cavities in te crystal lattice of other compounds.

Reason: He and Ne having smaller size do not form clathrate compound molecules because they are small enough to escape from cavities.

A. Statement-1 is true, statement-2 is true, statement-2 is a correct explanation for statement-1

B. Statement-1 is true, statement-2 is true, statement-2 is not

correct explanation for statement-1

C. Statement-1 is true, statement-2 is false

D. Statement-1 is false, statement-2 is true

Answer: A

12. Asserartion: PCl_5 is covalent in gaseous and liquide states but ionic in solid state.

Reason: PCl_5 in solid state consits of tetrahhedral PCl_4^+ cation and octahedral PCl_6^- anion.

A. Statement-1 is true, statement-2 is true, statement-2 is a

correct explanation for statement-1

B. Statement-1 is true, statement-2 is true, statement-2 is not

correct explanation for statement-1

C. Statement-1 is true, statement-2 is false

D. Statement-1 is false, statement-2 is true

Answer: A

Watch Video Solution

13. Statement-1: Bond energy of Hl is smaller than that of HBr. Statement-2: HBr is stronger acid than Hl.

A. Statement-1 is true, statement-2 is true, statement-2 is a

correct explanation for statement-1

B. Statement-1 is true, statement-2 is true, statement-2 is not

correct explanation for statement-1

C. Statement-1 is true, statement-2 is false

D. Statement-1 is false, statement-2 is true

Answer: C



14. Statement-1: NCl_3 is hydrolysed by water by NF_3 is not hydrolysed.

Statement-2: N does not has vacant orbital for expansion of octet.

A. Statement-1 is true, statement-2 is true, statement-2 is a

correct explanation for statement-1

B. Statement-1 is true, statement-2 is true, statement-2 is not

correct explanation for statement-1

C. Statement-1 is true, statement-2 is false

D. Statement-1 is false, statement-2 is true

Answer: B

Watch Video Solution

15. Statement-1: Peroxo mono sulphuric acid has low basicity.

Statement-2: It has one O-O bond.

A. Statement-1 is true, statement-2 is true, statement-2 is a

correct explanation for statement-1

B. Statement-1 is true, statement-2 is true, statement-2 is not

correct explanation for statement-1

C. Statement-1 is true, statement-2 is false

D. Statement-1 is false, statement-2 is true

Answer: B

Watch Video Solution

16. Statement-1: HF is weaker acid than HCl.

Statement-2: F^{-} has high hydration energy than Cl^{-}

A. Statement-1 is true, statement-2 is true, statement-2 is a

correct explanation for statement-1

B. Statement-1 is true, statement-2 is true, statement-2 is not

correct explanation for statement-1

C. Statement-1 is true, statement-2 is false

D. Statement-1 is false, statement-2 is true

Answer: B

Watch Video Solution

17. Statement-1: ICl_2^{Θ} is a linear compound.

Statement-2: In ICl_2^{Θ} , I is sp hybridised.

A. Statement-1 is true, statement-2 is true, statement-2 is a

correct explanation for statement-1

B. Statement-1 is true, statement-2 is true, statement-2 is not

correct explanation for statement-1

C. Statement-1 is true, statement-2 is false

D. Statement-1 is false, statement-2 is true

Answer: C

> Watch Video Solution

18. Statement-1: NH_3 is more basic than NF_3

Statement-2: F is more electronegative than H.

A. Statement-1 is true, statement-2 is true, statement-2 is a

correct explanation for statement-1

B. Statement-1 is true, statement-2 is true, statement-2 is not

correct explanation for statement-1

C. Statement-1 is true, statement-2 is false

D. Statement-1 is false, statement-2 is true

Answer: A

Watch Video Solution

19. Statement-1: H_2S is weak diprotic acid.

Statement-2: Salt of aq. Na_{20S} has pH greater than 7.

A. Statement-1 is true, statement-2 is true, statement-2 is a

correct explanation for statement-1

B. Statement-1 is true, statement-2 is true, statement-2 is not

correct explanation for statement-1

C. Statement-1 is true, statement-2 is false

D. Statement-1 is false, statement-2 is true

Answer: B
20. Statement-1: All noble gases are considered as unreactive.

Statement-2: Down the group, melting and boiling point increases.

A. Statement-1 is true, statement-2 is true, statement-2 is a

correct explanation for statement-1

B. Statement-1 is true, statement-2 is true, statement-2 is not

correct explanation for statement-1

C. Statement-1 is true, statement-2 is false

D. Statement-1 is false, statement-2 is true

Answer: D



21. Statement-1: NH_4NO_3 evolve a gas on addition of NaOH.

Statement-2: Same gas is evolved on addition of NaoH on $NaNO_3$

in presence of Cu.

A. Statement-1 is true, statement-2 is true, statement-2 is a

correct explanation for statement-1

B. Statement-1 is true, statement-2 is true, statement-2 is not

correct explanation for statement-1

C. Statement-1 is true, statement-2 is false

D. Statement-1 is false, statement-2 is true

Answer: B

Watch Video Solution

22. Statement-1: O_2F_2 is an unstable orange yellow coloured solid.

Statement-2: In O_2F_2 , bond order of O-F is less than 1.

A. Statement-1 is true, statement-2 is true, statement-2 is a

correct explanation for statement-1

B. Statement-1 is true, statement-2 is true, statement-2 is not

correct explanation for statement-1

C. Statement-1 is true, statement-2 is false

D. Statement-1 is false, statement-2 is true

Answer: B

Watch Video Solution

23. Statement-1: All oxy acid of P are good oxidising agents.

Statement-2: H_3PO_2 is monobasic.

A. Statement-1 is true, statement-2 is true, statement-2 is a

correct explanation for statement-1

B. Statement-1 is true, statement-2 is true, statement-2 is not

correct explanation for statement-1

C. Statement-1 is true, statement-2 is false

D. Statement-1 is false, statement-2 is true

Answer: D

Watch Video Solution

24. Statement-1: HBr can be obtained by treating NaBr with H_3PO_4 . Statement-2: H_3PO_4 is stronger acid than HBr.

A. Statement-1 is true, statement-2 is true, statement-2 is a

correct explanation for statement-1

B. Statement-1 is true, statement-2 is true, statement-2 is not

correct explanation for statement-1

C. Statement-1 is true, statement-2 is false

D. Statement-1 is false, statement-2 is true

Answer: C

Watch Video Solution

Assignment Section-F)

1. Match the following

Column-I

- (A) Colemanite
- (B) Bauxite
- (C) Borax
- (D) Inorganic Benzene

Column-ll

- (p) B₃N₃H₆
- (q) Ca₂B₆O₁₁·5H₂O
- (r) $Al_2O_3 \cdot 2H_2O$
- (s) $Na_2B_4O_710H_2O$

2. Match the following

Column-I

- (A) Borax
- (B) Borontrifluoride
- (C) Diborane
- (D) Boric acid

Column-ll

- (p) sp³ hybridization of B
- (q) sp² hybridization of B
- (r) Triangular unit
- (s) Tetrahedral unit

Watch Video Solution

3. Match the following

Column-l

(A) Nitric oxide

- (B) Nitrogen dioxide
- (C) Nitrogen pentoxide
- (D) Nitrogen trioxide

Column-II

- (p) Nitric acid
- (q) Nitrous acid
- (r) Acidic oxide
- (s) Neutral oxide



4. Match the following

Column-l

(A) NaNO₃ $\xrightarrow{\Delta}$ (B) AgNO₃ $\xrightarrow{\Delta}$ (C) Mg(NO₃)₂ $\xrightarrow{\Delta}$ (D) FeSO₄ · 7H₂O $\xrightarrow{\Delta}$

Column-II (Gas evalue)

(p) O₂

- (q) NO₂ (r) SO₂
- (s) SO_2
- Watch Video Solution

Assignment Section-G)

1. How many water molecules of crystallisation are present in borax,

 $Na_2B_4O_7.10H_2O$?



2. Determine the product of metalloids and the radio-active elements present in group-13 & group -14

3. Number of oxygen atoms shared per SiO_4^{4-} tetrahedron in single
chain silicates are
Watch Video Solution
4 . How many nitrogen is/are sn^2 Hybridised in hydrazoic acid?
View Text Solution
5. What is the Oxidation number of Xe in mixture of
XeF_6 and XeF_4 ?
Watch Video Solution

6. How many N-O bonds are present in product when NH_4NO_3 is

strongly heated (above $300^{\circ} C$)?



1. Statement-1: Sodium silicate is called water glass.

Statement-2:Salts of lead are poisonous in nature.

Statement-3: Producer gas is a mixture of CO and N.

A. TTT

B. TFT

C. FFT

D. FTF

Answer: A

2. Statement-1: In CO_2 molecule resonance is possible.

Statement-2: CO is used in purification of Ni.

Statement-3: H_2CO_3 is more acidic than H_2SiO_3 .

A. TTT

B. TFT

C. FFT

D. FTF

Answer: A

Watch Video Solution

3. Statement-1: Al forms H_2 when reacts with NaOH.

Statement-2: Al_2O_3 is amphoteric by nature.

Statement-3: Al_2O_3 is a neutral oxide.

A. FFT

B. FTT

C. TFF

D. TTF

Answer: D



4. which is/are statement is correct.

Statement-1: R_2SiCl_2 is the starting material for linear polymer of

silicone.

Statement-2: R_2SiCl_2 is the starting material for 3-D polymer of silicone.

Statement-3: R_3SiCl is the starging material for 3-D polymerr of silicone.

5. Statement-1: Molten state of IF_5 is slightly conducting.

Statement-2:ICl is more reactive than Cl_2 .

Statement-3: In molten state of ClF_3 , chlorine may possess sp^3d^2 hybridisation.

A. FTF

B. TFT

C. TTT

D. FFF

Answer: C



6. Statement-1: O_3 reacts with KOH and forms a paramagnetic compound.

Statement-2: KO_3 is paramagnetic.

Statement-3: O_2 gives O_2^- when heated with Na/NH_3

A. FTF

B. TFT

C. TTT

D. FFF

Answer: C



7. Statement-1: HNO_4 acid never exists.

Statement-2: $H_2S_2O_3$ is a thionic acid.

Statement-3: $H_2S_2O_7$ contain S-S bond.

A. TFT

B. FTF

C. FTT

D. FFF

Answer: B



8. Statement-1: HBr can be obtained by treating NaBr with H_2SO_4 .

Statement-2: HBr is good oxodising agent.

Statement-3: NaBr is soluble in water.

A. FTT

B. TTT

C. FFT

D. TFT

Answer: A



9. Statement-1: All halogens are coloured.

Statement-2: Halogens exist in diatomic gaseous state.

Statement-3: F_2 is more reactive than Cl_2

A. TTT

B. TFT

C. FTT

D. TFF

Answer: B

10. Statement-1: PCl_5 exists in ionic solid.

Statement-2: PCl_5 is a covalent compounds.

Statement-3: All P-Cl bond lengths in PCl_5 are equal.

A. TFF

B. TFT

C. FTT

D. TTF

Answer: D

Watch Video Solution

Assignment Section-I)

1. (a) Explain why BF_3 exists whereas BH_3 does not.

(b) Compare the B-F bond length in BF_3 and BF_4^{-}



2. How is boron obtained from borax ? Give the chemical reactions involved. Draw the structure of B_2H_6 and give its reaction with HCl



3. Boric acid can be titrated against sodium hydroxide using methyl orange as indicator only in the presence of polyhydroxy compounds wlike catechol, manniton etc. explain.



4. (a) BF_3 and BrF_3 molecule has different shapes. Expain.

(b). CCl_4 cannot be hydrolysed but $SiCl_4$ can be, why?



Watch Video Solution

6. An aqueous solution containing one mole of HgI_2 and two moles of Nal is orange in colour. On addition of excess Nal the solution becomes colourless. The orange colour reappears on subsequent addition of NaOCl. Explain with equation.



7. (a) On bolining a mineral (A) with Na_2CO_3 solution, a white precipirtate (B) is formed.

(b) The precipitate is fitered and the filtrate contains two conpounds (C) and (D). The componds (C) is removed by crystallisation and when CO_2 is passed through the mother liquor left, (D) changes to (C).

(c) On strongly heating (C), two compounds (D) and (E) are formed.

(d) (E) on heating with cobalt oxide provides blue-coloured substance (F).

Identify (A) to (F) and give chemical reaction for (a) to (d).

Watch Video Solution

8. Complete the following

 $Na_2B_4O_7.10H_2O \xrightarrow{A} (A) \xrightarrow{A} (B) + (C) \xrightarrow{CuO} blue bead (D)$



11. Indicate whether the following statements are true or false.

Explain your answer in brief.



13. Gradual addition of KI solution to $Bi(NO_3)_3$ solution initially produces a dark brown precipitate which dissolves in excess of KI to give a clear yellow solution. Write chemical equation for the above reactions.



14. An inorganic Lewis acid (X) shows the following reactions :
(a) It fumes in moist air.
(b) The intensity of fumes increase when a rod dippod in NH₄OH is brought near it.
(c) To an aqueous solution of (X), addition of NH₄Cl and

 NH_4OH gives a precipitate which dissolves in NaOH solution.

(d) An acidic solution of (X) does not give a precipitate with H_2S .

Identify (X) and gives chemical reactions for (a) to (d).



15. Write balanced equation for reaction of XeF_4 with water. Also name the reaction.

16. Arrange in increasing order of extent of hydrolysis $[CCl_4, MgCl_2, AlCl_3, PCl_5, SiCl_4].$



Assignment Section-J)

1. Correct among the follownig

A. BF_3 is a better Lewis base than BCl_3

B. BF_3 does not form dimer as B-F bond is less polar.

C. Hydrides are the only species which may form 3 centre 2 e^-

bond

D. All the hydrides form 3 centre i.e., bonds.

Answer: A



- A. $\left(BN\right)_{x}$ is molecule with sp sate of hybridisation
- B. $\left(BN\right)_{x}$ is a molecule with graphite like structure
- C. $\left(BN
 ight)_{x}$ is a molecule with sp^{2} hybridisation
- D. BN is prepared by reaction of B_2O_3 and NH_3

Answer: A::D

Watch Video Solution

3. B_2H_6 reacts with NH_3 to form

A. $B_3N_3H_6$

 $\mathsf{B}.\,BN$

 $\mathsf{C}.\left[B_{2}H_{5}\right]^{\Theta}NH_{4}^{\oplus}$

D. `All of these

Answer: A::B

Watch Video Solution

4. SiC is a/an

A. Abrasive

B. A hard material

C. Covalent carbide

D. Diamond like structure

Answer: A::B::C::D



5. SiO_2 is solid while CO_2 is gas. Why?

A. A3-D broad network solid

B. An insulator

C. Silica

D. An acidic oxide

Answer: A::B::C::D

Watch Video Solution

6. Chain silicates can be represented as

A.
$$\left(Si_2O_7^{6\,-}
ight)$$

B. $\left(SiO_4^{4\,-}
ight)_n$
C. $\left(Si_2O_6
ight)_n^{-4}$

D. $\left(Si_2O_5 ight)_n^{2\,-}$

Answer: C



7. Which of the following halogens can oxidise H_2S to S?

A. Cl_2

 $\mathsf{B.}\,F_2$

 $\mathsf{C}.\,Br_2$

D. All of these

Answer: D

8. $NH_3 + NaOCl
ightarrow NH_2 - NH_2 + NH_4Cl$

To obtain this product in large amount, we should use

A. Tap water as medium

B. Glue or gelatine in medium

C. Heavy metal ion in solution

D. by takin NaOCl in excess amount

Answer: B

View Text Solution

9. Which of the following oxide does not form dimer?

 $\mathsf{A.}\,NO$

B. ClO_2

 $\mathsf{C}.NO_2$

D. All of these

Answer: B

Watch Video Solution

10. Choose the correct statement regarding ice.

A. Hexagonal rings are present.

B. In ice, one oxygen is surrounded by four hydrogen atoms

C. In ice, movement of H^+ is faster than water

D. All of these

Answer: D

11. Pure oxygen is colourless gas but liquid and solid O_2 is pale blue or blue coloured, this is because

A. Due to electronic transition triplet to singlet formation is not

favourable in gaseous state

B. Density of gas is less than density of liquid

C. Singlet state is diamagnetic

D. O_2 cannot absorb photon in gaseous state.

Answer: A

Watch Video Solution

12. Choose the correct regarding heating of S.

A. At $160^{\,\circ}$, the $\,S_{8}\,$ rings break and the diradicals so formed

polymerise forming long chains of up to a million atoms

B. Due to heating viscosity decreases regularly

C. Due to heating viscosity increases regularly

D. at $200^{\circ}C$ all S_8 molecule break up to S_2 .

Answer: A

Watch Video Solution

13. In which, degree of hydrolysis is expected to be highest?

A. Na_2S

 $\mathsf{B.}\, CdS$

 $\mathsf{C}.\,MsS$

D. CuS

Answer: A

14. Choose the correct regarding bond length

A.
$$CO^+ < CO$$

- $\mathsf{B}.NO^+ < NO$
- $\mathsf{C}.\, N < N_2^{\,+}$
- D. `All of these

Answer: D

Watch Video Solution

15. Br_2 gas is of red brown colour and I_2 gas is of violet volour. This

is because of

A. $Br^{\,-}$ is more E.N. than I

B. Energy difference between two consecutive level is lesser for

iodine than bromine

C. Br has small size than I

D. l_2 has longer van der Waal's forces than Br_2 .

Answer: B

Watch Video Solution

16. Which of the following halides has Cl^- as a bridging atom?

A. $BeCl_2$ (solid)

B. Al_2Cl_6 (liquid)

 $\mathsf{C.}\, Fe_2Cl_6$

D. All of these

Answer: D




8. How boron isotope controls nuclear reaction?

Watch Video Solution
9. Name an aluminium compound that can be used in chromatography.
10. On moving down the group in carbon family stability of group oxidation state +4 decreases why?
Watch Video Solution

11. SiO_2 is solid while CO_2 is gas. Why?





13. Give correct order of increasing first ionization energy in carbon

family.

> Watch Video Solution

14. Name two elements of carbon family which have nearly same

catenation tendency.



15. Which element of the carbon family does not dissolve in aqueous

NaOH to evolve hydrogen gas?



19. Give the uses of silicones.



23. Write the reaction of thermal decomposition of sodium azide



27. Why does PCl_3 fume in moisture ?

Watch Video Solution

28. Are all the five bonds in PCl_5 molecule equivalent ? Justify your

answer.

Watch Video Solution

29. How do you account for reducing behaviour of H_3PO_2 on the

basis of its structure?



30. Draw structure of pyrophosphoric acid .

31. Name the radioactive element of Group 16.

0	Watch	Video	So	lution
---	-------	-------	----	--------

32. (a) Elements of group 16 generally show lower value of first ionisation enthalpy as compared to the corresponding periods of group 15. Why ?

(b) H_2S is less than acidic than H_2Te . Why?

Watch Video Solution

33. Why is H_2S less acidic than H_2Te ?

34. The structure of SF_4 is

Watch Video Solution

35. (a) Which form of sulphur shows paramagnetic behaviour ?

(b) Compounds of fluorine and oxygen are called fluorides and not oxides. Explain.

(c) Sulphur disappears when boiled with an aqueous solution of sodium sulphite. Why?

Watch Video Solution

36. What happens when

(i) Concentrated H_2SO_4 is added to calcium fluoride.

(ii) SO_3 is passed through water ?

37. Give one example each of acidic, basic, amphoteric and neutral

oxides.

Watch Video Solution	
38. Draw structure of peroxydisulphuric acid.	
Watch Video Solution	

39. Why do halogens have maximum negative electron gain enthalpy

in the respective periods of the periodic table?



40. Although $\Delta_{eq}H$ of fluorine is less negative than that of chlorine,

but fluorine is a stronger oxidising agent than chlorine. Why?



show +1, +3, +5 and +7 oxidation states also. Explain.

Watch Video Solution

42. Give correct order of boiling point of hydride of group 17.



43. Write balanced equation for reaction of Cl_2 with hot and conc.

NaOH. Is this reaction a disproportionation one? Justify.



chloride and not ferric chloride, why?

Watch Video Solution

46. Deduce the molecular shape of BrF_3 on the basis VSEPR theory.

Watch Video Solution

47. Why elements of group 18 known as noble gases?



1. Number of B-O-B bond in borax

Watch Video Solution 2. Among the group 13 the only element which is non -metal A.B B. Al C. Ga D. In

Answer: A



3. Products formed are

 $2NaBH_4 + l_2 \xrightarrow{ ext{Polyether}}$

A. Hl , Nal and H_2

B. B_2H_6, Nal and HI

C. B_2H_6, Nal and H_2

D. $H_3BO_3 + H_2$

Answer: C

Watch Video Solution

4. What is the hybridisation state of B and N in inorganic benzene respectively ?

A. sp^2 and sp^3

B. ${{sp}^3}$ and ${{sp}^2}$

C. Both have sp^2

D. Both have sp^3

Answer: C

Watch Video Solution

5. Which type of hydride is BH_3 ?

A. covalent hydride

B. Electron precise

C. Electron excess

D. Lewis base

Answer: A

6. Which one of the following is the correct statement ?

A. The hydroxide of boron is basic in nature

B. The hydroxide of boron is neutral in nature

C. The hydroxide of boron is acidic in nature

D. Boron shows maximum oxidation state of +1 due to inert pair

effect

Answer: C

Watch Video Solution

7. Which of the following statement is incorrect regarding B_2H_6 ?

A. Each boron atom is ${\it sp}^3$ hybridised

B. B_2H_6 is electron deficient

C. B_2H_6 has banana bond

D. All of these

Answer: D

Watch Video Solution

8. Boric acid is polymeric due to

A. Its acidic nature

B. The presence of hydrogen bonds

C. its monobasic nature

D. Its geometry

Answer: B

9. Which one of the following elements has the highest melting point?

A. Al

B. Ga

С. В

D. In

Answer: C

Watch Video Solution

10. In which of the following compounds banana bond is present?

A. BCl_3

 $\mathsf{B.}\,B_2H_6$

 $\mathsf{C}.\,B(OH)_3$

D. All of these

Answer: B



12. What is the correct order of I.E.?

A.
$$C < Si < Ge < Pb < Sn$$

B. $C > Si > Pb > Ge > Sn$
C. $C > Si > Ge > Sn > Pb$
D. $C > Si > Ge > Sn > Pb$

Answer: C



13. In group 14, which element show inert pair effect?

A. Si

B. Pb

C. C

D. Ge

Answer: B



14. Which of the following is neutral oxide?

A. CO

 $\mathsf{B.}\,CO_2$

 $\mathsf{C.}\,SiO_2$

D. Na_2O

Answer: A

15. Which of the following halide cannot hydrolysed ?

A. CCl_4

B. $SiCl_4$

 $\mathsf{C}.\,GeCl_4$

D. SiF_4

Answer: A

Watch Video Solution

16. Which polymorph of carbon act as hadest allotrope ?

A. Diamond

B. Fullerence

C. Graphite

D. All of these

Answer: A



17. SIC is popular with name

A. Acetylide

B. Methanide

C. Carborundum

D. Plumbago

Answer: C

18. On heating oxalic acid with H_2SO_4 , we get

A. H_2CO_3

 $B.CO_2$ and O_2

 $C.CO_2$ and CO

 $\mathsf{D}.\,H_2CO_3+CO_2+O_2$

Answer: C

Watch Video Solution

19. Which allotrope of carbon leads to the formation of bucky ball?

A. Graphite

B. Diamond

C. Fullerence

D. Nano tube

Answer: C



20. Which of the following is correct structur of anion of pyrosilicates ?





Answer: B



21. Catenation property of group 15 elements follow the order

A. N > P > As > Sb > BiB. P > N > As > Sb > BiC. N < P < As < Sb < BiD. P < N < As < Sb < Bi

Answer: B



22. Melting point of hydrogen of nitrogen family follows the order

A. $NH_3 < PH_3 < AsH_3 < SbH_3$

B. $PH_3 < NH_3 < AsH_3 < SbH_3$

C. $PH_3 < AsH_3 < NH_3 < SbH_3$

D. $PH_3 < AsH_3 < SbH_3 < NH_3$

Answer: D

Watch Video Solution

23. Which of the following halides of group 15 is not hydrolysed?

A. NF_3

B. NI_3

 $\mathsf{C}. PF_3$

D. Both (1) & (3)



- $B.NO_3^-$
- $\mathsf{C.}\, SO_4^{2\,-}$
- D. HCO_3^-

Answer: B



25. White phosphorus occurs as discrete P_4 units , where P atom lie

at the corners of a regular tetrahedron . The PPP bond angle is

A. 90°

B. $109^{\,\circ}\,28$ '

C. 60°

D. $120\,^\circ$

Answer: C

O Watch Video Solution

26. Orthophosphorus acid on heating gives _____

A. Hypophosphorus acid

B. Orthophosphoric acid

C. Phosphene gas

D. Both (2) & (3)

Answer: D



- 5 5 **C**
- B. H_3PO_3 is dibasic and non reducing
- C. H_3PO_4 is tribasic and reducing
- D. H_3PO_3 is tribasic and non-reducing

Answer: A

Watch Video Solution

28. The correct order of decreasing acidic strength of oxyacids of group 15 elements is

A. $HNO_3 > H_3SbO_4 > H_3AsO_4 > H_3PO_4$

 $\mathsf{B}.\,H_3PO_4>H_3AsO_4>H_3SbO_4>HNO_3$

C. $HNO_3 > H_3PO_4 > H_3AsO_4 > H_3SbO_4$

D. $HNO_3 > H_3AsO_4 > H_3PO_4 > H_3SbO_4$

Answer: C

Watch Video Solution

29. Which has maximum bond angle?

A. NH_3

B. PH_3

 $\mathsf{C}.AsH_3$

D. SbH_3

Answer: A

30. When excess of NH_3 (aq) is added to a blue solution containing $Cu^{2+}_{(aq)}$ ions

A. Solution turns red due to formation of Cu^+ ions

B. Solution becomes red due to formation of $\left[Cu(NH_3)_4
ight]^{2+}_{aa}$

C. Solution become deep blue due to formation of $\left[Cu(NH_3)_4
ight]^{2+}_{aq}$

D. Solution becomes colourless due to excess colourless NH_3

Answer: C



31. The correct order of acidity of hybrides of oxygen family

A. $H_2O>H_2S>H_2Se>H_2Te$

 $\mathsf{B}.\,H_2O < H_2S < H_2Se < H_2Te$

 $\mathsf{C}.\,H_2S>H_2O>H_2Se>H_2Te$

D. $H_2S < H_2O < H_2Se < H_2Te$

Answer: B

> Watch Video Solution

32. S and O both are non-metals in the oxygen family , but their melting points are targely different , O = 90 K and S = 718 K . This is because

A. S is large in size than O

B. S exhibits more oxidation state +2, +4 and +6 whereas O

exhibits only -2 and +2 oxidation states

C. O exists as diatomic molecule whereas S exists as polyatomic

molecule (S_8)

D. S has more allotropes than O

Answer: C

> Watch Video Solution

33. Which of the following is not a reducing oxide ?

A. SO_2

B. SeO_2

C. TeO

D. SO_3

Answer: D

34. Which of the following compounds does not exist?

A. SF_6

B. S_2Cl_2

 $C. SCl_2$

D. $SeBr_2$

Answer: D



35. O_3 molecule is a resonance hybrid of the two structures I and II .



The two oxygen - oxygen bond lengths in ozone molecule are

A. Identical

B. Slightly different

C. Largely different

D. Cannot be measured due to resonance

Answer: A

Watch Video Solution

36. S_8 ring of both rhombic sulphur and monoclinic sulphur has crown shaped structure . The S- S -S bond angle in S_8 ring is

A. 109° 28'

B. 107°

C. $104^{\,\circ}$

D. 120°


Answer: B

Watch Video Solution

38. Number of S = O bonds in pyrosulphuric acid are

A. Two

B. Four

C. Five

D. Six

Answer: B

Watch Video Solution

39. H_2SO_4 in aqueous medium ionises in two steps

$$egin{aligned} &H_2SO_4(aq)+H_2O(i)
ightarrow H_3O^+(aq)+HSO_4^-(aq), K_{a_1}=x\ &HSO_4^-(aq)+H_2O(l)
ightarrow H_3O^+(aq)+SO_4^{2\,-}, K_{a_2}=y \end{aligned}$$

What is relation between x and y?

- A. x < y
- $\mathsf{B.}\, x=y$

 $\mathsf{C}.\,x>y$

 $\mathsf{D}.\,x>\,>y$

Answer: D



40. What is the product when Mg react with SO_2 ?

A. Mg O

B. $MgSO_4$

C. Mg S

D. Both (1) & (3)

Answer: D

41. The decreasing order of electron affinity of halogen's is

A. F < Cl < Br < lB. F > Cl > Br > lC. Cl > F > Br > lD. Cl > Br > I > F

Answer: C

Watch Video Solution

42. Halogens exist in -1, +1, +3, +5 and +7 oxidation

states. The halogen that exists only -1 state is

A. $-1 ext{ and } +3$

B. -1, +1 and +3

C. Only -1

D. Only +3

Answer: C

Watch Video Solution

43. When F_2 gas reacts with H_2O it forms

A. O_2 gas

B. O_2F_2 gas

C. HOF

D. Both (2) & (3)

Answer: A

44. F_2 combines with O_2 to form O_2F_2 which are

A. diOxygen difluorides

B. Oxides of fluorine

C. Anhydride of HOF

D. Both (2) & (3)

Answer: A

Watch Video Solution

45. The order of acidity of oxides of chlorine .

Cl_2O I	Cl_2O_3 II	Cl_2O_5 III	${Cl_2O_7\over IV}$ is
A. $I < II < III < IV$			
В. І	> II > II	TI > IV	
С. <i>I</i>	> III > I	II > IV	

 $\mathsf{D}.\,IV > I > II > III$

Answer: A



46. Deacon's process is used for the manufacture of

A. HNO_3

 $\mathsf{B}.\,I_2$

 $\mathsf{C}. Cl_2$

D. Br_2

Answer: C

47. Aqua regia , which is used for dissolving noble metals like gold and plantium etc. is

A. 1 : 3 mixture of conc. HCl and conc. HNO_3

B. 3:1 mixture of conc. HCl and conc. HNO_3

C. 1 : 1 mixture of conc. HCl and conc. HNO_3

D. 3 : 1 mixture of dil. HCl and conc. HNO_3

Answer: B

Watch Video Solution

48. Halogens react with oxygen to form many oxoacids , commonly named as hypohalous acid , halous acid , halic acid and perhalic acid . The halogen(s) which form (s) halous acid is/are

 $\mathsf{B.}\,Cl_2$

C. Cl_2, Br_2 and I_2

D. F_2, Cl_2 and Br_2

Answer: B

Watch Video Solution

49. The number of peroxide linkages in perchloric acid is

A. Zero

B. One

C. Two

D. Four

Answer: A

50. Which is the correct order of bond length?

A.
$$Cl_2 < Br_2 < F_2 < I_2$$

B. $Cl_2 < F_2 < Br_2 < I_2$
C. $I_2 < Br_2 < F_2 < Cl_2$
D. $Br_2 < I_2 < F_2 < Cl_2$

Answer: A

Watch Video Solution

ASSIGNMENT (SECTION - A) (Objective Type Questions)

1. On moving down the group 13 density

A. Increase

B. Decrease

C. First decreases then increases

D. Remains same

Answer: A

Watch Video Solution

2. High melting point of boron is due to its existence as

A. Small covalent molecule

B. Giant covalent molecule

C. Giant covalent solid

D. Giant ionic molecule

Answer: C



3. Name the element of group 13 which only forms covalent compounds.

A. Size of ions is small

B. Sum of three ionization energies is very high

C. Electronegativity values are high

D. All of these

Answer: D

Watch Video Solution

4. General oxidation state shown by group 13 elements is

A. +1 and +3

 $\mathsf{B.}+1,\ +2 \, \mathsf{and}+3$

 $\mathsf{C.}+2,\ +3 \, \mathsf{and}+4$

 $\mathsf{D.}+1 \, \mathsf{and} + 4$

Answer: A

Watch Video Solution

5. Which one of the following elements of group 13 can react with

alkali solutions to give H_2 gas?

A. Boron

B. Aluminium

C. Gallium

D. All of these

Answer: D

6. The correct order of Lewis acidic strength of boron trihalides :

A.
$$Bl_3>BBr>BCl_3>BF_3$$

B. $BF_3>BCl_3>BBr_3>Bl_3$
C. $BCl_3>BF_3>BBr_3>Bl_3$

 $\mathsf{D}.\,Bl_3 > BBr_3 < BF_3 < BCl_3$

Answer: A

Watch Video Solution

7. Dimer Al_2Cl_6 is formed because

A. Al is electron rich

B. Aluminium is having lone pair of electron

C. Aluminium forms coordinate bonds with chlorine to complete

its octet.

D. Aluminium donates lone pair to form bridge

Answer: C

Watch Video Solution

8. When borax is heated strongly it gives

A. $NaBO_2$

 $\mathsf{B}.\,B_2O_3$

 $\mathsf{C.}\,Na_2B_4O_7$

D. Both (1) & (2)

Answer: D

9. $B(OH)_3$ accept how many $OH^{\,-}\,$ ions ?

A. 1 B. 2 C. 3

D. 4

Answer: A

Watch Video Solution

10. Boric acid is polymeric due to :

A. Basic nature

B. Acidic nature

C. Hydrogen bonds

D. Co-ordinate bonds

Answer: C

Watch Video Solution

11. Select the incorrect statement for B_2H_6

A. It contains B-B ionic bonds

B. Each boron is ${{{\it sp}}^3}$ hybridised

C. It has two types of hydrogen bonds

D. All of these

Answer: A

12. If diborane each boron has three electrons bonds around each B

atom and form

A. Two bonds

B. Three bonds

C. Four bonds

D. Five bonds

Answer: C

Watch Video Solution

13. Which of the following structure is similar to graphite e?

A. Boron nitride

B. Boron carbide

C. Aluminium oxide

D. Aluminium carbide

Answer: A



14. The number of sigma and pi bonds present I inorganic benzene are respectively

A. 3σ , 12π

B. 12σ , 3π

C. 3σ , 3π

D. 12σ , 12π

Answer: B



15. Aluminium is used for making alloys because of its

A. Resistance to corrosion

B. Poor conductivity

C. Heaviness

D. All of these

Answer: A

> Watch Video Solution

16. Element of group 14 (IV A) have outer electronic configuration of

A. ns^2

 $\mathsf{B.}\,ns^2np^4$

 $C. ns^2 np^4$

D. ns^2np^2



atoms bond energy is

A. Low

B. High

C. Zero

D. Negative

Answer: B



18. All elements except carbon have tendency to show maximum covalency of six

A. Due to absence of vacant d-orbitals

B. Due to presence of vacant d-orbitals

C. Due to presence of partially filled d-orbitals

D. Due to presence of completely filled d- orbitals

Answer: B

Watch Video Solution

19. The second most abundant metal in earth's crust is

A. Silicon

B. Germanium

C. Aluminium

D. Arsenic

Answer: C

Watch Video Solution

20. Metalloid among the following is

A. Carbon

B. Germanium

C. Lead

D. All of these

Answer: B

21. On moving down the group, acidic nature of oxides of group 14.

A. Decreases

B. Increases

C. Remains same

D. Increases then decreases

Answer: A

Watch Video Solution

22. Which one of the following elements forms double or triple bond

involving $p\pi-p\pi$ bonding?

A. Carbon

B. Silicon

C. Germanium

D. Tin

Answer: A



23. Allotropy is due to

A. Differences in the number of atoms in the molecules

B. Difference in the arrangement of atoms in the molecule in the

crystal

C. Difference in chemical properties

D. All of these

Answer: B

24. Hybridisation of carbon atoms in diamond is

A. sp^3 hybridised

B. sp hybridisation

C. sp^2 hybridisation

D. sp^3d^2 hybridisation

Answer: A

Watch Video Solution

25. Graphite has

A. 2- D sheet structure

B. Van der Waals forces between different layers

C. sp^2 hybridised carbon linked with other three carbon atoms in

hexagonal planar structure

D. All of these

Answer: D

Watch Video Solution

26. In graphite, the bond is

A. Ionic

B. Covalent

C. Co-ordinate

D. Metallic

Answer: B



27. Which one of the following is properties of CO gas?

A. It is a colourless gas

B. It is an odourless gas

C. It is a neutral oxide

D. All of these

Answer: D

Watch Video Solution

28. Carbonic acid is a

A. Weak tribasic acid

B. Weak dibasic acid

C. Strong tribasic acid

D. Strong dibasic acid

Answer: B

Watch Video Solution

29. Organosilicon polymers containing Si-O-Si linkage is called

A. Silicates

B. Silicones

C. Glass

D. Silica

Answer: B

30. SiO_4^{4-} ion has geometry

A. Triangular

B. Tetrahedral

C. Pentagonal bipyramidal

D. Linear

Answer: B

View Text Solution

31. Maximum covalent character is shown by

A. NCl_3

B. PCl_3

 $C. AsCl_3$

D. $SbCl_3$

Answer: A



32. HNO_2 on disproportionation gives HNO_3 and

A. NO_2

 $\mathsf{B.}\,N_2O_5$

 $\mathsf{C}.\,NO$

D. All of these can form

Answer: C

33. The correct order of acidic character is

A.
$$P_4 O_{10} > P_4 O_6$$

B. $N_2O_5 > N_2O_3$

C. $N_2O_3 > P_4O_8$

D. All of these

Answer: D

Watch Video Solution

34. In which of the following reactions, products given are not correct?

A.
$$(NH_4)_2 Cr_2 O_7 \stackrel{\Delta}{\longrightarrow} N_2 + 4H_2 O + Cr_2 O_3$$

B.
$$Ba(N_3)_2 \stackrel{\Delta}{\longrightarrow} Ba + 3N_2$$

C.
$$3Mg + N_2 \stackrel{\Delta}{\longrightarrow} Mg_3N_2$$

 $\mathsf{D.} \, NH_4Cl + NaNO_2 \rightarrow NaCl + NH_3 + NO_2$

Answer: D

Watch Video Solution

35. Oxide of nitrogen which is acidic in nature and blue solid

A. N_2O

 $\mathsf{B}.\,NO$

 $\mathsf{C}.\,N_2O_3$

D. NO_2

Answer: C

36. Valency and oxidation number of nitrogen in N_2O_5

A. 5, +5B. 4, +5C. 3, +3

D. 3, +5

Answer: B

Watch Video Solution

37. Which of the following solid has maximum melting points?

A. NH_3

 $\mathsf{B}.\, PH_3$

 $\mathsf{C}.AsH_3$

D. SbH_3

Answer: A



38. In which of the following N-N bond is not present ?

A. N_2O_5

 $\mathsf{B.}\,N_2O$

 $\mathsf{C}.\,N_2O_4$

D. N_2O_3

Answer: A

39. Which set of oxide of nitrogen is paramagnetic in monomeric state?

- A. NO, N_2O
- $\mathsf{B}.\,NO_2,\,N_2O$
- $\mathsf{C}.NO,NO_2$
- $D. N_2O, NO, NO_2$

Answer: C

Watch Video Solution

40. The incorrect statement among the following is

A. Reducing character of hydrides of group 15 increases down

the group
B. Basicity of hydrides of group 15 increases down the group

C. Phosphorus and arsenic can form $p\pi-d\pi$ bond but not

nitrogen

D. NCl_5 does not exist

Answer: B

Watch Video Solution

41. Metal which become passive with conc. HNO_3

A. Cr

B. Zn

C. Al

D. Both (1) & (3)

Answer: D

42. In brown ring test for nitrate ions, brown ring is formed due to complex

A.
$$[Fe(H_2O)_6]^{2+}$$

B. $[Fe(H_2O)_5NO]^{2+}$
C. $[Fe(H_2O)_5NO]^{3+}$
D. $[Fe(H_2O)_5NO_2]^2$

Answer: B



43. Allotrope of phosphorus which is polymeric consisting of chains

of P_4 tetrahedral linked together is

- A. White phosphorus
- B. Red phosphorus
- C. Yellow phosphorus
- D. Both (1) & (2)

Answer: B



44. Which is dibasic?

A. Orthophosphoric acid

- B. Pyrophosphoric acid
- C. Orthophosphorus acid
- D. Hypophosphorus acid

Answer: C

45. Cyclotrimeta phosphoric acid has total number of P=O & P-O bonds respectively

A. 5, 3 B. 3, 9 C. 3, 6 D. 5, 6

Answer: B



46. The one with lowest electron affinity in group 16 is

A. Oxygen

B. Sulphur

C. Selenium

D. Tellurium

Answer: A

Watch Video Solution

47. Write down the hybridization of central atom and shape of SF_4 .

- A. sp^3d^2 , square planar
- B. sp^3d^2 , octahedral
- C. sp^3d , see saw
- D. sp^3d , trigonal bipyramidal

Answer: C

48. The correct order of boiling point is :

A.
$$H_2O < H_2S < H_2Se < H_2Te$$

B. $H_2Te < H_2Se < H_2S < H_2O$
C. $H_2S < H_2Se < H_2Te < H_2O$

D. $H_2O < H_2Te < H_2Se < H_2S$

Answer: C

Watch Video Solution

49. Dioxygen can be prepared by

A. Heating $KClO_3$

B. Thermal decomposition of oxides like Ag_2O, Pb_3O_4 etc

C. Electrolysis of water

D. All of these

Answer: D

> Watch Video Solution

50. The set containing acidic oxides only are

A. SO_2, Cl_2O_7, CO

 $\mathsf{B.}\,Al_2O_3,NO,N_2O_5$

 $C.NO, N_2O_3, N_2O_5$

 $\mathsf{D}.\,N_2O_3,\,SO_2,\,N_2O_5$

Answer: D

51. The incorrect statement regarding structure of ozone

A. The two oxygen- oxygen bond length in ozone are identical

B. It is linear

C. Bond angle is less than 120°

D. Both (2) & (3)

Answer: B

Watch Video Solution

52. Form of sulphur which shows paramagnetic behaviour

A. S_8 - Rhombic

B. S_8 - Monoclinic

C. S_2 in vapour state

D. Not possible

Answer: C



53. Which has bleaching action due to reducing property and it is temporary?

A. H_2O_2

 $\mathsf{B.}\,O_3$

 $\mathsf{C}.\,SO_2$

 $\mathsf{D.}\,Cl_2$

Answer: C



54. On reaction of moist SO_2 with potassium permangnate (Acidic)

which is correctly observed?

A. Colour of $KMnO_4$ is decolourised

B. SO_2 is oxidised to SO_3

C. MnO_4^- is reduced to MnO_2

D. All of these

Answer: A

Watch Video Solution

55. S-S bond is present in

A. $H_2S_2O_7$

B. $H_2S_2O_8$

 $\mathsf{C.}\,H_2S_2O_6$

D. H_2SO_5

Answer: C



56. Deacon's process of manufacture of chlorine is represented by the equation

A.
$$MnO_2 + HCl
ightarrow MnCl_2 + Cl_2 + H_2O$$

B. $KMnO_4 + HCl \rightarrow KCl + MnCl_2 + H_2O + Cl_2$

C.
$$HCl + O_2 \stackrel{CuCl_2}{\longrightarrow} Cl_2 + H_2O$$

D.

 $NaCl + MnO_2 + H_2SO_4 \rightarrow Cl_2 + MnCl_2 + NaHSO_4 + H_2O_4$

Answer: C

57. The colour shown by halogen is incorrectly given by

A. F_2 - yellow

- B. Cl_2 Colourless
- C. Br_2 Red
- D. I_2 Violet

Answer: B

Watch Video Solution

58. Which is incorrectly given according to order incicated?

A. $F_2 > C l_2 > B r_2 > l_2$, Oxidising power

B. Hl > HBr > HCl > HF , Acidic strength

C. $F_2 > C l_2 > B r_2 > l_2$, Bond dissociation enthalpy

D. HF > Hl > HBr > HCl , Boiling point

Answer: C



D. $NH_4Cl + NCl_3$

Answer: A

60. When cold NaOH reacts with Cl_2 which of the following is formed

 ${\rm A.}\ NaOCl$

B. $NaClO_3$

 $C. NaClO_4$

D. $NaClO_2$

Answer: A

Watch Video Solution

61.
$$Cl_2 + \mathop{F_2}\limits_{(Excess)} \stackrel{573K}{\longrightarrow} (A)$$

Shape of compound (A) is

A. Linear

B. Tetrahedral

C. T- shape

D. Trigonal bipyramidal

Answer: C

Watch Video Solution

62. The correct order of acidic strength is -

A. $HClO_4 > HClO_3 > HClO_2 > HClO$

 $\mathsf{B}. HClO_3 + HClO_2 > HClO_3$

 $C. H_3 PO_2 > H_3 PO_3 > H_3 PO_4$

D. All of these

Answer: D

63. The one with maximum oxidising power is

A. Hypochlorous acid

B. Chlorous acid

C. Chloric acid

D. Perchloric acid

Answer: A

Watch Video Solution

64. Which is mismatched regarding the shape?

A. XeF_4 - Square planar

B. $XeOF_4$ - Square pyramidal

C. XeF_6 - Distorted octahedral

D. XeO_3 -Bent T shape

Answer: D



65. Structure of XeO_2F_2 is correctly represented by





Β.



D. Both (2) & (3)

Answer: B



ASSIGNMENT (Section - B) (Objective Type Questions)

1. Boron compound behaves as Lewis acids because of their

A. Acidic nature

B. Covalent nature

C. Ionisation nature

D. Electron deficient nature

Answer: D

2. The compound that is not a Lewis acids is

A. BF_3

B. $AlCl_3$

 $C. PCl_3$

D. $SnCl_4$

Answer: C

Watch Video Solution

3. Borax is

A. $Na_2 \big[B_4 O_5 (OH)_4 \big] 8 H_2 O$

 $\mathsf{B.}\, Na_2\big[B_4O_5(OH)_6\big]7H_2O$

 $\mathsf{C.}\, Na_2\big[B_4O_3(OH)_6\big]6H_2O$

D. $Na_2 ig[B_4 O_2 (OH)_{10} ig] 5 H_2 O$

Answer: A



4. In Diborane , the incorrect statement is

A. All 6 B-H bond are on same plane

B. 4 B- H bonds are on the plane and two B- H bonds above and

below the plane

C. It is the 12 e^- species

D. Two BH_3 are attached with three centre electron pair bond

Answer: A

5. On strong heating boric acid yields

A. B

 $\mathsf{B}.\,B_2H_6$

 $C. B_2 O_3$

D. BO_2

Answer: C

Watch Video Solution

6. In which of the following reaction boron does not act as reducing

agent?

- A. $B+CO_2
 ightarrow$
- ${\rm B.}\,B+Mg \rightarrow$

 $\mathsf{C}.\,B+SiO_2\rightarrow$



Answer: B



D. All of these

Answer: D



8. Statement-1: Aluminium chloride has chloro-bridged structure in vapour phase.

Statement-2: Aluminium chloride in acidified aqueous solution forms $ig[Al(H_2O)_6ig]^{3+}$

A. Tetrahedral
$$[Al(H_2O)_4]^{+3}$$
 ion
B. Octahedral $[Al(H_2O)_4]^{3+}$ ion
C. Tetrahedral $[Al(H_2O)_6]^{+3}$ ion
D. Octahedral $[Al(H_2O)_6]^{+3}$ ion

Answer: D

$$\begin{array}{c} \textbf{9.} Na_2B_4O_7 \xrightarrow{740 \ ^\circ C} \Delta \underbrace{2NaBO_2 + B_2O_2}_{X \quad + \quad Y} \\ Transparent \end{array} \\ Z + CuO(s) \rightarrow \underbrace{Cu(BO_2)_2}_{\text{Blue Bead}} \end{array}$$

The Z will be

A. X

B. Y

C. Mixture of X & Y in 2: 1 ratio

D. Mixture of X & Y in 1: 2 ratio

Answer: B

Watch Video Solution

10. Reaction of ammonia with diborane gives initially $B_2H_62NH_3$ which can also be written as

A.
$$\left[BH_2(NH_3)_2
ight]^+ \left[BH_4
ight]^-$$

 $\mathsf{B}.\left[BH_4\right]^+\left[BH_2(NH_3)_2\right]^+$

```
\mathsf{C}.\left[BH_{3}NH_{3}\right]^{+}\left[BH_{4}\right]^{-}
```

D.
$$[B_2N_2H_6]^+[H_3]^-$$

Answer: A



11. Diborane can't be obtained from

A. $Na_2B_4O_7 + HCl$

B. $NaBH_4 + I_2$

 $\mathsf{C.}\,BF_3+liAlH_4$

D. $BF_3 + NaH$

Answer: A

12. White fumes appear around the bottle of anhydrous aluminium chloride. Give reason.

A. Decomposition of $AlCl_3$

B. Hydrolysis of $AlCl_3$ liberating H_2 gas

C. Hydrolysis of $AlCl_3$ liberating Cl_2 gas

D. Hydrolysis of $AlCl_3$ liberating HCl gas

Answer: D

Watch Video Solution

13. Number of hydroxy group attached to Boron in Borax are

A. Four

B. Five

C. Six

D. Ten

Answer: A

Watch Video Solution

14. The correct match is

A. C_{60} - Buckminster fullerence

B. $Na_2B_4O_7$. $4H_2O$ - Kemite

C. Borazole - $B_3N_3H_6$

D. All of these

Answer: D

15. The correct match is

- A. $B(OH)_3$ basic
- B. SnO, PbO- amphoteric
- C. GeO_2 basic
- D. PbO_2 only acidic

Answer: B

Watch Video Solution

16. In which complex C-O bond length is maximum?

A. CH_3CHO

 $\mathsf{B.}\,CO_2$

 $\mathsf{C}.\,CO$



Answer: D



A. Solid He

B. Solid CO_2

C. Solid SO_2

D. Solid C_6H_6

Answer: B

18. The metallic character of element of group 14

A. Decreses from top to bottom

B. Increases from top to bottom

C. Does not change gradually

D. Metallic character is not seen

Answer: B

Watch Video Solution

19. The tendency of group 14 elements to show +2 oxidation state increases in the order of

```
A. Ge < Sn < Pb
```

 ${\rm B.}\, Pb < Sn < Ge$

 $\mathsf{C.}\,Sn < Ge < Pb$

 $\mathsf{D.}\,Sn < Pb < Ge$

Answer: A

Watch Video Solution

20. Which one of the following is correct statement of fullerenes - C_{60} ?

A. Fullerenes are made by heating of graphite in an electric arc in

the presence of Hydrogen

B. Fullerenes are the only impure form of carbon due to presence

of dangling bonds

C. Both (1) & (2)

D. It contains twenty six - membered rings and twelve five

membered rings

Answer: D

Watch Video Solution

21. The miture of CO and H_2 is known as

A. Water gas or producer gas

B. Water gas or synthesis gas

C. Synthesis gas or producer gas

D. Producer gas

Answer: B

22. When $SiCl_4$ is allowed to undergo hydrolysis it gives

A. SiO_2 - Silicic acid

B. $Si(OH)_4$ - Silicic acid

C. $Si(OH)Cl_3$ - Silicic acid

D. $SiCl_4$ do not undergo hydrolysis

Answer: B



23. Which of the following is correct for a carbon?

A. Tin mainly occurs as Cassiterite , SnO_2

B. Silicon is the third most abundant element on earth's crust

C. Only two isotopes of carbon are present C^{12} and C^{13}

D. Germanium is most abundant than other members of carbon

family

Answer: A

Watch Video Solution

24. $p\pi-p\pi$ multiple bond is seen in

A. Mostly carbon

B. All carbon family member

C. Sn but not in carbon

D. Boron family and not in carbon family

Answer: A

25. $A + CO \rightarrow CO_2$

 $B + CO \rightarrow CO_2$

 $X + O_2
ightarrow CO_2$

A, B & X respectively are

A. CH_4 , Carbon , Fe_2O_3

B. Fe_2O_3 , ZnO, CH_4

 $C. Fe_2O_3, CH_4, ZnO$

D. HCOOH , Carbon , CH_4

Answer: B



26. The geometry of $SiCl_4$ is

A. Tetrahedral

B. Square planar

C. Octahedral

D. Planar triangular

Answer: A

Watch Video Solution

27. The silicates which contain discrete anions are

A. Sheet silicates

B. Ortho silicates

C. Three dimensions silicates

D. Pyrosilicate

Answer: B


$\textbf{28.} CH_3Cl + Si \xrightarrow[570]{CuPowder} X \xrightarrow[570]{2H_2O} Y$

Y & X respectively are

A. $(CH_3)_2 SiCl_2, (CH_3)_2 Si(OH)_2$

 ${\sf B}.\,(CH_{3})_{2}Si(OH)_{2},\,(CH_{3})_{2}SiCl_{2}$

C. $SiCl_4, Si(OH)_4$

D. $Si(OH)_4$, $SiCl_4$

Answer: B

Watch Video Solution

29. Hydrolysis of dimethyldichloro silane , $(CH_3)_2SiCl_2$ followed by

condensation polymerisation yields straight chain polymer of









Answer: C



30. Silicones are

- A. Water repelling in nature
- B. With high thermal stability
- C. With high dielectric strength

D. All of these

Answer: D

Watch Video Solution

31. Which one is correct statement for zeolite ?

A. They are alumino silicates

B. Hydrated zeolites are used as ion exchangers in hardening of

soft water

C. ZSM - 5 is used to convert gasoline to alcohol

D. All of these

Answer: A

32. The correct statement is

A. Diamond is covalent yet it has high melting point

B. $\left[SiF_6
ight]^{2-}$ is known whereas $\left[SiCl_6
ight]^{2-}$ is not

C. SiO only exist at high temp

D. All of these

Answer: D

Watch Video Solution

33. (i)
$$SiO_2 + NaOH
ightarrow ?$$

(ii)
$$SiO_2 + HF \rightarrow ?$$

The products of (ii) & (i) respectively are

A. $H_2SiF_6,\,SiO_4^{4\,-}$

B. SiF_4 , Na_2SiO_3

 $C. Na_2SiO_3, SiF_4$

D. Na_2SiO_4, H_2SiF_6

Answer: B

Watch Video Solution

34. Assertion : Calcium carbide on hydrolysis gives methane.

Reason : Calcium carbide contains C_2^{2-} anion.

A. Ethylene

B. Acetylene

C. Methane

D. Propyne

Answer: B

35. Carbon Suboxide has the formula

A. H_2CO_3

 $\mathsf{B.}\, C_2O_3$

 $\mathsf{C}.\, C_3O_2$

 $\mathsf{D}.\,CO$

Answer: C

36.
$$NH_3 + O_2 \xrightarrow{Pt} A + H_2O$$

 $A + O_2 o B$,
 $B + O_2 + H_2O o C$
A, B and C are:

A. NO, NO_2, HNO_3 and HNO_2

B. NO_2, HNO_2, NO and HNO_3

C. HNO_2, NO_2, HNO_3 and N_2O

D. HNO_2, N_2O, NO and HNO_3

Answer: A

Watch Video Solution

37. Which of the following will be hydrolysed with warm water

A. TeF_6

B. NCl_3

C. SF_6

D. All of these

Answer: D

38. Phosphine on reaction with hydrobromic acid gives

A. PBr_3

 $\mathsf{B.}\,P_2H_4Br_2$

 $\mathsf{C}. PBr_5$

D. PH_4Br

Answer: D

Watch Video Solution

39. In P_4O_{10} the number co-ordinate bonds is

A. 1

B. 8

C. 3

D. 4

Answer: D

Watch Video Solution

40. Calomel (Hg_2Cl_2) on reaction with ammonium hydroxide gives

A. Hg_2O

 $\mathsf{B}.\,HgO$

 $\mathsf{C.}\,HgNH_2Cl$

 $\mathsf{D.}\, NH_2Hg_2Cl$

Answer: C

41. XeF_6 on complete hydrolysis gives

A. Xe

 $\mathsf{B.}\, XeO_2$

 $C. XeO_3$

D. XeO_2F_2

Answer: C

Watch Video Solution

42. Which of the following is most basic ?

A. $Cl^{\,-}$

B. $F^{\,-}$

C. $I^{\,-}$

D. $Br^{\,-}$

Answer: B



D. NH_4OH

Answer: A

44. Which of the following compound will not form during the hydrolysis of XeF_6 ?

A. XeO_3

B. $XeOF_4$

 $\mathsf{C.}\, XeO_2F_2$

D. $XeOF_3$

Answer: D

Watch Video Solution

45. The final product formed , when alkaline Kl solution reacts with ozone and water is

A. l_2

B. KlO_3

 $\mathsf{C}.\,Hl$

D. Reaction will not occur

Answer: A

Watch Video Solution

46. Which of the following is a sesqui oxide ?

A. N_2O_4

 $\mathsf{B.}\,N_2O_3$

 $\mathsf{C}.\,N_2O$

D. N_2O_5

Answer: B

HNO₃ + HCl \rightarrow A + NOCl + H₂O \downarrow Pt/HCl 'P'

47.

The product 'P' will be

A. H_2PtCl_4

 $\mathsf{B}.\,H_2PtCl_6$

 $\mathsf{C}.\,H_2PtCl_2$

D. H_3PtCl_3

Answer: B



48. What is the product formed when NH_3 reacts with excess of Cl_2

A. NH_4Cl & HCl

 $\mathsf{B.}\,NH_4Cl \And N_2$

C. $NCl_3 \& HCl$

D. $NH_4Cl \& NCl_3$

Answer: C

Watch Video Solution

49. Hybridisation of central N atom in N_2O is

A. sp

 $\mathsf{B.}\, sp^2$

 $\mathsf{C.}\,sp^3$

D. sp & sp^2

Answer: A

50. The most acidic oxide among the following is

A. SO_3

B. P_2O_5

 $\mathsf{C}. Cl_2O_7$

D. SiO_2

Answer: C

Watch Video Solution

51. PCl_5 in solid state exists as.

A.
$$\left[PBr_4
ight]^+\left[PBr_6
ight]^-$$

 $\mathsf{B}.\left[PBr_{5}\right]^{+}\left[PBr_{5}\right]^{-}$

$$\mathsf{C.}\left[PBr_4\right]^+\left[Br^-\right]$$

D. PBr_5

Answer: C

Watch Video Solution

52. Which metal gives NH_4NO_3 , when react with dilute HNO_3 acid?

A. Fe

B. Ti

C. Cu

D. Hg

Answer: A

53. In iodide of Million's base formed by the reaction of Nessler's reagent with NH_3 , the coordination number of Hg will be

A. 2 B. 3 C. 4 D. 6

Answer: A

Watch Video Solution

54. The compound insoluble in aqueous NH_3 is

 $\mathsf{A.}\,Agl$

B. AgCl

C. $ZnSO_4$

D. $HgCl_2$

Answer: A

Watch Video Solution

55. When Cu is reacted with hot concentrated solution of H_2SO_4

then the gas obtained is

A. O_2

 $\mathsf{B}.\,H_2$

 $\mathsf{C}.\,SO_2$

D. SO_3

Answer: C

56. A metal X when burnt in air ,X -forms oxide and nitride both , X

can be

A. Mg

B. Rb

C. Na

D. Li

Answer: B

Watch Video Solution

57. In xenon fluorides most reactive in XeF_6, XeF_4 and XeF_2 is

- A. XeF_6
- B. XeF_2

 $\mathsf{C}. XeF_4$

D. All are equally reactive

Answer: A

Watch Video Solution

58. The shape of ClF_2^{-} , is

A. Linear

B. Trigonal bipyramidal

C. Square pyramidal

D. T -shape

Answer: A

59. Which of the following is called mixed anhydride ?

A. NO_2

 $\mathsf{B.}\,N_2O_3$

 $\mathsf{C}.\,N_2O_5$

D. All of these

Answer: A

View Text Solution

60. Reaction of Cl_2 with hot and conc. NaOH produces

A. NaClO

B. $NaClO_3$

 $\mathsf{C.}\, NaClO_4$

D. $NaClO_2$

Answer: B



61. Which of the following do not exist?

A. NCl_5

 $\mathsf{B.}\, PH_5$

 $\mathsf{C.}\left[BCl_{6}\right]^{3-}$

D. All of these

Answer: D

62. $PCl_3 + H_2O
ightarrow A + B$. What are A and B

A. $H_3PO_2 + HCl$

B. $H_3PO_4 + HCl$

 $C. H_3PO_3 + HCl$

D. $HPO_3 + HClO_3$

Answer: C

Watch Video Solution

63. Which of the following is correct?

A. In PF_5 , axial and equatorial bonds are interchanged , known

as pseudo rotation

B. In solid state PF_5 remains covalent

C. PH_5 cannot be obtained , because H is not sufficiently

electronegative to make the d-orbitals contact sufficiently

D. All of these

Answer: D

Watch Video Solution

64. Thermodynamically most stable allotrope of carbon is

A. Fullerene

B. Diamond

C. Graphite

D. All are equally stable

Answer: C

ASSIGNMENT (Section - C) (Previous Years Questions)

1. Name the gas that can readily decolourise acidified $KMnO_4$ solution:

A. CO_2

 $B.SO_2$

 $\mathsf{C}.\,NO_2$

D. P_2O_5

Answer: B



2. In which pair of ions both the species contains S-S bond?

A.
$$S_2O_7^{2-}, S_2O_3^{2-}$$

B. $S_4O_6^{2-}, S_2O_3^{2-}$
C. $S_2O_7^{2-}, S_2O_6^{2-}$
D. $S_4O_6^{2-}, S_2O_7^{2-}$

Answer: B



3. It is because of inability of ns^2 electrons of the valence shell to participate in bonding that:

A. Sn^{2+} is reducing while Pb^{4+} is oxidising

B. Sn^{2+} is oxidising while Pb^{4+} is reducing

C. Sn^{2+} and Pb^{2+} are both oxidising and reducing

D. Sn^{4+} is reducing while Pb^{4+} is oxidising

Answer: A



4. Match the interhalogen compounds of column I with the geometry in column II and assign the correct code

	Column I	Column 1	
(3)	**	(i) T-shape	
(U)	XX ₃	(ii) Pentagonal bipyramidal	
(c)	XX's	(iii) Linear	
(d)	XX ₇	(iv) Square-pyramidal	
		(v) Tetrahedral	

A. a(iii) , b(iv) , c (i) , d (ii)

B. a (iii) , b (i) , c(iv) , d(ii)

C. a (v) , b (iv) , c (iii) , d(ii)

D. a(iv) , b(iii) , c (ii) , d (i)



5. AIF_3 is soluble in HF only in presence of KF. It is due to the formation of

A. $K_3[AlF_3H_3]$

B. $K_3[AlF_6]$

 $\mathsf{C.}\,AlH_3$

 $\mathsf{D.}\, K[AlF_3H]$

Answer: B

Watch Video Solution

6. When copper is heated with conc. HNO_3 it produces?

- A. $Cu(NO_3)_2$ and N_2O
- B. $Cu(NO_3)_2$ and NO_2
- C. $Cu(NO_3)_2$ and NO
- D. $Cu(NO_3)_2$, NO and NO_2

Answer: B



7. Which is the correct statement for the given acids ?

A. Phosphinic acid is a diprotic acid while phosphonic acid is a

monoprotic acid

B. Phosphinic acid is a monoprotic acid while phosphoric acid is a

diprotic acid

C. Both are diprotic acids



Answer: B



9. The product obtained a result of a reaction of nitrogen with CaC_2 is

A. Ca_2CN

 $\mathsf{B.}\,Ca(CN)_2$

 $\mathsf{C}.\,CaCN$

D. $CaCN_3$

Answer: B

Watch Video Solution

10. Which one of the following orders is correct for the bond dissociation enthalpy of halogen molecules?

A.
$$F_2>Cl_2>Br_2>l_2$$

 $\texttt{B.}~l_2 > Br_2 > Cl_2 > F_2$

C. $Cl_2>Br_2>F_2>l_2$

D. $Br_2>l_2>F_2>Cl_2$

Answer: C

Watch Video Solution

11. Match the compounds given in Column I with the hybridisation and shape given in Column II and mark the correct option.

A.	(a)	(b)	(c)	(d)
	(iv)	(i)	(ii)	(iii)
Β.	(a)	(b)	(c)	(d)
	(i)	(iii)	(iv)	(ii)
C.	(a)	(b)	(c)	(d)
	(i)	(ii)	(iv)	(iii)
D.	(a)	(b)	(c)	(d)
	(iv)	(iii)	(i)	(ii)

Answer: B

12. Stability of monovalent and trivalent cations of Ga, In, Tl lie in following sequence :

- A. $Tl < \ln > Ga < Al$
- $\mathsf{B}.\, \mathrm{ln} < Al < Ga < Al$
- $\mathsf{C}.\,Ga < \ln < Al < Tl$
- D. $Al < Ga < \ln < Tl$

Answer: D

Watch Video Solution

13. The variation of the boiling points of the hydrogen halides is in the order HF > HI > HBr > HCl.

What explains the higher boiling point of hydrogen fluoride?

A. The bond energy of HF molecules is greater than in other

hydrogen halides

B. The effect of nuclear shielding is much reduced in fluorine

which polarises the HF molecule

C. The electronegativity of fluorine is much higher than for other

elements in the group

D. There is strong hydrogen bonding between HF molecules

Answer: D



14. Which of the statements given below is incorrect?

A. ONF is isoelectronic with $O_2 N^-$

B. OF_2 is an oxide of fluorine

C. Cl_2O_7 is anhydride of perchloric acid

D. O_3 molecule is bent

Answer: B

Watch Video Solution

15. Strong reducing behaviour of H_3PO_2 is due to

A. Low oxidation state of phosphorus

B. Presence of two - OH groups and one P-H bond

C. Presence of one - OH group and two P-H bonds

D. High electron gain enthalpy of phosphorus

Answer: C
16. Acidity of diprotic acids in aqueous solutions increases in the order

A.
$$H_2S < H_2Se < H_2Te$$

- $\mathsf{B}.\, H_2 Se < H_2 S < H_2 Te$
- C. $H_2 Te < H_2 S < H_2 Se$
- D. $H_2 Se < H_2 Te < H_2 Se$

Answer: A

Watch Video Solution

17. Which of the following structure is similar to graphite e?

A. B

 $\mathsf{B.}\,B_4C$

 $\mathsf{C}.\,B_2H_6$

 $\mathsf{D}.\,BN$

Answer: D



18. Which of these is not a monomer for a high-molecular mass silicone polymer?

A. Me_2SiCl_2

 $\mathsf{B.}\,Me_2SiCl$

 $C. PhSiCl_3$

D. $MeSiCl_3$

Answer: B



19. Which of these is least likely to act as Lewis base?

A. $F^{\,-}$

B. BF_3

 $\mathsf{C}. PF_3$

 $\mathsf{D}.\,CO$

Answer: B

Watch Video Solution

20. The basic structural unit of silicates is

A. SiO_4^{4-} B. SiO_3^{2-}

C. SiO_4^{2-}

D. SiO^-



22. Which is the strongest acid in the following ?

A. $HClO_3$

B. $HClO_4$

 $C. H_2 SO_3$

D. H_2SO_4

Answer: B



23. Roasting of sulphides gives the gas X as a by product. This is a colourless gas with choking smell of burnt sulphur and causes great damage to repiratory organs as a result of acid rain. Its aqueous solution is acidic, acts as reducing agent and its acid has never been isolated. The gas X is :-

A. SO_2

 $\mathsf{B.}\,CO_2$

 $\mathsf{C}.SO_3$

 $\mathsf{D.}\,H_2S$

Answer: A

Watch Video Solution

24. XeF_2 is isostructural with

A. ICl_2^-

B. $SbCl_3$

 $C. BaCl_2$

D. TeF_2

Answer: A

Watch Video Solution

25. Which of the following does not give oxygen on heating ?

A. $Zn(ClO_3)_2$

B. $K_2 Cr_2 O_7$

 $C.(NH_4)_2 Cr_2 O_7$

D. $KClO_3$

Answer: C

Watch Video Solution

26. Which of the following species contains three bond pairs and one lone pair around the central atom

A. NH_2^{-}

 $\mathsf{B.}\,PCl_3$

 $\mathsf{C}.\,H_2O$

D. BF_3

Answer: B



27. When Cl_2 gas reacts with hot and concentrated sodium hydroxide solution, the oxidation number of chlorine changes from

A. Zero to -1 and zero to +3

B. Zero to +1 and zero to -3

C. Zero to +1 and zero to -5

D. Zero to -1 and zero to +5

Answer: D

Watch Video Solution

28. A mixture of potassium chlorate, oxalic acid and sulphuric acid is heated. During the reaction which element undergoes maximum change in the oxidation number?

A. Cl

B.C

C. S

D. H

Answer: A

Watch Video Solution

29. Sulphur trioxide can be obtained by which of the following reactions :

A.
$$S+H_2SO_4 \stackrel{\Delta}{\longrightarrow}$$

B.
$$H_2SO_4 + PCl_5 \xrightarrow{\Delta}$$

$$\mathsf{C.} CaSO_4 + C \xrightarrow{\Delta}$$

D.
$$Fe_2(SO_4)_3 \xrightarrow{\Delta}$$

Answer: D



30. Which of the following statement is not valid for oxoaids of phosphorus?

- A. All oxoacids contain tetrahedral four coordinated phosphorus
- B. All oxoacids contain atleast one P = O unit and one P-OH group
- C. Orthophosphoric acid is used in the manufacture of triple

superphosphate

D. Hypophosphorous acid is a diprotic acid

Answer: D



31. In which of the following arrangements the given sequence is not strict according to the property indicated against it?

A. HF < HCl < HBr < Hl : Increasing acidic strength

B. $(H_2O) < H_2S < H_2Se < H_2Te$: increasing pK_a values

C. $NH_3 < PH_3 < AsH_3 < SbH_3$: Increasing acidic character

D. $CO_2 < SiO_2 < SnO_2 < PbO_2$: Increasing oxidising power

Answer: B

Watch Video Solution

32. Which of the following is least likely to behave as Lewis acid?

A. OH^{-}

 $\mathsf{B.}\,H_2O$

 $\mathsf{C}.NH_3$

D. BF_3

Answer: D



33. Name the type of the structure of silicate in which one oxygen atom of $[SiO_4]^{4-}$ is shared

A. Three dimensional

B. Linear chain silicate

C. Sheet silicate

D. Pyrosilicate



35. Which one of the following molecules hydrides acts as a Lewis

acid ?

A. NH_3

 $\mathsf{B.}\,H_2O$

C. B_2H_6

D. CH_4

Answer: C



36. The tendency of BF_3 , BCl_3 and BBr_3 behave as Lewis acid decreases in the sequnece

A. $BCl_3 > BF_3 > BBr_3$

 $\mathsf{B}.\,BBr_3>BCl_3>BF_3$

 $\mathsf{C}.\,BBr_3>BF_3>BCl_3$

 $\mathsf{D}.\,BF_3>BCl_3>BBr_3$

Answer: B



37. The correct order of increasing bond angles in the following species is

- A. $Cl_2O < ClO_2 < ClO_2^-$
- $\mathsf{B.} ClO_2 < Cl_2O < ClO_2^-$
- $\mathsf{C.}\,Cl_2O < ClO_2^- < ClO_2$
- D. $ClO_2^- < Cl_2O < ClO_2$

Answer: C

Watch Video Solution

38. How many bridging oxygen atoms are presents in P_4O_{10} ?

A. 6		
B. 4		
C. 2		
D. 5		

Answer: A



39. Which of the following molecules acts as a Lewis acid?

A. $(CH_{3})_{2}O$

- $\mathsf{B}.\,(CH_3)_3P$
- $C. (CH_3)_3 N$
- $\mathsf{D}.\,(CH_3)_3\;\mathsf{B}$

40. Which of the following is the strongest oxidising agent?

A. Br_2

 $\mathsf{B}.\,l_2$

 $\mathsf{C}. Cl_2$

D. F_2

Answer: D

Watch Video Solution

41. Which of the following anions is present in the chain structure of

silicates?

A. SiO_4^{4-}

 $\operatorname{B.}Si_2O_7^{6\,-}$

C. $\left(SiO_3^{2-}\right)_n$ D. $\left(Si_2O_5^{2-}\right)_n$

Answer: D

Watch Video Solution

42. Which of the following oxidation states are the most characteristics for lead and tin, respectively?

A. +2, +2B. +4, +2C. +2, +4D. +4, +4

Answer: C



43. Which one of the following orders correctly represents the increasing acid strengths of the given acids:

A. $HOClO_3 < HOClO_2 < HOClO < HOCl$

B. $HOCl < HOClO < HOClO_2 < HOClO_3$

 $C. HOClO_3 < HOCl < HOClO_3 < HOClO_2$

 $D.HOClO_2 < HOClO_3 < HOClO < HOCl$

Answer: B



44. Al_2O_3 can be converted to anhydrous $AlCl_3$ by heating

A. Al_2O_3 with HCl gas

B. Al_2O_3 with NaCl in solid state

C. A mixture of Al_2O_3 and carbon in dry Cl_2 gas

D. Al_2O_3 with Cl_2 gas

Answer: C

> Watch Video Solution

45. Which of the follwing is the most basic oxide?

A. Al_2O_3

B. Sb_2O_3

 $\mathsf{C}.\,Bi_2O_3$

D. SeO_2

Answer: C

Watch Video Solution

46. Which of the following is not isostructural with $SiCI_4$?

A. SCl_4

 $\mathsf{B.}\, SO_4^{2\,-}$

 $\mathsf{C.}\, PO_4^{3\,-}$

D. NH_4^+

Answer: A

Watch Video Solution

47. In which of the following molecules are all the bonds not equal ?

A. ClF_3

 $\mathsf{B.}\,BF_3$

C. AlF_3

D. NF_3

Answer: A

Watch Video Solution

48. Which one of the following orders is not correct in accordance with the property stated against is ?

A. $F_2 > Cl_2 > Br_2 > l_2$: Oxidising power

B. Hl > HBr > HCl > HF , Acidic property in water

C. $F_2 > C l_2 > B r_2 > l_2$, Electronegativity

D. $F_2 > Cl_2 > Br_2 > l_2$: Bond dissociation energy

Answer: D

Watch Video Solution

49. Which of the following is electron deficient molecule ?

A. B_2H_6

 $\mathsf{B.}\, C_2 H_6$

 $\mathsf{C}. PH_3$

D. SiH_4

Answer: A

Watch Video Solution

50. Which statement is wrong?

A. Feldspars are not aluminosilicates

B. Beryl is an example of cyclic silicate

C. Mg_2SiO_4 is orthosilicate

D. Basic structural unit in silicates SiO_4^{4-} is the tetrahedron

Answer: A



51. Carbon and silicon belong to group IV. The maximum coordination number of carbon in commonly occuring compounds is four whereas that of silicon is six. This is due to

A. Availability of low lying d-orbitals in silicon

B. Large size of silicon

C. More electropositive nature of silicon

D. Both (2) & (3)

Answer: A

52. Which of the following statements about H_3BO_3 is not correct ?

A. It has a layer structure in which planar BO_3 units are joined

by hydrogen bonds

B. It does not act as proton donor but acts as a Lewis acid by

accepting hydroxyl ion

C. It is a strong tribasic acid

D. It is prepared by acidifying an aqueous solution of borax

Answer: C



53. Aluminium (III) chloride forms a dimer because aluminium

A. Belongs to 3^{rd} group

B. Can have higher coordination number

- C. Cannot form a trimer
- D. Has high ionization energy

Answer: B

Watch Video Solution

54. Boron compound behaves as Lewis acids because of their

A. Ionisation property

B. Electron deficient nature

C. Acidic nature

D. Covalent nature

Answer: B



55. In graphite, electrons are

A. Localised on each C-atom

B. Localised on every third C- atom

C. Delocalised within the layer

D. Present in anti-bonding orbital

Answer: C

Watch Video Solution

56. In borax bead test which compound is formed ?

A. Orthoborate

B. Metaborate

C. Double oxide

D. Tetraborate

Answer: B

Watch Video Solution

57. Which of the following statements about the zeolites is false?

- A. They are used as cation exchangers
- B. They have open structure which enables them to take up small

molecules

- C. Zerolites are aluminosilicates having three dimensional network
- D. Some of the SiO_4^{4-} units are replaced by AlO_4^{5-} and AlO_6^{9-}

ions in zeolites



D. Hydrolysis of $(CH_3)_4$ Si by addition polymerisation

Answer: A

59. The metal oxide which cannot be reduced to metal by carbon is

A. Fe_2O_3

B. Al_2O_3

 $\mathsf{C}.\, PbO$

D. ZnO

Answer: B

Watch Video Solution

60. Oxalic acid on treatment with conc. H_2SO_4 gives

A. CO only

B. CO_2 only

 $\mathsf{C.}\,CO_2+H_2O$

$$\mathsf{D.}\, CO+CO_2+H_2O$$

Answer: D



61. Chemical formula of phosgene is :

A. $COCl_2$

B. $CaOCl_2$

 $C. CaCO_3$

 $\mathsf{D.}\, COCl$

Answer: A

Watch Video Solution

62. In which of the following compounds, nitrogen exhibits highest oxidation state?

A. N_3H

 $\mathsf{B.}\, NH_2OH$

 $\mathsf{C.}\,N_2H_4$

D. NH_3

Answer: A

Watch Video Solution

63. Which of the following displaces Br_2 from an aqueous solution containing bromide ions ?

A. I_2

 $\mathsf{B}.\,I_3^{\,-}$

 $\mathsf{C}. Cl_2$

D. Cl^{-}

Answer: C

Watch Video Solution

64. Repeated use of which one of the following fertilizers would

increase the acidity of the soil?

A. Ammonium sulphate

B. Superphosphate of lime

C. Urea

D. Potassium nitrate

Answer: A

Watch Video Solution

65. Which of the following oxides is most acidic ?

A. As_2O_5

 $\mathsf{B.}\,P_2O_5$

 $\mathsf{C.}\,N_2O_5$

D. Sb_2O_5

Answer: C

Watch Video Solution

66. Which of the following phosphorus is the most reactive?

A. Scarlet phosphorus

B. White phosphorus

C. Red phosphorus

D. Violet phosphorus

Answer: B



67. The decomposition of organic compounds, in the presence of oxygen without the development of odoriferous substances , is called

A. Nitrification

B. N_2 - fixation

C. Decay

D. Denitrification

Answer: C

Watch Video Solution

68. Nitrogen forms N_2 , but phosphorus does not form P_2 , however

, it forms P_4 , reason is

A. Triple bond present between phosphorus atom

B. $p\pi - p\pi$ bonding is weak

C. $p\pi-p\pi$ bonding is strong

D. Multiple bonds form easily

Answer: B

Watch Video Solution

69. Which of the following reaction is not feasible?

A. $2Kl+Br_2
ightarrow 2KBr+l_2$

B. $2KBr + l_2 \rightarrow 2Kl + Br_2$
C. $2KBr+Cl_2
ightarrow 2KCl+Br_2$

D. $2H_2O+2F_2
ightarrow 4HF+O_2$

Answer: B

Watch Video Solution

70. Which one of the following statements is not true

A. Among halide ions, iodide is the most powerful reducing

agent

B. Fluorine is the only halogen that does not show a variable

oxidation state

C. HOCl is a stronger acid than HOBr

D. HF is a stronger acid than HCl

Answer: D

71. Oxidation state of P in $H_4P_2O_5, H_4P_2O_6, H_4P_2O_7$ are respectively

- A. +3, +4, +5
- B.+3, +5, +4
- C. +5, +3, +4
- D. +5, +4, +3

Answer: A



72. In which one of the following species , the central atom has the tuype of hybdridiztion which is not the same as that present in

other three?

A. PCl_5

 $\mathsf{B.}\,SF_4$

 $\mathsf{C.}\,I_3^{\,-}$

D. $SbCl_5^{2\,-}$

Answer: D

Watch Video Solution

73. Least volatile hydrogen halide is

A. HF

B. HCl

C. HBr

D. Hl

Answer: A



74. Pb on reaction with conc. HNO_3 gives

A. $Pb(NO_3)_2 + NO_2$

B. $PbNO_3 + N_2O$

- $C. Pb(NO_3)_2 + N_2O_3$
- D. $Pb(NO_3)_2 + N_2O$

Answer: A



75. Which has ability to release bromine from KBr ?

A. l_2

 $\mathsf{B.}\,Br_2$

 $\mathsf{C}.\,Cl_2$

D. SO_2

Answer: C

Watch Video Solution

76. Which of the following has P-P linkage?

A. $H_4P_2O_6$

 $\mathsf{B.}\,H_4P_2O_7$

 $\mathsf{C}.HPO_3$

D. H_3PO_4

Answer: A

77. The bonds present in N_2O_5 are .

A. Only covalent

B. Only ionic

C. Covalent and coordinate

D. Covalent and ionic

Answer: C

Watch Video Solution

78. Which of the following dissolves in water but does not give any oxyacid solution ?

A. SO_2

 $\mathsf{B.}\, OF_2$

 $\mathsf{C.}\,SCl_4$

D. SO_3

Answer: B

Watch Video Solution

79. Which of the following is used during the preparation of fluorine

by Whytlaw-Gray met

A. KF(aq)

B. HF(aq)

C. Molten KHF_2

D. NH_4F

Answer: C

ASSIGNMENT (Section - D) (Assertion-Reason Questions)

1. A : Borazine is more reactive than benzene .

R : Borazine is isostructural with benzene

A. If both Assertion & Reason are true and the reason is the

correct explanation of the assertion, then mark (1)

B. If both Assertion & Reason are true but the reason is not the

correct explanation of the assertion , then mark (2)

C. If Assertion is true statement but Reason is false , then mark

D. If both Assertion and Reason are false statements , then mark

⁽³⁾



2. A : In Diborane containing eight -B-H bonds only four B-H bonds are on the plane .

R : Boron in B_2H_6 is sp^2 hybridised .

A. If both Assertion & Reason are true and the reason is the correct explanation of the assertion , then mark (1)

B. If both Assertion & Reason are true but the reason is not the

correct explanation of the assertion , then mark (2)

- C. If Assertion is true statement but Reason is false , then mark
- D. If both Assertion and Reason are false statements , then mark

(4)

(3)

Answer: C



3. A : All the oxides of boron family with the general formula M_2O_3 are basic .

R : From B_2O_3 to Tl_2O_3 basic character decreases .

A. If both Assertion & Reason are true and the reason is the correct explanation of the assertion , then mark (1)

B. If both Assertion & Reason are true but the reason is not the

correct explanation of the assertion , then mark (2)

C. If Assertion is true statement but Reason is false , then mark

D. If both Assertion and Reason are false statements , then mark

⁽³⁾



4. A : When borax is strongly heated it forms transparent glassy bead .

R : Borax is the other name for sodium tetraborate decahydrate.

A. If both Assertion & Reason are true and the reason is the correct explanation of the assertion , then mark (1)

B. If both Assertion & Reason are true but the reason is not the

correct explanation of the assertion , then mark (2)

- C. If Assertion is true statement but Reason is false , then mark
- D. If both Assertion and Reason are false statements , then mark

(4)

(3)

Answer: B

Watch Video Solution

- 5. A : CBr_4 is thermally more stable than Cl_4 .
- R : C- Br bond energy is more than C-l
 - A. If both Assertion & Reason are true and the reason is the

correct explanation of the assertion , then mark (1)

B. If both Assertion & Reason are true but the reason is not the

- C. If Assertion is true statement but Reason is false , then mark
 - (3)
- D. If both Assertion and Reason are false statements , then mark

⁽⁴⁾

Answer: A

Watch Video Solution

6. A : Boric acid is weak monobasic acid .

R : Boric acid give one H^+ ion .

A. If both Assertion & Reason are true and the reason is the correct explanation of the assertion , then mark (1)

B. If both Assertion & Reason are true but the reason is not the

correct explanation of the assertion , then mark (2)

C. If Assertion is true statement but Reason is false , then mark

D. If both Assertion and Reason are false statements , then mark

⁽³⁾

Answer: C

Watch Video Solution

- **7.** A : Al forms $\left[AlF_6\right]^{3-}$
- R : It is octahedral complex .
 - A. If both Assertion & Reason are true and the reason is the correct explanation of the assertion , then mark (1)
 - B. If both Assertion & Reason are true but the reason is not the

- C. If Assertion is true statement but Reason is false , then mark
 - (3)
- D. If both Assertion and Reason are false statements , then mark

⁽⁴⁾

Answer: B

Watch Video Solution

- **8.** A : Anhydride of carbonic acid is CO_2 .
- R : Carbonic acid is dibasic .
 - A. If both Assertion & Reason are true and the reason is the correct explanation of the assertion , then mark (1)
 - B. If both Assertion & Reason are true but the reason is not the

correct explanation of the assertion , then mark (2)

C. If Assertion is true statement but Reason is false , then mark

⁽³⁾

⁽⁴⁾

Answer: B



- 9. A : CaC_2 is interstitial carbide
- R : Calcium ions are present in the Interstices .
 - A. If both Assertion & Reason are true and the reason is the

correct explanation of the assertion , then mark (1)

B. If both Assertion & Reason are true but the reason is not the

correct explanation of the assertion , then mark (2)

C. If Assertion is true statement but Reason is false , then mark

⁽³⁾

⁽⁴⁾

Answer: D

Watch Video Solution

10. A : Fullerene is the purest allotrope of carbon .

- R : They have smooth structure without danging bonds .
 - A. If both Assertion & Reason are true and the reason is the

correct explanation of the assertion , then mark (1)

B. If both Assertion & Reason are true but the reason is not the

correct explanation of the assertion , then mark (2)

C. If Assertion is true statement but Reason is false , then mark

⁽³⁾

⁽⁴⁾

Answer: A

Watch Video Solution

11. A : $GeCl_4$ is easily hydrolysed by water .

R : Central atom can accommodate lone pair of e^- from oxygen atom of water molecules in $GeCl_4$

A. If both Assertion & Reason are true and the reason is the

correct explanation of the assertion , then mark (1)

B. If both Assertion & Reason are true but the reason is not the

correct explanation of the assertion , then mark (2)

- C. If Assertion is true statement but Reason is false , then mark (3)
- D. If both Assertion and Reason are false statements , then mark

Watch Video Solution

12. A : Carbon has maximum tendency of catenation among group 14

R : C-C bond strength is very strong.

A. If both Assertion & Reason are true and the reason is the

correct explanation of the assertion , then mark (1)

B. If both Assertion & Reason are true but the reason is not the

correct explanation of the assertion , then mark (2)

- C. If Assertion is true statement but Reason is false , then mark
 - (3)
- D. If both Assertion and Reason are false statements , then mark

Watch Video Solution

13. A : Oxides of carbon is higher oxidation state is more acidic than in lower oxidation state .

R : Both CO_2 and CO can exist .

A. If both Assertion & Reason are true and the reason is the

correct explanation of the assertion , then mark (1)

B. If both Assertion & Reason are true but the reason is not the

correct explanation of the assertion , then mark (2)

- C. If Assertion is true statement but Reason is false , then mark
 - (3)
- D. If both Assertion and Reason are false statements , then mark



14. A : Heavier elements of 14th group do not form $p\pi - p\pi$ bonds . R : Atomic orbital of heavier elements are too large and do not have effective overlapping .

- A. If both Assertion & Reason are true and the reason is the correct explanation of the assertion , then mark (1)
- B. If both Assertion & Reason are true but the reason is not the

correct explanation of the assertion , then mark (2)

- C. If Assertion is true statement but Reason is false , then mark (3)
- D. If both Assertion and Reason are false statements , then mark

Answer: A

Watch Video Solution

- 15. A : Carbon shows anamolous behaviour in group Gp-14.
- R : Carbon has maximum covalency of 4 .
 - A. If both Assertion & Reason are true and the reason is the

correct explanation of the assertion , then mark (1)

B. If both Assertion & Reason are true but the reason is not the

correct explanation of the assertion , then mark (2)

C. If Assertion is true statement but Reason is false , then mark

⁽³⁾

⁽⁴⁾

Answer: B

Watch Video Solution

16. A : H_2O is the only hydride of chalcogen family which is liquid . R : Acidic nature of hydrides of chalcogen family increases down the group .

- A. If both Assertion & Reason are true and the reason is the correct explanation of the assertion , then mark (1)
- B. If both Assertion & Reason are true but the reason is not the

correct explanation of the assertion , then mark (2)

- C. If Assertion is true statement but Reason is false , then mark
 (3)
- D. If both Assertion and Reason are false statements , then mark

Answer: B

Watch Video Solution

- 17. A : PF_5 and IF_5 have similar shapes .
- ${\tt R}$: All the bond lengths are equal PF_5
 - A. If both Assertion & Reason are true and the reason is the

correct explanation of the assertion , then mark (1)

B. If both Assertion & Reason are true but the reason is not the

- C. If Assertion is true statement but Reason is false , then mark
 - (3)
- D. If both Assertion and Reason are false statements , then mark

⁽⁴⁾

Answer: D

Watch Video Solution

- 18. A : Atomic size of F is smaller than that of Cl .
- R : F- F bond is stronger than Cl-Cl bond .
 - A. If both Assertion & Reason are true and the reason is the

correct explanation of the assertion , then mark (1)

B. If both Assertion & Reason are true but the reason is not the

- C. If Assertion is true statement but Reason is false , then mark
 - (3)
- D. If both Assertion and Reason are false statements , then mark

⁽⁴⁾

Answer: C

Watch Video Solution

19. Assertion (A) : P_4 is more reactive than N_2

Reason (R) : P - P bonds are relatively weaker than $N \equiv N$

A. If both Assertion & Reason are true and the reason is the

correct explanation of the assertion , then mark (1)

B. If both Assertion & Reason are true but the reason is not the

- C. If Assertion is true statement but Reason is false , then mark
 - (3)
- D. If both Assertion and Reason are false statements , then mark

⁽⁴⁾



20. A : Noble gases have highest ionization energies in their respective periods .

R : The outer most sub-shell of noble gases in which electron enters is completely filled .

A. If both Assertion & Reason are true and the reason is the

correct explanation of the assertion , then mark (1)

B. If both Assertion & Reason are true but the reason is not the

correct explanation of the assertion , then mark (2)

C. If Assertion is true statement but Reason is false , then mark

(4)

Answer: A

Watch Video Solution

21. A : The bond angle of NH_3 is greater than BiH_3 .

R : 'Bi' is metal while N is non - metal .

A. If both Assertion & Reason are true and the reason is the

correct explanation of the assertion, then mark (1)

B. If both Assertion & Reason are true but the reason is not the

correct explanation of the assertion , then mark (2)

C. If Assertion is true statement but Reason is false, then mark

(4)

Answer: B

Watch Video Solution

22. A : XeF_6 on the reaction with RbF gives $Rb[XeF_7]$

 $\mathsf{R}: XeF_6$ is non - reactive .

A. If both Assertion & Reason are true and the reason is the

correct explanation of the assertion , then mark (1)

B. If both Assertion & Reason are true but the reason is not the

correct explanation of the assertion , then mark (2)

C. If Assertion is true statement but Reason is false , then mark

(4)

Answer: C

Watch Video Solution

23. A : Tailing of Hg caused by ozone is due to formation of HgO.

R : In the presence of O_3 , Hg does not loses its meniscus.

A. If both Assertion & Reason are true and the reason is the

correct explanation of the assertion , then mark (1)

B. If both Assertion & Reason are true but the reason is not the

correct explanation of the assertion , then mark (2)

C. If Assertion is true statement but Reason is false , then mark

(4)

Answer: D

> Watch Video Solution

24. A : The valency and oxidation number of sulphur in S_8 respectively are 2 and 0.

 $R:S_8$ Rhombic is the most stable allotropic form of sulphur .

A. If both Assertion & Reason are true and the reason is the

correct explanation of the assertion , then mark (1)

B. If both Assertion & Reason are true but the reason is not the

C. If Assertion is true statement but Reason is false , then mark

(3)

D. If both Assertion and Reason are false statements , then mark

(4)

Answer: B

Watch Video Solution

25. A : Dissolution of concentrated H_2SO_4 in water is highly exothermic process .

R : Sulphuric acid is always diluted by adding acid to water slowly .

A. If both Assertion & Reason are true and the reason is the

correct explanation of the assertion , then mark (2)

C. If Assertion is true statement but Reason is false , then mark

(3)

D. If both Assertion and Reason are false statements , then mark

(4)

Answer: B

Watch Video Solution

26. A : N_2 is more stable than O_2 .

R : Bond order of N_2 is more than that of O_2 .

A. If both Assertion & Reason are true and the reason is the

correct explanation of the assertion , then mark (2)

C. If Assertion is true statement but Reason is false , then mark

- (3)
- D. If both Assertion and Reason are false statements , then mark
 - (4)

Answer: A



27. A : PH_5 is not possible .

[R]:-5 oxidation state of phosphorus is not possible .

A. If both Assertion & Reason are true and the reason is the

correct explanation of the assertion , then mark (2)

C. If Assertion is true statement but Reason is false , then mark

(3)

D. If both Assertion and Reason are false statements , then mark

(4)

Answer: A

Watch Video Solution

28. A : NH_3 is more polar than NF_3 .

 $R: NF_3$ cannot be hydrolysed .

A. If both Assertion & Reason are true and the reason is the

correct explanation of the assertion , then mark (2)

C. If Assertion is true statement but Reason is false , then mark

(3)

D. If both Assertion and Reason are false statements , then mark

(4)

Answer: B

Watch Video Solution

29. A : O_3 is better oxidizing agent than H_2O_2 .

 ${ t R}:O_3$ converts ${ t Ag}$ to Ag_2O .

A. If both Assertion & Reason are true and the reason is the
correct explanation of the assertion , then mark (2)

C. If Assertion is true statement but Reason is false , then mark

- (3)
- D. If both Assertion and Reason are false statements , then mark
 - (4)

Answer: B

Watch Video Solution

30. A : $Na_2S_2O_3$ on reaction with l_2 gives $Na_2S_4O_6$.

R : This reaction involves colour and electronic change both .

A. If both Assertion & Reason are true and the reason is the

correct explanation of the assertion , then mark (1)

correct explanation of the assertion , then mark (2)

C. If Assertion is true statement but Reason is false , then mark

- (3)
- D. If both Assertion and Reason are false statements , then mark
 - (4)

Answer: B



31. A : Cl_2 on reaction with NaOH (cold and dilute) gives $NaClO_3$.

 $R: Cl_2$ get oxidized only in this reaction .

A. If both Assertion & Reason are true and the reason is the

correct explanation of the assertion , then mark (1)

correct explanation of the assertion , then mark (2)

C. If Assertion is true statement but Reason is false , then mark

(3)

D. If both Assertion and Reason are false statements , then mark

(4)

Answer: D

Watch Video Solution

32. A : $2F^{\,-} + Cl_2
ightarrow 2Cl^- + F_2$ is a reaction having $\Delta G^0 = -ve$

 $R: Cl_2$ is better oxidizing agent than F_2 .

correct explanation of the assertion , then mark (1)

B. If both Assertion & Reason are true but the reason is not the

correct explanation of the assertion , then mark (2)

C. If Assertion is true statement but Reason is false , then mark

(3)

D. If both Assertion and Reason are false statements , then mark

(4)

Answer: D

Watch Video Solution

33. A : H_3PO_4 is less acidic than H_3PO_3 .

R : Oxidation state of phosphorus in $H_3PO_4 < H_3PO_3$.

correct explanation of the assertion , then mark (1)

B. If both Assertion & Reason are true but the reason is not the

correct explanation of the assertion , then mark (2)

C. If Assertion is true statement but Reason is false , then mark

(3)

D. If both Assertion and Reason are false statements , then mark

(4)

Answer: C

Watch Video Solution

34. A : CN^- is pseudohalide .

 ${\sf R}:(CN)_2$ is pseudohalogen .

correct explanation of the assertion , then mark (1)

B. If both Assertion & Reason are true but the reason is not the

correct explanation of the assertion , then mark (2)

C. If Assertion is true statement but Reason is false , then mark

(3)

D. If both Assertion and Reason are false statements , then mark

(4)

Answer: B

Watch Video Solution

35. A : Xe is the only element of group 18 which from compounds .

R : Xe does not form clatherates

correct explanation of the assertion , then mark (1)

B. If both Assertion & Reason are true but the reason is not the

correct explanation of the assertion , then mark (2)

C. If Assertion is true statement but Reason is false , then mark

(3)

D. If both Assertion and Reason are false statements , then mark

(4)

Answer: D

Watch Video Solution