



## BIOLOGY

### BOOKS - TRUEMAN'S BIOLOGY (ENGLISH)

#### BIOMOLECULES

#### Multiple Choice Questions

1. The four elements called "big-four" which make up 95% of all elements found in a living system are

A. C, H, O, N

B. C, H, O, P

C. C, H, O, S

D. C, N, O, P

**Answer: A**



[Watch Video Solution](#)

2. What is common between NAD and FAD ?

- A. Both are coenzymes.
- B. Both are derived from proteins
- C. Both act as oxygen carriers
- D. All of the above

**Answer: A**



[Watch Video Solution](#)

3. Macromolecules are

- A. nucleic acids, proteins and polysaccharides
- B. nucleic acids and monosaccharides
- C. amino acids and polysaccharides

D. amino acids, lipids and nucleotides

**Answer: A**



**Watch Video Solution**

4. In ATP, the high energy bond is the one which links

- A. adenine with ribose
- B. adenine with phosphate
- C. phosphate to phosphate
- D. ribose with phosphate

**Answer: C**



**Watch Video Solution**

5. Every carbohydrate is

- A. aldose or ketose
- B. ribose or deoxyribose
- C. hexose or pentose
- D. trioses or tetroses

**Answer: A**

 [Watch Video Solution](#)

**6. Glucose is**

- A. aldose hexose sugar
- B. ketose hexose sugar
- C. pyranose pentose sugar
- D. furanose pentose sugar

**Answer: A**

 [Watch Video Solution](#)

7. Oligosaccharides contain

- A. two monosaccharides
- B. 2-9 monosaccharides
- C. numerous monosaccharides
- D. no monosaccharides.

**Answer: B**



**Watch Video Solution**

8. Reducing sugars are

- A. glucose, fructose, galactose, maltose and lactose
- B. glucose, sucrose and cellulose
- C. lactose, starch, glycogen and trehalose

D. all of the above

**Answer: A**



**Watch Video Solution**

9. Reducing sugars like glucose in Fehling solution reduce

A.  $Fe^{++}$  to  $Fe^{+++}$

B.  $Cu^{++}$  to  $Cu^{+}$

C.  $Hg^{++}$  to  $Hg^{+}$

D.  $Cu^{+}$  to  $Cu^{++}$

**Answer: B**



**Watch Video Solution**

10. If deoxyribose sugar is supplemented with oxygen at second carbon atom, which one of these is formed ?

- A. Erythrose
- B. Heptose
- C. Ribulose
- D. Ribose

**Answer: D**



[Watch Video Solution](#)

11. Which of the following is the sweetest sugar?





- A. fructose
- B. glucose
- C. sucrose
- D. monellin

**Answer: A**



**Watch Video Solution**

**12. Deoxyribose is**



**Answer: B**





**Watch Video Solution**

**13. General formula of monosaccharides is**











D. All of these

**Answer: D**



**Watch Video Solution**

**14. General formula for disaccharide is**







**Answer: C**



**Watch Video Solution**

15. The commonest disaccharide has the molecular formula?



**Answer: D**

 [Watch Video Solution](#)

16. The reagent used to detect sugar in the urine is

A. Ninhydrin solution

B. Benzene

C. Benedict's solution

D. All of the above

**Answer: C**



**Watch Video Solution**

**17. Lactose is a disaccharide of**

- A. glucose only
- B. glucose and fructose
- C. glucose and galactose
- D. all of the above

**Answer: C**



**Watch Video Solution**

**18. Maltose is hydrolysed in the presence of mal- tase to**

- A. glucose

B. glucose & fructose

C. fructose

D. glucose & galactose

**Answer: A**



**Watch Video Solution**

**19. Iodine test is used to detect**

A. fats

B. malaria

C. typhoid

D. carbohydrates

**Answer: D**



**Watch Video Solution**

20. Fructose is a ketose sugar and also called

- A. an aldose
- B. fruit sugar
- C. cane sugar
- D. corn sugar

**Answer: B**



[Watch Video Solution](#)

21. Before a carbohydrate is utilized as an energy source, it gets first converted into

- A. disaccharide
- B. oligosaccharide
- C. tirose sugars
- D. monosaccharide

**Answer: D**



**Watch Video Solution**

**22.** How many atoms are there in pyranose ring ?

A. 5

B. 3

C. 6

D. 7

**Answer: C**



**Watch Video Solution**

**23.** Which of the following are all disaccharides ?

A. Maltose, Sucrose, Lactose

B. Maltose, Lactose, Glucose

C. Glycogen, Lactose, Sucrose

D. All of the above

**Answer: A**



[Watch Video Solution](#)

**24.** Invert sugar is mixture of

A. maltose and fructose

B. glucose and galactose

C. glucose and fructose

D. all of the above

**Answer: C**



[Watch Video Solution](#)

25. A solution of d-glucose in water rotates the plane polarised light

- A. towards right
- B. towards left
- C. towards either side
- D. none of the above

**Answer: A**



[Watch Video Solution](#)

26.  $\alpha$  – and  $\beta$  – Glucose differ in the orientation of the ( – OH) group around:

- A.  $C_3$
- B.  $C_1$
- C.  $C_5$
- D.  $C_2$



**Answer: 2**



**Watch Video Solution**

**27.** A sugar of animal origin is

A. fructose

B. lactose

C. DHAP

D. PGA

**Answer: B**



**Watch Video Solution**

**28.** Monosaccharide found in nucleolus is

A. pentose

B. tetrose

C. erythrose

D. hexose

**Answer: A**

 [Watch Video Solution](#)

**29. Why sucrose and not glucose is used to preserve fruit products ?**

A. Glucose is reactive as it has free CHO group

B. Sucrose is more common in nature

C. Sucrose is easily available and has both glucose and fructose

D. None of the above

**Answer: A**

 [Watch Video Solution](#)

30. In ATP sugar is

- A. ribose
- B. deoxyribose
- C. glucose
- D. trioses

**Answer: A**



[Watch Video Solution](#)

31. Honey has three sugars. They are

- A. glucose, fructose and lactose
- B. glucose, galactose and inulin
- C. dextrose, laevulose and sucrose
- D. dextrose, lactose and ribose

**Answer: C**

 [Watch Video Solution](#)

**32.** non-reducing sugars have

- A. free CHO group and free CO group
- B. neither free CO nor free CHO group
- C. free CHO and bound CO group
- D. free CO group and bound CHO group.

**Answer: B**

 [Watch Video Solution](#)

**33.** Milk tastes sour when kept in the open for sometime due to formation of

A. carbonic acid

B. citric acid

C. lactic acid

D. malic acid

**Answer: C**



**Watch Video Solution**

**34.** Which should be given to an athlete for instant energy ?

A. Carbohydrates

B. Proteins

C. Fats

D. Vitamins

**Answer: A**



**Watch Video Solution**

35. Prior to absorption, grape sugar is hydrolyzed by the enzyme.

A. lactase

B. maltase


C. sucrose


D. none of these

Answer: D


 Watch Video Solution

36. Choose the correct molecule for glucose.






B.



C.



D.

**Answer: A**



**Watch Video Solution**

**37.** A fat molecule has

- A. 3 glycerol and one fatty acid molecule
- B. one glycerol and 3 fatty acid molecules
- C. one glycerol and one fatty acid molecule

D. 3 glycerol and 3 fatty acid molecule

**Answer: B**



**Watch Video Solution**

**38.** A Skeleton of four interlocking carbon rings is found in

A. steroids

B. waxes

C. fats

D. glycerol

**Answer: A**



**Watch Video Solution**



39. A fat molecule has three fatty acids. A Phospholipid molecule has how many fatty acids?

- A. 3
- B. 2
- C. 1
- D. 0

**Answer: B**



[Watch Video Solution](#)

40. Most abundant Lipid in cell membrane is

- A. phospholipid
- B. steroid
- C. cholesterol
- D. waxes

**Answer: A**



**Watch Video Solution**

**41. Amphipathy means**

- A. presence of polar and non polar end in same molecule
- B. water containing land habitat
- C. presence of dipolar Zwitter ions
- D. all wrong.

**Answer: A**



**Watch Video Solution**

**42. Essential fatty acids are**

- A. not synthesized in plants

B. not synthesized in animals

C. five in number

D. both (2) and (3)

**Answer: B**

 [Watch Video Solution](#)

43.  $C_nH_{2n}O_2$  is the general formula of

A. carbohydrate

B. fatty acid

C. fat

D. nucleic acid

**Answer: B**

 [Watch Video Solution](#)

44. in Brain , most common types of lipids are

- A. glycolipids
- B. lipoproteins
- C. cholesterol
- D. steroids

**Answer: A**



[Watch Video Solution](#)

45. A saturated fatty acid is

- A. Oleic acid
- B. Linoleic acid
- C. Stearic acid
- D. All

**Answer: C**



**Watch Video Solution**

**46.** Which one is Tetraeonic (four double bond) fatty acid?

A. Arachidonic acid

B. Linoleic acid

C. Oleic acid

D. Palmitic acid.

**Answer: A**



**Watch Video Solution**

**47.** Which one is absent in wood ?

A. Cellulose

B. Lignin

C. Pectin

D. Fat

**Answer: D**



**Watch Video Solution**

**48.** Essential fatty acids are present in large amount in

A. butter

B. hydrogenated fats

C. vegetable oils

D. desi ghee

**Answer: C**



**Watch Video Solution**

49. Cholesterol is the precursor of

- A. progesterone
- B. testosterone
- C. estradiol & cortisol
- D. all of these

**Answer: D**



[Watch Video Solution](#)

50. Waxes are esters of higher fatty acids with long chain of

- A. monohydric alcohols
- B. dihydric alcohols
- C. trihydric alcohols
- D. all of these

**Answer: A**



**Watch Video Solution**

**51. Lecithin and cephalins are**

- A. nucleic acid
- B. phospholipid
- C. carbohydrate
- D. sphingolipids

**Answer: B**



**Watch Video Solution**

**52. Bee wax mainly consists of**

- A. myricyl palmitate



B. myricyl cerotate

C. cetyl palmitate

D. none of these

**Answer: A**



**Watch Video Solution**

**53.** Which of the following gives maximum energy in metabolic process?

A. Proteins

B. Nucleic acids

C. Fats

D. Carbohydrates

**Answer: C**



**Watch Video Solution**

54. A fatty acid or amino acid is called essential when

- A. cell is unable to synthesize it on its own
- B. cell requires it badly and so make it on its own
- C. cell badly needs it but does not make it on its own.
- D. cell needs it and gets it from adjacent cells

**Answer: C**



**Watch Video Solution**

55. Cholesterol is a

- A. simple lipid
- B. phospholipid
- C. derived lipid
- D. glycolipid

**Answer: C**

 [Watch Video Solution](#)

56.  $CH_3(CH_2)_7CH = CH(CH_2)_7 \cdot COOH$  is

- A. oxalouslyccinate
- B. oleic acid
- C. linolenic acids
- D.  $\alpha$ -ketoglutarate

**Answer: B**

 [Watch Video Solution](#)

57. Lipids are translocated through blood by

- A. glycolipids

B. sulpholpids

C. lipo proteins

D. phospholids

**Answer: C**



**Watch Video Solution**

**58.** Which of the followig pick up excess cholestrol form plasma and transports it io the liver for disposal?

A. LDL

B. HDL

C. Both (1) & (2)

D. glycolipids

**Answer: B**



**Watch Video Solution**

59. Which amino acid has no asymmetric carbon atom ?

- A. Glycine
- B. Alanine
- C. Proline
- D. Threonine

**Answer: A**



[Watch Video Solution](#)

60. Which of the following sets have combination of an acidic, basic and neutral amino acids respectively?

- A. Glutamate- Lysine- Glycine
- B. Arg-Asp-Val
- C. Asp-Val-Phe

D. Phe-Lys-Arg.

**Answer: A**



[Watch Video Solution](#)

**61.** The first amino acids taking part in protein synthesis is .

A. Met

B. Val

C. Arg

D. Tryp

**Answer: A**



[Watch Video Solution](#)

**62.** Sulphur containing amino acids are

A. valine, lysine and cystine

B. tryptophan, glutamic acid, aspartic acid

C. citrulline, methionine and glutamic acid

D. cysteine, homocysteine, methionine

**Answer: D**



[Watch Video Solution](#)

**63.** Essential amino acids are those which our body can not synthesize and, therefore, we take them from diet . These are usually seven in number and are .

A. leucine, lysine, isoleucine , valine , tryptophan, phenylalanine , methionine

B. leucine-lysine-isoleucine-valine-tryptophan-phenylalanine -glycine.

C. gly-ala-val-his-try-asp-met

D. none of the above

**Answer: A**



[Watch Video Solution](#)

**64.** An amino acid which is precursor of Indole 3-acetic acid (Auxin) is

A. glycine

B. valine

C. glutamic

D. tryptophan

**Answer: D**



[Watch Video Solution](#)

**65.** Living organism have

A.  $\alpha$  -amino acids and L-sugars



B. L-amino acids and D-sugar





C. D-amino acids and L-sugar

D.  $\alpha$ - amino acids and  $\alpha$ -sugars.

**Answer: B**

 [Watch Video Solution](#)


66. Which one is an amino acids?



**Answer: A**

 [Watch Video Solution](#)

67. Which two groups of the following formula are involved in peptide linkage between different amino acids?



- A. 2 and 3
- B. 1 and 3
- C. 1 and 4
- D. 2 and 4

**Answer: B**



[Watch Video Solution](#)

68. Amino acids usually exist in the form of Zwitter ions. This mean that they consist of

- A. the basic  $NH_2$  groups and acidic  $COOH$  group
- B. the basic  $NH_3^+$  group and the acidic  $COO^-$  group
- C. basic  $COO^-$  group & acidic  $NH_3^-$  group
- D. None of the above

**Answer: B**

 [Watch Video Solution](#)

**69.** Peptide linkage is

- A.  $COHN_2$
- B.  $-CO.NH$
- C.  $-COONH_2$
- D.  $-CH - NH$

**Answer: B**

 [Watch Video Solution](#)

70. Precursor of niacin is

- A. lysine
- B. theronine
- C. tryptophan
- D. glycoine

**Answer: C**



**Watch Video Solution**

71. The following one is smallest.

- A. maltose
- B. Cellulose
- C. Glycine

D. Cellbiose

**Answer: C**



**Watch Video Solution**

72. Two of the following amino are needed for growth only and are not essential for adults.

- A. Cysteine and cystine
- B. Lecucine and Valine
- C. Tryptophan and isolecucine
- D. Arginine and histidine

**Answer: D**



**Watch Video Solution**

73. Glycosidic linkage at place of branching in starch and glycogen is

A.  $\alpha - 1 - 4$

B.  $\beta, 1 - 4$

C.  $\beta, 1 - 6$

D.  $\alpha, 1 - 6$

**Answer: D**



**Watch Video Solution**

74. In amylose units are linked by.

A.  $\alpha - 1 - 4$  linkages

B.  $\alpha - 1 - 6$  linkage

C. both  $\alpha - 1 - 4$  and  $\alpha, 1 - 4$  linkage

D. all of the above

**Answer: A**



**Watch Video Solution**

**75.** Which is an unbranched glucan

A. Cellulose

B. Starach

C. Glycogen

D. All the above

**Answer: A**



**Watch Video Solution**

**76.** The monomer units in starch are

A. Pyarnose fructose

B. Furannose

C.  $\beta$ -D-Glucose

D.  $\alpha$ - D-Glucose

**Answer: D**



[Watch Video Solution](#)

77. Chitin forming exoskeleton in arthropods is seconds most abundant carbohydrate on this earth. It is a

A. Storage sulphur containing polysaccharide

B. nitrogen containing structural homopolysaccharid

C. mucopolysaccharide

D. strutural oligosaccharide

**Answer: B**



[Watch Video Solution](#)



78. Which of the following carbohydrates gives a dark blue colour with iodine?

- A. Amylopectin
- B. Cellulose
- C. Starch
- D. none of these

**Answer: C**



[Watch Video Solution](#)

79. The starch and glycogen are two most suitable storage polysaccharides because

- A. they occupy less space
- B. they do not disturb ph of cell

C. they cannot pass through cell

D. all of the above

**Answer: D**



[Watch Video Solution](#)

**80.** Hyaluronic acid is a heteropolysaccharide and has actyl glucosamine + gulcoronic acid. In is a cementing material and found in

A. ovum and synovial fluid

B. vitreous humour

C. skin

D. all of the above

**Answer: D**



[Watch Video Solution](#)

81. A polysaccharide used as solidifying agent is

- A. pectin
- B. silica gel
- C. pepton
- D. agar

**Answer: D**



**Watch Video Solution**

82. Which of incorrect regarding glycogen

- A. Glycogen is analogous to starch
- B. It is non reducing sugar
- C. It is a structural polysaccharide
- D. It gives red colour with iodine solution

**Answer: C**



**Watch Video Solution**

**83.** Which is a wrong statement?

- A. Cellulose is the most abundant homopolysaccharide
- B. Waxes are simple lipids
- C. Glycogen and glucose are two common carbohydrates in animals.
- D. Steroid is a fatty acid

**Answer: D**



**Watch Video Solution**

**84.** The polysaccharide used in evaluating the function of human nephron is attained from the \_\_\_\_ of Dahlia plant.

A. root

B. stem

C. seeds

D. fruit

**Answer: A**



**Watch Video Solution**

**85.** A polysaccharide of cartilage is

A. chondritin

B. ossein

C. chondritin sulphate

D. cartilagin

**Answer: C**



**Watch Video Solution**

**86.** Nucleoprotein is

- A. structural protein
- B. simple protein
- C. conjugated protein
- D. fibrous protein

**Answer: C**



**Watch Video Solution**

**87.** P' protein refers to

- A. phloem protein
- B. plasma protien
- C. platelet protein

D. primary protein

**Answer: A**



[Watch Video Solution](#)

**88.** Primary structure of protein is due to

A. hydrogen bonds

B. peptide bonds

C.  $-s-s$  linkages

D. ionic bonds

**Answer: B**



[Watch Video Solution](#)

**89.** A storage protein is

A. keratin

B. collage

C. haemogolbin

D. glutelin

**Answer: D**

 [Watch Video Solution](#)

**90.** Which chemical characteristic is not common to all living beings?

A. Types of protein present in the body

B. Similar triplet code for amino acids

C. Energy is stored in high phosphate bonds

D. None of the above

**Answer: A**

 [Watch Video Solution](#)



91. The most abundant protein in the plant world is found in

- A. chloroplasts
- B. mitochondria
- C. viruses
- D. roots

**Answer: A**



[Watch Video Solution](#)

92. That proteins are made up of amino acids/sequence of amino acids in protein was determined by a two time Nobel laureate

- A. Sanger
- B. Summer
- C. Pauling

D. Wilkinds

**Answer: A**



**Watch Video Solution**

**93.** Immunoglobulins (antibodies) of the blood plasma are

A. glycoproteins

B. lipoproteins

C. flavoproteins

D. all of these

**Answer: A**



**Watch Video Solution**

94. Which makes the protein active and globular /Which structure provides specific shape and function to the protein?

- A. Primary structure
- B. Secondary Structure
- C. Tertiary structure
- D. Supleide bonds and peptide bonds

**Answer: C**



[Watch Video Solution](#)

95. Most abundant protein on earth is

- A. keratin
- B. rubisco
- C. RuBP
- D. fibrinogen

**Answer: B**



[Watch Video Solution](#)

**96.** Two types of secondary structures of proteins are

- A.  $\alpha$ - helix and  $\beta$  -helix
- B.  $\alpha$  - helix and  $\beta$ -helix
- C.  $\alpha$ -helix and  $\beta$ - pleated sheet
- D. Helix and rod.

**Answer: C**



[Watch Video Solution](#)

**97.** The most diverse chemical is

- A. phosphopild

B. Cellulose

C. proteins

D. carbohydrates

**Answer: C**



**Watch Video Solution**

**98.** The enormous diversity of protein molecules is due to the diversity of

A. amino groups in amino acids

B. R group in amino acids

C. amino acids sequences

D. peptide bonds

**Answer: C**



**Watch Video Solution**

99. In  $\beta$ -pleated protein, polypeptide chains lie parallelly and held together by

- A. S-S bond
- B. CONH bond
- C. H-bond
- D. none of these

**Answer: C**



[Watch Video Solution](#)

100. The major fibrous protein of connective tissue is

- A. myosin
- B. myoglobin
- C. collagen
- D. keratin

**Answer: C**



[Watch Video Solution](#)

**101.** The protein of red muscles to store oxygen is

A. haemoglobin

B. myoglobin

C. myosin

D. actin

**Answer: B**



[Watch Video Solution](#)

**102.** The helical structure of protein is stabilised by:

A. glycosidic bonds

B. dipeptide bonds

C. hydrogen bonds

D. all of these

**Answer: C**



[Watch Video Solution](#)

**103.** The sequence in which amino acids are linked to one another in a protein molecule is called its:

A. Primary structure

B. Secondary Structure

C. tertiray structure

D. all of these

**Answer: A**



[Watch Video Solution](#)



**104.** Formation of proteins is a type of

- A. dehydration synthesis
- B. dehydrogenation
- C. hydration synthesis
- D. hydrogenation

**Answer: A**



**Watch Video Solution**

**105.** Point out the incorrect statement regarding proteins.

- A. Most of enzymes and many hormones are proteins
- B. Proteins are structural components of membrane.
- C. Proteins are high energy yielding compounds.
- D. Immunoglobulins are proteins.

**Answer: C**



[Watch Video Solution](#)

**106.** Denaturation of proteins changes its

- A. structure and properties
- B. structure and not property
- C. property but not sturcture
- D. neither structure not property.

**Answer: A**



[Watch Video Solution](#)

**107.** Natural silk fibre is

- A. polyester

B. protein

C. lipids

D. polysaccharide

**Answer: B**



[Watch Video Solution](#)

**108.** Keratin and chitin are chemically

A. carbohydrates& are functionally similar

B. carbohydrates but functionally different

C. proteins and functionally similar

D. different but functionally similar.

**Answer: D**



[Watch Video Solution](#)

109. Which of the following groups is present invariably at the two terminals of protein ?

- A. Methyl and ethyl
- B. Aldehyde and ketone
- C. Amino and carboxylic
- D. Acid and alcohol

**Answer: C**



[Watch Video Solution](#)

110. The spider webs are built of

- A. fat
- B. fibroin protein
- C. protamines
- D. proteoglycans

**Answer: B**



[Watch Video Solution](#)

**111.** Structural proteins are usually

- A. fibrous
- B. globular
- C. enzymatic
- D. soluble

**Answer: A**



[Watch Video Solution](#)

**112.** Biochemical reagents are widely used for detection of biomolecules. A reagent that specifically detects a carbonyl group ( $C=O$ ) in a biomolecule will yield a positive test with

- A. protein
- B. carbohydrate
- C. Fats
- D. all of these

**Answer: B**

 [Watch Video Solution](#)


**113.** Sulphur is needed for

- A. glucose formation
- B. ATP synthesis
- C. DNA duplication
- D. protein synthesis

**Answer: D**

 [Watch Video Solution](#)

114. Glycosidic bond is



Answer: A



Watch Video Solution

115. Cellulose in plant cell wall is made up of

A. unbranched chain of glucose molecules linked by  $\alpha$  1  $\rightarrow$  6 glycosidic bond

B. unbranched chain of glucose molecules linked by  $\beta$ ,  $1 \rightarrow 4$  glycosidic molecule

C. branched chain of glucose molecules linked by  $\alpha$ ,  $\rightarrow 6$  glycosidic bond in straight chain &  $\beta \rightarrow 1, 4$  at the site of branching.

D. branched chains have  $\alpha \rightarrow 1, 4$  bond and  $\beta \rightarrow 1, 6$  glycosidic bonds both

**Answer: B**



**Watch Video Solution**

**116.** A carbohydrate unique to arthropods is

A. chitin

B. hyaluronic acid

C. chondroitin sulphate

D. waxes



**Answer: A**



**Watch Video Solution**

**117.** Which one of the following has no free aldehyde or ketone group ?

A. Fructose

B. Maltose

C. Sucrose

D. Galactose

**Answer: C**



**Watch Video Solution**

**118.** EFA is

A. linolenic acid

B. oleic acid

C. palmitic acid

D. caproic acid

**Answer: A**



**Watch Video Solution**

**119.** Phospholipids are

A. amphipathic

B. amphibolic

C. hydrophobic

D. none of these

**Answer: A**



**Watch Video Solution**

**120.** Select the odd from the following

- A. Glutamic acid
- B. Stearic acid
- C. Butyric acid
- D. Oleic acid

**Answer: A**



**Watch Video Solution**

**121.** Excess of amino acids are stored in

- A. kidney
- B. liver
- C. spleen
- D. none

**Answer: D**



[Watch Video Solution](#)

**122.** The difference between one amino acid and another is found on the

- A. Carboxyl Group
- B. Amino group
- C. R group
- D. peptide bonds

**Answer: C**



[Watch Video Solution](#)

**123.** Relationship between amino acid and protein is similar to one found between

- A. glucose and fructose
- B. nucleotides and nucleic acid
- C. nucleosides and nucleic acid
- D. purines and pyrimidines

**Answer: B**

 [Watch Video Solution](#)

**124.** Non essential amino acid is

- A. not needed in the diet
- B. not essential for growth
- C. not synthesised in body
- D. not required for protein synthesis

**Answer: A**

 [Watch Video Solution](#)

125. If the molecular mass of an amino acid is 150 daltons, the molecular mass of a tripeptide will be

- A. 450
- B. 486
- C. 504
- D. 414

**Answer: D**



[Watch Video Solution](#)

126.  $\alpha$ -helix is stabilized by H-bonds between the

- A. NH and CO group of side chain
- B. NH and CO group of main chain
- C. NH and NH group of same chain

D. NH and COOH group of all chain

**Answer: B**



**Watch Video Solution**

**127.** Largest macromolecule in cell is

A. DNA

B. cellulose

C. chitin

D. glycogen

**Answer: A**



**Watch Video Solution**

**128.** Histones are

A. basic proteins

B. glycoproteins

C. acid proteins

D. mucoproteins

**Answer: A**



**Watch Video Solution**

**129.** All enzymes are

A. proteins

B. lipids

C. fats

D. inorganic catalysts

**Answer: A**



**Watch Video Solution**



130. Quarternary structure of protein is

- A. arrangement of amino acids in polypeptide chain
- B. inter-relationship of amino in a polypeptide chain
- C. inter-relation between polypeptide chains of a protein having more than two polypeptide chains
- D. all of the above

**Answer: C**



[Watch Video Solution](#)

131. Which of the following is nutritionally essential amino acid for humans

- A. Arginine
- B. Aspartic acid

C. Glycine

D. Phenylalanine

**Answer: D**



**Watch Video Solution**

**132.** Enzymes (Biocatalysts) were discovered accidentally in yeast cell extract by a biochemist for which he was awarded Nobel Prize was

A. Kuhne

B. Pasteur

C. Buchner

D. Sumner

**Answer: C**



**Watch Video Solution**

**133.** Most of the enzymes when secreted are in inactive form (called proenzymes or zymogens) otherwise they will mainly destroy

- A. cell proteins
- B. cell DNA
- C. cell mitochondriane
- D. cell wall and membrane

**Answer: A**



**Watch Video Solution**

**134.** Enzymes are required in traces because they

- A. have high turnover number
- B. remain unused at the end of reaction and are reused
- C. show cascade effect
- D. all correct

**Answer: D**



**Watch Video Solution**

**135.** An enzyme extract when subject to electric field, Separated into two fractions each catalysing the same reaction. These fractions are

A. allsoteric enzyme

B. isoenzyme

C. apoenzyme

D. activator

**Answer: B**



**Watch Video Solution**

**136.** The inorgainc part of enzyme is known as

A. holoenzyme

B. coenzyme

C. apoenzyme

D. activator

**Answer: D**



**Watch Video Solution**

**137.** All enzymes are not proteins. Which of the following enzyme is not a protein?

A. Ribozyme discovered by Cech (1981)

B. Ribonuclease discovered by Altman (1983)

C. Both correct

D. DNA/RNA polymerase.

**Answer: C**

 [Watch Video Solution](#)

**138.** The digestive enzymes are

- A. oxidoreductases
- B. transferases
- C. hydrolases
- D. ligases

**Answer: C**

 [Watch Video Solution](#)

**139.** Coenzyme is

- A. always a protein
- B. often a vitamin
- C. hydrolases

D. often a metal

**Answer: B**



[Watch Video Solution](#)

**140.** Why is heat used to sterilize nonliving objects in tissue culture ?

A. Proteins are denatured at temperatures above  $55^{\circ}C$

B. Proteins lose their primary structures due to break down of hydrogen bonds

C. Both correct

D. Only (1) is correct

**Answer: A**



[Watch Video Solution](#)

141. A high fever is dangerous to a human because

- A. proteins are used up quickly
- B. fats are oxidised
- C. enzymes are denatured
- D. BMR is Lowered

**Answer: C**



[Watch Video Solution](#)

142. According to IUB system, isomerases belong to which class?

- A. I
- B. III
- C. V
- D. IV



**Answer: C**

 [Watch Video Solution](#)

**143.** IUB has divided enzymes into how many classes?

A. 6

B. 5

C. 8

D. 4

**Answer: A**

 [Watch Video Solution](#)

**144.** Enzymes which breakdown compounds without using  $H_2O$  are called.

- A. lyases
- B. ligases
- C. hydrolases
- D. proteases

**Answer: A**

 [Watch Video Solution](#)

**145.** Which part of enzyme in a holoenzyme (conjugated enzyme) determines specificity of enzyme ?

- A. Apoenzyme
- B. Prosthetic group
- C. Metal activator
- D. None of these

**Answer: A**

 [Watch Video Solution](#)

146. The function of an enzyme is to


- A. cause chemical reaction
- B. change the rate of chemical reaction
- C. change the equilibrium
- D. change the directions of reactions

Answer: B

 [Watch Video Solution](#)

147. Which of the following is correct in an enzyme-controlled reaction ?

- A.  $E + S \rightleftharpoons E + P$
- B.  $E + S \rightleftharpoons ES \rightleftharpoons EP \rightleftharpoons E + P$
- C.  $E + S \rightleftharpoons ES \rightleftharpoons E$



**Answer: B**



[Watch Video Solution](#)

**148.** Enzyme have

- A. same  $pH$  and temperature optiam
- B. same ph but different temperature optima
- C. different ph but same temperature optima
- D. all wrong.

**Answer: D**



[Watch Video Solution](#)

**149.** Feed back term refers to

- A. effect of substrate on rate of enzymatic reaction.
- B. effect of end product on rate of reaction
- C. effect of enzyme concentration on rate of reaction
- D. effect of external compound on rate of reaction.

**Answer: B**

 [Watch Video Solution](#)

**150.** Enzymes increase rate of chemical reaction by

- A. lowering energy of activation
- B. increasing energy of activation
- C. maintaining energy of activation
- D. without affecting activation energy but increasing reaction time.

**Answer: A**

 [Watch Video Solution](#)

**151.** Enzymes get denatured (killed) due to

- A. sudden changes in pH
- B. decrease in temperature
- C. decrease in hydration
- D. all of the above

**Answer: A**



**Watch Video Solution**

**152.** Cyanide kills animals by inhibiting cytochrome oxidase (an enzyme of respiration) by binding irreversibly with copper. It does not bind with active site. This is an example of

- A. competitive inhibition
- B. non competitive inhibition

C. feed back inhibition

D. all of the above

**Answer: B**



[Watch Video Solution](#)

**153.** In competitive inhibition

A. inhibitor resembles the substrate in molecular structure

B. inhibitor binds to allosteric site and block it

C. inhibitor has no effect on active site

D. all correct

**Answer: A**



[Watch Video Solution](#)

154. prosthetic group is a part of holoenzyme it is

- A. inorganic part loosely attached
- B. accessory non protein organic substance attached firmly
- C. organic part attached loosely
- D. none of these

**Answer: B**



[Watch Video Solution](#)

155. Coenzyme is a part of enzyme

- A. inorganic metal activator
- B. nonprotein organic part attached firmly
- C. nonprotein organic part attached loosely
- D. vitamin A



**Answer: C**



[Watch Video Solution](#)

**156.** Which inactivates an enzyme by occupying its active site ?

- A. competitive inhibition
- B. allosteric inhibitor
- C. non-competitive inhibitor
- D. all of these above

**Answer: A**



[Watch Video Solution](#)

**157.** Which one inactivates an enzyme by changing the enzyme shape ?

- A. Allosteric inhibitor

B. Competitive inhibitor

C. Cofactor

D. Irreversible inhibitor

**Answer: A**



**Watch Video Solution**

**158.** Turn over number of an enzyme means

A. number of substrate molecules acted upon by one molecule of an enzyme per second.

B. number of enzyme molecules acting on one molecule of substrate per minute.

C. number of molecules of product produced by an enzyme in one minute.

D. number of substrate molecules acted upon by an enzyme per second.

**Answer: A**

 [Watch Video Solution](#)

159. The value of  $K_m$  (Michaelis-Menten constant) varies from  $10^6$  to  $10^{-6}$  M but for allosteric enzyme, there is no constant  $k_m$  value. This  $K_m$  is .

A. substrate concentration at which the enzymatic reaction attains

half its maximum velocity  $\left(\frac{1}{2}V_{\max}\right)$

B. enzyme concentration at which the reaction attains  $\frac{1}{2}V_{\max}$ .

C. end product concentration at which reaction attains  $\frac{1}{2}V_{\max}$ .

D. none of the above statements is correct.

**Answer: A**

 [Watch Video Solution](#)

160. The lower value of  $K_m$  means

- A. higher substrate affinity of enzyme
- B. higher enzyme activity
- C. no effect on reaction
- D. lower the affinity of enzyme with substrate.

**Answer: A**



[Watch Video Solution](#)

161. In a diluted starch solution,  $\alpha$ -salivary amylase is added at pH 1.6 and kept at  $35^\circ C$  for half an hour and then iodine solution is added, what would be the result?

- A. There will be a red colour
- B. There will be blue solution

C. Solution will be clear and colourless

D. The solution will be sweet

**Answer: B**



**Watch Video Solution**

**162.** Some enzyme when secreted are inactive state. Such enzyme in inactive state are called.

A. isozymes

B. conezymes

C. zymogens

D. apenzyme

**Answer: C**



**Watch Video Solution**

**163.** Which is best evidence for Lock and key theory (Template theory)?

- A. Competitive inhibition
- B. Feed back inhibition
- C. Allosteric competition
- D. Non-competitive inhibition

**Answer: A**



**Watch Video Solution**

**164.** which is an enzyme that joins two segments of replicated DNA?

- A. Ligases
- B. Lyase
- C. Endonuclease
- D. Topoisomerases

**Answer: A**



**Watch Video Solution**

**165.** Apoenzyme and coenzyme collectively produce

- A. holoenzyme
- B. enzyme-product complex
- C. cofactor
- D. prosthetic group

**Answer: A**



**Watch Video Solution**

**166.** Which vitamins is incorporated into the structure of NAD/NADP?

- A. Riboflavin

B. Vitamin PP

C. Nicotinic acid

D. All correct

**Answer: C**



**Watch Video Solution**

**167. Mutases and epimerases are**

A. isomerases

B. hydrolases

C. lyases

D. ligases

**Answer: A**



**Watch Video Solution**



**168.** The enzymatic function of a protein is due to

- A. Primary structure
- B. tertiary structure
- C. secondary structure
- D. helix structure




**Answer: B**



**Watch Video Solution**


**169.** Which one of the following diagrams represents the most common relationships between temperature and enzyme activity, when the

temperature is raised gradually from 0- 80° C?



 [Watch Video Solution](#)

170. The enzyme depicted in the below graph is



- A. amylase
- B. pepsin
- C. trypsin
- D. alcohol dehydrogenase

**Answer: B**



[Watch Video Solution](#)

171. Lipase acting on fats breaks

- A. ester bond
- B. peptide bond
- C. hydrogen bonds
- D. glycosidic bond

**Answer: A**



[Watch Video Solution](#)

172. Earliest known enzyme was

- A. sucrase
- B. zymases
- C. diastase
- D. ureases

**Answer: B**



**Watch Video Solution**

**173.** No cell could live without

- A. enzymes
- B. cytochromes
- C. cholroplast
- D. phytochromes

**Answer: A**



**Watch Video Solution**

**174.** The protein part of a conjugated enzyme is

- A. holoenzyme

B. coenzymes

C. prosthetic group

D. apoenzyme

**Answer: D**



[Watch Video Solution](#)

**175.** Enzyme that catalyse endergonic synthesis coupled with exergonic hydrolysis of ATP are

A. Ligases

B. Lyases

C. Hydrolases

D. Oxidoreductase

**Answer: A**



[Watch Video Solution](#)

**176.** Cofactors are

- A. non-protein organic molecules
- B. vitamins
- C. metallic ions
- D. all of the above

**Answer: D**



[Watch Video Solution](#)

**177.** The region that contains the binding and catalytic sites is termed as

- A. active site
- B. apoenzyme
- C. holoenzyme
- D. allosteric site

**Answer: A**



**Watch Video Solution**

**178.** Enzyme/Proteins contain regulatory sites called

- A. allosteric sites
- B. active sites
- C. folding sites
- D. buttressing site

**Answer: A**



**Watch Video Solution**

**179.** Enzyme concerned with the transfer of electrons is

- A. oxidoreductases



B. cytochrome oxidase

C. dehydrogenase

D. all of these

**Answer: D**



**Watch Video Solution**

**180.** Substance which bring about changes in allosteric sites are called.

A. activators

B. inhibitors

C. promoters


D. modulators

**Answer: D**



**Watch Video Solution**

181. The given graph is showing the relationship between the rate of enzyme reaction and concentration of substrate. At concentration of substrate greater than X, the



- A. rate of reaction is limited by the enzyme concentration
- B. substrate has an inhibitory effect
- C. rate of reaction tends towards zero
- D. product of the reaction has an inhibitory effect.

**Answer: A**

[Watch Video Solution](#)

182. In case of competitive inhibition of an enzyme,

A.  $V_{\max}$  is increased

B.  $k_m$  increased

C. Extent of inhibition remains the same in high substrate concentrations

D. None of the above

**Answer: B**



[Watch Video Solution](#)

183. Which of the following remains unchanged in reversible competitive inhibition?

A.  $V_{\max}$

B.  $K_m$

C. Both

D. None of these

**Answer: A**



**Watch Video Solution**

**184.** Which is common among Amylase, rennin and tryosin?

- A. All are proteins
- B. All act at a pH lower than 7
- C. All are proteolytic enzymes
- D. All are produced in stomach

**Answer: A**



**Watch Video Solution**

**185.** Sulph drugs/sulphanilamide kill bacteria by inhibiting of which of the following ?

- A. Para-aminobenzoic acid
- B. Folic acid
- C. Phenylalanine
- D. Methionin

**Answer: B**



[Watch Video Solution](#)

**186.** One molecule of an enzyme is able to catalyse conversion of two molecules of substrate into products in 5 minutes. Ten molecules of enzyme and 25 molecules of substrate are mixed in a test tube. At the end of 10 minutes the test tube will have

- A. products only

B. products and 5 molecules of unreacted substrate

C. products, enzyme and 5 molecules of unreacted substrate

D. products and enzyme

**Answer: D**



[Watch Video Solution](#)

**187.** ATP was discovered by

A. Lipmann

B. Karl Lohman

C. Bowman

D. Blackman

**Answer: B**



[Watch Video Solution](#)

**188.** Which form of RNA has a structure resembling clover leaf ?

- A. tRNA
- B. mRNA
- C. hnRNA
- D. rRNA

**Answer: A**



**Watch Video Solution**

**189.** Enzymes, vitamins and hormones can be classified into a single category of biological chemicals, because all of these

- A. are exclusively synthesized in the body of a living organism as at present
- B. help in regulating metabolism
- C. enhance oxidative metabolism

D. are conjugated proteins

**Answer: B**



**Watch Video Solution**

**190.** Which one of the following statements regarding enzyme inhibition is correct?

- A. Competitive inhibition is seen when a substrate competes with an enzyme for binding to an inhibitor protein.
- B. Non-competitive inhibitors often bind to the enzyme irreversibly.
- C. Non-competitive inhibition of an enzyme can be overcome by adding large amount of substrate.
- D. Competitive inhibition is seen when the substrate and the inhibitor compete the active site on the enzyme

**Answer: D**



 [Watch Video Solution](#)

191. The catalytic efficiency of two different enzymes can be compared by the

- A. the ph of optimum value
- B. formation of the porduct
- C. the  $K_m$  value
- D. molecular size of the enzyme

**Answer: C**

 [Watch Video Solution](#)

192. Which one is a nucleotide ?

- A. Adenylic acid and guanosine mono- phosphate
- B. Cytidylic acid and uridine

C. Uridylic acid and cytosine

D. All of the above

**Answer: A**



**Watch Video Solution**

**193.** Adenosine monophosphate is a

A. nucleotide of RNA

B. nucleoside of RNA

C. nucleotide of DNA

D. nucleoside of DNA

**Answer: A**



**Watch Video Solution**

194. In DNA model of Watson & Crick, the major grooves are site of

- A. binding of histone proteins
- B. binding of acidic proteins
- C. binding of RNA molecules
- D. binding of glycoproteins

**Answer: B**



[Watch Video Solution](#)

195. At  $82 - 92^{\circ}C$  the H-bonds between nitrogen bases of complementary strands of DNA break to uncoil and separate two strands.

This is called

- A. denaturation (melting)
- B. renaturation (reannealing)
- C. recombination DNA

D. DNA finger printing

**Answer: A**



**Watch Video Solution**

**196.** On cooling the two separated strands of DNA again recoil. It is called

A. Chain reaction

B. annealing

C. both (1)&(2)

D. palindrome

**Answer: B**



**Watch Video Solution**

**197.** If DNA has 10 spirals, the length of DNA will be

A.  $34\text{\AA}$

B.  $340\text{\AA}$

C.  $640\text{\AA}$

D.  $64\text{\AA}$

**Answer: B**



[Watch Video Solution](#)

**198.** What would be the length of DNA containing 10000 base pairs?

A.  $68000\text{\AA}$

B.  $34000\text{\AA}$

C.  $10000\text{\AA}$

D.  $1\text{m}$

**Answer: B**



[Watch Video Solution](#)

**199.** How many nucleotides are found in one spiral of B-DNA?

- A. 5
- B. 10
- C. 20
- D. 25

**Answer: C**



**Watch Video Solution**

**200.** How many spirals (twins or helices) a DNA of 2000 base pairs will have?

- A. 2000
- B. 4000
- C. 200

D. 45.5

**Answer: C**



**Watch Video Solution**

**201.** How many nucleotides will be present in a DNA of 20000 base pairs

A. 4000

B. 40000

C. 20000

D. 2000

**Answer: B**



**Watch Video Solution**

**202.** RNA differs from DNA in nature of

- A. sugar and purines
- B. sugar and pyrimidines
- C. purines and phosphate
- D. sugar and phosphate

**Answer: B**

 [Watch Video Solution](#)

**203.** A condensation product of nitrogen base and pentose sugar is

- A. nucleotide
- B. nucleic acid
- C. nucleoside
- D. None of these

**Answer: C**

 [Watch Video Solution](#)



204. In nucleoside, nitrogen base is attached to pentose sugar at

- A. 1
- B. 2
- C. 3
- D. 5

**Answer: A**



[Watch Video Solution](#)

205. Basic unit (monomer) of DNA molecule is

- A. nitrogenous base
- B. deoxyribose nucleotide
- C. deoxyribose-nucleoside

D. pentose sugar

**Answer: B**



**Watch Video Solution**

**206.** The bases of RNA are of

A. 4 types

B. 6 types

C. 1 type

D. 2 types

**Answer: A**



**Watch Video Solution**

**207.** Which one is covalent bond ?

- A. Peptide bond
- B. Phosphodiester bond
- C. Both correct
- D. Both wrong

**Answer: C**

 [Watch Video Solution](#)

**208.** DNA was first discovered by-

- A. Miescher
- B. Altman
- C. Watson
- D. Wilkins

**Answer: A**

 [Watch Video Solution](#)

**209.** A molecule of ATP is structurally most similar to a molecule of

- A. RNA nucleotide
- B. DNA nucleotide
- C. Amino acid
- D. RNA nucleoside

**Answer: A**



**Watch Video Solution**

**210.** Adenosine is :

- A. nucleoside
- B. nucleotide
- C. a purine

D. a pyrimidine

**Answer: A**

 [Watch Video Solution](#)

**211.** Thymine differs from uracil in having

A.  $CH_3$  group

B.  $C = O$  group

C. CHO group

D. COOH group

**Answer: A**

 [Watch Video Solution](#)

**212.** The difference in deoxyribose and ribose sugar is in the

- A. first carbon
- B. second carbon
- C. 4th carbon
- D. 5th carbon

**Answer: B**

 [Watch Video Solution](#)

**213.** In purines, N is at position \_\_\_\_ in its two rings.

- A. 1,3,7,9
- B. 1,5
- C. 7,9
- D. 1&9

**Answer: A**

 [Watch Video Solution](#)

214. In pyrimidines, N is at \_\_\_\_ position in its new ring.

A. 1,3

B. 7,9

C. 1

D. 1&9

**Answer: A**



[Watch Video Solution](#)

215. The similarity between DNA and RNA is that both are

A. are double-stranded

B. have similar sugars

C. are polymers of nucleotides

D. have similar pyrimidines

**Answer: C**



[Watch Video Solution](#)

**216.** Two strands of a molecule of DNA are linked sidewise by

A. ester bonds

B. glycosidic bonds

C. purine-pyrimidine hydrogen bonds

D. all the above

**Answer: C**



[Watch Video Solution](#)

**217.** The smallest RNA is :-



A. tRNA

B. mRNA

C. rRNA

D. genetic RNA

**Answer: A**



[Watch Video Solution](#)

**218.** In double helix of DNA, the two DNA strands are

A. coiled upon itself around a common axis

B. coiled around each other

C. coiled differently

D. coiled over protein sheath

**Answer: A**



[Watch Video Solution](#)

**219.** The type of RNA responsible for proper sequence of amino acids in protein synthesis is

- A. rRNA
- B. tRNA
- C. mRNA
- D. hnRNA

**Answer: C**



**Watch Video Solution**

**220.** Which of the following RNAs have clover leaf structure?

- A. transfer RNA
- B. messenger RNA
- C. ribosomal RNA

D. heterogenous RNA

**Answer: A**



[Watch Video Solution](#)

**221.** DNA strands are termed antiparallel be cause of

- A. H-bonds
- B. phospho-diester bonds
- C. disulphide (S-S bonds)
- D. none of the above

**Answer: B**



[Watch Video Solution](#)

**222.** In the double helix model of DNA, how far is each base pair from the next base pair

- A. 0.034nm
- B. 3.4 nm
- C. 0.34 nm
- D. 34 nm

**Answer: C**



[Watch Video Solution](#)

**223.** The base sequence for a nucleic acid segment is given as GAG AGG GGA CCA. From this it can be concluded that it is a segment of a

- A. DNA strand
- B. mRNA strand
- C. tRNA strand

D. data insufficient

**Answer: D**



[Watch Video Solution](#)

**224.** Which is correct sequence according to increasing molecular weight ?

A. tRNA- DNA- rRNA

B. tRNA - rRNA - DNA

C. rRNA- DNA- tRNA

D. DNA- tRNA - rRNA

**Answer: B**



[Watch Video Solution](#)

**225.** The area of DNA rich in A - T base pairs is called

- A. high melting area
- B. low melting area
- C. microsatellite
- D. pallindrome

**Answer: B**



**Watch Video Solution**





**226.** Purines of RNA are

- A. guanine & adenine
- B. uracil & thymine
- C. adenine & cytosine
- D. uracil & guanine

**Answer: A**

 [Watch Video Solution](#)

**227.** Deoxyribose sugar in DNA is



**Answer: B**

 [Watch Video Solution](#)

**228.** The double stranded helical structure of DNA is maintained by

A. amide bonds

B. H-bonds

C. covalent bonds

D. phosphodiester bonds

**Answer: B**



[Watch Video Solution](#)

**229.** if A=120 and C120, then a piece of DNA will have \_\_\_\_\_ nucleotides.

A. 240

B. 280

C. 480

D. data insufficient

**Answer: C**



[Watch Video Solution](#)



230. In E. coli DNA has 18% of bases of cytosine. What will be the fraction of adenine?

A. 0.18

B. 0.32

C. 0.36

D. data insufficient

**Answer: B**



[Watch Video Solution](#)

231. In 'B' model of DNA, the diameter is  $20\text{\AA}$ . It is \_\_\_\_\_ in Z DNA.

A.  $23\text{\AA}$

B.  $18\text{\AA}$

C.  $21\text{\AA}$

D.  $26\text{\AA}$

**Answer: B**

 [Watch Video Solution](#)

**232.** Which statement is wrong about DNA ?

- A. Some viruses have SsDNA
- B. Some viruses have dsRNA
- C. Z' DNA has 12 base pairs per helix
- D. Length of one helix in 'B' DNA is  $45\text{\AA}$  and 'Z' DNA is  $34\text{\AA}$

**Answer: D**

 [Watch Video Solution](#)

**233.** The helical model for DNA given by Watson and Crick was

- A. B type right handed

B. Z type left handed

C. B type left handed

D. Z type right handed

**Answer: A**



**Watch Video Solution**

**234.** Which one of the following ratios is variable but constant for a species?

A.  $\frac{[A + T]}{[G + C]}$

B.  $\frac{[A + G]}{[T + C]}$

C.  $\frac{[A + U]}{[G + C]}$

D. None of these

**Answer: A**



**Watch Video Solution**

**235.** if one chain of a DNA molecule has the base order 5'ATTGACGT3' . . . . .

Then the base order of its complementary chain will be

- A. 3' ATTGACGT 5'
- B. 5' TGCAGTTA 3'
- C. 5' TUUCTGCU 3'
- D. 3' TAACTGCA 5'

**Answer: D**

 [Watch Video Solution](#)

**236.** The amino acid attaches to the tRNA at its

- A. 5 end where OH is present
- B. 3' end where OH is present
- C. recognition site

D. loop I

**Answer: B**



**Watch Video Solution**

**237.** Which is recognition site of tRNA?

A. Anticodon

B. Loop I

C. Loop IV

D. 5'-OH end

**Answer: A**



**Watch Video Solution**

**238.** tRNA attached to mRNA by its

A. I loop

B. II loop

C. III loop

D. IV loop

**Answer: B**



[Watch Video Solution](#)

**239.** The ribosomal binding loop of tRNA is

A. DHU loop

B. anticodon loop

C. T  $\Psi$ C loop

D. III loop

**Answer: C**



[Watch Video Solution](#)

**240.** RNA is synthesized on

- A. both strands of DNA
- B. on sense strand of DNA
- C. on anti sense strand of DNA
- D. on cDNA

**Answer: C**



**Watch Video Solution**

**241.** Which one of the following has minimum life span?

- A. mRNA
- B. rRNA
- C. tRNA

D. DNA

**Answer: A**



[Watch Video Solution](#)

**242.** Which one of the following is not given by Erwin Chargaff ?

- A. Base composition of DNA varies from one species to another
- B. The base composition of DNA does not change with age, nutrition or changes in the environment
- C. Molar amounts of adenine are equal to the molar amounts of thymine
- D. DNA can transcribe RNA

**Answer: D**



[Watch Video Solution](#)



**243.** Genetic information in a DNA molecule is coded in the

- A. sequence of nucleotides
- B. base pairing
- C. turning pattern of helix
- D. distance between base pairs

**Answer: A**



**Watch Video Solution**

**244.** The two polynucleotide chains of DNA are complementary, means

- A. if one starts with 5' end the other must start with 3' end
- B. if the sequence of bases of one chain is known, that of other can be determined
- C. two chains are held up by hydrogen bonds

D. all of the above

**Answer: B**



[Watch Video Solution](#)

**245.** DNA is present in

- A. E.R. and ribosomes
- B. ribosomes and chloroplasts
- C. ribosomes and mitochondria
- D. mitochondria and chloroplastis

**Answer: D**



[Watch Video Solution](#)

**246.** Which of the following nitrogenous base is double ringed?

A. Guanine

B. Uracil

C. Thymine

D. Cytosine

**Answer: A**



**Watch Video Solution**

**247.** In a 3.2 Kbp long piece of DNA , 820 adenine bases were found. What would be number of cyosine bases

A. 1560

B. 1480

C. 780

D. 740

**Answer: C**

**248.** Match the following

- |     |            |   |
|-----|------------|---|
| (1) | Abrin      | - (P) Anti-cancer drug                  |
| (2) | Vinblastin | - (Q) Alkloid                           |
| (3) | Gums       | - (R) Toxin                             |
| (4) | Morphine   | - (S) Protein                           |
| (5) | GLUT - 4   | - (T) Polymeric<br>secondary metabolite |

A. (1)-(R), (2)-(P), (3)-(T), (4)-(Q), (5)-(S)

B. (1)-(P), (2)-(R), (3)-(T), (4)-(Q), (5)-(S)

C. (1)-(R), (2)-(P), (3)-(Q), (4)-(T), (5)-(S)

D. (1)-(Q), (2)-(T), (3)-(P), (4)-(R), (5)-(S)

**Answer: A**

**249.** Go through the following statements.

(i) In proteins, right handed and left handed helices are observed

(ii) In B-DNA, at each step of ascent, the strand turns  $36^\circ$ .

(iii) Living process is a steady - state in equilibrium.

(iv) The rate of reaction doubles or decreases by half for every  $10^\circ \text{ C}$  change in either direction.

Find out the correct statement ?

A. (i), (iii) & (iv)

B. (ii) & (iv)

C. (i) & (iv)

D. All are correct

**Answer: B**



**Watch Video Solution**

**250.** Go through the following statements.

(i) Lipids are not strictly macromolecules.

(ii) In a polysaccharide, the left end is called the non-reducing chain, the right end called the reducing end.

(iii) Cellulose contains complex helices and hence cannot hold  $I_2$ .

(iv) Collagen is the most abundant protein in the whole of the biosphere.

Find out the correct statements .

A. (i), (ii) & (iii)

B. (i), (iii) & (iv)

C. (i), (ii) & (iv)

D. (i) & (iv)

**Answer: D**



**Watch Video Solution**

251. Match the following .

- |                       |                                     |
|-----------------------|-------------------------------------|
| (1) Valine            | (A) Aromatic essential amino acid   |
| (2) Tyrosine          | (B) Fatty acid with 20 carbon atoms |
| (3) Arachidonic acids | (C) Neutral amino acids             |
| (4) Lysine            | (D) Fatty acid with 16 carbon atoms |
| (5) Palmitic acid     | (E) Aromatic amino acid             |
|                       | (F) Basic amino acid                |

A. (1) – (E), (2) – (A), (3) – (D), (4) – (F), (5) – (D)

B. (1) – (E), (2) – (A), (3) – (D), (4) – (F), (5) – (B)

C. (1) – (C), (2) – (A), (3) – (B), (4) – (F), (5) – (B)

D. (1) – (C), (2) – (E), (3) – (B), (4) – (F), (5) – (D)

Answer: D



Watch Video Solution

252. Given below is a comparison of elements present in non-living and living matter. Which of these is incorrect:

A.

Element	% weight of Earth's crust	% weight of Human body
(1) Silicon	27.7	Negligible

B.

Element	% weight of Earth's crust	% weight of Human body
(2) Carbon	0.03	18.5

C.

Element	% weight of Earth's crust	% weight of Human body
(3) Calcium	10	15

D.

Element	% weight of Earth's crust	% weight of Human body
(4) Nitrogen	Very little	3.3

**Answer: C**



**Watch Video Solution**

**253.** All the following statement describing lipids are true except:

A. Oxygen content may be more than carbon and hydrogen

B. They are poorly soluble in water



C. They are structural components of membranes

D. They are intracellular energy source

**Answer: A**



[Watch Video Solution](#)

**254.** The fastest enzyme is

A. Zymase

B. Carbonic anhydrase

C. Amylase

D. Hexokinase

**Answer: B**



[Watch Video Solution](#)

**255.** Select out the correct sequence according to increases in complexity.

- A. Maltose, Fructose, Triose, Oligosaccharide, Strach
- B. Fructose, Maltose, Triose, Strach, Oilgosaccharide
- C. Fructose, Maltose, Triose, Oilgosaccharide, Strach
- D. Fructose, Maltose , Oligosaccharide, strach

**Answer: D**




**Watch Video Solution**

**256.** What does the graph indicate ?

The graph given below shows the effect of substrate concentration on

the rate of reaction of the enzyme green-gram-phos-phatase.



- A. The rate of enzyme reaction is directly proportional to the substrate concentration.
- B. Presence of an enzyme inhibitor in the reaction mixture
- C. Formation of an enzyme-substrate complex
- D. At higher substrate concentration the ph increase

**Answer: B**



[Watch Video Solution](#)

257. The bonds between the enzyme and substrate must be

- A. Weak and long-lived
- B. Weak and short-lived
- C. Strong and long-lived
- D. Strong and short-lived

**Answer: B**



[Watch Video Solution](#)

258. Consider the following fatty acids

- 1. Linolenic
- 2. Epimers
- 3. Aldohexoses
- 4. Monosaccharides.

which of the above statements are correct ?

- A. 1 only
- B. 1 and 2

C. 3 and 4

D. 2,3 and 4

**Answer: B**



**Watch Video Solution**

**259.** Consider the following statement.

D-glucose, D-galactose and D-fructose are all.

1. Isomers

2. Epimers

3. Aldohexoses

4. Monosaccharides .

A. 1 and 4

B. 2 and 4

C. 1,2 and 4

D. 1,2 and 4

**Answer: A**



[Watch Video Solution](#)

**260.** Which one of the following statements is not correct?

- A. All fatty acids have a carboxyl group at one end
- B. Like carbohydrates, fatty acids have more oxygen than hydrogen
- C. Saturated fatty acids are solids at room temperature
- D. Glycerol is a component of phospho lipids


**Answer: B**



[Watch Video Solution](#)

**261.** The same enzyme catalyzed reaction showed two different kinetic patterns as shown in the graph. Y-axis indicates product formed and X-

axis indicates time. Mark the correct interpretation.



- A. Reaction A is carried out at higher temperature than B
- B. Reaction B is carried out at a pH higher than that for reaction A.
- C. Substrate is replenished from time to time in reaction A and not in B
- D. Only reaction A is carried out at optimum concentration

**Answer: C**



**Watch Video Solution**

**262.** Listed below are certain proteins. Which of them are the only structural proteins ?

(i) Collagen (ii) Trypsin

(iii) Keratin (iv) Actin

(v) Albumin (vi) Tubulin

A. (i),(iii),(iv)

B. (ii),(iv),(v), (vi)

C. (i),(iii),(vi)

D. (i),(iii), (iv),(v),(vi)

**Answer: C**



**Watch Video Solution**

**263.** Which of the following amino acids have side chain that are negatively charged under physiological conditions ?



A. Aspartic acid

B. Histidine

C. Tryosine

D. Serine

**Answer: A**



**Watch Video Solution**

**264.** When the following amino acids are separated by running them on Agraose gel at pH 7, which one then will migrate slowest to anode ends ?

A. Aspartic acid

B. Valine

C. Glycine

D. Lysine

**Answer: D**

 [Watch Video Solution](#)

**265.** Atherogenic lipoproteins are all EXCEPT

- A. LDL
- B. HDL
- C. VLDL
- D. Chylomicrons

**Answer: B**

 [Watch Video Solution](#)

**266.** An enzyme that can stimulate germination of barley seeds is

- A. protease
- B. invertase
- C.  $\alpha$ -amylase

D. lipase

**Answer: C**



**Watch Video Solution**

**267.** An organic substance bound to an enzyme and essential for its activity is called

- A. aponezyme
- B. isoenzyme
- C. conenzyme
- D. holoenzyme

**Answer: C**



**Watch Video Solution**

**268.** Purines are generally abbreviated as

A. R

B. Y

C. C

D. U

**Answer: A**



**Watch Video Solution**

**269.** Quaternary structure is present in

A. Histone

B. Haemoglobin

C. Globulin

D. Elastin

**Answer: B**



[Watch Video Solution](#)

**270.** Inulin is a polymer of

A. Amino acids

B. Glucose

C. Fructose

D. None of the above

**Answer: C**



[Watch Video Solution](#)

**271.** Three of the following statements about enzymes are correct and one is wrong. Which one is wrong

A. Enzymes required optimum pH for maximal activity.

B. Enzymes are denatured at high temperature but in certain exceptional organisms they are effective even at temperature  $80^{\circ} - 90^{\circ} \text{C}$ .

C. Enzyme are highly specific



D. Most enzyme are proteins but some are lipids .

**Answer: D**



**Watch Video Solution**

**272.** Which one fo the following structural formulae of two orgainc compounds is correctly identified along with its related function ?



A. B: Adenine- a nucleotide that makes up nucleic acids

B. A : Triglyceride - major source of energy


C. B: Uracil - a component of DNA

D. A: Lecithin - a component of cell membrane.

**Answer: D**

 [Watch Video Solution](#)

273. Select the types of enzyme involved in the following following reaction:



- A. dehydrogenases
- B. transferases
- C. hydrolases
- D. lyase

**Answer: B**



[Watch Video Solution](#)

274. Most abundant RNA in a cell is :

- A. rRNA
- B. mRNA
- C. tRNA



D. snRNA

**Answer: A**



**Watch Video Solution**

**275.** For its activity, carboxypeptidase requires

- A. Niacin
- B. Copper
- C. Zinc
- D. Iron

**Answer: C**



**Watch Video Solution**


**276.** which one of the following biomolecules is correctly characterized ?

- A. Adenylic acid -adensione with a glucose phosphate molecule
- B. Alannine amino acid- Contains an amino group and an acidic group anywhere in the molecule
- C. Lecithin -a phosphorylated glyceride found in cell membrane.
- D. Palmitic acid- an unstaured fatty acid with 18 carbon atoms

**Answer: C**

 [Watch Video Solution](#)

**277.** Which one out of A- D given below correctly represents the structural formual of the basic amino acids ?



A. D

B. A

C. B

D. C

Answer: A



Watch Video Solution

278. Which one is the most abundant protein in the animal world

A. haemoglobin

B. Collagen

C. Insulin

D. Trypsin

**Answer: B**

 [Watch Video Solution](#)

**279.** Macro molecule chitin is:

A. Suluphur containing polysaccharide

B. simple polysaccdaride

C. nitrogen containing polysaccharide

D. phosphorus containg polysaccharide

**Answer: C**

 [Watch Video Solution](#)

280. A phosphoglyceride is always made up of

- A. a saturated or unsaturated fatty acid esterified to a glycerol molecule to which a phosphorus group is also attached
- B. a saturated or unsaturated fatty acid esterified to a phosphate group which is also attached to a glycerol is also attached
- C. only a saturated fatty acid esterified to glycerol molecule to which a phosphate group is also attached
- D. only an unsaturated fatty acid esterified to a glycerol molecule to which a phosphate group is also attached

**Answer: A**



[Watch Video Solution](#)

**281.** Transition state structure of the substrate formed during an enzymatic reaction is

- A. transient and unstable
- B. permanent and stable
- C. transient but stable
- D. permanent but unstable

**Answer: A**



[Watch Video Solution](#)

**282.** Which one of the following is a non-reducing carbohydrate?

- A. Ribose 5-phosphate
- B. Malotose
- C. Sucrose
- D. Lactose

**Answer: C**



**Watch Video Solution**

**283.** Select the option which is not correct with respect to enzyme action

- A. Malonate is a competitive inhibitor of succinate dehydrogenase
- B. Substrate binds with enzyme at its active site
- C. Addition of lot of succinate does not regenerate by malonate
- D. A non-competitive inhibitor binds the enzyme at a site distinct from that which binds the substrate.

**Answer: C**



**Watch Video Solution**

**284.** Which one of the following statements is incorrect ?

- A. In competitive inhibition, the inhibitor molecule is not chemically changed by the enzyme
- B. The competitive inhibitor does not affect the rate of breakdown of the enzyme substrate complex
- C. The presence of the competitive inhibitor decreases the  $K_m$  of the enzyme for the substrate
- D. A competitive inhibitor reacts reversibly with the enzyme to form an enzyme-in-hibitior complex .

**Answer: C**

 [Watch Video Solution](#)

**285.** The chitinous exoskeleton of arthropods is formed by the polymerisation of :

- A. Kertain sulphate and chondroitin sulphate



B. D-glucosamie

C. N-acetyly glucosamie

D. Lipoglycans

**Answer: C**



[Watch Video Solution](#)

**286.** Which of the following biomolecules does have a phosphodiester bond ?

A. Fatty acids

B. Monosaccharides

C. amino acids

D. Nucleic acids

**Answer: D**



[Watch Video Solution](#)

**287.** A typical fat molecule is made up of

- A. One glycerol and three fatty acid molecules
- B. One glycerol and one fatty acid molecule
- C. Three glycerol and the three fatty acid molecules
- D. Three glycerol molecules and one fatty acid molecule

**Answer: A**



[Watch Video Solution](#)

**288.** Which one of the following statements is wrong ?

- A. Cellulose is a polysaccharide
- B. Uracil is a pyrimidine
- C. Glycine is a sulphur containing amino acid
- D. Sucrose is a disaccharide

**Answer: C**



**Watch Video Solution**

**289.** Which of the following is the least likely to be involved in stabilizing the three-dimensional folding of most proteins


- A. Hydrogen bonds
- B. Electrostatic interaction
- C. Hydrophobic interaction
- D. Ester bonds

**Answer: D**



**Watch Video Solution**

290. Which of the following describes the given graph correctly ?



- A. Endothermic reaction with energy A in presence of enzyme and B in absence of enzyme
- B. Exothermic reaction with energy A in presence of enzyme and B in absence of enzyme .
- C. Endothermic reaction with enzyme and B in absence of enzyme .
- D. Exothermic reaction with energy A in absence of enzyme and B in presence on enzyme .

**Answer: B**



[Watch Video Solution](#)

**291.** Which one of the following statements is correct with reference to enzymes

- A. Aponezyme = Holoenzyme + Conezyme
- B. Holoenzyme = Apoenzyme + Coenzyme
- C. Coenzyme = Apoenzyme + Holoenzyme
- D. Holoenzyme = Coenzyme + Co-factor.

**Answer: B**



[Watch Video Solution](#)

**292.** Which of the following are not polymeric

A. Nucleic acid

B. Proteins

C. Polysaccharides

D. Lipids

**Answer: D**



**Watch Video Solution**

**293.** Which of the following RNAs should be most abundant in animal cell

A. r-RNA

B. t-RNA

C. m-RNA

D. mi-RNA

**Answer: A**



**Watch Video Solution**

**294.** The two functional groups characteristic of sugars are

- A. carbonyl and hydroxyl
- B. carbonyl and phosphate
- C. carbonyl and methyl
- D. hydroxyl and methyl

**Answer: A**



**Watch Video Solution**