

BIOLOGY

BOOKS - TRUEMAN'S BIOLOGY (ENGLISH)

NEET (UG)- 2017 (Conducted by CBSE on 07-05-2017)



1. Which one of the following statements is correct with reference to enzymes

A. Apoenzyme = Holoenzyme + Coenzyme

B. Holoenzyme = Apoenzyme + Coenzyme

C. Coenzyme = Apoenzyme + Holoenzyme

D. Holoenzyme = Coenzyme + Co-factor

Answer:



2.	. Which	cells	of Cry	pts o	f Liebe	erkuhn	secrete
aı	ntibacte	erial ly	ysozym	ne ?			

- A. Argentaffin cells
- B. Paneth cells
- C. Zymogencells
- D. Kupffer cells



3. Phosphoenol pyruvate (PEP) is the primary

 CO_2 acceptor in

- A. C_3 plants
- B. C_4 plants
- C. C_2 plants
- D. C_3 and C_4 plants

Answer:



4. Match the following conditions (Column -I) with their common terms (Column - II) and select the Correct option.

Column-I	Column-II
(a) Pistils fused together	(i) Gametogenesis
(b) Formation of gametes	(ii) Pistillate
(c) Hyphae of higher Ascomycetes	(iii) Syncarpous
(d) Unisexual female flower	(iv) Dikaryotic

A. $\frac{a}{ii} \frac{b}{iii} \frac{c}{iv} \frac{d}{ii}$ B. $\frac{a}{iii} \frac{b}{i} \frac{c}{iv} \frac{d}{ii}$ C. $\frac{a}{iv} \frac{b}{ii} \frac{c}{iii} \frac{d}{ii}$

D. a b c o

Answer:



Watch Video Solution

5. Which among the following are the smallest living cells, known without a definite cell wall, pathogenic to plants as well as animals and can survive without oxygen?

A. Bacillus

- B. Pseudomonas
- C. Mycoplasma
- D. Nostoc



Watch Video Solution

6. Which one form those given below is the periods for Mendel's hybridization experiments

- A. (a) 1856 1863
- B. (b) 1840 1850
- C. (c) 1857 1869
- D. (d) 1870 1877



7. Fowers which have single ovule in the ovary and are packed into inflorescence are usually pollinated by

B. Bee
C. Wind
D. Bat
Answer: Watch Video Solution
8. Asymptote in a logistic growth curve is obtained when

A. Water

A. The value of 'r' approaches zero

B. K=N

C.K > N

D.K < N

Answer:



Watch Video Solution

9. Out of 'X' pairs of ribs in humans only 'Y' pairs are true ribs. Select the option that

correctly represents values of X and Y and provides their explanation

A. x=12 , y=7 True ribs are attached dorasally to vertevral column and ventrally to the sternum

to vertevral column and sternum on the two ends

B. x=12, y=5 True ribs are attached dorasally

to vertevral column but are free on

C. x=24, y=7 True ribs are attached dorasally

ventral side

D. x=24, y=12 True ribs are attached dorasally to vertevral column but are free on ventral side

Answer:



Watch Video Solution

10. MALT constitutes about____ percent of the lymphoid tissue in human body

- A. (a) 0.5
 - B. (b) 0.2
- C. (c) 0.7
- D. (d) 0.1



Watch Video Solution

11. Homozygous purelines in cattle can be obtained by

A. mating of related individuals of same breed.

B. mating of unrelated individuals of same breed.

C. mating of individuals of different breed.

D. mating of individuals of different species.

Answer:



12. Among the following characters, which one was not considered by Mendel in his experiment on pea

- A. Stem-Tall of Dwarf
- B. Trichomes -Glandular or non-glandular
- C. Seed -Green or Yellow
- D. Pod -Inflated or Constricted

Answer:



13. Which of the following cell organelles is responsible for extracting energy from carbohydrates to form ATP?

- A. Lysosome
- B. Ribosome
- C. Chloroplast
- D. Mitochondrion

Answer:



14. If there are 999 bases in RNA that codes for a protein with 333 amino acids, and the base at position 901 is deleted such that the length of the RNA becomes 998 bases, how many codons will be altered

- **A.** 1
- B. 11
- C. 33
- D. 333

Answer:

15. Which of the following are found in extreme saline conditions

A. Archaebacteria

B. Eubacteria

C. Cyanobacteria

D. Mycobacteria

Answer:

Watch Video Solution

16. Receptor sites for neurotransmitters are present on

A. membranes of synaptic vesicles

B. pre-synaptic membrane

C. tips of axons

D. post-synaptic membrane

Answer:



17. Artificial selection to obtain cows yielding higher milk output represents

A. stabilizing selection as it stabilizes this character in the population.

B. directional as it pushes the mean of the character in one direction.

C. disruptive as it splits the population into two, one yielding higher output and the other lower output.

D. stabilizing followed by disruptive as it stabilizes the population to produce higher yielding cows.

Answer:



Watch Video Solution

18. The hepatic portal vein drains blood to liver from

A. Heart

- B. Stomach
- C. Kidneys
- D. Intestine



- 19. The water potential of pure water is
 - A. Zero
 - B. Less than zero

- C. More than zero but less than one
- D. More than one



Watch Video Solution

20. Which of the following represents order of

Horse?

- A. (a) Equidae
- B. (b) Perissodactyla

- C. (c) Caballus
- D. (d) Ferus



- **21.** Alexander Von Humbolt described for the first time
 - A. Ecological Biodiversity
 - B. Laws of limiting factor

- C. Species area relationship
- D. Population Growth equation



Watch Video Solution

22. DNA fragments are

- A. (a) Positively charged
- B. (b) Negatively charged
- C. (c) Neutral

D. (d) Either positively or negatively

charged depending on their size

Answer:



Watch Video Solution

23. The Primary denition in human differ from permanent denition is not having one of the folloiwn type of teeth or

A baby boy aged two years years is admitted

to play school and passes through a dental observed that boy that had twenty teeth.

Which teeth were absent absent

- A. Incisors
- **B.** Canines
- C. Pre-molars
- D. Molars

Answer:



View Text Solution

- **24.** Anaphase promoting complex (APC) is a protein degradation machinery necessary for proper mitosis of animal cells. If APC is defective in a human cell, which of the following is expected to occur
 - A. Chromosomes will not condense
 - B. Chromosomes will be fragmented
 - C. Chromosomes will not segregate
 - D. Recombination of chromosome arms will

occur



- **25.** An important characteristic that hemichordates share with chordates is
 - A. Absence of notochord
 - B. Ventral tubular nerve cord
 - C. Pharynx with gill slits
 - D. Pharynx without gill slits



Watch Video Solution

26. The genotypes of husband and wife are I^AI^B and I^Ai . Among the blood groups of their children how many different genotypes and phenotypes are possible

- A. 3 genotypes, 3 phenotypes
- B. 3 genotypes, 4 phenotypes
- C. 4 genotypes, 3 Phenotypes

D. 4 genotypes, 4 phenotypes

Answer:



Watch Video Solution

27. Transplantation of tissues/organs to save certain patients often fails due to rejection of such tissues/organs by the patient. Which type of immune response is responsible for such rejections?

A. Autoimmune response

- B. Cell-mediated immune response
- C. Humoral immune response
- D. Physiological immune response



- **28.** Adult human RBCs are enucleate. Which of the following statement (s) is/are most appropriate explanation for this feature?
 - (1) They do not need to reproduce

- (2) They are somatic cells
- (3) They do not metabolise
- (4) All their internal space is available for oxygen transport.
 - A. only (d)
 - B. Only (a)
 - C. (a), (c) and (d)
 - D. (b) and (c)



29. Lungs are made up of air-filled sacs, the alveoli. They do not collapse even after forceful expiration because of

- A. Residual Volume
- B. Inspiratory Reserve Volume
- C. Tidal Volume
- D. Expiratory Reserve Volume

Answer:



30. Zygotic meiosis is characteristic of

- A. Marchantia
- B. Fucus
- C. Funaria
- D. Chlamydomonas

Answer:



31. Select the correct route for the passage of sperms in male frogs

A. Testes ightarrow Bidder's canal ightarrow Kideny ightarrow Vasa efferentia ightarrow Urinogenital duct ightarrow Cloaca

B. Testes ightarrow Vasa efferentia ightarrow Kideny ightarrow Seminal vesicle ightarrow Urinogenital

 $\mathsf{duct} \, o \, \mathsf{Cloaca}$

C. Testes ightarrow Vasa efferentia ightarrow Bidder's

canal ightarrow Ureter ightarrow Cloaca

D. Testes ightarrow Vasa efferentia ightarrow Kideny

ightarrow Bidder's canal ightarrow Urinogenital

 $\mathsf{duct} \, o \, \mathsf{Cloaca}$

Answer:



Watch Video Solution

32. Which one of the following statements is not valid for aerosols?

A. They are harmful to human health

- B. They alter rainfall and monsoon patterns
- C. They cause increased agricultural productivity
- D. They have negative impact on agricultural land



Watch Video Solution

33. Viroids differ from viruses in having

- A. DNA molecules with protein coat
- B. DNA molecules without protein coat
- C. RNA molecules with protein coat
- D. RNA molecules without protein coat



Watch Video Solution

34. During DNA replication, Okazaki fragments are used to elongate:

A. The leading strand towards replication fork

B. The lagging strand towards replication fork

C. The leading strand away form replication fork

D. The lagging strand away form the replication fork

Answer:



35. Plants, which produce characteristic pneumatophores and show vivpary belong to

- A. Mesophytes
- B. halophytes
- C. Psammophytes
- D. Hydrophytes

Answer:



36. The process of separation and purification of expressed protein before marketing is called

- A. Upstream processing
- B. Downstream processing
- C. Bioprocessing
- D. Postproduction processing

Answer:



37. Indentify the wrong statement in context of heartwood

A. Organic compounds are deposited in it

B. It is highly durable

C. It conducts water and minerals efficiently

D. It comprises dead elements with highly lignified walls

Answer:

38. Spliceosomes are not found in cell of

- A. Plants
- B. Fungi
- C. Animals
- D. Bacteria

Answer:



39. Which of the following statements is correct?

A. The ascending limb of loop of Henle is impermeable to water

B. The descending limb of loop of Henle is impermeable to water

C. The ascending limb of loop of Henle is permeable to water

D. The descending limb of loop of Henle is permeable to electrolytes

Answer:



Watch Video Solution

40. Which ecosystem has the maximum biomass?

A. Forest ecosystem

B. Grassland ecosystem

- C. Pond ecosystem
- D. Lake ecosystem



- **41.** The final proof for DNA as the genetic material came from the experiments of
 - A. Griffith
 - B. Hershey and Chase

- C. Ayery, Mcleod and McCarty
- D. Hargobind Khorana



Watch Video Solution

42. The function of copper ions in copper releasing IUDs is

A. They suppress sperm motility and fertilizing capacity of sperms

- B. They inhibit gametogenesis
- C. They make uterus unsuitable for implantation
- D. They inhibit ovulation



- **43.** An example of colonial alga is
 - A. Chlorella

- B. Volvox
- C. Ulothrix
- D. Spirogyra



- 44. Root hairs develop from the region of
 - A. Maturation
 - B. Elongation

- C. Root cap
- D. Meristematic activity



Watch Video Solution

45. Hypersecretion of Growth Hormone in adults does not cause further increase in height, because

A. Growth Hormone becomes inactive in adults.

B. Epiphyseal plates close after adolescence.

C. Bones loose their sensitivity of Growth Hormone in adults.

D. Muscle fibres do not grow in size after birth.

Answer:



46. Which of the following in sewage treatment removes suspended solids?

- A. (a) Tertiary treatment
- B. (b) Secondary treatment
- C. (c) Primary treatment
- D. (d) Sludge treatment

Answer:



47. Select the mismatch

- A. Pinus Dioecious
- B. Cycas Dioecious
- C. Salvinia Heterosporous
- D. Equisetum Homosporous

Answer:



- **48.** What is the criterion for DNA fragments movement on agarose gel during gel electrophoresis?
 - A. (a) The larger the fragment size, the farther it moves
 - B. (b) The smaller the fragment size, the farther itmoves
 - C. (c) Positive charged fragment moves to farther end.

D. (d) Negatively charged fragments do not move

Answer:



Watch Video Solution

49. In Bougainvillea, thorns are the modifications of

A. Stipules

B. Adventitious root

C. Stem

D. Leaf

Answer:



Watch Video Solution

50. The association of histone H_1 with a nucleosome indicates

A. (a) Transcription is occurring

B. (b) DNA replication is occurring

C. (c) The DNA is condensed into a

Chromatin Fibre

D. (d) The DNA double helix is exposed

Answer:



Watch Video Solution

51. A temporary endocrine gland in the human body is

A. Pineal gland

- B. Corpus cardiacum
- C. Corpus luteum
- D. Corpus allatum



- **52.** Select the mismatch
 - A. Frankia Alnus
 - B. Rhodospirillum Mycorrhiza

- C. Anabaena nitrogen fixer
- D. Rhizobium Alfalfa



Watch Video Solution

53. GnRH, a hypothalamic hormone, needed in reproduction acts on

A. anterior pituitary gland and stimula,tes secretion of LH and oxytocin.

- B. anterior pituitary gland and stimulates secretion of LH and FSH.
- C. Posterior pituitary gland and stimulates secretion of oxytocin and FSH.
- D. Posterior pituitary gland and stimulates secretion of LH and relaxin.



54. A gene whose expression helps to identify transformed cell is known as

- A. Selectable marker
- B. Vector
- C. plasmid
- D. Structural gene

Answer:



55. Presence of plants arranged into well-defined vertical layers depending on their height can be seen best in

- A. Tropical Savannah
- B. Tropical Rain Forest
- C. Grassland
- D. Temperate Forest

Answer:



56. Functional megaspore in an angiosperm develops into

- A. Ovule
- B. Endosperm
- C. Embryo sac
- D. Embryo

Answer:



57. DNA replication in bacteria occurs

- A. During S phase
- B. Within nucleolus
- C. Prior to fission
- D. Just before transcription

Answer:



58. Which among these is the correct combination of aquatic mammals?

- A. Seals, Dolphins, Sharks
- B. Dolphins, Seals, Trygon
- C. Whales, Dolphins, Seals
- D. Trygon, Whales, Seals

Answer:



33. Coconac ir are is a
A. Drupe
B. Berry
C. Nut
D. Capsule
Answer:
Watch Video Solution
60. Double fertililzation is exhibited by

Coconut fruit is a

- A. Gymnosperms
- B. Algae
- C. Fungi
- D. Angiosperms



Watch Video Solution

61. Which of the following components provides sticky character to the bacterial cell

- A. Cell wall
- B. Nuclear membrane
- C. plasma membrane
- D. Glycocalyx



Watch Video Solution

62. Life cycle of Ectocarpus and Fucus respectivley are

- A. Haplontic, Diplontic
- B. Diplontic, Haplodiplontic
- C. Haplodiplontic, Diplontic
- D. Haplodiplontic, Haplontic



Watch Video Solution

63. Which one of the following is related to Exsitu conservation of threatened animals and plants

- A. Wildlife Safari parks
- B. Biodiversity hot spots
- C. Amazon rainforest
- D. Himalayan region



Watch Video Solution

64. Good vision depends on adequate intake of cacotene rich food

Select the best option from the following

statements (A) Vitamin A derivatives are formed from carotene (B) The photopigments are embedded in the membrane discs of the ineer segment (C) Retinal is a derivative of Vitamin A (D) Retinal is a light absorbing part of all the visual photopigments A. (a) and (b) B. (a), (c) and (d) C. (a) and (c)

D. (b), (c) and (d)

Answer:



Watch Video Solution

65. Thalassemia and sickle cell anemia are caused due to a problem in globin molecule synthesis. Select the correct statement

A. Both are due to a qualitative defect in globin chain synthesis

- B. Both are due to a quantitative defect in globin chain synthesis.
- C. Thalassemia is due to less synthesis of globin molecules.
- D. Sickle cell anemia is due to a quantitative problem of globin molecules



- A. nucleic acids
- B. protein
- C. polysaccharides
- D. Lipids



67. A disease caused by an autosomal primary non-disjunction is

- A. Down's Syndrome
- B. Klinefelter's Syndrome
- C. Turner's Syndrome
- D. Sickle Cell Anemia

Answer:



68. With reference to factors affecting the rate of photosynthesis, which of the following statements is not correct?

A. Light saturation for CO_2 fixation occurs at 10% of full sunlight .

B. Increasing atmospheric CO_2 concentration up to 0.05% can enhance CO_2 fixation rate

C. C_3 plants respond to higher temperatures with enhanced

photosynthesis while C_4 plants have much lower temperature optimum.

D. Tomato is a greenhouse crop which can be grown in CO_2 enriched atmosphere for higher yield.

Answer:



Watch Video Solution

69. Fruit drop is prevented by spraying

- A. Cytokinins
- B. Ethylene
- C. Auxins
- D. Gibberellic acid



Watch Video Solution

70. The region of Biosphere Reserve which is legally protected and where no human activity is allowed is known as

- A. Core zone
- B. Buffer zone
- C. Transition zone
- D. Restoration zone



Watch Video Solution

71. In case of poriferans, the spongocoel is lined with flagellated cells called

- A. ostia
- B. oscula
- C. choanocytes
- D. mesenchymal cells



Watch Video Solution

72. A decrease in blood pressure / volume will not cause the release of

A. Renin

B. Atrial natriuretic Factor

C. Aldosterone

D. ADH

Answer:



- 73. A dioecious flowering plant prevents both
 - A. Autogamy and xenogamy

- B. Autogamy and geitonogamy
- C. Geitonogamy and xenogamy
- D. Cleistogamy and xenogamy

Answer: B



Watch Video Solution

74. Which of the following facilitates opening of stomatal aperture ?

A. Contraction of outer wall of guard cells

- B. Decrease in turgidity of guard cells
- C. Radial orientation of cellulose microfibrils in the cell wall of guard cells
- D. Longitudinal orientation of cellulose microfibrils in the cell wall of guard cells



75. The DNA fragments separated on an agarose gel can be visualised after staining with

- A. Bromophenol blue
- B. Acetocarmine
- C. Aniline blue
- D. Ethidium bromide

Answer:



76. Which statement is wrong for Krebs' cycle?

A. there are three points in the cycle where

 $NAD^{\,+}$ is reduced to NADH $+H^{\,+}$

B. There is one point in the cycle where

 FAD^+ is reduced to $FADH_2$

C. During conversion of succinyl CoA to

succinic acid, a molecule of GTP is

synthesised

D. The cycle starts with condensation of acetyl group (acetyl CoA) with pyruvic acid yield citric acid

Answer:



Watch Video Solution

77. Mycorrhizae are the example of

A. Fungistasis

B. Amensalism

- C. Antibiosis
- D. Mutualism



Watch Video Solution

78. The pivot joint between atlas and axis is a type of

- A. fibrous joint
- B. Cartilaginous joint

- C. Synovial joint
- D. saddle joint



Watch Video Solution

79. Which of the following is correctly matched for the product produced by them

- A. Acetobacter aceti: Antibiotics
- B. Methanobacterium: Lactic acid

C. Penicillium notatum: Acetic acid

D. Sacchromyces cerevsiae: Ethanol

Answer:



Watch Video Solution

80. Frog's heart when taken out of the body continues to beat for sometime

Select the best option from the following statements

(A) Frog is a poikilotherm

(B) Frog does not have any coronary circulation (C) Heart is "Myogenic" in nature (D) Heart is autoexcitable A. Only (c) B. Only(d)

C. (a) and (b)

D. (c) and (d)

Answer:



81. Myelin sheath is produced by or

Mylin of the nerve fibres of the central nervous system is produced and maintained by

- A. Schwarm cell and Oligodendrocytes
- B. Astrocytes and Schwarm cells
- C. Oligodendrocytes and Osteoclasts
- D. Osteoclasts and Astrocytes

Answer:

82. Capacitation occurs in

- A. Rete testis
- B. Epididymis
- C. Vas deferens
- D. Female Reproductive tract

Answer:



83. The morphological nature of the edible part of coconut is

- A. Perisperm
- B. Cotyledon
- C. Endosperm
- D. Pericarp

Answer:



84. Which of the following is made up of dead cells

- A. Xylem parenchyma
- B. Collenchyma
- C. Phellem
- D. Phloem

Answer:



85. In case of a couple where the male is having a very low sperm count, which technique will be suitable for fertilisation

- A. Intrauterine transfer
- B. Gamete intracytoplasmic fallopian transfer
- C. Artificial Insemination
- D. Intracytoplasmic sperm injection

Answer:



86. Which of the following RNAs should be most abundant in animal cell?

A. r-RNA

B. t-RNA

C. m-RNA

D. all

Answer:



87. The vascular cambium normally gives rise to

- A. Phelloderm
- B. Primary phloem
- C. Secondary xylem
- D. Periderm

Answer:



88. Which of the following option gives the correct sequence of events during mitosis

A. Condensation ightarrow nuclear membrane disassembly ightarrow crossing over ightarrow segregation ightarrow telophase

B. Condensation ightarrow nuclear membrane disassembly ightarrow arrangement at equator ightarrow centromere division ightarrow

segregation o telophase

C. Condensation ightarrow crossing over ightarrow

nuclear membrane disassembly ightarrow

 $\mathsf{segregation} \ \to \ \mathsf{telophase}$

D. Condensation ightarrow arrangement at

equator ightarrow centromere division ightarrow

 $\mathsf{segregation} \ \to \ \mathsf{telophase}$

Answer:



89. Which of the following options best represents the enzymes composition of pancreatic juice?

A. amylase, peptidase, trypsinogen, rennin

B. amylase, pepsin, trypsinogen, maltase

C. peptidase, amylase, pepsin, rennin

D. lipase, amylase, trypsinogen,

procarboxy peptidase

Answer:

90. Attractants and rewards are required for

- A. Anemophily
- B. Entomophily
- C. Hydrophily
- D. Cleistogamy

Answer:



