



BIOLOGY

BOOKS - TRUEMAN'S BIOLOGY (ENGLISH)

REPRODUCTIVE HEALTH

Multiple Choice Questions

1. Average failure rate of intrauterine contraceptive device is

A. 0.23

B. 0.2

C. 0.01

D. 0.04

Answer: D



2. Fracoise Barre-Sinousi and Luc montaganier got the Nobel prize for the discovery that AIDS is caused by HIV. The Nobel prize was awarded in

A. 2006

B. 2007

C. 2008

D. 2009

Answer: C



3. Which of the following disease is diagnosed by


Australian antigen test

A. AIDS

B. hepatitis B

C. Genital warts

D. Chancroid



4. Vaccine of which STD is produced through recombinant DNA technology for prevention of the disease

A. syphilis

B. chancroid

C. Hepatitis B

D. AIDS

Answer: C



5. In AIDS the drug of choice is

A. acyclovir

B. Didanosine

C. zidovudine

D. tetracycline

Answer: C



6. Which is not correct?

- A. (a) Hormonal injections contain projestin a hormone, similar to progesterone
- B. (b) permanent methods of birth control are

vesectomy and tubectomy

C. (c) i-pill, pill-72 and unwanted-72 are morning

after pills

D.(d) a spermicide is less effective when used

together with a barrier method of birth control

Answer: D

7. Test test which is misused for sex identification of an unborn baby is

A. clotting test

B. amniocentesis

C. erythroblastosis

D. angiogram

Answer: B

Watch Video Solution

8. Which of the following causes abortion in ladies?

A. (a) Bacteria

B. (b) Viruses

C. (c) Mycoplasma

D. (d) None of these

Answer: C

Watch Video Solution

9. Which of the following is a method of birth control?

A. GIFT

B. IVF-ET

C. IUCDs

D. HTF

Answer: C



10. Which one of the following correctly matches a sexually tansmitted disease (STD) with its pathogen?

A. AIDS-Bacillus anthracis

B. Urethritis-Entamoeba gingivalis

C. Syphilis-Treponema pallidum

D. Gonorrhoea-Leishmania donovani

Answer: C

Watch Video Solution

11. Given below ar four methods (a-d) and their modes

of action (i-iv) in achieving contraception. Select their

correct mathing from the four options that follow.

Method	Mode of Action
(a) The pill	(i) Prevents sperms reaching cervix
(b) Condom	(ii) Prevents implantation
(c) Vasectomy	(iii) Prevents ovulation
(d) Copper-T	(iv) Semen contains no sperm

A. a-iii,b-iv,c-*i*,d-ii

- B. a-ii,b-*i*,c-iii,d-iv
- C. a-iii,b-*i*,c-iv,d-ii
- D. a-iv,b-i,c-ii,d-iii

Answer: C



12. Consider the statements given below regarding contraception and answer is directed thereafter
(a) medical termination of pregnancy (MTP) during first trimester is generally safe
(b).Genearlly chances of conception are nil until mother breast feeds the infant upto two years

(c). Intrauterine devices like copper-T are effective contraceptives

(d). Contraception pills may be taken upto one week after coitus to prevent conceptions

Which two of the above statements are correct?

A. a,c

B. a,b

C. b,c

D. c,d

Answer: A

Watch Video Solution

13. "Morning after Pills" can prevent pregnancy if taken

within Hours.

A. 50

B. 60

C. 40

D. 72

Answer: D

Watch Video Solution

14. Andropause of male human beings is similar to

A. androgen binding protein

- B. female menopause
- C. prostaglandin
- D. androgen

Answer: B

Watch Video Solution

15. Confirmattory test of syphilis is

A. EIA

B. PCR

C. VDRT

D. DNA hybridisation

Answer: C

O Watch Video Solution

16. The hormone releasing IUDs make the____unstable

for implantation.

A. fallopian tube

B. uterus

C. vagina

D. ovary

Answer: B	
Watch Video Solution	
17. Combined pills contains syntheticto check ovulation	
A. LH and progesterone	
B. FSH and oestrogen	
C. progesterone and oestrogen	
D. LH and FSH	
Answer: C	

Watch Video Solution

18. Assertion : Saheli, the new oral contraceptive for the females contains a steroidal preparationReason : Saheli is taken daily without a break.

A. If both assertion and reason are true and reason

is the correct explanation of assertion

B. If both assertion and reason are true but reason

is not the correct explanation of assertion

C. If assertion is true but reason is false

D. If both assertion and reason are false

Answer: B



19. Which of the following is/are called morning after

pills

A. i-pills

B. Pill-72

C. unwanted-72

D. all of these

Answer: D

Watch Video Solution

20. Depo-provera are

A. growth hormones

B. oestrogen derivative injections

C. progesterone-derivative injections

D. glucocorticoids

Answer: C

Watch Video Solution

21. Chemical methods of birth control invovles the use

of

A. condom

B. loop

C. cream or jelly

D. diaphragm

Answer: C



22. A contraceptive can be

A. condom, cervical cap or diaphragm

B. intrauterine device

C. pill

D. all the above

Answer: D

Watch Video Solution

23. Which of the following is a contraceptive device which prevents pregnancy by preventing fertilization and an IUCD for birth control?

A. Copper-T

B. A combined pill

C. Foam tablet

D. Abortant pill

Answer: A



24. A permanent method of birth control is

A. vasectomy in males

B. tubectomy in females

C. both (1) and (2)

D. None of these

Answer: C





25. Which mechnical device to control child birth is

fitted on the cervix?

A. Diaphragm

B. condom

C. loop

D. cooper T

Answer: A

Watch Video Solution

26. A contraceptive pill prevents ovulation by :

A. blocking fallopian tube

B. inhibiting release of FSH and LH

C. stimulating release of FSH and LH

D. causing immediate degeneration of released

ovum

Answer: B

Watch Video Solution

27. Woman plays a greater role in procreation than man (woman is biologically superior to man) because

the

A. (a) neuses the foetus in her womb

B. (b) feeds the infant on her milk

C. (c) cleans infant's excreta

D. (d) does all the above

Answer: D



28. Polymerase chain reaction (PCR) is used for the detection of (A) Genital herpes (B) Malaria (C) Small pox (D) Measles

A. genital herpes

B. Malaria

C. Small pox

D. measles

Answer: A

Watch Video Solution

29. Which of the following is a sexually transmitted disease?

A. Q fever

B. syphils

C. Gonorrhoea

D. Both (2) and (3)

Answer: D



30. Gonorrhoea is a

A. Bacterial disease

B. Venereal disease

C. STD

D. All of these

Answer: D



31. Condoms are used by

A. female

B. male

C. both (1) and (2)

D. None of these

Answer: C

Watch Video Solution

32. Birth control pills have

A. no side effects

B. side effect

C. nutrients

D. enzymes

Answer: B

Watch Video Solution

33. Coitus interuptus method of birth control involves

A. uterus

B. vasdeferens

C. withdrawal of penis just before male ejaculates

D. barrier method

Answer: C



34. Chlamydia are obligate intracellular organiisms which contain

A. RNA

B. DNA

C. both (1) and (2)

D. tRNA

Answer: C



35. Sequential pills contains

A. a high dose of oestrogen

B. moderate dose of progesterone

C. both (1) and (2)

D. high dose of FSH and LH

Answer: C





36. Barrier methods of birth control are use of

A. condom

- B. vaginal pouch
- C. diaphragm
- D. all of these

Answer: D



37. Some women cannot use IUCDs because of

A. expulsion

B. bleeding

C. discomfort

D. all of these

Answer: D

Watch Video Solution

38. Spermicides kill the sperms in the

A. vagina

B. cervix

C. fallopian tubes

D. both (1) and (2)

Answer: D

Watch Video Solution

39. Syphilis is curable through appropritate antibodies, e.g., penicillin,tetracycline. However, tetracycline should not be given to

A. pregnant woman

B. children underr 12 years of age

C. young persons

D. both (1) and (2)

Answer: D



40. Gonorrhoea and syphilis are common in

A. african countries

- **B.** Europeon contries
- C. All over the world
- D. Asia countries

Answer: C





41. Chlamydia trachomatis causes

A. trachoma

B. sexually transmitted disease

C. perinatal infection

D. all of the above

Answer: D



42. Which of the following is sexually transmitted disease/s

A. Typhoid

B. Tetanus

C. Leprosy

D. Hepatitis-B

Answer: D



43. Genital warts STD is a viral disease and is caused by

- A. Chlamydia trachomatis
- B. Trichomonas vaginalis
- C. Treponema pallidum
- D. Human papilloma virus

Answer: D



44. The polymerase chain reaction (PCR) is a noval test tbe method for amplifying first invented in 1984 by kary mullis permits the synthesis of millions of copies of specific DNA sequence in a few hours. Kary mullis (US) and michael smith (british-canadian) got Nobel prize in

1993 in

A. Physics

B. Chemistry

C. Physiology or medicine

D. Peace

Answer: B

Watch Video Solution

45. Essay on population was published by

A. Darwin

B. lamarch

C. Malthus

D. Hugo de Veries

Answer: C



46. The present rate of human population is apropximately

A. 2 percent

B. 2.5 percent

C. 3 percent

D. 3.5 percent

Answer: B

Watch Video Solution


47. The physiological capacity to produce offspring is called

A. population growth

B. birth rate

C. biotic potential

D. population explosion



B. less of death rate

C. lack of education

D. all of the above

Answer: D

Watch Video Solution

49. Incubation period in AIDS is:-

A. 4 months to 8 years

B. 5 months to 9 years

C. 6 months to 10 years

D. 7 months to 11 years

Answer: C

Watch Video Solution

50. Population explosion has occurred in the last :

A. 500 years

B. 300 years

C. 100 years

D. 50 years

Answer: C



51. Which of the following is most convincing reason

for increasing population growth in a country?

A. High birth rate

B. Low mortality rate

C. High population of young children

D. All of these

Answer: D

Watch Video Solution

52. Study of population trends is

A. kalography

B. psychobiology

C. biography

D. demography

Answer: D





53. July 11 is

A. World Environment Day

B. World population day

C. Worlds AIDS day

D. Worlds Education day

Answer: B



54. In the production of test tube baby

A. Fertilization is external and foetus formation is

internal

B. fertilization is internal and foetus formation is

external

C. fertilization and foetus formation are external

D. Fertilization and foetus formation are internal

Answer: A

Watch Video Solution

55. Certain characteristic demographic features of developing countries are

- A. high fertility, high density, rapidly rising, mortality rate and a very young age distribution
 B. high infant mortality rate, low fertility uneven population growth and a very young age distribution.
- C. High mortality, high density, uneven population

growth and a very young age distribution.

D. High fertility, low or rapidly falling mortality rate,

rapid population growth and a very young age

distribution

Answer: D





56. Family planning programme was initiated in

A. 1920

B. 1930

C. 1950

D. 1952

Answer: D



57. The first complete census in India was carried out in

A. 1871

:

B. 1872

C. 1958

D. 1972

Answer: B



58. Human world population in 1700 AD was

A. 0.12 billion

B. 0.13 billion

C. 0.15 billion

D. 0.6 billion

Answer: D

Watch Video Solution

59. Marriageable age in india is (in years)

A. male 15, female 16

B. male 25 female 20

C. male 18 female 21

D. male 21 female 18.

Answer: D

Watch Video Solution

60. Contraceptive 'pills' are used by

A. male

B. female

C. both

D. none

Answer: B
Watch Video Solution
61. Government of india legalised MTP in
A. 1971
B. 1998
C. 2001
D. 2006
Answer: A
Watch Video Solution

62. Which of the following STDs are not completely curable ?

A. (a) chlamydiasis, gonorrhoea, trichomoniasis

B. (b) chancroid, syphilis, genital warts

C. (c) AIDS, syphilis, hepatitis B

D. (d) AIDS, genital herpes and Hepatitis B

Answer: D



63. HIV attacks

A. RBCs

- B. blood platelets
- C. helper T cells

D. B-cells

Answer: C

Watch Video Solution

64. The permissible use of the technique amniocentesis is for :

A. detecting sex of the unborn foetus

B. artifical insemination

C. transferof embryo into the uterus of a surrogate

mother

D. detecting any genetic abnormality

Answer: D

Watch Video Solution

65. A population 'crash' is called catastrophic control of population. It was termed "positive checks" by an economist

A. Malthus

B. Darwin

C. Lamarch

D. Mendel

Answer: A



66. In india, which of the following methodsis most widely accepted?

A. Tubertomy and vasectomy

B. Intra uterine contraceptive devices

C. Oral contraceptive pills

D. Use of condoms

Answer: B
Watch Video Solution
67. MTP is comparatively safe upto
A. 20 weeks
B. 15 weeks
C. 12 weeks
D. 10 weeks
Answer: C
Watch Video Solution

68. Worldhealth organisation (WHO) was set up in

geneva (switzerland) on

A. 8th april, 1950

B. 10th aprin, 1949

C. 7th april, 1948

D. 8th april, 1947

Answer: C



69. Baruch Blumberg was awarded to nobel prize in 1978 along with gajudusek. He prepared a vaccine against

A. Hepatitis-A

B. Hepatitis-B

C. Hepatitis-C

D. Hepatitis-D

Answer: B



70. The first test tube baby Louise joy brown was born

in oldham, England in

A. 1988

B. 1970

C. 1978

D. 1988

Answer: C



71. India's first test tube baby was born in august 6, 1986 in mumbai. The credit for india's first test tube baby goes to

A. Dr. patrick steptoe and Dr. robert edwareds

B. Dr. indra hinduja

C. Dr. P. Venugopal

D. Dr. William harvery

Answer: B



72. The fusion of ovum and sperm is done outside the body of woman to form zygote. The zygote is allowed to divide forming 8 blastomeres. The early embryo with not more than 8 blastomeres is transferred into the

A. uterus

B. Fallopian tube

C. cervix

D. Vagina

Answer: B

Watch Video Solution

73. The world's youngest parents were 8 and 9 years old, who lived in (A) Sourth africa (B) China (C) France (D) Canada

A. Sourth africa

B. China

C. France

D. Canada

Answer: B



74. Which of the following is antisterility vitamin?

A. Vitamin A

B. Vitamin C

C. Vitamin E

D. Vitamin D

Answer: C

O Watch Video Solution

75. Baldness is related to

A. oxytocin

B. thyroxine

C. glucagon

D. androgens

Answer: D

Watch Video Solution


76. Which of the following hormones helps to attain sexual maturity?

A. GnRH

B. somatostatin

C. serotonin

D. Follicle stimulating hormone



77. On what factors the population of a species depends ?

A. Biotic potential

B. Carrying capacity of environment

C. pollution

D. both (1) and (2)

Answer: D



78. Chancroid is caused by

A. Neisseria gonorrhoeae

B. Trepanema pallidum

C. Haemophilus ducreyi

D. Human papilloma virus

Answer: C



79. Which one is not included in "barrier methods" of birth control?

A. Lippes loop

B. Diaphragms

C. Cervical caps

D. Vaults

Answer: A



80. Infertility is the relative state of failure to conceive after how many year/years of sexual life without contraception?

A. One

B. Two

C. Three

D. Four

Answer: B



81. A sexually transmitted disease symptomised by the development of chancre on the genitalsis caused by the infection of

A. Neisseria gonorrhoea

B. Preponema palladium

C. Hepatitis B virus

D. Human immunodeficiency virus

Answer: B

Watch Video Solution

82. Which of these is used to control human population?

A. Etrogen+Progesterone

B. IUCD+MTP

C. Tubectomy and vasectomy

D. all of these

Answer: D



83. Which of the following is the component of oral pills?

A. Progesterone

B. oxytocin

C. relaxin

D. None of these

Answer: A



84. If in a population, natality is balanced by mortality,

then there will be

A. increase in population growth

B. decrease in population growth

C. zero population growth

D. over population



85. Saheli' an oral contraceptive for females was developed by

A. AIIMS, delhi

B. IICB, kolkata

C. CDRI, Lucknow

D. SGPGI, Lucknow



86. Deficiency of which of the following elements causes infertility?

A. Iron

B. Chlorine

C. Manganese

D. Zinc



87. NACO (National AIDS control organisation) was established in

A. 1984

B. 1992

C. 1991

D. 2001

Answer: B



88. In vitro fertilisation is a technique that involves transfer of which one of the following into the fallopian tube?

A. Embryo only, upto 8 cell stage

B. either zygote or early embryo upto 8 cell stage

C. embryo of 32 cell stage

D. zygote only

Answer: B

Watch Video Solution

89. Cu ions released from copper-releasing intra uterine devices (IUDs)

A. make uterus unsuitable for implantation

B. increase phagocytosis of sperms

C. suppress sperm motility

D. prevent ovulation



90. A logistic growth curve depicting a population that is limited by a definite carrying capacity is shaped like the letter

A. J

B. L

C. M

D. S

Answer: D



91. Oral contraception pills used by females help in birth control by

A. inhibiting ovulation

B. forming barrier between spem and ovum

C. kills ova

D. kills sperms

Answer: A



92. Which of the following cannot be considered as assisted reproductive technology

A. In vitro fertilization (IVF)

B. Gamete intra fallopian transfer (GIFT)

C. Medial termination of pregnancy (MTP)

D. Intra cytoplasmic sperm injection (ICSI)



93. The technique called gamete intrafallopian transfer

(GIFT) is recommended for those females

A. who cannot provide suitable invironment for

fertilisation

B. who cannot produce an ovum

C. who cannot retain foetus inside uterus

D. whose cervical canal is too narrow to allow

passage for the sperms

Answer: B

Watch Video Solution

94. Consider the following statement (a-d) each with one or two blanks (a) Brears go into (1) _____during winter to (2)____cold

weather

(b) A conical age pyramid with a broad base represents

(3)____human population.

© A wasp pollinating a fig flower is an example of (4)____

(d) an area with high levels of species richness is known as (5)____

which one of the following options, gives the correct fill ups for the respective blank numbers from (1) to (5) in the statements:-

A. (3)-stable, (4)-commensalism, (5)- (marsh)

B. (1)-aestivation, (2)-escape, (3)-stable, (4)-

mutualism

C. (3)-expanding, (4)-commensalism, (5)-biodiversity

park

D. (1)-hibernation, (2)-escape, (3)-expanding, (5)-hot

spot

Answer: D



95. In Assisted Reproductive technoloty, the method in

which a sperm is directly injected into ovum is called

A. ZIFT

B. ICSI


C. GIFT

D. ET

Answer: B



96. What is the figure given below showing in particular ?



A. Ovarian cancer

B. Uterine cancer

C. Tubectomy

D. Vasectomy



- 97. A vasectomy-
 - A. prevents the production of sperm in the testes
 - B. prevents the production of semen
 - C. prevents the movement of sperm into the

urethra

D. prevents a man from having an erection



98. The population limited to a particular geographic

area is called as

A. pandemic

B. endemic

C. alien

D. natural

Answer: B



99. Copper releasingg IUD is

A. Diaphragm

B. Multiload 375

C. LNG-20

D. Saheli

Answer: B

Watch Video Solution

100. In which of the following ART techniques the semen is artificially introduced into the female:

A. ET

B. GIFT

C. IUT

D. IUI

Answer: D



101. Artificial insemination means

A. artificial introduction of sperms of a healthy

donor into the vagina

B. introduction of sperms of a healthy donor

directly into the ovary

C. transfer of sperms of a healthy donor to a test

tube containing ova

D. transfer of sperms of husband to a test tube

containing ova

Answer: A

Watch Video Solution

102. Which one of the following is not the function of

placenta? It

A. Facilitates removal of carbon dioxide and waste

material from embryo.

- B. Secretes oxytocin during parturition.
- C. Facilitates supply of oxygen and nutrients to

embryo.

D. Secretes estrogen

Answer: B

Watch Video Solution

103. Which of the following cannot be detected in a

developing foetus by amniocentesis?

A. Down syndrome

B. Jaundice

- C. Klinefelter syndrome
- D. Sex of the foetus

Answer: B



104. One of the legal methods of birth control is

A. by having coitus at the time of day break

- B. by a premature ejaculation during coitus
- C. abortion by taking an appropriate medicine

D. by abstaining from coitus from day 10 to 17 of

the menstrual cycle

Answer: D

Watch Video Solution

105. Assisted reproductive technology, IVF involves transfer of

A. Embryo with 16 blastomeres into the fallopian

tube

- B. ovum into the fallopian tube
- C. zygote into the fallopian tube

D. Zygote into the uterus

Answer: C

Watch Video Solution

106. The main function of mammalian corpus luteum is


to produce

A. relaxin only

B. estrogen only

C. progesterone

D. human chorionic gonadotropin



Answer: B





108. Which of the following is a hormone releasing intra uterine device (IUD)?

A. Vault

B. Multioad 373

C. LNG-20

D. Cervical cap



109. In context of amniocentesis, which of the following statements is incorrect?

A. It is used for prenatal sex determination

B. It can be used for detection of syndrome

C. It can be used for detection of cleft palate

D. It is usually done when a woman is between 14-16

weeks pregnant

Answer: C

Watch Video Solution

110. Which of the following is hormone releasing IUD?

A. LNG-20

B. Multiload 375

C. Lippes loop

D. Cu7

Answer: A

Watch Video Solution

111. Which of the following is incorrect regarding vasectomy?

A. No sperms occurs in seminal fluid

B. No sperm occurs in epididymis

C. Vasa deferentia is cut and tied

D. Irreversible sterility

Answer: B

Watch Video Solution

112. Match the following sexually transmitteddiseases (Column-I) with their causative agent (Column-II) and select the correct option.



A. A-ii,B-iii,C-iv,D-*i*

B. A-iii,B-iv,C-*i*,D-ii

C. A-iv,B-ii,C-iii,D-*i*

D.

Answer: A

Watch Video Solution

113. The function of copper ions in copper releasing IUD's is

A. They suppress sperm motility and fertilising

capacity of sperms.

B. They inhibit gametogenesis

C. They make uterus unsuitable for implantation

D. They inhibit ovulation.

Answer: A::C



114. In case of a couple where the male is having a very low sperm count, which technique will be suitable for fertilization?

A. Intrauterine transfer

B. Gamete intracytoplasmic fallopian transfer

C. Artificial insemination

D. Intracytoplasmic sperm injection

Answer: C::D

Watch Video Solution