

BIOLOGY

BOOKS - TRUEMAN'S BIOLOGY (ENGLISH)

STRATEGIES FOR ENHANCEMENT IN FOOD PRODUCTION

Mcq

1. The science of rearing, feeding, care, berrding and utilization of

animals is called

A. animism

B. veterinary science

C. animal husbandry

D. dairy science

Answer: C



2. Livestock refers to:

A. pet animals

B. poultry and pet animals

C. domestic animlas which are kept for use for profit

D. none of the above

Answer: C



3. First artificial insemination was done in India at

A. national dairy institue karnal (haryana)

B. indian veterinary research institue izatnagar (u/p)

C. punjab agricultureal university ludhiana (punjab)

D. allahabad agricultural institue allahabad (u.p)

Answer: B



4. The most important livestockes of India are:

A. cattle and buffaloes

B. cattle and dog

C. dog and cat

D. elephant and cattle

Answer: A



5. Which is one of the earlist animals to be domesticated ?

A. cow

B. sheep

C. dog and cat

D. elephant

Answer: C



6. Cryopreservaion is

A. preservation of living being in chemicals

B. preservation throiugh expour to irradation

C. preservation at very low temperature

D. preservation through use of gases

Answer: B

Watch Video Solution

7. Best source for dietary protein for a vegetarian is

A. soy bean

B. gram

C. groundnut

D. milk

Answer: D



8. The indian fresh water prawn is

A. panaeus

B. palaemon

C. palaemneus

D. none of these

Answer: B



9. Surrogate mother is

A. mother without laction

B. future mother with embryo emplanted form another

C. carrying several embryos

D. artificially inseminated female

Answer: B



10. Famous angoora wool is got form


A. sheep

B. rabbit

C. goat

D. yak

Answer: B



Answer: A

Watch Video Solution

12. The number of the cattle breeds in India is:

B. 16

A. 6

C. 26

D. 36

Answer: C



13. Cattle breeds in india are classified in to

A. milch breeds nad drought breeds

B. drought breeds and genral utility breeds

C. milch breeds drought breeds and general utility breeds

D. general utility breeds and milch breeds

Answer: C

Watch Video Solution

14. Gir is

A. a milch breed

B. a drought breed

C. both 1 and 2

D. neither 1 nor 2

Answer: A



15. Zebu cattle is:

A. water buffalo

B. indian buffalo

C. cow

D. sheep

Answer: C



16. Infertility of local breeds of cattle can be over come by use of

A. cross breeding with exotic breeds

B. good nourishement

C. stibesterol

D. gonadotropin

Answer: D



17. An exotic breed of cow is

A. ongole

B. friesian

C. halliker

D. deoni

Answer: B



18. National Dairy Reserch Institute (NDR) is situated. In :

A. lucknow

B. chandigarh

C. madras

D. karnal

Answer: D



19. Cows and buffaloes remian in heat for

A. 24-36 hours

B. 24-36 days

C. 7-10 day

D. 15-20 days

Answer: A



20. Rinderpest in the disease of

A. buffaloes

B. cattle and dog

C. pigs

D. horses

Answer: B



21. A draught breed of cattle is

A. red sindhi

B.gir

C. malvi

D. haryana

Answer: C



22. Drought breeds produce

A. good milk producing cows

B. good working bullocks

C. both 1 and 2

D. none of the above

Answer: B



23. Artificial breeding of cattle is brought about by

A. artifical insemination

B. superovulation and embryo transplantation

C. homozygotic twinning

D. all the above

Answer: D



24. Hybrid breed of cattle is

A. sunandini

B. holstein

C. brown swiss

D. kankrei

Answer: A

Watch Video Solution

25. General utility breeds are

A. gir , sahiwal and deoni

B. malvi, nagori and haltiker

C. haryana, ongole and kankaraj

D. deoni, gir and malvi

Answer: C



26. Improved variety of cattle produced by controlled breeding in

our country is

A. jersy

B. ayrshire

C. karan swiss

D. red dane

Answer: C



27. Best milch breed of cattle is :

A. harayan

B. malvi

C. kankerj

D. sahiwal

Answer: D

Watch Video Solution

28. Foot and mouth disease attacks

A. cattle

B. camels

C. sheep and goats

D. horses

Answer: A



29. Lactation in sterile cows is induced by

A. vitamin B_{12}

B. `stibesterol

C. gonadotropin

D. none of these

Answer: B



30. Nlumber of breeds of indian bufflaoes is

A. 14

B. 7

C. 16

D. 18

Answer: B



31. The milk yielding capacity of Buffalo is

A. three times more than cows

B. double than cows

C. four times more than cows

D. none of the above

Answer: A

Watch Video Solution

32. Which breed of bufflaoes is most popular?

A. murrah

B. bhadawari

C. jaffrabadi

D. surti

Answer: A

Watch Video Solution

33. Gestation period for buffalo is

A. 9 months

B. 14 months

C. 10 months

D. 21-22 months

Answer: C

Watch Video Solution

34. Nlili ravi is a

A. buffalo

B. cow

C. pig

D. sheep

Answer: A



35. Jaffrabadi breed of bufflao is distributed in

A. gujarat

B. malvi

C. punjab

D. none of these

Answer: A

Watch Video Solution

36. Most of female bufflaoes show sign of heat in the

A. morning

B. afternoon

C. evening

D. night

Answer: D



37. The largest number of buffaloes in the world are found in

A. usa

B. russia

C. australia

D. india

Answer: D



38. Sheep and goats differ in their

A. habit

B. habitat

C. size

D. body shape horn size and nose shape

Answer: D

Watch Video Solution

39. Pashmina wool is obtained from a variety of

A. sheep

B. goat

C. ribbit

D. yak

Answer: B



40. Which one is poorman 's cow?

A. sheep

B. yak

C. goat

D. lama

Answer: C



41. Bhakarwal breed of sheep is distributed in

A. gujrat

B. maharashtra

C. rajasthan

D. jammu & kashmir

Answer: D



42. Gaddi breed of goat is distrubuted in

A. punjab

B. rajasthan

C. himichal pradesh

D. keralal

Answer: C

Watch Video Solution

43. Lohi is a breed of

A. sheep

B. goat

C. fowl

D. geese

Answer: A



44. Which of the following is an exotic breed of sheep?

A. nali

B. lohi

C. merino

D. bhakarwal

Answer: B



45. Landrance is a bread of

A. horse

B. pig

C. camel

D. donkey

Answer: B



46. Most important factor to be taken into consideration while constructing pig house particularly in tropical countries is

A. sun light

B. air

C. humidity

D. temperature

Answer: D

Watch Video Solution

47. Most economic meat making animals is

A. yak

B. pig

C. goat

D. sheep

Answer: B

Watch Video Solution

48. Bhutia is an indian breed of

A. cattle

B. horse

C. sheep

D. pigs

Answer: B

Watch Video Solution

49. The animal most useful on difficult terrains is

A. mule

B. yak

C. camel

D. elephant

Answer: A

Watch Video Solution

50. A beast of burden which needs little care is

A. pig

B. donkey

C. mule

D. yak

Answer: B

Watch Video Solution

51. Spiti breed of horse is found in

A. ladakh

B. himachal pradesh

C. rajasthan

D. gujrat

Answer: B

Watch Video Solution

52. There are two breeds of donkeys in india these are small grey and large whit ethe large white is also called wild ass which occurs in

A. rajesthan

B. bihar

C. assam

D. rann of kutch

Answer: D

Watch Video Solution

53. Mule is sterile and is the interspecific hybrid of

A. horse x mare

B. horse x ass

C. ass x mare

D. none of these

Answer: C

Watch Video Solution

54. There are two kind of camels arabian and bacteria the arabian camels have

A. two humps

B. one hump

C. four humps

D. variable number of humps

Answer: A

> Watch Video Solution

55. Water is regularly supplied from the oxidation of food present in the

A. liver

B. stomach

C. hump

D. intestine

Answer: C

Watch Video Solution

56. Camels breed in

A. summer

B. winter

C. hump

D. intestine

Answer: B

Watch Video Solution

57. Indian camel is characterised by

A. 3 humps

B. 2 humps

C.1 humps

D. variable number of humps

Answer: C

Watch Video Solution

58. Number of breeds of indian camels is

A. 2 B. 3 C. 4 D. 5

Answer: D

O Watch Video Solution

59. Indian breeds of camel are

A. jaisalmeri

B. sindhi

C. bikaneri & kutich

D. all of these

Answer: D

Watch Video Solution

60. Pure breeds of fowls are

A. aseel

B. ghagus

C. brahma & cochin

D. all of these

Answer: C

Watch Video Solution

61. The deficiency of vitamin E causes which disease in poultry?

A. The deficiency of vitamin E causes which disease in poultry

В. С.

?

D.

Answer: B

Watch Video Solution

62. Pullorum disease of poultry is know as

A. white diarrhoea

B. coccidiosis

C. fowl fox

D. none

Answer: A



63. Which of the following is not an excellent egg laying breed ?

A. single comb white leghorn

B. rhode island red

C. new hampshire

D. australorps

Answer: C



64. Coccidiosis in poultry is caused by

A. protozoans parasite

B. nematode parasite

C. virus

D. tape worms

Answer: A

Watch Video Solution

65. Polio is caused by a

A. echtoparasites

B. endoparsties

C. bacteris

D. virus

Answer: D



66. Ranikhet disease is caused by

A. bacteri

B. virus

C. fungus

D. parasite

Answer: B



67. Deworming is done with the substance mixed with the poultry feed

- A. $\mathbb{C}I_4$ and pipezine
- B. terramycin
- C. sodium methazine
- D. none of the above

Answer: A

Watch Video Solution

68. Austro white is the hybrid of

- A. gllus with white leghorn
- B. australop male and white horn femlae
- C. desi varity with exotic bird
- D. none of the above

Answer: A



69. The broilers are birds raised for

A. feathers

B. eggs

C. cock fighting

D. meat

Answer: D Watch Video Solution

70. Which is a fungal disease of poultry?

A. aspergillosis

B. pox

C. cholera

D. ranikhet

Answer: A



71. Exotic breeds of fowls are

A. white leghorn and ply mouth rock

B. rhode insland red and austrolorp

C. sussex and minorca

D. all the above

Answer: D

Watch Video Solution

72. Aquaculture involves production of

A. usual aquatic plants

B. useful aquatic animals

C. useful aquatic plants and animals

D. harmful aquatic plants and animals

Answer: C

Watch Video Solution

73. Fish commonly raised by polyculture are

A. labeo rohita

B. catala catla

C. mystus singhala

D. both 1 & 2

Answer: D



74. Which is an important food fish?

A. catla

B. hippocampus

C. tricanthus

D. none of these

Answer: A

Watch Video Solution


75. Fish meat is considered to be better because

A. it has more proteins

B. it has more fats

C. it has lesser carbohydrate

D. none of the above



76. Important edible fresh water fishes of india are

A. labeo , calbasu catla

B. mystus clarius anabas

C. heteropneustes wallago

D. all of the above

Answer: D



77. Which of the following is a freshwater edible fish ?

A. harpodon

B. cirrhinus mrigala

C. anguilla

D. hilsa

Answer: B

Watch Video Solution

78. Important edible marine fishes of india are

A. bombay duck salmon

B. hilsa pomphret

C. Eel sardine

D. all the above

Answer: D

Watch Video Solution

79. Fish introduced in india by foreigners is

A. labeo rohita

B. mystus singhala

C. pomphret

D. clasius batrachus

Answer: C



80. Best aquarium is located at

A. vishakhapatnam

B. chennai

C. tarapur mumbai

D. z.s.i calcutta

Answer: C

Watch Video Solution

81. Fishes reared in culture fishey in india are

A. salmon and rohu

B. salmon and catia

C. catla and magur

D. rohu and catla

Answer: D
Watch Video Solution
82. Important species of honey bees are
A. 2
В. З
C. 4
D. 5
Answer: C
Watch Video Solution

83. Which species of honey bee is commonly domesticated and

cultured ?

A. apis indica

B. apis mellifera

C. apis dorsata

D. apis flora

Answer: B



84. Workers sof honey bee are

A. fertile males

B. sterile males

C. fetile females

D. sterile females

Answer: D

Watch Video Solution

85. The caste that develosps by parthenogenesis in honeybee is

A. queen

B. drones (fertile males)

C. workers

D. none of these

Answer: B

Watch Video Solution

86. Bee venom is used to cure

A. cystitis

B. arthirits

C. laryngitis

D. bronchitis

Answer: B

Watch Video Solution

87. The jhoney bee queen areises form a fertilized egg and of its

larva especially fed on

A. honey

B. dollen

C. royal jelly

D. mocro organisms

Answer: C

Watch Video Solution


88. Royal jelly is composed of

A. pollen

B. honey

C. digested honey and pollen mixed with a glandular secretion

D. mucus



89. The worker arises form a fertilized eff and its larva is fed on

A. pollen

B. honey

C. mucus

D. royal jelly

Answer: B



90. The drone develops form an unfertilized eff if its larva if fed

upon incresing porportions of

A. rolyal jelly

B. honey

C. mucus

D. polen

Answer: B

Watch Video Solution

91. Which among the following is real product of Honey Bee ?

A. honey

B. pollen

C. bee wax

D. propolis

Answer: C

Watch Video Solution

92. Super ovulatin and embryo transplantation are meant for

improving

A. human race

B. livestock

C. poultry

D. plants

Answer: B



93. Induced breeding is carried out in case of

A. pisiculture

B. apiculture

C. sericuture

D. lac culture

Answer: A

Watch Video Solution

94. Which is a product of insect body?

A. honey, wax and silk

B. silk , lac and wax

C. royal jelly, wax and lac

D. all the above

Answer: B



95. Which of the following is not a plant product

A. hemp

B. silk

C. cotton

D. flax

Answer: B



96. Ongole cattle is the general utility breed of

A. orissa

B. andhra pradesh

C. gujarat

D. bihar

Answer: B

Watch Video Solution

97. Fowl cholera is caused by the bacteria

A. salmonella

B. mycoplasma

C. pasteurella

D. eimeria

Answer: C



98. Which of the following is a broiler ?

A. plymouth

B. busra

C. karaknath

D. brahma

Answer: A



99. Which of the following is not a fresh water fish?

A. hilsa

B. catla

C. clarius

D. mystus

Answer: A

Watch Video Solution

100. Pomato is somatic hybrid between

A. potato and tomato

B. tomato and poppy

C. poppy and potato

D. poppy and tamarind

Answer: A



101. Part of flower removed in emasuclation is

A. perianth

B. stigma

C. anthers

D. ovules

Answer: C



102. Somachlonal variations are obtained through

A. chemical mutagens

B. gamma rays

C. tissue culture

D. amphimixis

Answer: C

Watch Video Solution

103. For producing protoplasts form plant cells which of the following are required ?

- A. amylase and pectinase
- B. cellulase and proteinase
- C. cellulase and pectinase
- D. cellulase and amylase

Answer: C



104. Androgenic haploids are produced in anther cultures by

A. tapetum

B. anther wall

C. connectives

D. yong pollen grains

Answer: D

Watch Video Solution

105. Disease resistance is obtained through

A. colchicine treatment

B. crossing with wild relatives

C. x ray treatment

D. hormone treatment

Answer: B



106. Triticale is the first man made cereal crop formed by the combination of triticum and ------

A. sorghum

B. barley

C. saccharum

D. rye

Answer: D

Watch Video Solution

107. Autopolyploidy can be induced artificailly by

A. chloroform

B. colchicine

C. chloroquine

D. colchine

Answer: B

Watch Video Solution

108. Improved Indian variety of wheat, carrying genes of dwarfness and higher percentage of protein and lysine is Or

Which was first Indian dwarf amber gained variety of wheat made from Sonara 64 by γ -rays (gamma rays)

A. lama rojo 64

B. sharbati sonora

C. pusa lerma

D. k 68

Answer: B



109. What was the source of first induced mutations?

A. gamma ray

B. uv irradiation

C. x ray

D. cosmic rays

Answer: c



110. Amber colored wheat produced from red coloured Mexican

wheat is

A. white

B. pink

C. red

D. grey

Answer: C

O Watch Video Solution

111. Improved variestes of wheat suitable for indian climates have

been delveloped by

A. hybridisation and mutation

- B. mutation and cloning
- C. cloning of polypolids
- D. polyploidy and hybridisation

Answer: A



112. Which is the oldest breeding method

A. indroducton

B. selection

C. hybridisation

D. mutation breeding

Answer: B



113. Both the environment and the genotype are important in the development of

A. disease

B. country

C. plant quarantine

D. phenotype

Answer: D

Watch Video Solution

114. The set pollinated progeny of a homozygous plant

constitues a

A. pure line

B. mass selection

C. mixed population

D. heterosis

Answer: A

Watch Video Solution

115. Plants having similar genotypes produced by plant breeding

are called

A. clones

B. haploids

C. sutopolyploids

D. genomes

Answer: A
Watch Video Solution
116. Plant piece used in tissue culture is called
A. explant
B. endplant
C. transplant
D. callus
Answer: A



117. Who gave the idea that every plant cell is totipotent

A. P.R white

B. E .C cockaing

C. F.C steward

D. G haberlandt

Answer: D

Watch Video Solution

118. Nutrient medium is made semisolid by adding

A. 2,4 D

B. agar agar

C. alfa alfa

D. yeast

Watch Video Solution
119. An unorganised mass of cells is called
A. totipotent
B. explant
C. callus
D. corax
Answer: C Watch Video Solution

120. The genetically engineered crop which has been recently introduced in India is

A. soyabean

B. broad bean

C. black bean

D. moong bean

Answer: A

Watch Video Solution

121. Name the japaness ecytologist who cultured anthers for the

first time

A. hanning

B. shima kura

C. sumuki

D. yabuta

Answer: B



122. In order to obtain disease free plants through tissue culture

techniques the best method is

A. embryo

B. anther cuture

C. protoplast culture

D. meristem culture

Answer: D

Watch Video Solution

123. The best way to obtain bacteria and viruses free plants through tissue culture is

A. microporpaagation

B. seed germinatinn after gamma irradiation

C. stem or shoot tip culture

D. seed germination under aseptic condition

Answer: C

> Watch Video Solution

124. Maximum genetic variation can be created through

A. introductio	n hybridization					
B. introduction hybridization selection						
C. mutation	hybridiztion	introduction	and	genetic		
engineeering						
D. selection introduction and mutation						

Answer: C



125. Most cultivated plants are

A. autopolyploids

B. allopolyploids

C. aneuploids

D. haploids

Answer: B

Watch Video Solution

126. Cross between donkey and horse (hinny and male)

A. dihybrid corss

B. reciprocal cross

C. monohybrid cross

D. polyhybrid cross

Answer: B



127. In a colony of honey bee family there are

A. lots of workers, one drone, two queen

B. lots of worker ,few drones, one queen

C. few workers, few drones, one queen

D. lots of worker, lots of drones, one queen

Answer: D

Watch Video Solution

128. Highest mlk porducing breed is

A. jersy

B. sahiwal

C. friesian holstein

D. none of these

Answer: C

Watch Video Solution

129. Aflatoxicosis of poultry is caused by

A. canida albicans

B. aspergillus flavus

C. aspergillus fumigatus

D. all of these

Answer: B



130. Pollen basket is

A. a basket made of pollen

B. a simple basket

С.

D.

Answer: D



131. Protein present in silk fibres are

A. a basket made of pollen

B. a simple basket

C. sac in flowers where pollen are carried

D. cavity in hind leg of a worker bee

Answer: A

Watch Video Solution

132. MOET is a method of

A. fish cultivation

B. birth control in humans

C. cloining in sheep

D. hybridaization in cattle

Answer: D

Watch Video Solution

133. The fish food possesses the lowest level of

A. acitin

B. chloesterol

C. mysoin

D. tissue fluid

Answer: B

Watch Video Solution

134. Which is the major crop in asia?

A. rice

B. sugarcane

C. jowar

D. millet

Answer: A

Watch Video Solution

135. Which one of the following plants found in india is an escape from the quarantine ?

A. coffee plant

B. eichhornia

C. congress grass

D. cocoa

Answer: C



136. Potato is a native of

A. brazil

B. peru

C. panama

D. mexico

Answer: B

Watch Video Solution

137. Introduced plants in new localites must show adaptations

called

A. selection

B. acclimatization

C. modification

D. propagation

Answer: B

Watch Video Solution

138. The scientific name of zebu is

A. bos indicus

B. bombyx mori

C. bublaus bublaus

D. gallus domsticus

Answer: A

Watch Video Solution

139. Which method of plant breeding resulted in the production

of hessian fly resistant wheat variety ?

A. intrageneric hybridization

B. back cross

C. bulk mehtod

D. intraspecific hybridization

Answer: A

Watch Video Solution

140. Triticum aestivum (Bread wheat) is

A. triploid with 21 chromosomes

B. hexaploid with 42 chromosomes

C. tetraploid with 30 chromosomes

D. diploid with 14 chromosomes

Answer: B

Watch Video Solution

141. Which of the following is a disease resistant, high yirlding

breed of poulrty developed in karnataka?

A. aseel

B. white leg horn

C. giriraga

D. plymouth rock

Answer: A

Watch Video Solution

142. Chicks of the first two weeks in brooder hoven are usually

susceptible to one the following:

A. (a) marek 's disease

B. (b) ketosis

C. (c) ranikhet disease

D. (d) whirling disease

Answer: C



143. Honey is:

A. alkaline

B. basic after some days

C. acidic

D. neutral

Answer: D

Watch Video Solution

144. To increases lactation/milk yield, cow is given

A. stibestrol

B. sorbitol

C. gonadotropin

D. prolactin

Answer: D



145. Most widly reared Honey Bee species of India is

A. apis indica

B. apis dorsata

C. apis florea

D. apis mellifera

Answer: A



146. Hybrid vigour is mostly due to

A. heterozygosity

B. homozygosity of pure character

C. superiority of all the genes

D. mixing up of cytoplasm of the male with that of female

exclusivly

Answer: A



147. Pure line breed refers to

A. heterozygosity and linkage

B. homozygosity and independent assortment

C. heterozygosity only

D. homozygosity only

Answer: D

Watch Video Solution

148. Drones in a colony of honey bees originate by

A. thelotoky

B. cylcic pathenogenesis

C. arrhenotoky

D. diploid pparthenogenesis



149. Which of the following is an example of hybrid vigour?

A. mule

B. donkey

C. horse

D. neoplina

Answer: A



150. Isinglass (gelatine-like transparent substance) is obtained

form

A. some snakes

B. some fishes

C. some aves

D. none of these

Answer: B



151. Match the breeds of cattle given under column I with the place of their orgin listed under column II choose the answer which gives the correct combination of alphabets of the two

columns

	Column I (Cattle Breed)	
A	Amrithmahal	1
B. C.		23
D.	Hallikar	4
		6

Column II (Place of Origin)

- . Hassan and Tumkur districts
- 2. Coimbatore district
- Nellore and Guntur districts
- Chikmangalore & Chitradurga districts
- 5. Satara and Sholapur districts

- A. 4 3 5 1
- B.2451
- C. 4 5 2 3

D. 2 4 1 5

Answer: A

152. A disease infecting camel is

A. surra

B. pullorum

C. rinderpest

D. encephalomalacia

Answer: A



153. Separation of sick and nonproductive birds from healthy and

productive birds is known as:

A. culling

B. deworming

C. dubbing

D. cannibalism

Answer: A



154. Coccidiosis in poultry is caused by:

A. virus

B. bacteria

C. protozoa

D. nematode

Answer: C



155. Which one of the following combination is generally recommended for composite fish farming in india

A. Catla , Labeo , Cirrhinus

B. Catla, Cyprinus, Clarius

C. Clarius , Channa, Cyprinus

D. Cirrhinus, Cyprinus, Channa

Answer: A

Watch Video Solution

156. Colchicine brings about :

- A. chromosome aberration
- B. duplication of chromosomes
- C. gene mutation
- D. quick replication

Answer: B



157. The technique of obtaining large number plantlets by tissue

culture method is called

A. organ culture

B. micropropagation

C. macropropagation

D. pantlet culture

Answer: A

Watch Video Solution

158. Haploid plantlets can be produced by

A. pollen culture

B. cotyledon culture

C. embryo culture

D. meristem culture

Answer: A



159. Physical mutangens are

A. x rays

B. x rays and gamma rays

C. EMS and x rays

D. sodium azide and gamma rays

Answer: B

Watch Video Solution

160. Cearel and millet proteins are

A. deficient in lysine and tryptophan

B. deficent in lysine

C. rich inn lysine and deficient in tryptophan

D. deficient in lysine and rich in tryptophan

Answer: A Watch Video Solution

- **161.** Indian Sugarcane Breeding Research Institute was established
 - A. delhi
 - B. luckknow
 - C. bhopal
 - D. coimbatore
- Answer: D



162. Which plant is cultivated by tissue cutlure technique ?

A. pear

B. apple

C. citrus

D. guava

Answer: B



163. Improved Indian variety of wheat, carrying genes of dwarfness and higher percentage of protein and lysine is

Or

Which was first Indian dwarf amber gained variety of wheat made from Sonara 64 by γ -rays (gamma rays)

A. kalyan

B. sharbati sonaora

C. sonalika

D. lerma rojo

Answer: B

Watch Video Solution

164. IR-8 variety of paddy is introduced in india from:

A. taiwan

B. japan

C. phillipines

D. bangladesh

Answer: C

Watch Video Solution

165. Bird flue affects

A. poultry

B. migratory birds

C. duck

D. all of these

Answer: D



166. Normal borlaug, father of green revolution, developed new

varieties of

A. wheat

B. rice

C. sugarcane

D. mango

Answer: A

Watch Video Solution

167. In cloning of cattle a fertilised egg is taken out of the mother's womb and

A. in the eight cell stage cells are separated and cultured unitll small embryos ar e formed which are impalnted in to

the womb of other cows

B.I the eight cell stage the individual cells are separated

under electricla field for further development in culture

media

- C. from this up to eight identical twins can be produced
- D. the egg is divided in to 4 pairs of cells which are implanted

in to womb to other cows

Answer: A



168. Which one of the following is a viral disease of poultry?

A. coryza

B. new castle disease

C. Ranikhet

D. slamonellosis

Answer: B

Watch Video Solution

169. Which one of the following part is mismatched ?

A. apis indica - honey

B. kenia lacca - lac

C. bombyx mori - silk

D. pila gobosa - pearl

Answer: D

Watch Video Solution

170. Mature differentiated cells revert to meristematic activity to

form callus by

A. dedifferentiation

B. differentiation

C. cyto differentiation

D. redifferentiation

Answer: A

Watch Video Solution

171. Which of the following is icrorectly matched?

A. {:("Explant","Excised plant part used for callus formaton"):}`

B. Cytokinins Root initiation in callus

C.

Somatic embryo Embryo produced form a vegetative cell

D. Anther culture Haploid plants

Answer: B



172. Sterilization of tissue culture medium is done by

A. autoclaving of medium at $120^{\,\circ}C$ for 15 minutes

B. filtering the medium through fine sieve

C. mixing the medium with afntifunagal

D. agents

Answer: A

Watch Video Solution

173. It shows correct chronological order of the events occurring during callus culture

A. callus - cel division explant - cytokinin - acquire meristematic activity

B. explant - callus -cell division - cytokinins - cells acquire

meristematic property

C. explant -cell divisin -callus -cytokinins -cells acquire

meristematic property

D. callus -= explant -cell division -cytokinin -cell acquire

meristematic property

Answer: C

Watch Video Solution

174. which of the following crops have been brought to india

from new world?

A. cashewnut patato rubber

B. mango tea

C. rea rubber mango

D. coffee

Answer: A



175. First man made cereal is:

A. octabloid

B. hexaploid with 42 chromosomes

C. both 1 and 2

D. diploid

Answer: C

Watch Video Solution

176. Which one is being tried in india as biofuel substitute for fossil fuels?

A. jatropha

B. azadirachta

C. musa

D. aegilops

Answer: A

Watch Video Solution

177. The plant which is used for studying hybrid vigour or heterosis is

A. maize

B. pea

C. datura

D. none of these



Watch Video Solution

178. A hybrid where the cytoplasm of two parent cells are fused

by retaining only one parental nucleus is called

A. asymmetric somatic hybrid

B. cybrid

C. an interbreed

D. symmetric somatic hybrid

Answer: B

Watch Video Solution

179. Exasculation is concerned with

A. hybridization

B. clonal selection

C. mass selection

D. pure line selection

Answer: A

Watch Video Solution

180. India rose wood tree is a common name of

A. acacia

B. shorea

C. delbergia

D. eucalytpus

Answer: C



181. Somatic hybridization is a technique of:

A. natural breeding

B. natural pollination

C. artificial pollination

D. somatic cells hybridization

Answer: D



182. Which is not a major carp?

A. catla catla

B. labeo rohita

C. puntius ticto

D. cirrhinus mrigala

Answer: C

Watch Video Solution

183. Which one of the following is the America poultry breed?

A. australorp

B. minorca

C. aseel

D. rhode islland red

Answer: D



184. In honey the percentage of maltose and other sugar is

A. 9.2

B. 8.81

C. 10.5

D. 11.2

Answer: B



185. Choose the minor carp from the following :

A. cyprinus carpio

B. anguilla sp

C. labeo bata

D. ctenophryngodon idella

Answer: C



186. Assertion : Ranikhet disease is the disease of poultry.

Reason : It is caused by a virus.

A. statement a is wrong and b is correct

B. both the statement a and b are wrong

C. both the statement a and b are correct

D. statement a is correct and b is wrong

Answer: C

Watch Video Solution

187. Polyplploidy can be produced artificially by

A. colchicine

B. inbreeding

C. line breeding

D. self pollination

Answer: A

Watch Video Solution

188. Recombination is involved in the process of :

A. cytokinesis

B. spindle formation

C. crossing over

D. chromosome duplication

Answer: C

Watch Video Solution

189. Shakti, rattan and protina are three important lysine rich varieties of

A. rice

B. pulses

C. wheat

D. maize

Answer: D



190. International Rice Research Institute (IRRI) is located at :

A. japan

B. philippiness

C. mexico

D. india

Answer: B

191. Totipotency means:

A. flowering in an culture medium

B. development of fruit from a flower in a cuture

C. development of an organ form a cel in cutrue medium

D. all the above

Answer: C

Watch Video Solution

192. The plant of Triticum aestivum is

A. halpoid

B. diploid

C. tetraploid

D. hexaploid

Answer: D



193. Assertion : Somaclonal variations may be present in plants produce from callus.

Resons : Somaclonal variations are caused due to recombination during meiosis.

A. both a and r are true and r is the correct explantion of a

B. both a and r true but r is not the correct explanation of a

C. a is true but r is false

D. a is false but r is true

Answer: C



194. In poultry, first deworming is usually done around this age

A. 4 weeks

B. 8 weeks

C. 12 weeks

D. 16 weeks

Answer: B



195. An improved variety of transgenic basmati rice

A. does not requre chemical fertilizers and growth hormones

B. gives high yield and is rich in vitamin a

C. is completely resistant to all insect pests and diseases of

paddy

D. gives high yield but has no characteritic aroma

Answer: B

Watch Video Solution

196. Which is used in gene cloning

A. nucleoids

B. lomasomes

C. mesosomes

D. plasmids

Answer: D

Watch Video Solution

197. Bovine spongiform encephalopathy is a disease caused by

prions in


A. sheep

B. cow

C. potato

D. man

Answer: B



198. Breeding of crops with high levels of minerals , vitamins and

proteins is called

A. somatic hybirdization

B. biofortification

C. biomagnification

D. micropropagation

Answer: B



199. Plant piece used in tissue culture is called

A. explant

B. somachlone

C. inoculant

D. clone

Answer: A

Watch Video Solution

200. "Jaya" and "Ratna" developed for green revolution in India are the varieties of :-

A. maize

B. rice

C. wheat

D. bajara



201. Himgiri developed by hybridisation and seldction for disease

resistance against rust pathogens is a variey of

A. chilli

B. maize

C. sugarcane

D. wheat

Answer: D

Watch Video Solution

202. When two unrelated individuals or lines are crossed, the performance of F_1 hybrids is often superior to both its parents. The phenomenon is called

A. heterosis

B. transformation

C. splicing

D. metamorphosis

Answer: A

Watch Video Solution

203. Which one of the following shows maximum genetic diversity in India

Or

Which one has the largest species variety India

A. groundnut

B. rice

C. maize

D. mango

Answer: B



204. Study statement a-d (about organic farming) and find out the correct ones.

(a) Utilises genetically modified crops like Bt cotton

(b) Uses only naturally produced input like compost

- (c) Does not use pesticide and urea
- (d) Produces vegetables rich in vitamins and minerals

A. b c and d

B. c and d only

C. b and c only

D. a and b only

Answer: C

Watch Video Solution

205. Which one of the following is a breed of cattle ?

A. ayrshire

B. ghaguas

C. karakanath

D. scampi

Answer: A

Watch Video Solution

206. Which one of the followinf poultry birds is not an English

breed ?

A. sussex

B. austtralorp

C. orpington

D. minorca

Answer: D



207. Human proteins can be produced in the milk or semen of farm animals. True of false?

A. true

B. false proteins cannot be produced in milk

C. false proteins connot be produced in semen

D. false animals are not used for protein production

Answer: A



208. A semi-dwarf variety of wheat is

A. IR-8

B. sonalika

C. triticum

D. saccharum

Answer: B

O Watch Video Solution

209. Explant required for virus free culture is

A. root

B. shoot tip

C. leaf

D. leaf and root

Answer: B

Watch Video Solution

210. In plant breeding programme, the entire collection (of plants/seed) having all the diverse alleles for all genes in a given crop is called

A. evaluation and selection of parents

B. germaplasm collection

C. selection for superior recombinants

D. cross hybridiation among the selected parents

Answer: B

Watch Video Solution

211. In vitro clonal propagation in plants is characterized by

A. microscopy

B. PCR and RAPD

C. northern blotting

D. electrophoresis and HPLC

Answer:



212. To obtain virus-free, healthy plants from a diseased one by tissue culture technique, which part of the diseased plant will be taken ?

A. (a) epidermis only

- B. (b) apical meristem only
- C. (c) palisade parenchyma
- D. (d) both apical and axillary meristem

Answer: D



213. Which of the following enhances or induces fusion of protoplasts

A. polyethylene glycol and sodium nitrate

B. IAA and kinetin

C. IAA and gibberillins

D. sodium chloide and potassium chloride

Answer: A Watch Video Solution

214. A technique of micropropagation is

A. (a) somatic embryogenesis

B. (b) protoplast fusion

C. (c) embryo culture

D. (d) somatic hybridization

Answer: A



215. Golden rice is a genetically modified crop plant where the incorporated gene is meant for biosynthesis of:

A. vitamin B

B. vitamin C

C. omega 3

D. Vitamin A

Answer: D

Watch Video Solution

216. Outbreeding is an important strategy of animal husbandry

because it

A. helps in accumulation of superior genes

B. is useful in producing pure lines of animals

C. is useful in overcoming inbreeding depression

D. exposes harmful recessive genes that are eliminated by

selection

Answer: C

Watch Video Solution

217. Interspecific hybridization is the mating of

A. animals within same breed without having common

ancestors

B. two different related species

C. superior males and femals of different breeds

D. more closely related individuals within same breed for 4 - 6

generations

Answer: B

Watch Video Solution

218. Among the following edible fishes, which one is a marine fish

having rich source of omega -3 fatty acids ?

A. mystus

B. mangur

C. mrigala

D. mackerel

Answer: D



219. Homozygous purelines in cattle can be obtained by

A. mating of related individuals of same breed

B. mating of unrealted individuals of same breed

C. mating of individuals of different breed

D. matting of individuals of different species

Answer: A

Watch Video Solution