



PHYSICS

BOOKS - OSWAAL PUBLICATION

PHYSICS (KANNADA ENGLISH)

2019 Solved Paper I

Exercise

1. State Coulomb's law .



Watch Video Solution

2. Define electrical resistivity of a material of a conductor.



[Watch Video Solution](#)

3. What is magnetic susceptibility ?



[Watch Video Solution](#)

4. How the self-inductance of a coil depends on number of turns in the coil ?



[Watch Video Solution](#)

5. For which position of the object magnification of convex lens is -1 (minus one) ?



[Watch Video Solution](#)

6. For which angle of incidence reflected ray is completely polarised ?



[Watch Video Solution](#)

7. Mention any one type of electron emission.



[Watch Video Solution](#)

8. Write the expression for energy of an electron orbit of hydrogen atom.



[Watch Video Solution](#)

9. Write the relation between Half-Life and Mean-Life of radio active element.



[Watch Video Solution](#)

10. Write any two basic properties of charges



[Watch Video Solution](#)

11. Write the expression for drift velocity in terms of current and explain the terms.



Watch Video Solution

12. Define:

(a) Magnetic declination (b) Magnetic dip.

Mention the S.I. unit of magnetisation.



Watch Video Solution

13. Write the expression for speed of light in terms of μ_0 and ε_0 , explain the terms used.



Watch Video Solution

14. Write the ray diagram for formation of image in the simple microscope.



Watch Video Solution

15. What is diffraction of light?



[Watch Video Solution](#)

16. Write the expression for de-Broglie wavelength of electrons in terms of electric potential and explain the terms used.



[Watch Video Solution](#)

17. Distinguish between n-type and p-type semiconductors.



[Watch Video Solution](#)

18. Derive an expression for potential energy of electric - di-pole placed in a uniform electric field .



Watch Video Solution

19. Write the expression for force per unit length between two straight parallel current carrying conductors of infinite length . Hence define SI unit of current 'ampere'.



Watch Video Solution

20. Distinguish between .dia. and .ferro. magnetic materials.



Watch Video Solution

21. What is a transformer ? Mention two sources of energy loss in a transformer



Watch Video Solution

22. Write three experimental observation of photoelectric effect.



Watch Video Solution

23. Write the three postulates of Bohr's atomic model.



Watch Video Solution

24. Explain the .Conduction band. .Valence band. and .Energy gap. in semiconductors.



Watch Video Solution

25. What is modulation ? Write the block diagram of the receiver.



Watch Video Solution

26. Write the expression for electric field intensity at any point outside and inside due to a charged spherical shell.



Watch Video Solution

27. Obtain an expression for equivalent resistance of two resistors connected in parallel.



Watch Video Solution

28. Derive the expression for magnetic field at a point on the axis of a circular current loop.



Watch Video Solution

29. Derive an expression for the impedance of a series LCR, circuit, when an AC voltage is applied to it.



Watch Video Solution

30. Derive the lens maker's formula.



Watch Video Solution

31. What is amplification? With a circuit diagram, explain the working of npn transistor as an amplifier in CE configuration.



Watch Video Solution

32. In a circular parallel plate capacitor radius of each plate is 5 cm and they are separated by a distance of 2mm. Calculate the capacitance and the energy stored. When it is charged by connectig battery of 200 V. (given $\epsilon_0 = 8.854 \times 10^{-12} Fm^{-1}$)



Watch Video Solution

33. Two resistors are connected in series with 5V battery of negligible internal resistance. A

current of 2 A flows through each resistor. If they are connected in parallel with the same battery a current of $\frac{25}{3}A$ flows through combination. Calculate the value of each resistance.



[Watch Video Solution](#)

34. A conductor of length 3m moving in a uniform magnetic field of strength 100 T. It covers a distance of 70 m in 5 sec. Its plane of motion makes an angle of 30° with direction

of magnetic field. Calculate the emf induced in it.



[Watch Video Solution](#)

35. In a Young's double slit experiment wave length of light used is 5000 \AA and distance between the slits is 2mm , distance from slits is 1m . Find fringe width and also calculate the distance of 7^{th} dark fringe from central bright fringe.



[Watch Video Solution](#)

36. Half life of U-238 undergoing α decay is 4.5×10^9 years. What is the activity of one gram of U-238 sample ?



Watch Video Solution