



MATHS

BOOKS - CENGAGE MATHS (ENGLISH)

EQUATION OF PLANE AND ITS APPLICATIONS - II

Dpp 3 4

1. Let $A(0, 6, 6)$, $B(6,6,0)$ and $C(6,0,6)$ are three points and point D is moving on the line $x + z - 3 = 0 = y$. If G is centroid of $\triangle ABC$, then minimum value of GD is

A. $\sqrt{\frac{47}{2}}$

B. $\sqrt{\frac{37}{2}}$

C. $\sqrt{\frac{57}{2}}$

D. $\sqrt{\frac{23}{2}}$

Answer: C



Watch Video Solution

2. Equation of line of projection of the line

$3xy + 2z - 1 = 0 = x + 2y - z = 2$ on the plane

$3x + 2y + z = 0$ is

A. $\frac{x + 1}{11} = \frac{y - 1}{-9} = \frac{z - 1}{-15}$

B. $3x - 8y + 7z + 4 = 0 = 3x + 2y + z$

$$C. \frac{x + 12}{11} = \frac{y + 8}{-9} = \frac{z + 14}{15}$$

$$D. \frac{x + 12}{11} = \frac{y + 8}{-9} = \frac{z + 14}{-15}$$

Answer: B



Watch Video Solution

3. The orthocenter of triangle whose vertices are $A(a, 0, 0)$, $B(0, b, 0)$ and $C(0, 0, c)$ is $\left(\frac{k}{a}, \frac{k}{b}, \frac{k}{c}\right)$ then

k is equal to

$$A. \left(\frac{1}{a^2} + \frac{1}{b^2} + \frac{1}{c^2}\right)^{-1}$$

$$B. \left(\frac{1}{a} + \frac{1}{b} + \frac{1}{c}\right)^{-1}$$

$$C. \left(\frac{1}{a^2} + \frac{1}{b^2} + \frac{1}{c^2}\right)$$

D. $\left(\frac{1}{a} + \frac{1}{b} + \frac{1}{c}\right)$

Answer: A



Watch Video Solution

4. Find the angle between the planes

$$2x + y + z - 1 = 0 \text{ and } 3x + y + 2z - 2 = 0,$$

A. $\frac{1}{\sqrt{2}}$ units

B. $\sqrt{2}$ units

C. $\frac{3}{\sqrt{2}}$ units

D. $\frac{\sqrt{3}}{2}$ units

Answer: A



Watch Video Solution

5. If plane $2x + 3y + 6z + k = 0$ is tangent to the sphere $x^2 + y^2 + z^2 + 2x - 2y + 2z - 6 = 0$, then a value of k is (a) 26 (b) 16 (c) -26 (d) none of these

A. 26

B. 16

C. -26

D. none of these

Answer: A



Watch Video Solution

6. The shortest distance from $(1, 1, 1)$ to the line of intersection of the pair of planes $xy + yz + zx + y^2 = 0$ is

A. $\sqrt{\frac{8}{3}}$

B. $\frac{2}{\sqrt{3}}$

C. $\frac{1}{\sqrt{3}}$

D. $\frac{2}{3}$

Answer: A



Watch Video Solution

7. A variable plane makes intercepts on X, Y and Z-axes and it makes a tetrahedron of volume 64cu. Units. The locus of foot of perpendicular from origin on this plane is

A. $(x^2 + y^2 + z^2)^2 = 384xyz$

B. $xyz = 681$

C. $(x + y + z) \left(\frac{1}{x} + \frac{1}{y} + \frac{1}{z} \right)^2 = 16$

D. $xyz(x + y + z) = 81$

Answer: A



Watch Video Solution

8. If the projection of the line $\frac{x}{2} = \frac{y-1}{2} = \frac{z-1}{1}$ on a plane P is $\frac{x}{1} = \frac{y-1}{1} = \frac{z-1}{-1}$. Then the distance of plane P from origin is

A. $\sqrt{3}$

B. $\sqrt{\frac{3}{2}}$

C. $\sqrt{6}$

D. $\frac{2}{\sqrt{3}}$

Answer: B



Watch Video Solution

9. The locus of point which moves in such a way that its distance from the line $\frac{x}{1} = \frac{y}{1} = \frac{z}{-1}$ is twice the distance from the plane $x + y + z = 0$ is

A. $x^2 + y^2 + z^2 - 5x - 3y - 3z = 0$

B. $x^2 + y^2 + z^2 - 5x + 3y + 3z = 0$

C. $x^2 + y^2 + z^2 + 5xy + 3yz + zx = 0$

D. $x^2 + y^2 + z^2 + 5xy + 3yz + 3zx = 0$

Answer: C



Watch Video Solution

10. A line is drawn from the point $P(1,1,1)$ and perpendicular to a line with direction ratios, $(1,1,1)$ to intersect the plane $x + 2y + 3z = 4$ at Q . The locus of point Q is

A. $\frac{x}{1} = \frac{y-5}{-2} = \frac{z-+2}{1}$

B. $\frac{x}{-2} = \frac{y-5}{1} = \frac{z+2}{1}$

C. $x = y = z$

D. none of these

Answer: A



Watch Video Solution

11. Let a plane pass through origin and be parallel to the line $\frac{x-1}{2} = \frac{y+3}{-1} = \frac{z+1}{-2}$ is such that distance between the plane and the line is $\frac{5}{3}$. Then equation of the plane is/are

A. $x - 2y + 2z = 0$

B. $x - 2y - 2z = 0$

C. $2x + 2y - z = 0$

D. $x + y + z = 0$

Answer: A:C



Watch Video Solution

12. The planes $ax + 4y + z = 0$, $2y + 3z - 1 = 0$ and $3x - bz + 2 = 0$ will

A. meet at a point if $ab \neq 15$.

B. meet on a line if $ab = 15$, $a = 3$

C. have no common point if $ab = 15$, $a \neq 3$.

D. have no common point if $ab = 15$, $a \neq 5$

Answer: A::B::C



Watch Video Solution

13. If the line $\frac{x}{1} = \frac{y}{2} = \frac{z}{3}$ intersects the the line $3\beta^2 + 3(1 - 2\alpha)y + z = 3 - \frac{1}{2}\{6\alpha^2x + 3(1 - 2\beta)y + 2z\}$

then point $(\alpha, \beta, 1)$ lies on the plane

A. $2x - y + z = 4$

B. $x + y - z = 0$

C. $x - 2y = 0$

D. $2x - y = 0$

Answer: A::B::C



Watch Video Solution

14. Let $A = (1, 1, -1)$, $B = (0, 2, 1)$ be two given points. Also, let $P: x + y + z = 0$ be a plane.

If A' and B' are the feet of perpendicular from A and B , respectively, on the plane 'P' then $A'B'$ equals

A. $\frac{\sqrt{14}}{3}$

B. $\sqrt{\frac{5}{3}}$

C. $\sqrt{3}$

D. $\sqrt{\frac{2}{3}}$

Answer: A



Watch Video Solution