



MATHS

BOOKS - CENGAGE MATHS (ENGLISH)

SET THEORY AND REAL NUMBER SYSTEM

Illustration

1. State which of the following statement are true and which ones are false . Justify your answer .

(i) $21 \in \{x \mid x \text{ has exactly four positive factors } \}$

(ii) $64 \in \{y \mid \text{the sun of the all the positive factors of } y \text{ is } 2y \}$

(iii) $2 \in \{x \mid x^4 - 3x^3 + 4x^2 - 5x + 6 = 0\}$

(iv) $23562 \in \{y \mid y \text{ is divisible by } 9\}$



[Watch Video Solution](#)

2. Are the following pairs of sets equal ? (i) $A = \{x \mid x \text{ is prime factor of } 6\}$ $B = \{x \mid x \text{ is a solution of } x^2 - 5x + 6 = 0\}$ (ii) $A = \{x \mid y \text{ is a letter in the word REPLACED}\}$, $B = \{y \mid y \text{ is a letter in the word PARCELED}\}$ (iii) $A = \{x \mid x \text{ is a natural number } x > 1\}$ $B = \{x \mid x \text{ is natural number } x \geq 1\}$



[Watch Video Solution](#)

3. If $A \not\subset B$ and $B \not\subset C$. Is this statement true ? A is not subset of C



[Watch Video Solution](#)

4. If $x \in A$ and $A \not\subset B$, then $x \in B$. Is this statement true ?



[Watch Video Solution](#)

5. Consider the following sets:

$A =$ set of natural numbers which are multiples of 2

$B =$ set of natural numbers which are multiples of 3

$C =$ set of natural numbers which are multiples of 5

Then find the following set

(i) $A \cup B$ (ii) $B \cup C$ (iii) $A - B$ (iv) $B - C$ (v) $A \cap C$ (vi) $A \cap B \cap C$ (vii) $(A \cup B) \cap C$

 [Watch Video Solution](#)

6. If $A - B = A$ and $B - A = B$, then what can we conclude ?

 [Watch Video Solution](#)

7. If $A \cap B = A \cup B$ then what can we conclude ?

 [Watch Video Solution](#)

8. Show that $A \cap B = A \cap C$ need not imply $B = C$

 [Watch Video Solution](#)

9. Consider the following sets:

A = set all rectangles in the same plane

B = set all squares in the same plane

C = set all parellelgrams in the same plane

Find the following sets :

(i) $A - B$ (ii) $C - A$ (iii) $A \cap C$ (iv) $B \cap C$ (v) $B \cup C$ (vi) $A \cap B \cup C$

 [Watch Video Solution](#)

10. Show that $A \subset B$ then $C - B \subset C - A$

 [Watch Video Solution](#)

11. Assume that $P(A) = P(B)$. Show that $A = B$

 [Watch Video Solution](#)

12. If sets $A = (-3, 2]$ and $B = (-1, 5]$ then find the following sets :

A. $A \cap B$

B. $A \cup B$

C. $A - B$

D. $B - A$

Answer:



[Watch Video Solution](#)

13. In a group of 500 people, 350 speak Hindi and 300 speak English. It is given that each person speaks at least one language.

(i) How many people can speak both Hindi and English?

(ii) How many people can speak Hindi only?

(iii) How many people can speak English only?



[Watch Video Solution](#)

14. In a group of 50 students, the number of students studying French, English, Sanskrit were found to be as follows French = 17, English = 13, Sanskrit = 15 French and English = 09, English and Sanskrit = 4, French and Sanskrit = 5, English , French and Sanskrit = 3. Find the number of students who study

(i) only French, (ii) only English.

(iii) only Sanskrit. , (iv) English and Sanskrit but not French.

(v) French and Sanskrit but not English.

(vi) French and English but not Sanskrit.

(vii) atleast one of the three languages.

(viii) none of the three languages.



[Watch Video Solution](#)

15. Solve the following inequalities ,Write the solution in the from of intervals (i) $3x \geq 18$

(ii) $2x + 17 < 3$

$$(iii) 7 - 4x > -17$$

$$(iv) \frac{x}{7} + 3 \leq -2$$



[Watch Video Solution](#)

16. Solve the following inequalities

$$7x + 15 \geq 9 - 4x$$

$$-5 \leq \frac{2 - 3x}{4} \leq 9$$

$$5x - 6 \leq 4 \quad \text{and} \quad 7 - 3x \geq 2x$$



[Watch Video Solution](#)

17. Abhinav obtained 65 and 80 marks in first two unit test .Find the minimum marks he should get in the third test of have an average of at least 70 marks.



[Watch Video Solution](#)

18. Solve $x > \sqrt{(z-5)} - \sqrt{9-z} > 1, x \in \mathbb{Z}$.

 [Watch Video Solution](#)

19. Solve $\sqrt{x-2} \geq -1$.

 [Watch Video Solution](#)

20. Solve $\sqrt{x-1} > \sqrt{3-x}$.

 [Watch Video Solution](#)

21. Solve $x + \sqrt{x} \geq \sqrt{x} - 3$

 [Watch Video Solution](#)

22. Find the values of x^2 for the given values of x . (i) $x < 2$

(ii) $x > -1$

(iii) $x \geq 2$

(iv) $x < -1$



Watch Video Solution

23. Find all the possible values of the expression $\sqrt{x^2 - 4}$.



Watch Video Solution

24. Solve $(x^2 - 4)\sqrt{x^2 - 1} < 0$.



Watch Video Solution

25. Find all the possible values of $\frac{1}{x}$ for $x > 3$.



Watch Video Solution

26. Find all the possible values of the expression: $\frac{1}{x^2 + 2}$

 [Watch Video Solution](#)

27. Solve $x^2 - x - 2 > 0$.

 [Watch Video Solution](#)

28. Solve $x^2 - x - 1 < 0$

 [Watch Video Solution](#)

29. Solve $(x - 1)(x - 2)(1 - 2x) > 0$

 [Watch Video Solution](#)

30. Solve $\frac{2}{x} > 3$

 [Watch Video Solution](#)

31. Solve $\frac{x - 2}{x + 2} > \frac{2x - 3}{4x - 1}$

 [Watch Video Solution](#)

32. Solve $x > \sqrt{1 - x}$

 [Watch Video Solution](#)

33. Solve $\frac{2}{x^2 - x + 1} - \frac{1}{x + 1} - \frac{2x - 1}{x^3 + 1} \geq 0$.

 [Watch Video Solution](#)

34. Solve $x(x + 2)^2(x - 1)^5(2x - 3)(x - 3)^4 \geq 0$



Watch Video Solution

35. Solve $x(2^x - 1)(3^x - 9)^5(x - 3) < 0$.



Watch Video Solution

36. Solve $(x^2 - x - 1)(x^2 - x - 7) < -5$



Watch Video Solution

37. Solve the following :

(i) $|x| = 5$

(ii) $x^2 - |x| - 2 = 0$



Watch Video Solution

38. Find the value of x for which following expressions are defined:

$$\frac{1}{\sqrt{x - |x|}} \quad (\text{ii}) \quad \frac{1}{\sqrt{x + |x|}}$$

 [Watch Video Solution](#)

39. Find all the possible values of expression :

$$\frac{|x|}{x} + \frac{|y|}{y}$$

 [Watch Video Solution](#)

40. Solve $|x| = x^2 - 1$

 [Watch Video Solution](#)

41. For $2 < x < 4$, find the values of $|x|$.

 [Watch Video Solution](#)

42. Solve the following: (i) $|x - 2| = 1$ (ii) $2|x + 1|^2 - |x + 1| = 3$

 [Watch Video Solution](#)

43. Find the values of a for which the equation $||x - 2| + a| = 4$ can have four distinct real solutions.

 [Watch Video Solution](#)

44. Solve the expression $|x - 2| = (x - 2)$.

 [Watch Video Solution](#)

45. Solve $1 - x = \sqrt{x^2 - 2x + 1}$.

 [Watch Video Solution](#)

46. Solve $|3x - 2| = x$.

 [Watch Video Solution](#)

47. Solve $\sqrt{x + 3 - 4\sqrt{x - 1}} + \sqrt{x + 8 - 6\sqrt{x - 1}} = 1$

 [Watch Video Solution](#)

48. Prove that

$$\sqrt{x^2 + 2x + 1} - \sqrt{x^2 - 2x + 1} = \begin{cases} -2, & x < -1 \\ 2x, & -1 \leq x \leq 1 \\ 2, & x > 1 \end{cases}$$

 [Watch Video Solution](#)

49. For $x \in \mathbb{R}$, find all possible values of (i) $|x - 3| - 2$ (ii) $4 - |2x + 3|$

 [Watch Video Solution](#)

50. Find all possible values of

$$\sqrt{|x| - 2}$$

.



Watch Video Solution

51. Solve $|x - 3| + |x - 2| = 1$.



Watch Video Solution

52. Solve $x^2 - 4|x| + 3 < 0$.



Watch Video Solution

53. Solve $0 < |x| < 2$



Watch Video Solution

54. Solve $|3x - 2| < 4$



Watch Video Solution

55. Solve $1 \leq |x - 2| \leq 3$



Watch Video Solution

56. Solve $0 < |x - 3| \leq 5$



Watch Video Solution

57. Solve $||x - 1| - 2| < 5$



Watch Video Solution

58. Solve $|x - 3| \geq 2$



Watch Video Solution

59. Solve : $||x| - 3| > 1$.



Watch Video Solution

60. Solve $\left| \frac{x - 3}{x + 1} \right| \leq 1$



Watch Video Solution

61. Solve $\left| 1 + \frac{3}{x} \right| > 2$



Watch Video Solution

62. Solve $|x| + |x - 2| = 2$.



Watch Video Solution

63. Solve $|2x - 3| + |x - 1| = |x - 2|$.

 [Watch Video Solution](#)

64. Solve $|x^2 + x - 4| = |x^2 - 4| + |x|$.

 [Watch Video Solution](#)

65. If $|\sin x + \cos x| = |\sin x| + |\cos x|$ ($\sin x, \cos x \neq 0$), then in which quadrant does x lie?

 [Watch Video Solution](#)

66. Is $|\tan x + \cot x| < |\tan x| + |\cot x|$ true for any x ? If it is true, then find the values of x .

 [Watch Video Solution](#)

67. Solve $\left| \frac{x+1}{x} \right| + |x+1| = \frac{(x+1)^2}{|x|}$.

 [Watch Video Solution](#)

68. Solve $|x^2 - 2x| + |x - 4| > |x^2 - 3x + 4|$.

 [Watch Video Solution](#)

69. Solve $|2^x - 1| + |4 - 2^x| < 3$

 [Watch Video Solution](#)

Solved Exp

1. Find the total number of integer n such that $2 \leq n \leq 2000$ and H.C.F. of n and 36 is 1.

 [Watch Video Solution](#)

2. For sets A, B, C, show that $(A - B) \cup (A - C) = A - (B \cup C)$



Watch Video Solution

3. For sets A, B, and C using Venn diagram, check if $A - (B - C) = (A - B) - C$



Watch Video Solution

4. Suppose A_1, A_2, \dots, A_{30} are thirty sets each having 5 elements and

B_1, B_2, \dots, B_n are n sets each having 3 elements, Let

$$\bigcup_{i=1}^{30} A_i = \bigcup_{j=1}^n B_j = S$$

and each element of S belongs to exactly 10 of the A_i and exactly 9 of the B_j . Find the value of n.



Watch Video Solution

5. Let $a > 2$ be a constant. If there are just 18 positive integers satisfying the inequality $(x - a)(x - 2a)(x - a^2) < 0$, then the value of a is



Watch Video Solution

6. Find the set of all possible real value of a such that the inequality $(x - (a - 1))(x - (a^2 + 2)) < 0$ holds for all $x \in (-1, 3)$.



Watch Video Solution

7. Find all possible values of $\frac{x^2 + 1}{x^2 - 2}$.



Watch Video Solution

8. Solve $\left(\frac{1}{3}\right)^{\frac{|x+2|}{2-|x|}} > 9$



Watch Video Solution

9. Solve $|x - 1| + |x - 2| \geq 4$



Watch Video Solution

10. Solve $|x + 1| + |2x - 3| = 4$.



Watch Video Solution

11. Solve $\frac{x}{x + 2} \leq \frac{1}{|x|}$



Watch Video Solution

Concept Application Exercise 1 1

1. Let $A = \{1, 2, \{3, 4\}, 5\}$. Which of the following statements are incorrect and why?

(i) $\{3, 4\} \subset A$

(ii) $\{3, 4\} \in A$

(iii) $\{\{3, 4\}\} \subset A$

(iv) $1 \in A$

(v) $1 \subset A$

(vi) $\{1, 2, 5\} \subset A$

(vii) $\{1, 2, 5\} \in A$

(viii) $\{1, 2, 3\} \subset A$

(ix) $\phi \in A$

(x) $\phi \subset A$

(xi) $\{\phi\} \subset A$.



[Watch Video Solution](#)

2. If $x = \{1, 2, 3, \dots, 10\}$ and a represents any elements of X then write the following sets containing all the elements satisfying the given conditions

$a \in X \text{ but } a^2 \in X$

$a \in X \text{ but } a/2 \in X$

a is factor of 24



[Watch Video Solution](#)

3. Write down all the subsets of the set : {a, b}



[Watch Video Solution](#)

4. If the number of elements in the power set of set A is 128 then find the number of elements in the set A .



[Watch Video Solution](#)

5. If $A \subset B$ and C , then $A \in C$ is this statement true ?



[Watch Video Solution](#)

6. Let $U = \{1, 2, 3, 4, 5, 6, 7, 8, 9\}$, $B = \{2, 4, 6, 8\}$ and $C = \{3, 4, 5, 6\}$

Find $(B - C)'$.

 [Watch Video Solution](#)

7. If $A - B = \phi$ and $B - A = \phi$ then what can we conclude ?

 [Watch Video Solution](#)

8. Is it true that for any sets A and B, $P(A) \cup P(B) = P(A \cup B)$? Justify your answer.

 [Watch Video Solution](#)

9. Let A, B and X be three sets such that $A \cap X = B \cap X = \phi$ and $A \cup X = B \cup X$. Then show that $A=B$.

 [Watch Video Solution](#)

10. If $A = [-4, 1)$ and $B = [0, 3)$, then find $A \cap B$.



[Watch Video Solution](#)

11. In a survey conducted on 800 students of a school , 250 students were found to like tea and 300 like coffee , 150 like both tea and coffee .Find how many students like neither tea nor coffee ?



[Watch Video Solution](#)

12. Out of 100 students, 15 passed in English, 12 passed in Mathematics, 8 in Science, 6 in English and Mathematics, 7 in Mathematics and Science , 4 in English and Science, 4 in all the three. Find how many passed

(i) in English and Mathematics but not in Science.

(ii) in Mathematics and Science but not in English.

(iii) in Mathematics only.

(iv) in more than one subject only.



[Watch Video Solution](#)

Concept Application Exercise 1 2

1. Find the values of x which satisfy the inequality $-3 < 2x - 1 < 19$.

 [Watch Video Solution](#)

2. The longest side of a triangle is three times the shortest side and the third side is 2 cm shorter than the longest side. If the perimeter of the triangle is at least 61 cm, find the minimum length of the shortest side.

 [Watch Video Solution](#)

3. Find the values of $1/x$ for $2 \leq x \leq 5$.

 [Watch Video Solution](#)

4. Find the values of $\frac{1}{x}$ for $-5 \leq x \leq -1$.

 [Watch Video Solution](#)

 Watch Video Solution

5. Find all possible values (range) of the quadratic expression:

$$1 + 6x - x^2, \text{ when } x \in [-3, 2].$$

 Watch Video Solution

6. Find all possible values of expressions $\frac{2 + x^2}{4 - x^2}$

 Watch Video Solution

7. Solve $\frac{\sqrt{x - 1}}{x - 2} < 0$

 Watch Video Solution

8. Solve $\sqrt{x - 2} \leq 3$

 Watch Video Solution

Concept Application Exercise 1.3

1. Solve $\frac{x(3 - 4x)(x + 1)}{2x - 5} < 0$

 [Watch Video Solution](#)

2. Solve $\frac{(2x + 3)(4 - 3x)^3(x - 4)}{(x - 2)^2x^5} \leq 0$

 [Watch Video Solution](#)

3. Solve $\frac{(x - 3)(x + 5)(x - 7)}{|x - 4|(x + 6)} \leq 0$

 [Watch Video Solution](#)

4. Solve $\frac{5x + 1}{(x + 1)^2} < 1$

 [Watch Video Solution](#)

5. Solve $\frac{x + 2}{x^2 + 1} > \frac{1}{2}$

 [Watch Video Solution](#)

6. The solution of the inequation $4^{-x+0.5} - 7 \cdot 2^{-x} < 4$, $x \in R$ is

 [Watch Video Solution](#)

7. Solve $\frac{x^4}{(x - 2)^4} > 0$

 [Watch Video Solution](#)

8. Solve $\frac{6x^2 - 5x - 3}{x^2 - 2x + 6} \leq 4$

 [Watch Video Solution](#)

9. Solve $\frac{(x + 2)(x^2 - 2x + 1)}{-4 + 3x - x^2} \geq 0$

 [Watch Video Solution](#)

10. solve $\sqrt{x + 2} \geq x$

 [Watch Video Solution](#)

11. Solve: $\sqrt{2 + x - x^2} > x - 4$

 [Watch Video Solution](#)

12. The number of integral values of x satisfying

$\sqrt{(-x^2 + 10x - 16)} < x - 2$ is

 [Watch Video Solution](#)

13. Find all the possible values of $f(x) = \frac{1 - x^2}{x^2 + 3}$



Watch Video Solution

Concept Application Exercise 14

1. Which of the following is always true ?

(a) If $a < b$, then $a^2 < b^2$

(b) If $a < b$ then $\frac{1}{a} > \frac{1}{b}$

(c) If $a < b$, then $|a| < |b|$



Watch Video Solution

2. Which of the following equations has maximum number of real roots ?

A. $x^2 - |x| - 2 = 0$

B. $x^2 - 2|x| + 3 = 0$

C. $x^2 - 3|x| + 2 = 0$

D. $x^2 + 3|x| + 2 = 0$

Answer: c

 [Watch Video Solution](#)

3. Find the number of solution of the system of equation $x+2y=6$ and $|x-3|=y$

 [Watch Video Solution](#)

4. Find the values of x for which the following function is defined:

$$f(x) = \sqrt{\frac{1}{|x-2| - (x-2)}}$$

 [Watch Video Solution](#)

5. Find all values of $f(x)$ for which $f(x) = x + \sqrt{x^2}$

 [Watch Video Solution](#)

6. Solve $\left| \frac{x+2}{x-1} \right| = 2$

 [Watch Video Solution](#)

7. Solve $|x| = 2x - 1$

 [Watch Video Solution](#)

8. Solve $|2^x - 1| + |2^x + 1| = 2$

 [Watch Video Solution](#)

9. Solve $|x^2 + 4x + 3| = x + 1$



Watch Video Solution

10. Solve $|4 - |x - 1|| = 3$



Watch Video Solution

11. Solve $|x - 1| - |2x - 5| = 2x$



Watch Video Solution

Concept Application Exercise 1 5

1. If $|x^2 - 7| \leq 9$ then find the values of x



Watch Video Solution

2. Solve $||x - 2| - 3| < 5$



[Watch Video Solution](#)

3. Which of the following is / are true ?

If $|x+y|=|x|+|y|$ then points (x,y) lie in 1st or 3rd quadrant or any of the x-axis or y axis

If $|x + y| < |x| + |y|$ then points (x,y) lie in 2nd or 4th quadrant.

(c) If $|x-y|=|x|+|y|$ then points (x,y) lie in 2nd or 4th quadrant.



[Watch Video Solution](#)

4. Find the values of x of for which $\sqrt{5 - |2x - 3|}$ is defined



[Watch Video Solution](#)

5. Solve $|x^2 - x - 2| + |x + 6| = |x^2 - 2x - 8|$



[Watch Video Solution](#)

6. Solve $|x^2 + x - 6| < 6$

 [Watch Video Solution](#)

7. Solve $|x| + \left| \frac{4 - x^2}{x} \right| = \left| \frac{4}{x} \right|$

 [Watch Video Solution](#)

8. Solve $\frac{1}{|x| - 3} < \frac{1}{2}$

 [Watch Video Solution](#)

9. Solve $|x - \pi| + |x^2 - \pi^2| \leq 0$

 [Watch Video Solution](#)

10. Solve the inequation: $\left| 1 - \left(\frac{|x|}{1 + |x|} \right) \right| \geq \frac{1}{2}$



Watch Video Solution

11. Solve $\frac{|x - 1|}{x + 2} > 1$



Watch Video Solution

12. Solve $|x^2 - 1| + |x^2 - 4| > 3$



Watch Video Solution

Exercises

1. Let F_1 be the set of parallelograms, F_2 the set of rectangle , F_3 the set of rhombuses, F_4 the set of squares and F_5 the set of trapeziums in a plane. Then, F_1 may be equal to

A. $F_2 \cap F_3$

B. $F_3 \cap F_4$

C. $F_2 \cup F_5$

D. $F_2 \cup F_3 \cup F_4 \cup F_1$

Answer: D



Watch Video Solution

2. If $n(A) = 3$, $n(B) = 6$ and $A \subseteq B$. Then the number of elements in $A \cup B$ is equal to

A. 3

B. 9

C. 6

D. Non of these

Answer: C



Watch Video Solution

3. If set A and B are defined as

$$A = \left\{ (x, y) \mid y = \frac{1}{x}, 0 \neq x \in \mathbb{R} \right\}, B = \{(x, y) \mid y = -x, x \in \mathbb{R}, \}.$$

Then

A. $A \cap B = A$

B. $A \cup B = B$

C. $A \cup B = \phi$

D. $A \cup B = A$

Answer: C



Watch Video Solution

4. Two finite sets have m and n ($m > n$) elements. The number of subsets of the first set is 112 more than that of the second set. The value of mn is

A. 18

B. 28

C. 32

D. 36

Answer: B



[Watch Video Solution](#)

5. Let A and B be two non empty subsets of set X such that A is not a subset of B , then:

A. A is a subset of complement of B

B. B is a subset of A

C. A and B are disjoint sets

D. A and complement of B are non-disjoint sets

Answer: D



[Watch Video Solution](#)

6. If a $N = \{ax : x \in N\}$ then the set $4N \cap 6N$ is

A. $8N$

B. $10N$

C. $12N$

D. Non of these

Answer: C



[Watch Video Solution](#)

7. The set $(A \cap B')' \cup (B \cap C)$ equals a). $A' \cup B \cup C$ b). $A' \cup B$ c).

$A' \cup C$ d). $A' \cap B$

A. $A' \cup B \cup C$

B. $A' \cup B$

C. $A' \cup C$

D. $A' \cap B$

Answer: B



[Watch Video Solution](#)

8. For sets $(A \cup B) \cup (A \cap B)$ equals

A. A'

B. B'

C. A

D. None of these

Answer: D



[Watch Video Solution](#)

9. Let U be the universal set and

$A \cup B \cup C = U$ Then $[(A - B) \cup (B - C) \cup (C - A)]$ equals

A. $A \cup B \cup C$

B. $A \cap B \cap C$

C. $A \cup (B \cap C)$


D. $A \cap (B \cup C)$

Answer: B



Watch Video Solution

10. The shaded region in the given figure is



A. $A \cap (B \cup C)$

B. $A \cup (B \cap C)$

C. $A \cap (B - C)$

D. $A - (B \cup C)$

Answer: D



Watch Video Solution

11. Which is the simplified representation of $(A' \cap B' \cap C) \cup (B \cap C) \cup (A \cap C)$ where A,B and C are subsets of set X (a).A (b). B (c).C (d). $X \cap (A \cup B \cup C)$

A. A

B. B

C. C

D. $X \cap (A \cup B \cup C)$

Answer: C



[Watch Video Solution](#)

12. In a statistical investigation of 1,003 families of Calcutta, it was found that 63 families had neither a radio nor a T.V, 794 families had a radio and 187 had a T.V. The number of families in that group having both a radio and a T.V is (a) 36 (b)41 (c) 32 (d) None of these

A. 36

B. 41

C. 32

D. None of these

Answer: B



[Watch Video Solution](#)

13. A survey shows that 63 % of the people watch a news channel whereas , 76 % watch an entertainment channel at a particular time If $X\%$ of the people watch both types of channels , then

A. $x = 35$

B. $x \geq 63$

C. $39 \leq x \leq 63$

D. $x = 39$

Answer: C



[Watch Video Solution](#)

14. In a town of 10000 families, it was found that 40% families buy newspaper A, 20% families buy newspaper B, 10 % families buy newspaper C, 5% families buy A and B, 3% buy B and C and 4 % buy a and C. If 2% families buy all the three newspaper. Find

- (i) the number of families which buy newspaper A only.
- (ii) the number of families which buy none of A , B and C.

A. 3100

B. 3300

C. 2900

D. 1400

Answer: B



[Watch Video Solution](#)

15. Complete solution set of inequality $\frac{(x + 2)(x + 3)}{(x - 2)(x - 3)} \leq 1$

- A. $(-\infty, 0)$
- B. $(-\infty, 0] \cup (2, 3)$
- C. $[2, 3]$
- D. $(-\infty, 2) \cup (3, \infty)$

Answer: B

 [Watch Video Solution](#)

16. The number of intergal values of x if $5x - 1 < (x + 1)^2 < 7x - 3$ is

- A. 0
- B. 1
- C. 2
- D. 3

Answer: B



Watch Video Solution

17. If set $A = \left\{ x \mid \frac{x^2(x-5)(2x-1)}{(5x+1)(x+2)} < 0 \right\}$ and

Set $B = \left\{ x \mid \frac{3x+1}{6x^3+x^2-x} > 0 \right\}$ then $A \cap B$ does not contain

A. (1,4)

B. (5,11)

C. $\left(-\frac{3}{2}, \frac{-1}{2} \right)$

D. None of these

Answer: B



Watch Video Solution

18. Number of intergers satisfying the inequality

$$x^4 - 29x^2 + 100 \leq 0 \text{ is}$$

A. 2

B. 4

C. 6

D. 8

Answer: D



Watch Video Solution

19. If $n > 0$ and exactly 15 integers satisfying $(x+6)(x-4) \leq (x-5)$

$(2x - n) \leq 0$ then least possible value of n is

A. a. 10

B. b. 12

C. c. 14

D. d. 16

Answer: D

 [Watch Video Solution](#)

20. The solution of the inequality $\left(\frac{x+7}{x-5} + \frac{3x+1}{2}\right) \geq 0$ is

- A. $[1, 3] \cup (5, \infty)$
- B. $(1, 3) \cup (5, \infty)$
- C. $(-\infty, 1) \cup (5, \infty)$
- D. None of these

Answer: A

 [Watch Video Solution](#)

21. The complete solution set of inequality

$$\frac{(x-5)^{1005}(x+8)^{1008}(x-1)}{x^{1006}(x-2)^3(x-3)^5(x-6)(x+9)^{1010}} \leq 0$$

- A. $(-\infty, -9) \cup (-8, 0) \cup (0, 1) \cup (2, 3) \cup [5, 6]$
- B. $(-\infty, -9) \cup (-9, 0) \cup (0, 1) \cup (2, 3) \cup [5, 6]$

C. $(-\infty, -9) \cup (-9, 0) \cup (0, 1] \cup (2, 3) \cup [5, 6)$

D. $(-\infty, 0) \cup (0, 1] \cup (2, 3) \cup [5, 6]$

Answer: C



Watch Video Solution

22. Sum of solution of the equation $|x|^3 - 4|x|^2 + 3|x| = 0$ is

A. 4

B. 3

C. 0

D. 1

Answer: C



Watch Video Solution

23. Number of intergral roots of $|x - 1||x^2 - 2| = 2$ is

A. 0

B. 1

C. 2

D. 3

Answer: D



[Watch Video Solution](#)

24. The solution set of the inequity $\frac{|x - 2| - x}{x} < 2$ is

A. (0,1)

B. [0,2]

C. $(-\infty, 0) \cup (1, \infty)$

D. None of these

Answer: C



Watch Video Solution

25. Number of solutions of the equation $|2 - |x|| = x + 4$ is a.0 b.1
c.2 d.Infinite

A. 0

B. 1

C. 2

D. Infinite

Answer: B



Watch Video Solution

26. Number of integral values of x satisfying the inequality

$$\frac{x^2 + 6x - 7}{|x + 2||x + 3|} < 0 \text{ is}$$

A. 5

B. 6

C. 7

D. 8

Answer: A



Watch Video Solution

27. If $-4 \leq x < 2$ then $||x+2|-3$ lies in the interval

A. (1,3]

B. [1,3]

C. [0,3]

D. $[0, \infty)$

Answer: C



Watch Video Solution

28. Complete set of values of x satisfying inequality

$$||x - 1| - 5| < 2x - 5 \text{ is}$$

- A. $(5/2, \infty)$
- B. $(11/3, \infty)$
- C. $(-1, \infty)$
- D. $(-\infty, 1/3)$

Answer: B



[Watch Video Solution](#)

29. If $|x^2 - 2x + 2| - |2x^2 - 5x + 2| = |x^2 - 3x|$ then the set of values of x is

- A. $(-\infty, 0] \cup [3, \infty)$
- B. $\left[0, \frac{1}{2}\right] \cup [2, 3]$

C. $(-\infty, 0] \cup \left[\frac{1}{2}, 2\right] \cup [3, \infty)$

D. $[0, 2] \cup [3, \infty)$

Answer: B



Watch Video Solution

30. The complete solution set of the equation

$|x^2 - 5x + 6| + |x^2 + 12x + 27| = |17x + 21|$ is a. $x \in [-9, 3]$ b.

$x \in [-3, 2) \cup (2, 3]$ c. $x \in [-9, -3] \cup [2, 3]$ d. $x \in (-2, 3)$

A. $x \in [-9, 3]$

B. $x \in [-3, 2) \cup (2, 3]$

C. $x \in [-9, -3] \cup [2, 3]$

D. $x \in (-2, 3)$

Answer: C



Watch Video Solution

1. If A, B and C are three sets such that

$A \cap B = A \cap C$ and $A \cup B = A \cup C$ then

A. $A=B$

B. $A=C$

C. $B=C$

D. $A \cap B = \phi$

Answer: C



[Watch Video Solution](#)