



CHEMISTRY

BOOKS - AIIMS PREVIOUS YEAR PAPERS

AIIMS 2000

Chemistry

1. 26 ml of CO_2 are passed over hot coke . The maximum volume of CO formed is :

A. 32 ml

B. 52 ml

C. 15 ml

D. 10 ml

Answer: B



Watch Video Solution

2. Unsuitability of nucleus is due to :

A. Low proton - electron ratio

B. High proton - electron ratio

C. High proton - neutron ratio

D. High neutron - proton ratio

Answer: D



Watch Video Solution

3. Bohr's atomic theory gave the idea of :

A. Nucleus

B. Shape of sub-levels

C. Quantum numbers

D. Stationary states .

Answer: D



Watch Video Solution

4. Which has maximum radioactive activity :

A. Uranium

B. Plutonium

C. Radium

D. Thorium

Answer: C



Watch Video Solution

5. Overlapping of 2 hybrid orbitals can lead to the formation of :

- A. π -bond
- B. σ -bond
- C. ionic bond
- D. None

Answer: B



Watch Video Solution

6. NF_3 is


- A. Having more dipole moment than NH_3
- B. Having low value of dipole moment than NH_3
- C. Electrovalent compound
- D. Non-polar compound .

Answer: B



Watch Video Solution

7. The compound having highest boiling point :



Answer: B



Watch Video Solution

8. An element A (at. wt . = 75) and B(at. wt . =25) combine to form a compound. The compound contain 75% A by weight. The formula of the compound will be

A. AB

B. AB_3

C. A_3B

D. A_2B

Answer: A



Watch Video Solution

9. The number of milli equivalent in 100 ml of 0.5 N HCl solution is

A. 200

B. 100

C. 50

D. 25

Answer: C



Watch Video Solution

10. Number of electron involved in the reduction of $Cr_2O_7^{2-}$ ion in acidic solution of Cr^{3+} is

A. 4

B. 6

C. 3

D. 4

Answer: B



Watch Video Solution

11. Stronger the oxidising agent , greater is the :

A. Oxidation potential

B. Reduction potential

C. Ionic behaviour

D. None

Answer: B



Watch Video Solution

12. In a reaction, 4 mole of electrons are transferred to 1 mole of HNO_3 , the possible product obtained due to reduction is:

- A. 1 mole NH_3
- B. 1 mole of NO_2
- C. (1/2) mole N_2O
- D. (1/2) mole N_2

Answer: C



Watch Video Solution

13. The volume at NTP occupied by 11 g of CO_2 is :

A. 11.2 litre

B. 2.8 litre

C. 5.6 litre

D. 2.24 litre

Answer: C



Watch Video Solution

14. Which is not correct for catalyst . It :-

- A. Reduces activation energy of reaction
- B. Specific in nature
- C. Enhances the rate of reaction in both directions
- D. Changes enthalpy of reaction

Answer: D



Watch Video Solution

15. An albumin sol containing sodium chloride as an impurity can best be freed of this impurity by :

A. Electrophoresis

B. Dialysis

C. Precipitation


D. Filtration




Answer: B



Watch Video Solution

16. Which reaction gives more products as a result of increase in pressure :





Answer: B



Watch Video Solution

17. HCl base not behave as acid in



C. H_2O

D. None

Answer: A



Watch Video Solution

18. The mixed salt among the following is :

A. $CaCOCl_2$

B. $NaKSO_4$

C. $Mg(OH)Cl$

D. All

Answer: D



Watch Video Solution

19. If s and S are respectively solubility and solubility product of a sparingly soluble binary electrolyte, then :

A. $s = S^{1/2}$

B. $s = 1/2S$

C. $s=S$

$$D. s = S^2$$

Answer: A



Watch Video Solution

20. An aqueous solution contains a substance which yields 4×10^{-3} mol litre⁻¹ ion of H_3O^+ .

If $\log 2$ is 0.3010 the pH of the solution is :

A. 2.398

B. 1.5

C. 3


D. 3.4

Answer: A



Watch Video Solution

21.



. The reaction is endothermic . A 10 degree centigrade temperature rise will cause the reaction ratio to :

A. Decrease

B. Become exactly half +

C. Remain unchanged

D. Become nearly double

Answer: D



Watch Video Solution

22. An example of closed system is :

A. Hot liquid in closed beaker in equilibrium
with its vapour

B. Hot liquid in an open beaker

C. Hot liquid in a sealed insulated beaker

D. None

Answer: A



Watch Video Solution

23. For the reaction

$H_2 + I_2 \rightleftharpoons 2HI$, $\Delta H = 12.40 \text{ kcal}$. The heat of

formation (ΔH) of HI is

A. 12.4 kcal

B. 6.20 kcal

C. - 6.20 kcal


D. - 12.4 kcal

Answer: B



Watch Video Solution

24. If 50 ml of A_2B_3 reacts completely with 200 ml of C_2 in closed vessel according to the equation



The composition of the mixture of gases is :

A. 10 ml C_2 , 25 ml C_3B_2 , 100 ml CA_4

B. 25 ml C_2 , 75 ml C_3 , B_2 , 25 ml CA_4

C. 75 ml C_2 , 75 ml C_3B_2 , 25 ml CA_4

D. 100 ml C_2 , 50 ml C_3B_2 , 50 ml CA_4

Answer: C



View Text Solution

25. If the atomic number of an element is 33, it will be placed in the periodic table in the

A. 7th group

B. 5th group

C. 4th group

D. 1st group

Answer: B



Watch Video Solution

26. The volume of 10 vol H_2O_2 required to liberate 500 cm^3 of O_2 at STP

A. 125 ml

B. 100 ml

C. 25 ml

D. 50 ml

Answer: D



Watch Video Solution

27. The oxide of which metal is most stable to heat :

A. Ag

B. Hg

C. K




D. All of these

Answer: C



Watch Video Solution

28. A hydride of nitrogen which is acidic in nature is :



Answer: A



Watch Video Solution

29. Which melts in boiling water :

- A. Bell metal
- B. Monel metal
- C. Wood' metal
- D. Gum metal

Answer: C



Watch Video Solution

30. Nitric acid may be kept in a bottle of :

A. Sn

B. Al

C. Pb

D. Ag

Answer: B



Watch Video Solution

31. When zinc reacts with very dilute nitric acid it produces



Answer: C



Watch Video Solution

32. Which loses weight on exposure to the atmosphere :

A. Anhyd. $AlCl_3$

B. NaOH

C. Conc. H_2SO_4


D. Saturated aqeous solution of CO_2

Answer: D



Watch Video Solution

33. The reaction of chlorine with CO in the presence of sunlight gives :



Answer: D



Watch Video Solution

34. The gas used for inflating the tyres of aeroplanes is

A. Ar

B. He

C. H_2

D. N_2

Answer: B



Watch Video Solution

35. d-Block elements are arranged in of periodic table :



- A. Six series
- B. Four series
- C. Three series
- D. Two series .

Answer: B



Watch Video Solution

36. Which no mixing gives deep brown colour :








D. None

Answer: A



Watch Video Solution








Answer: D



Watch Video Solution

38. Which is expected to react most readily with bromine
bromine







Answer: C



Watch Video Solution

39. The structural formula of the compound which yields ethylene upon reaction with zinc-



C. $CH_2Br - CH_2Br$

D. None

Answer: C



Watch Video Solution

40. Glycerol on treatment with potassium hydrogen sulphate yields

A. Acraldehyde

B. Acrylic acid

C. Propane

D. Ethanol

Answer: A



Watch Video Solution

41. Assertion : Water is specially effective in screening the electrostatic interactions between the dissolved ions.

Reason : The force of ionic interactions depends upon the dielectric constant (ϵ) of the solvent .

A. If both the assertion and reason are true statement and reason is correct explanation of the assertion .

B. If both the assertion and reason are true statement but reason is not a correct explanation of the assertion .

C. If the assertion is true but the reason is a false statement.

D. If both assertion and reason are false statements.

Answer: A



View Text Solution

42. Assertion : The nearly tetrahedral arrangement of the orbitals about the oxygen atoms allows each water molecule to form hydrogen bonds with as many as four neighbouring water molecules.

Reason : In ice each water molecules forms four hydrogen bonds as each molecules is fixed in the space.

A. If both the assertion and reason are true statement and reason is correct explanation of the assertion .

B. If both the assertion and reason are true statement but reason is not a correct explanation of the assertion .

C. If the assertion is true but the reason is a false statement.

D. If both assertion and reason are false statements.

Answer: A



View Text Solution

43. Assertion : Methanoic acid reduces mercuric chloride to mercurous chloride on heating while ethanoic acid does not .

Reason : Methanoic acid is a stroger acid ethoxide ion.

A. If both the assertion and reason are true statement and reason is correct explanation of the assertion .

B. If both the assertion and reason are true statement but reason is not a correct explanation of the assertion .

C. If the assertion is true but the reason is a false statement.

D. If both assertion and reason are false statements.

Answer: B



Watch Video Solution

44. Assertion : Phenol undergoes Kolbe's reaction whereas ethanol does not .

Reason : Phenoxide ion is more basic than ethoxide ion .

A. If both the assertion and reason are true statement and reason is correct explanation of the assertion .

B. If both the assertion and reason are true statement but reason is not a correct explanation of the assertion .

C. If the assertion is true but the reason is a false statement.

D. If both assertion and reason are false statements.

Answer: C



Watch Video Solution

45. Assertion : The pressure of a gas is inversely proportional to its volume at constant temperature and n .

Reason : The gas volume is directly proportional to n at constant temperature and pressure .

A. If both the assertion and reason are true statement and reason is correct explanation of the assertion .

B. If both the assertion and reason are true statement but reason is not a correct explanation of the assertion .

C. If the assertion is true but the reason is a false statement.

D. If both assertion and reason are false statements.

Answer: B



Watch Video Solution

46. Assertion : The oxidation numbers are artificial, they are useful as a book keeping device of elements in reactions

Reason : The oxidation numbers do not usually represent real charge on atoms, they are simply conventions that indicate what the maximum

charge could possibly be on an atom in a molecule.

A. If both the assertion and reason are true statement and reason is correct explanation of the assertion .

B. If both the assertion and reason are true statement but reason is not a correct explanation of the assertion .

C. If the assertion is true but the reason is a false statement.

D. If both assertion and reason are false statements.

Answer: A



Watch Video Solution

47. Assertion: As mole is the basic chemical unit, the concentration of the dissolved solute is usually specified in terms of number of moles of solute.

Reason: The total number of molecules of

reactants involved in a balanced chemical equation is known as molecularity of the reaction.

A. If both the assertion and reason are true statement and reason is correct explanation of the assertion .

B. If both the assertion and reason are true statement but reason is not a correct explanation of the assertion .

C. If the assertion is true but the reason is a false statement.

D. If both assertion and reason are false statements.

Answer: B



Watch Video Solution

48. The atoms of different elements having same mass number but different atomic number are known as isobars.

The sum of protons and neutrons, in the isobars is always different.

A. If both the assertion and reason are true statement and reason is correct explanation of the assertion .

B. If both the assertion and reason are true statement but reason is not a correct explanation of the assertion .

C. If the assertion is true but the reason is a false statement.

D. If both assertion and reason are false statements.

Answer: C



Watch Video Solution

49. Assertion : Lead is a metal with a high density .
It readily dissolves in moderately concentrated nitric acid giving colourless fumes which turn red in contact with air .

Reason : Nitric oxide (NO) is a colourless oxide of nitrogen while NO_2 is coloured oxide of nitrogen .

A. If both the assertion and reason are true statement and reason is correct explanation of the assertion .

B. If both the assertion and reason are true statement but reason is not a correct explanation of the assertion .

C. If the assertion is true but the reason is a false statement.

D. If both assertion and reason are false statements.

Answer: A



Watch Video Solution

50. Assertion : p-nitroaniline is stronger base than p-toluidine .

The electron withdrawing NO_2 group in the p-nitroaniline makes it a stronger base .

A. If both the assertion and reason are true
statement and reason is correct explanation
of the assertion .

B. If both the assertion and reason are true statement but reason is not a correct explanation of the assertion .

C. If the assertion is true but the reason is a false statement.

D. If both assertion and reason are false statements.

Answer: D



Watch Video Solution

51. Assertion : When 20 ml of ethanol is mixed with 20ml of water , the volume of resulting solution will be less than 40 ml.

Reason : The hydrogen bond between water and alcohol molecules is weaker than hydrogen bond between the like molecules.

A. If both the assertion and reason are true statement and reason is correct explanation of the assertion .

B. If both the assertion and reason are true statement but reason is not a correct

explanation of the assertion .

C. If the assertion is true but the reason is a false statement.

D. If both assertion and reason are false statements.

Answer: C



Watch Video Solution

52. Assertion : Stanous chloride ($SnCl_2$) is a non-linear molecule.

Reason : In ($SnCl_2$) molecule Sn atom is present in sp hybridised state .

A. If both the assertion and reason are true statement and reason is correct explanation of the assertion .

B. If both the assertion and reason are true statement but reason is not a correct explanation of the assertion .

C. If the assertion is true but the reason is a false statement.

D. If both assertion and reason are false statements.

Answer: C



Watch Video Solution

53. Assertion : During the fermentation of grape juice , a reddish brown coloured crust is formed.

Reason : Impure potassium hydrogen tartrate is of reddish brown colour and it is known as argol.

A. If both the assertion and reason are true statement and reason is correct explanation of the assertion .

B. If both the assertion and reason are true statement but reason is not a correct explanation of the assertion .

C. If the assertion is true but the reason is a false statement.

D. If both assertion and reason are false statements.

Answer: A



Watch Video Solution

54. Assertion : An orbital cannot have more than two electrons, moreover, if an orbital has two electrons they must have opposite spins.

Reason : No two electrons in an atom can have same set of all the four quantum numbers.

A. If both the assertion and reason are true statement and reason is correct explanation of the assertion .

B. If both the assertion and reason are true statement but reason is not a correct explanation of the assertion .

C. If the assertion is true but the reason is a false statement.

D. If both assertion and reason are false statements.

Answer: A



Watch Video Solution

55. Assertion (A) : A spectral line will be seen for $2p_x-2p_y$ transition

Reason (R) : Energy is released in the form of wave of light when the electron drops from $2p_x$, to $2p_y$ orbital.

A. If both the assertion and reason are true statement and reason is correct explanation of the assertion .

B. If both the assertion and reason are true statement but reason is not a correct explanation of the assertion .

C. If the assertion is true but the reason is a false statement.

D. If both assertion and reason are false statements.

Answer: D



Watch Video Solution

56. Assertion: Alkenes and cycloalkanes series of hydrocarbons have same general formul.

Reason : Either insertion of a double bond or

formation of a ring reduces the number of hydrogen atoms of corresponding alkane by 2.

A. If both the assertion and reason are true statement and reason is correct explanation of the assertion .

B. If both the assertion and reason are true statement but reason is not a correct explanation of the assertion .

C. If the assertion is true but the reason is a false statement.

D. If both assertion and reason are false statements.

Answer: A



Watch Video Solution

57. Statement-I : Solubility of n-alcohols in water decreases with increase in molecular weight

Because

Statement-II: The relative proportion of the hydrocarbon part in alcohols increases with

increasing molecular weight which permits enhanced hydrogen bond with water.

A. If both the assertion and reason are true statement and reason is correct explanation of the assertion .

B. If both the assertion and reason are true statement but reason is not a correct explanation of the assertion .

C. If the assertion is true but the reason is a false statement.

D. If both assertion and reason are false statements.

Answer: C

 [Watch Video Solution](#)

58. Assertion : The carbonic acid is stronger acid than phenol .

Reason : The hybrid of bicarbonate ion has two equivalent contributing structures, while hybrid of phenoxide ion does not contain such equivalent contributing structures.

A. If both the assertion and reason are true statement and reason is correct explanation of the assertion .

B. If both the assertion and reason are true statement but reason is not a correct explanation of the assertion .

C. If the assertion is true but the reason is a false statement.

D. If both assertion and reason are false statements.

Answer: A



Watch Video Solution

59. Assertion : When a concentrated solution is diluted by adding more water , the number of moles of solute in the solution remains unchanged .

Reason : Number of a solute is equal to the product of molarity and volume of solution in litres.

A. If both the assertion and reason are true statement and reason is correct explanation of the assertion .

B. If both the assertion and reason are true statement but reason is not a correct explanation of the assertion .

C. If the assertion is true but the reason is a false statement.

D. If both assertion and reason are false statements.

Answer: A



Watch Video Solution

60. Assertion : ${}_{14}\text{Si}^{30}$, ${}_{15}\text{P}^{31}$ and ${}_{16}\text{S}^{32}$ are a group of isotones.

Reason : Isotones are atoms of different elements having different mass numbers and atomic numbers but same number of neutrons in their nuclei.

A. If both the assertion and reason are true statement and reason is correct explanation

of the assertion .

B. If both the assertion and reason are true statement but reason is not a correct explanation of the assertion .

C. If the assertion is true but the reason is a false statement.

D. If both assertion and reason are false statements.

Answer: A



Watch Video Solution

