



# PHYSICS

## BOOKS - AIIMS PREVIOUS YEAR PAPERS

### AIIMS 2012

#### Physics

1. In an AC circuit, voltage  $V = V_0 \sin \omega t$  and inductor  $L$  is connected across the circuit.

Then the instantaneous power will be

A.  $\frac{V_2^2}{2\omega L} \sin \omega t$

B.  $\frac{-V_0^2}{2\omega L} \sin \omega t$

C.  $\frac{-V_0^2}{2\omega L} \sin 2\omega t$

D.  $\frac{V_0^2}{\omega L} \sin 2\omega t$

**Answer:**



**Watch Video Solution**

2. Two sinusoidal waves of intensity  $I$  having same frequency and same amplitude interferes constructively at a point. The resultant intensity at a point will be

- A.  $I$
- B.  $2I$
- C.  $4I$
- D.  $8I$

**Answer:**



Watch Video Solution

3. The minimum distance between an object and its real image formed by a thin convex lens of focal length  $f$  is  $K \cdot f$ . Find the value of  $K$ .

A.  $3F$

B.  $4F$

C.  $\frac{3}{2}F$

D.  $2F$

**Answer:**



**Watch Video Solution**

4. In young's double slit experiment, fringe order is represented by  $m$ , then fringe width is

- A. Independent of  $m$ .
- B. Directly proportional to  $m$ .
- C. Directly proportional to  $(2m + 1)$ .
- D. Inversely proportional to  $(2m + 1)$ .

**Answer:**



**Watch Video Solution**

5. Half life of a radio-active element is 8 years, how much amount will be present after 32 years ?

A.  $\frac{1}{4}$

B.  $\frac{1}{8}$

C.  $\frac{1}{16}$

D.  $\frac{1}{32}$

**Answer: C**



**Watch Video Solution**

6. Threshold frequency of a metal is  $5 \times 10^{13} \text{ s}^{-1}$  upon which  $1 \times 10^{14} \text{ s}^{-1}$  frequency light is focused. Then the maximum kinetic energy of emitted electron is

A.  $3.3 \times 10^{-21} \text{ J}$

B.  $6.6 \times 10^{-21} \text{ J}$

C.  $3.3 \times 10^{-20} \text{ J}$

D.  $6.6 \times 10^{-20} J$

**Answer:**



**Watch Video Solution**

7. In a given series LCR circuit

$R = 4\Omega$ ,  $X_L = 5\Omega$  and  $X_C = 8\Omega$ , the current

A. Leads the voltage by  $\tan^{-1}(3/4)$ .

B. Leads the voltage by  $\tan^{-1}(5/8)$ .

C. Lags the voltage by  $\tan^{-1}(3/4)$ .



D. Lags the voltage by  $\tan^{-1}(5/8)$ .

**Answer: C**



**Watch Video Solution**

**8.** A wire of mass 100 g, length 1 m and current 5 A is balanced in mid air by a magnetic field B, then find the value of B.

A. 0.2 T

B. 0.1 T

C. 0.5 T

D. 0.6 T

**Answer: A**



**Watch Video Solution**

**9. Dimensional formula of  $\Delta Q$ , heat supplied to the system is given by:-**

A.  $[M^1 L^2 T^{-2}]$

B.  $[M^1 L^1 T^{-2}]$

C.  $[M^1 L^2 T^{-2}]$

D.  $[ML^1 T^{-1}]$

**Answer:**



**Watch Video Solution**

**10.** A toroid with mean radius  $r_0$ , diameter  $2a$  have  $N$  turns carrying current  $I$ . What is the magnetic field  $B$  inside the the toroid?

A.  $\frac{NI}{2\pi r_0}$

B.  $\frac{Nl}{2\pi(r_0 + a)}$

C.  $\frac{Nl}{\pi(r_0 + a)}$

D. zero

**Answer:**



**Watch Video Solution**

**11.** Identify incorrect for electric charge  $q$

A. quantised

B. conserved

C. additive

D. non-transferable.

**Answer:**



**Watch Video Solution**

**12.** The minimum magnetic dipole moment of electron in hydrogen atom is

A.  $\frac{eh}{2\pi m}$

B.  $\frac{eh}{4\pi m}$

C.  $\frac{eh}{\pi m}$

D. 0

**Answer: B**



**Watch Video Solution**

**13.** A 4 kg roller is attached to a massless spring of spring constant  $k = 100 \text{ N/m}$ . It rolls without slipping along a frictionless horizontal road. The roller is displaced from its equilibrium position by 10 cm and then

released. It rolls without slipping along a frictionless horizontal road. The roller is displaced from its equilibrium position by 10 cm and then released. Its maximum speed will be

A.  $0.5\text{ms}^{-1}$

B.  $0.6\text{ms}^{-1}$

C.  $0.4\text{ms}^{-1}$

D.  $0.8\text{ms}^{-1}$

**Answer:**



14. Two wires carrying

- A. Parallel current repel each other.
- B. Antiparallel current attract each other.
- C. Antiparallel current repel each other.
- D. Equal magnitudes of antiparallel current attract each other.

**Answer: C**





15. A particle is thrown with escape velocity  $v_e$  from the surface of earth. Calculate its velocity at height  $3R$  :-

A.  $= 9.25 \text{ km s}^{-1}$

B.  $= 5.6 \text{ km s}^{-1}$

C.  $= 11.2 \text{ km s}^{-1}$

D.  $= 4.3 \text{ km s}^{-1}$

**Answer:**



**Watch Video Solution**

16. What percentage of decay takes place in the average life of a substance ?

- A. Prior to alpha decay.
- B. Prior to beta decay.
- C. Prior to positron decay.
- D. Due to de-excitation of nuclear levels.

**Answer:**



**Watch Video Solution**

17. Calculate the kinetic energy of the electron having wavelength 1 nm.

A. 2.1 eV

B. 3.1 eV

C. 1.5 eV

D. 4.2 eV

**Answer:**



**Watch Video Solution**

18. A spherical body of diameter  $D$  is falling in viscous medium. Its terminal velocity is proportional to

A.  $V_t \propto D^{1/2}$

B.  $V_t \propto D^{3/2}$

C.  $V_t \propto D^2$

D.  $V_t \propto D^{5/2}$

**Answer:**



**Watch Video Solution**

19. In case of infinite long wire electric field is proportional to

A.  $\frac{1}{r}$

B.  $\frac{1}{r^2}$

C.  $\frac{1}{r^{3/5}}$

D.  $\frac{1}{r^{3/5}}$

**Answer:**



**Watch Video Solution**

20. If 2 kg mass is rotating on a circular path of radius 0.8 m with angular velocity of 44 rad/sec. If radius of the path becomes 1 m, then what will be the value of angular velocity?

A. 28.16 rad/sec

B. 19.28 rad/sec

C. 8.12 rad/sec

D. 35.26 rad/sec

**Answer:**



21. Two rods of length  $d_1$  and  $d_2$  and coefficients of thermal conductivities  $K_1$  and  $K_2$  are kept touching each other. Both have the same area of cross-section. The equivalent thermal conductivity.

A. 
$$\frac{(d_1 + d_2)(K_1d_2 + K_2d_1)}{2(K_1 + K_2)}$$

B. 
$$\frac{(d_1 - d_2)(K_1d_2 + K_2d_1)}{2(K_1 + K_2)}$$

C. 
$$\frac{K_1d_1 + K_2d_2}{d_1 + d_2}$$


D. 
$$\frac{K_1 + K_2}{d_1 + d_2}$$

Answer:



Watch Video Solution

22. Calculate  $I$  for the given circuit diagram.





A. 10A

B. 5A

C. 2.5 A

D. 20 A

**Answer:**



**Watch Video Solution**

**23.** A solid cylinder, a circular disc, a solid sphere and a hollow cylinder of the same radius are placed on an inclined plane. Which

of the following will have maximum acceleration at the bottom of the plane?

- A. Circular disc.
- B. Solid cylinder.
- C. Solid sphere.
- D. Hollow cylinder.

**Answer: C**



**Watch Video Solution**

24. Calculate the heat emitted by a bulb of 100

W in 1 min.

A. 100 J

B. 1000 J

C. 600 J

D. 6000 J

**Answer:**



**Watch Video Solution**

## 25. FOR TRIATOMIC OR POLYATOMIC GASES

A.  $\geq 4$

B.  $\geq 5$

C.  $\geq 6$

D.  $\geq 7$

**Answer:**



**Watch Video Solution**

26. A particle moving about its equilibrium position with equation  $y = -ax - bt$ .

Interpret the condition

A. It will always perform the SHM.

B. It can never perform the SHM.

C. It can perform SHM only when  $t > \frac{bx}{a}$

D. It can perform SHM only when  $t \leq \frac{bx}{a}$ .

**Answer:**



**Watch Video Solution**

27. Conversion of water to steam is accompanied by which process?

- A. Adiabatic
- B. Isothermal
- C. Isochoric.
- D. Cyclic

**Answer:**



**Watch Video Solution**

28. The frequency order of for  $\gamma$ -rays (b) X-rays

(a) UV-rays (c ):

A. B gt A gt C

B. A gt B gt C

C. C gt B gt A

D. A gt C gt B

**Answer:**



**Watch Video Solution**

29. For a common - emitter transistor, input current is  $5\mu A$ ,  $\beta = 100$  circuit is operated at load resistance of  $10k\Omega$ , then voltage across collector emitter will be

A. 5 V

B. 10 V

C. 12.5 V

D. 7.5 V

**Answer:**



Watch Video Solution



**30.** Assertion : Surface energy of an oil drop is same whether placed on glass or water surface.

Reason : Surface energy is dependent only on the properties of oil.

A. If both assertion and reason are true and reason is the correct explanation of assertion.

B. If both assertion and reason are true but reason is not the correct explanation of assertion.

C. If assertion is true but reason is false

D. If both assertion and reason are false.

**Answer:**



**Watch Video Solution**

**31. Assertion :** Magnetic force is always perpendicular to the magnetic field.

**Reason :** Electric force is along the direction of electric field.

A. If both assertion and reason are true and reason is the correct explanation of assertion.

B. If both assertion and reason are true but reason is not the correct explanation of assertion.

C. If assertion is true but reason is false

D. If both assertion and reason are false.

**Answer:**



**Watch Video Solution**

**32.** Assertion : In elastic collision, kinetic energy is conserved.

Reason : Energy is always conserved.

A. If both assertion and reason are true and reason is the correct explanation of assertion.

B. If both assertion and reason are true but reason is not the correct explanation of assertion.

C. If assertion is true but reason is false

D. If both assertion and reason are false.

**Answer:**



**Watch Video Solution**

**33.** Bohr's model failed to explain atomic spectra of multielectron atom

A. If both assertion and reason are true and reason is the correct explanation of assertion.

B. If both assertion and reason are true but reason is not the correct explanation of assertion.

C. If assertion is true but reason is false

D. If both assertion and reason are false.

**Answer:**



**Watch Video Solution**

**34.** Assertion : An electrostatic field line never form closed loop.

Reason : Electrostatic field is a conservative field.

A. If both assertion and reason are true and reason is the correct explanation of assertion.

B. If both assertion and reason are true but reason is not the correct explanation of assertion.

C. If assertion is true but reason is false

D. If both assertion and reason are false.

**Answer:**



**Watch Video Solution**



**35.** What are the directions of electric and magnetic field vectors relative to each other and relative to the direction of propagation of electromagnetic waves ?

A. If both assertion and reason are true and reason is the correct explanation of assertion.

B. If both assertion and reason are true but reason is not the correct explanation of

assertion.

C. If assertion is true but reason is false

D. If both assertion and reason are false.

**Answer:**



**Watch Video Solution**

**36.** Why a huge amount of energy is released in nuclear fission of nuclear fusion solution.

A. If both assertion and reason are true and reason is the correct explanation of assertion.

B. If both assertion and reason are true but reason is not the correct explanation of assertion.

C. If assertion is true but reason is false

D. If both assertion and reason are false.

**Answer:**



**Watch Video Solution**

**37. Assertion :** Turbulence is always dissipative.

**Reason :** High reynold number promotes turbulence.

A. If both assertion and reason are true and reason is the correct explanation of assertion.

B. If both assertion and reason are true but reason is not the correct explanation of assertion.

C. If assertion is true but reason is false

D. If both assertion and reason are false.

**Answer:**



**Watch Video Solution**