



MATHS

BOOKS - NAGEEN MATHS (HINGLISH)

MATRICES

Solved Example

1. construct a matrix of order 2×2 whose elements are defined as

$$a_{ij} = i + 3j.$$

A. $A = \begin{bmatrix} -4 & 7 \\ -5 & 8 \end{bmatrix}.$

B. $A = \begin{bmatrix} 4 & -7 \\ 5 & -8 \end{bmatrix}.$

C. $A = \begin{bmatrix} 4 & 7 \\ 5 & 8 \end{bmatrix}.$

D. $A = \begin{bmatrix} 4 & -7 \\ 5 & 8 \end{bmatrix}.$

Answer: C

 [Watch Video Solution](#)

2. if a matrix has 10 elements, write all possible orders of the matrix.

 [Watch Video Solution](#)

3. if $A = \begin{bmatrix} 1 & 3 \\ -2 & 4 \end{bmatrix}$ and $B = \begin{bmatrix} 3 & 0 \\ -1 & 2 \end{bmatrix}$, then find $5A - 2B$.

 [Watch Video Solution](#)

4. if $A = \text{diag}[2 -3 4]$, $B = \text{diag}[3 1 -2]$ and $C = \text{diag}[-1 2 2]$ then find

$2A - B + 3C$.

 [Watch Video Solution](#)

5. if $A = \begin{bmatrix} 1 & 6 \\ 2 & 4 \\ -3 & 5 \end{bmatrix}$ $B = \begin{bmatrix} 3 & 4 \\ 1 & -2 \\ 2 & -1 \end{bmatrix}$, then find a matrix C such that

$$2A - B + C = 0$$

A. $\begin{bmatrix} 1 & -8 \\ -3 & -10 \\ 8 & -11 \end{bmatrix}$.

B. $\begin{bmatrix} 0 & -8 \\ -3 & -10 \\ 8 & -11 \end{bmatrix}$.

C. $\begin{bmatrix} 0 & -8 \\ -3 & -10 \\ 7 & -11 \end{bmatrix}$.

D. $\begin{bmatrix} 5 & -8 \\ -3 & -10 \\ 8 & -11 \end{bmatrix}$.

Answer: A

 [Watch Video Solution](#)

6. if $2A + B = \begin{bmatrix} 5 & -1 \\ 3 & 2 \end{bmatrix}$ and $A - 2B = \begin{bmatrix} 1 & -4 \\ 0 & 5 \end{bmatrix}$ then find the matrices A and B .

 [Watch Video Solution](#)

7. Find the values of X and Y

$$\begin{bmatrix} x + y \\ 3x \end{bmatrix} = \begin{bmatrix} -2 \\ 6 \end{bmatrix}.$$

 [Watch Video Solution](#)

8. if $A = \begin{bmatrix} 1 & 2 & 3 \\ 4 & 5 & 6 \end{bmatrix}$ and $B = \begin{bmatrix} -3 & -2 \\ 0 & 1 \\ -4 & -5 \end{bmatrix}$, then find AB and BA ,

 [Watch Video Solution](#)

9. if $A = \begin{bmatrix} 3 & -1 & 2 \\ 0 & 5 & -3 \\ 1 & -2 & 7 \end{bmatrix}$ and $B = \begin{bmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 1 \end{bmatrix}$, find whether $AB=BA$

or Not .

 [View Text Solution](#)

10. if $A = \begin{bmatrix} 2 & -3 \\ 1 & 4 \end{bmatrix}$, $B = \begin{bmatrix} -1 & 0 \\ 1 & 2 \end{bmatrix}$, $C = \begin{bmatrix} 3 & 1 \\ 1 & 2 \end{bmatrix}$, then show that $A(BC) = (AB)C$.

 [Watch Video Solution](#)

11. If $\theta - \phi = \frac{\pi}{2}$, prove that,

$$\begin{bmatrix} \cos^2 \theta & \cos \theta \sin \theta \\ \cos \theta \sin \theta & \sin^2 \theta \end{bmatrix} \begin{bmatrix} \cos^2 \phi & \cos \phi \sin \phi \\ \cos \phi \sin \phi & \sin^2 \phi \end{bmatrix} = 0$$

 [Watch Video Solution](#)

12. find the transpose of the matrix $A = \begin{bmatrix} 1 & 3 & -4 \\ 0 & 2 & 1 \end{bmatrix}$.

 [Watch Video Solution](#)

13. if $A = \begin{bmatrix} 1 & 0 \\ 0 & 1 \end{bmatrix}$ and $B = \begin{bmatrix} a & c \\ b & d \end{bmatrix}$, then show that $(AB)' = B'A'$

 [Watch Video Solution](#)

14. Express the matrix $A = \begin{bmatrix} 2 & 0 & -4 \\ -3 & 1 & 5 \\ 4 & -2 & 3 \end{bmatrix}$ as a sum of symmetric and skew symmetric matrices.

 [Watch Video Solution](#)

15. Find the inverse of $A = \begin{bmatrix} 5 & -1 \\ 1 & 1 \end{bmatrix}$ by using elementary row transformation.

 [Watch Video Solution](#)

16. Find the inverse of Matrix $A = \begin{bmatrix} 1 & 3 & -2 \\ -3 & 0 & -5 \\ 2 & 5 & 0 \end{bmatrix}$ by using elementary row transformation.

 [View Text Solution](#)

17. find the inverse of matrix $A = \begin{bmatrix} 4 & 7 \\ 3 & 5 \end{bmatrix}$ by using elementary column transformation .



[Watch Video Solution](#)

Exercise 3 A

1. if $A = \begin{bmatrix} 1 & 2 & 3 \\ -4 & 5 & 0 \end{bmatrix}$, then

(i) how many columns are in A ?

(ii) How many rows are in A?

(iii) write the order of A ,

(iv) how many elements are in A?



[Watch Video Solution](#)

2. $A = \begin{bmatrix} 2 & 0 & -1 \\ 3 & 2 & 5 \\ -1 & 4 & -3 \\ 0 & 1 & 7 \end{bmatrix}$, then (i) how many columns are in A? (ii) how

many rows are in A?

(iii) what is the order of A?

(iv) How many elements are in A?



[Watch Video Solution](#)

3. (i) A matrix has 12 elements, write all possible orders of this matrix.

(ii) A matrix has 8 elements write all possible orders of this matrix.

(iii) A matrix has 15 elements, write all possible orders of this matrix.



[Watch Video Solution](#)

4. A Matrix has elements a, b, c and d constant the matrix formed with these elements :

(i) a Matrix of order 1×4

(ii) a matrix of order 4×1

(iii) 4 matrix of order 2×2

 [Watch Video Solution](#)

5. Construct a 2×2 matrix $A = [a_{ij}]$ whose elements a_{ij} are given by:

(i) $a_{ij} = i + j$ (ii) $a_{ij} = \frac{(i + j)^2}{2}$

 [Watch Video Solution](#)

6. Construct a matrix $[a_{ij}]_{3 \times 3}$, where $a_{ij} = \frac{i - j}{i + j}$.

 [Watch Video Solution](#)

7. Construct a matrix $[a_{ij}]_{3 \times 3}$, where $a_{ij} = 2i - 3j$.

 [Watch Video Solution](#)

8. if $A = \begin{bmatrix} 3 & -2 \\ 7 & 1 \end{bmatrix}$ and $B = \begin{bmatrix} 2 & 3 \\ -1 & 4 \end{bmatrix}$, then find

(i) $A + B$ (ii) $A - 2B$

 [Watch Video Solution](#)

9. if $A = \begin{bmatrix} 1 & 2 & -5 \\ -3 & 4 & 6 \end{bmatrix}$ and $B = \begin{bmatrix} -2 & 3 & -4 \\ 1 & 2 & 3 \end{bmatrix}$, then find $2A+B$.

 [Watch Video Solution](#)

10. if $A = \begin{bmatrix} 1+i & -2i \\ 7 & 3-i \end{bmatrix}$ and $B = \begin{bmatrix} 1-i & 2i \\ -3 & 3+i \end{bmatrix}$, then find $A+B$.

 [Watch Video Solution](#)

11. if $A = \begin{bmatrix} 4 & 2 \\ -3 & 2 \\ 1 & 3 \end{bmatrix}$ and $B = \begin{bmatrix} -1 & 3 \\ 0 & 2 \\ 2 & -4 \end{bmatrix}$, then find $3A-4B$.

 [Watch Video Solution](#)

12. if $A = \begin{bmatrix} 1 & -4 & 5 \\ 2 & 1 & -3 \end{bmatrix}$ and $B = \begin{bmatrix} 2 & 3 & -1 \\ 1 & 2 & 3 \end{bmatrix}$ then find a matrix C if $2A+3B -4C$ is a zero matrix.

 [Watch Video Solution](#)

13. if $A = \text{diag}[1 \ 3 \ 4]$, $B = \text{diag}[-2 \ 1 \ -1]$, $C = \text{Diag}[3 \ -1 \ -2]$ then find $2A + B - C$.

 [Watch Video Solution](#)

14. Simplify the following :

$$\cos \theta \begin{bmatrix} \cos \theta & -\sin \theta \\ \sin \theta & \cos \theta \end{bmatrix} + \sin \theta \begin{bmatrix} \sin \theta & \cos \theta \\ -\cos \theta & \sin \theta \end{bmatrix}$$

 [Watch Video Solution](#)

15. (i) if $A + B = \begin{bmatrix} 3 & 4 \\ -1 & 0 \end{bmatrix}$ and $A - B = \begin{bmatrix} 1 & 2 \\ 5 & 6 \end{bmatrix}$, then find the matrix A and B.

(ii) if $X + Y = \begin{bmatrix} 2 & 1 \\ 1 & 2 \end{bmatrix}$ and $2X - Y = \begin{bmatrix} 1 & 2 \\ 2 & 1 \end{bmatrix}$ then find X and Y

 [Watch Video Solution](#)

16. if $2A - 3B = \begin{bmatrix} 4 & 2 \\ -1 & 0 \\ 3 & -2 \end{bmatrix}$ and $3A + B = \begin{bmatrix} 1 & 0 \\ 3 & 5 \\ -1 & 4 \end{bmatrix}$, then

find the matrices A And B,

 [Watch Video Solution](#)

17. Find the values of x and y from each of the following matrix

equation : (i) $\begin{bmatrix} x + y \\ x - y \end{bmatrix} = \begin{bmatrix} 3 \\ 1 \end{bmatrix}$ (ii) $\begin{bmatrix} x + y & 7 \\ 0 & 2x \end{bmatrix} = \begin{bmatrix} -1 & 7 \\ 0 & 6 \end{bmatrix}$

 [Watch Video Solution](#)

18. Find the values of x, y, z from the following matrix equation :

$$\begin{bmatrix} x + y & x + y + z \\ 2x + y & 0 \end{bmatrix} = \begin{bmatrix} 3 & 6 \\ 5 & 0 \end{bmatrix}$$



[Watch Video Solution](#)

19. find the values of x, y, z from the following matrix equation :

$$2 \begin{bmatrix} x & y \\ z & 0 \end{bmatrix} = \begin{bmatrix} x & 6 \\ 2 & 0 \end{bmatrix} + \begin{bmatrix} 4 & x + y \\ x & 0 \end{bmatrix}$$



[Watch Video Solution](#)

20. if $A = \begin{bmatrix} 2 & -3 \\ 4 & -1 \end{bmatrix}$ and $B = \begin{bmatrix} 3 & 0 \\ -1 & 2 \end{bmatrix}$, then find A matrix C such that $2A - B + 3C$ is a unit matrix.



[Watch Video Solution](#)

1. Find AB and BA if exists from the following matrices A and B :

$$(i) A = \begin{bmatrix} 2 & 3 & -1 \\ 0 & 1 & 2 \end{bmatrix} \text{ and } B = \begin{bmatrix} 2 & -6 \\ -4 & 0 \end{bmatrix}$$

$$(ii) A = \begin{bmatrix} 1 & 2 & 3 \\ 0 & 1 & -2 \\ -1 & 0 & -1 \end{bmatrix} \text{ and } B = \begin{bmatrix} 0 & 0 & 2 \\ 2 & 0 & 0 \\ 0 & 2 & 0 \end{bmatrix}$$

$$(iii) A = \begin{bmatrix} 0 & 3 & 4 \\ 2 & 1 & -2 \\ 1 & -3 & -1 \end{bmatrix} \text{ and } B = \begin{bmatrix} 2 & 1 & 3 \\ -1 & 0 & -2 \end{bmatrix}$$

 [Watch Video Solution](#)

2. if $A = \begin{bmatrix} 4 & 0 & -3 \\ 1 & 2 & 0 \end{bmatrix}$ and $B = \begin{bmatrix} 2 & 1 \\ 1 & -2 \\ 3 & 4 \end{bmatrix}$ 'then find AB and BA .

 [Watch Video Solution](#)

3. if $A = \begin{bmatrix} 0 & 3 \\ 2 & 1 \end{bmatrix}$, then find A^2

 [Watch Video Solution](#)

4. if $A = \begin{bmatrix} \cos \theta & \sin \theta \\ -\sin \theta & \cos \theta \end{bmatrix}$, then show that :

$$A^2 = \begin{bmatrix} \cos 2\theta & \sin 2\theta \\ -\sin 2\theta & \cos 2\theta \end{bmatrix}$$

 [Watch Video Solution](#)

5. (i) if $A = \begin{bmatrix} 1 & 0 \\ 0 & 1 \end{bmatrix}$, $B = \begin{bmatrix} 0 & 1 \\ 1 & 0 \end{bmatrix}$ and $C = \begin{bmatrix} 1 & 0 \\ 0 & 1 \end{bmatrix}$, then show that

$$A^2 = B^2 = C^2 = I_2.$$

(ii) if $A = \begin{bmatrix} 1 & 0 \\ 1 & 1 \end{bmatrix}$, $B = \begin{bmatrix} 2 & 0 \\ 1 & 1 \end{bmatrix}$ and $C = \begin{bmatrix} -1 & 2 \\ 3 & 1 \end{bmatrix}$, then show that $A(B+C)=AB+AC$. (iii) if $A = \begin{bmatrix} 1 & -1 \\ -1 & 1 \end{bmatrix}$ and $B = \begin{bmatrix} 1 & 1 \\ 1 & 1 \end{bmatrix}$, then show that AB is a zero matrix.

 [Watch Video Solution](#)

6. if $A = \begin{bmatrix} 1 & 2 \\ 3 & 4 \end{bmatrix}$, $B = \begin{bmatrix} -1 & 0 \\ 2 & 3 \end{bmatrix}$ and $C = \begin{bmatrix} 1 & -1 \\ 0 & 1 \end{bmatrix}$, then show that : (i) $A(B+C)=AB+AC$ (ii) $(A-B)C=AC-BC$.

 [Watch Video Solution](#)

7. if $A = \begin{bmatrix} 3 & 2 & 1 \\ 1 & 2 & 3 \\ 3 & -6 & 1 \end{bmatrix}$, $B = \begin{bmatrix} 1 & 4 & 0 \\ 2 & -3 & 0 \\ 1 & 2 & 0 \end{bmatrix}$

and $C = \begin{bmatrix} 1 & 2 & 3 \\ 3 & 2 & 1 \\ 8 & 7 & 9 \end{bmatrix}$, then find $AB-AC$.

 [View Text Solution](#)

8. (i) if $A = \begin{bmatrix} 4 & -1 & -4 \\ 3 & 0 & -4 \\ 3 & -1 & -3 \end{bmatrix}$, then show that $A^2 = I$

 [Watch Video Solution](#)

9. (i) if $A = \begin{bmatrix} 1 & -1 \\ 2 & 3 \end{bmatrix}$, then show that $A^2 - 4A + 5I = O$.

(ii) if $f(x) = x^2 + 3x - 5$ and $A = \begin{bmatrix} 2 & -1 \\ 4 & 3 \end{bmatrix}$, then find $f(A)$.

 [Watch Video Solution](#)

10. if $A \begin{bmatrix} 1 & 3 & 2 \\ 2 & 0 & 3 \\ 1 & -1 & 1 \end{bmatrix}$, then find $A^3 - 2A^2 + A - I_3$.



[Watch Video Solution](#)

11. Ram bought 5 dozen mangoes ,8 dozen bananas and 4 dozen oranges , the cost price of mango banana and orange are Rs. 40, Rs, 25 and Rs. 20 per dozen ,Represent the fruits in row matrix and price of the fruits .



[Watch Video Solution](#)

12. There are 20 dozen shirts , 15 Dozen pants and 25 Dozen a pair of socks in rajesh 's shop , if the cost of a shrit , a pant and a pair of socks are respectivley Rs. 60, Rs. 110 and Rs. 25, ,then find the total selling price of these things.



[Watch Video Solution](#)

Exercise 3 C

1. find the transpose of matrix $A = \begin{bmatrix} 2 & 0 \\ -1 & 4 \end{bmatrix}$.

 [Watch Video Solution](#)

2. if $\begin{bmatrix} 2 & 8 \\ -7 & 3 \end{bmatrix}$ and $B = \begin{bmatrix} -1 & 3 \\ 2 & -4 \end{bmatrix}$, then show that : (i)

$(A+B)'=A+B'$ (ii) $(A+2B)'=A'+2B'$ (iii) $(AB)'=B'A'$

 [Watch Video Solution](#)

3. if $A = \begin{bmatrix} 1 & 0 & -3 \\ 2 & 3 & 4 \\ -4 & 5 & -2 \end{bmatrix}$ and $b = \begin{bmatrix} 3 & 0 & -1 \\ 2 & 5 & -4 \\ 4 & -1 & 2 \end{bmatrix}$, then show

that :

$(AB)' = B'A'$

 [Watch Video Solution](#)

4. if $A = \begin{bmatrix} 0 \\ 1 \\ 2 \end{bmatrix}$ and $B = [3 \ 2 \ 1]$, then show that :

$$(AB)' = B'A'$$

 Watch Video Solution

5. if $A = \begin{bmatrix} 2 & 1 & 3 \\ 1 & -1 & 2 \\ 4 & 1 & 5 \end{bmatrix}$ and $B = \begin{bmatrix} 1 & -1 & 2 \\ 2 & 1 & 5 \\ 4 & 1 & 3 \end{bmatrix}$, then show that :

$$(i)(A + B)' = A' + B' \quad (ii)(A + 4B)' = A' + 4B'$$

 Watch Video Solution

6. If matrix $A = \begin{bmatrix} 1 & -4 \\ 3 & 0 \end{bmatrix}$ is express as a sum of symmetric and skew symmetric matrices as $\begin{bmatrix} 1 & x \\ -\frac{1}{2} & 0 \end{bmatrix} + \begin{bmatrix} 0 & -\frac{7}{2} \\ y & 0 \end{bmatrix}$ then $x + y = ?$

A. 0

B. 1

C. 2

D. 3

Answer: D

 [Watch Video Solution](#)

7. express the following matrices as a sum of symmetric and skew

symmetric matrices : $\begin{bmatrix} 3 & -7 \\ 4 & 2 \end{bmatrix}$

 [Watch Video Solution](#)

8. If A and B are symmetric of the same order, then (A) AB is a symmetric matrix (B) A-B is skew symmetric (C) AB-BA is symmetric matrix (D)

AB+BA is a symmetric matrix

 [Watch Video Solution](#)

9. Let A be a square matrix. Then prove that (i) $A + A^T$ is a symmetric matrix, (ii) $A - A^T$ is a skew-symmetric matrix and (iii) AA^T and $A^T A$ are symmetric matrices.

 [Watch Video Solution](#)

Exercise 3 D

1. find the inverse of the following matrix : $\begin{bmatrix} 1 & -1 \\ 2 & 3 \end{bmatrix}$

 [Watch Video Solution](#)

2. find the inverse of the following matrices by using elementary column transformations: (i) $\begin{bmatrix} 3 & -1 \\ -4 & 2 \end{bmatrix}$ (ii) $\begin{bmatrix} 2 & -6 \\ 1 & -2 \end{bmatrix}$

 [Watch Video Solution](#)

3. if $A = \begin{bmatrix} 1 & -1 & 1 \\ 2 & 1 & -1 \\ -1 & -2 & 2 \end{bmatrix}$ then show that A^{-1} Does not exist.



Watch Video Solution

Exercise 3 E

1. A matrix of order $m \times n$ contains 7 elements, then how many different order pairs (m,n) can take ?

A. 2

B. 1

C. 3

D. 7

Answer: A



Watch Video Solution

2. Matrix $\begin{bmatrix} 1 & 0 \\ 0 & 1 \end{bmatrix}$ is :

- A. Zero matrix
- B. Identity matrix
- C. Scalar matrix
- D. None of these

Answer: B



[Watch Video Solution](#)

3. $\cos \theta \begin{bmatrix} \cos \theta & -\sin \theta \\ \sin \theta & \cos \theta \end{bmatrix} + \sin \theta \begin{bmatrix} \sin \theta & \cos \theta \\ -\cos \theta & \sin \theta \end{bmatrix} = ?$

A. $\begin{bmatrix} 0 & 0 \\ 0 & 0 \end{bmatrix}$

B. $\begin{bmatrix} 1 & 0 \\ 0 & 1 \end{bmatrix}$

C. $\begin{bmatrix} 0 & 1 \\ 1 & 0 \end{bmatrix}$

D. None of these

Answer: B



Watch Video Solution

4. If the order of matrix A is $m \times n$, then the order of the transpose of matrix A is :

A. $m \times n$

B. $n \times n$

C. $n \times m$

D. $m \times m$

Answer: C



Watch Video Solution

5. If $f(x) = x^2 - 5x + 6$. Find $f(A)$, if $A = \begin{bmatrix} 2 & 0 & 1 \\ 2 & 1 & 3 \\ 1 & -1 & 0 \end{bmatrix}$.

A. $\begin{bmatrix} 1 & -1 & -3 \\ -1 & 1 & 10 \\ -5 & 4 & 4 \end{bmatrix}$

B. $\begin{bmatrix} 1 & -1 & -3 \\ -1 & -1 & -10 \\ -5 & -4 & -4 \end{bmatrix}$

C. $\begin{bmatrix} 1 & -1 & -3 \\ -1 & -1 & -10 \\ -5 & 4 & 4 \end{bmatrix}$

D. None of these

Answer: C



Watch Video Solution

6. if $A = \begin{bmatrix} 3 & -2 \\ 4 & -2 \end{bmatrix}$, $I = \begin{bmatrix} 1 & 0 \\ 0 & 1 \end{bmatrix}$ and $A^2 = k \cdot A - 2I$, then $k = ?$

A. 1

B. -1

C. 2

D. None of these

Answer: A

 [View Text Solution](#)

7. if $x \begin{bmatrix} 2 \\ 3 \end{bmatrix} + y \begin{bmatrix} -1 \\ 5 \end{bmatrix} = \begin{bmatrix} 4 \\ 19 \end{bmatrix}$, then the values of x and y are:

A. $x = y, y = 3$

B. $x = 6, y = 8$

C. $x = 3, y = 2$

D. None of these

Answer: C

 [Watch Video Solution](#)

8. If $A = \begin{bmatrix} 3 & -1 \\ 2 & 5 \end{bmatrix}$, then $A + A^T = ?$

A. $\begin{bmatrix} 3 & 1/2 \\ 1/2 & 5 \end{bmatrix}$

B. $\begin{bmatrix} 6 & 1 \\ 1 & 10 \end{bmatrix}$

C. $\begin{bmatrix} 0 & -3 \\ 3 & 0 \end{bmatrix}$

D. None of these

Answer: B



Watch Video Solution

9. If $A = \begin{bmatrix} \cos \theta & \sin \theta \\ -\sin \theta & \cos \theta \end{bmatrix}$, then $AA^T = ?$

A. $\begin{bmatrix} 1 & 0 \\ 0 & 1 \end{bmatrix}$

B. $\begin{bmatrix} 0 & 1 \\ 1 & 0 \end{bmatrix}$

C. $\begin{bmatrix} 1 & 0 \\ 0 & -1 \end{bmatrix}$

D. None of these

Answer: A



[Watch Video Solution](#)

10. if A and B are symmetric matrices of same order then $(AB - BA)$ is :

- A. Zero matrix
- B. identity matrix
- C. skew symmetric matrix
- D. symmetric matrix

Answer: C



[Watch Video Solution](#)

Exercise 3 F

1. If $F(x) = \begin{bmatrix} \cos^2 x & \cos x \sin x \\ \cos x \sin x & \sin^2 x \end{bmatrix}$ and the difference of x and y is the odd Multiple of $\frac{\pi}{2}$, then $F(x)F(y)$ is :

- A. Zero matrix
- B. unit matrix
- C. diagonal matrix
- D. None of these

Answer: B



[View Text Solution](#)

2. If $A = \begin{bmatrix} a & b \\ b & a \end{bmatrix}$ and $A^2 = \begin{bmatrix} \alpha & \beta \\ \beta & \alpha \end{bmatrix}$ then

- A. $\alpha = a^2 - b^2, \beta = 2ab$
- B. $\alpha = 2ab, \beta = a^2 + b^2$
- C. $\alpha = a^2 + b^2, \beta = 2ab$

$$D. \alpha = 2ab, \beta = a^2 - b^2$$

Answer: C



Watch Video Solution

3. if $\begin{bmatrix} 2 & 1 \\ 3 & 2 \end{bmatrix} A \begin{bmatrix} -3 & 2 \\ 5 & -3 \end{bmatrix} = \begin{bmatrix} 1 & 0 \\ 0 & 1 \end{bmatrix}$, then $A = ?$

A. $\begin{bmatrix} 0 & 1 \\ 1 & 1 \end{bmatrix}$

B. $\begin{bmatrix} 1 & 1 \\ 1 & 0 \end{bmatrix}$

C. $\begin{bmatrix} 1 & 0 \\ 0 & 1 \end{bmatrix}$

D. None of these

Answer: B



Watch Video Solution

4. If A and B are square matrices of same order, then which of the following is true -

A. $(AB)^T = A^T B^T$

B. $(AB)^T = B^T A^T$

C. $AB = O \Rightarrow A = O$ or $B = O$

D. None of these

Answer: B



[Watch Video Solution](#)

5. A , B are two matrices such that AB and $A + B$ are both defined; show that A , B are square matrices of the same order.

A. the order of A and B are not same necessarily,

B. No. of columns in $A = N \odot$ of rows in B .

C. A and B are square matrices of same order.

D. No. of rows in A=No. Of columns in B.

Answer: C

 [Watch Video Solution](#)

6. if $A = \begin{bmatrix} 0 & 1 \\ 1 & 0 \end{bmatrix}$, then $A^4 = ?$

A. $\begin{bmatrix} 1 & 1 \\ 0 & 0 \end{bmatrix}$

B. $\begin{bmatrix} 0 & 1 \\ 0 & 1 \end{bmatrix}$

C. $\begin{bmatrix} 1 & 0 \\ 0 & 1 \end{bmatrix}$

D. None of these

Answer: C

 [Watch Video Solution](#)

7. If $A = \begin{bmatrix} 4 & x + 2 \\ 2x - 3 & x + 1 \end{bmatrix}$ is a symmetric matrix, then $x = ?$

A. 2

B. 3

C. 4

D. 5

Answer: D



[Watch Video Solution](#)

8. If A and B are two matrices such that $AB = B$ and $BA = A$, then

$$A^2 + B^2 =$$

A. $2AB$

B. $2BA$

C. $A+B$

D. AB

Answer: C



[Watch Video Solution](#)

9. If A is a skew-symmetric matrix and n is odd positive integer, then A^n is

A. a skew symmetric matrix

B. a symmetric matrix

C. a zero matrix

D. None of these

Answer: A



[Watch Video Solution](#)

10. If A is a symmetric matrix and $n \in \mathbb{N}$ then A^n is

A. a skew symmetric matrix

B. a symmetric matrix

C. a zero matrix

D. None of these

Answer: B



[Watch Video Solution](#)

Exercise 3 1

1. in the matrix $a = \begin{bmatrix} 2 & 5 & 19 & -7 \\ 35 & -2 & \frac{5}{2} & 12 \\ \sqrt{3} & 1 & -5 & 17 \end{bmatrix}$, write:

(i) the order of the matrix,

(ii) the number of elements ,

(iii) write the elements , a_{13} , a_{21} , 1_{33} , 1_{24} , a_{23} .



[Watch Video Solution](#)

2. If a matrix has 24 elements, what are the possible orders it can have?

What, if it has 13 elements?

 [Watch Video Solution](#)

3. If a matrix has 18 elements, what are the possible orders it can have?

What, if it has 5 elements?

 [Watch Video Solution](#)

4. Construct a 2×2 matrix $A=[a_{ij}]$, whose elements are given by :

$$(i)a_{ij} = \frac{(i+j)^2}{2} \quad (ii)a_{ij} = \frac{i}{j}$$

$$(iii)a_{ij} = \frac{(i+2j)^2}{2}$$

 [Watch Video Solution](#)

5. Construct a 3×4 matrix, whose elements are given by: (i)

$$a_{ij} = \frac{1}{2} | -3i + j | \quad \text{(ii) } a_{ij} = 2i - j$$

 [Watch Video Solution](#)

6. find the values of x, y and z from the following equations :

$$(i) \begin{bmatrix} 4 & 3 \\ x & 5 \end{bmatrix} = \begin{bmatrix} y & z \\ 1 & 5 \end{bmatrix}$$

$$(ii) \begin{bmatrix} x + y & 2 \\ 5 + z & xy \end{bmatrix} = \begin{bmatrix} 6 & 2 \\ 5 & 8 \end{bmatrix}$$

$$(iii) \begin{bmatrix} x + y + z \\ x + z \\ y + z \end{bmatrix} = \begin{bmatrix} 9 \\ 5 \\ 7 \end{bmatrix}$$

 [Watch Video Solution](#)

7. Find the value of a, b, c and d from the equation:

$$[a - b \ 2a + c \ 2a - b \ 3c + d] = [-15 \ 0 \ 13]$$

 [Watch Video Solution](#)

8. A square matrix $A = [a_{ij}]$ in which $a_{ij} = 0$ for $i \neq j$ and $[a]_{ij} = k$ (constant) for $i = j$ is called a

- A. unit matrix
- B. scalar matrix
- C. null matrix
- D. diagonal matrix

Answer: B

 [Watch Video Solution](#)

9. Which of the given values of x and y make the following pair of matrices equal $[3x + 75y + 12 - 3x]$, $[0y - 284]$ (a) $x = \frac{-1}{3}$, $y = 7$
(b) Not possible to find (c) $y = 7$, $x = \frac{-2}{3}$ (d) $x = \frac{-1}{3}$, $y = \frac{-2}{3}$

 [Watch Video Solution](#)

10. The number of all possible matrices of order 3×3 with each entry 0 or 1 is:

A. 27

B. 28

C. 81

D. 512

Answer: D



[Watch Video Solution](#)

Exercise 3 2

1. $A = \begin{bmatrix} 2 & 4 \\ 3 & 2 \end{bmatrix}$, $B = \begin{bmatrix} 1 & 3 \\ -2 & 5 \end{bmatrix}$, $C = \begin{bmatrix} -2 & 5 \\ 3 & 4 \end{bmatrix}$

find each of the following :

(i) $A+B$ (ii) $A-B$

(iii) 3A-C (iv) AB

(V) BA

 Watch Video Solution

2. compute the following :

$$(i) \begin{bmatrix} a & b \\ -b & a \end{bmatrix} + \begin{bmatrix} a & b \\ b & a \end{bmatrix}$$

$$(ii) \begin{bmatrix} a^2 + b^2 & b^2 + c^2 \\ a^2 + c^2 & a^2 + b^2 \end{bmatrix} + \begin{bmatrix} 2ab & 2bc \\ -2ac & -2ab \end{bmatrix}$$

$$(iii) \begin{bmatrix} -1 & 4 & -6 \\ 8 & 5 & 16 \\ 2 & 8 & 5 \end{bmatrix} + \begin{bmatrix} 12 & 7 & 6 \\ 8 & 0 & 5 \\ 3 & 2 & 4 \end{bmatrix}$$

$$(iv) \begin{bmatrix} \cos^2 x & \sin^2 x \\ \sin^2 x & \cos^2 x \end{bmatrix} + \begin{bmatrix} \sin^2 x & \cos^2 x \\ \cos^2 x & \sin^2 x \end{bmatrix}$$

 Watch Video Solution

3. compute the indicated products .

$$(i) \begin{bmatrix} a & b \\ -b & a \end{bmatrix} \begin{bmatrix} a & -b \\ b & a \end{bmatrix} \quad (ii) \begin{bmatrix} 1 \\ 2 \\ 3 \end{bmatrix} [2 \quad 3 \quad 4] \quad (iii) \begin{bmatrix} 1 & -2 \\ 2 & 3 \end{bmatrix} \begin{bmatrix} 1 & 2 & 3 \\ 2 & 3 & 1 \end{bmatrix}$$

$$(iv) \begin{bmatrix} 2 & 3 & 4 \\ 3 & 4 & 5 \\ 4 & 5 & 6 \end{bmatrix} \begin{bmatrix} 1 & -3 & 5 \\ 0 & 2 & 4 \\ 3 & 0 & 5 \end{bmatrix} \quad (v) \begin{bmatrix} 2 & 1 \\ 3 & 2 \\ -1 & 1 \end{bmatrix} \begin{bmatrix} 1 & 0 & 1 \\ -1 & 2 & 1 \end{bmatrix} \quad (vi)$$

$$\begin{bmatrix} 3 & -1 & 3 \\ -1 & 0 & 2 \end{bmatrix} \begin{bmatrix} 2 & -3 \\ 1 & 0 \\ 3 & 1 \end{bmatrix}$$

 [Watch Video Solution](#)

4.

$$\text{if } A = \begin{bmatrix} 1 & 2 & -3 \\ 5 & 0 & 2 \\ 1 & -1 & 1 \end{bmatrix}, B = \begin{bmatrix} 3 & -1 & 2 \\ 4 & 2 & 5 \\ 2 & 0 & 3 \end{bmatrix} \text{ and } c = \begin{bmatrix} 4 & 1 & 2 \\ 0 & 3 & 2 \\ 1 & -2 & 3 \end{bmatrix},$$

then compute $(A+B)$ and $(B-C)$, Also , verify that $A+(B-C)=(A+B)-C$.

 [Watch Video Solution](#)

$$5. \text{ If } A = \begin{bmatrix} 2 & 5 & 1 & 2 & 4 & 7 & 2 \\ 3 & 3 & 3 & 3 & 3 & 3 & 3 \end{bmatrix} \text{ and } B = \begin{bmatrix} 2 & 2 & 1 & 2 & 4 & 7 & 6 & 2 \\ 3 & 5 & 5 & 5 & 5 & 3 & 5 & 5 \end{bmatrix}, \text{ then}$$

compute $3A$ $5B$.

 [Watch Video Solution](#)

6. Simplify:

$$\cos \theta \begin{bmatrix} \cos \theta & \sin \theta \\ -\sin \theta & \cos \theta \end{bmatrix} + \sin \theta \begin{bmatrix} \sin \theta & -\cos \theta \\ \cos \theta & \sin \theta \end{bmatrix}$$

 [Watch Video Solution](#)

7. Find X and Y , if (i) $X + Y = [7025]$ and $X - Y = [3003]$ (ii)

$$2X + 3Y = [2340] \text{ and } 3X + 2Y = [2 - 2 - 15]$$

 [Watch Video Solution](#)

8. Find X if $Y = [3214]$ and $2X + Y = [10 - 32]$.

 [Watch Video Solution](#)

9. Find X and Y , if

$$2 \begin{bmatrix} 1 & 3 \\ 0 & x \end{bmatrix} + \begin{bmatrix} y & 0 \\ 1 & 2 \end{bmatrix} = \begin{bmatrix} 5 & 6 \\ 1 & 8 \end{bmatrix}$$

 [Watch Video Solution](#)

10. Solve the equation for x, y, z and t, if $2[xyz t] + 3[1 - 102] = 3[3546]$

 [Watch Video Solution](#)

11. if $x \begin{bmatrix} 2 \\ 3 \end{bmatrix} + y \begin{bmatrix} -1 \\ 1 \end{bmatrix} = \begin{bmatrix} 10 \\ 5 \end{bmatrix}$, find the values of x and y.

 [Watch Video Solution](#)

12. Given $3[xyzw] - [x6 - 12w] + [4x + yz + w3]$, find the values of x, y, z and w.

 [Watch Video Solution](#)

13. If $f(x) = \begin{bmatrix} \cos x & -\sin x & 0 \\ \sin x & \cos x & 0 \\ 0 & 0 & 1 \end{bmatrix}$ then show $f(x) \cdot f(y) = f(x+y)$

 [Watch Video Solution](#)

14. show that (i) $\begin{bmatrix} 5 & -1 \\ 6 & 7 \end{bmatrix} \begin{bmatrix} 2 & 3 \\ 3 & 4 \end{bmatrix} \neq \begin{bmatrix} 2 & 3 \\ 3 & 4 \end{bmatrix} \begin{bmatrix} 5 & -1 \\ 6 & 7 \end{bmatrix}$

(ii) $\begin{bmatrix} 1 & 2 & 3 \\ 0 & 1 & 0 \\ 1 & 1 & 0 \end{bmatrix} \begin{bmatrix} -1 & 1 & 0 \\ 0 & -1 & 1 \\ 2 & 3 & 4 \end{bmatrix} \neq \begin{bmatrix} -1 & 1 & 0 \\ 0 & -1 & 1 \\ 2 & 3 & 4 \end{bmatrix} \begin{bmatrix} 1 & 2 & 3 \\ 0 & 1 & 0 \\ 1 & 1 & 0 \end{bmatrix}$

 Watch Video Solution

15. If $f(x) = x^2 - 5x + 6$. Find $f(A)$, if $A = \begin{bmatrix} 2 & 0 & 1 \\ 2 & 1 & 3 \\ 1 & -1 & 0 \end{bmatrix}$.

 Watch Video Solution

16. If $A = [102021203]$, prove that $A^3 - 6A^2 + 7A + 2I = 0$

 Watch Video Solution

17. If $A = [3 \ -24 \ -2]$ and $I = [1001]$, find k so that $A^2 = kA - 2I$.

 [Watch Video Solution](#)

18. Let $A = [0 - \tan(\alpha/2)\tan(\alpha/2)0]$ and I be the identity matrix of order 2. Show that $I + A = (I - A)[\cos \alpha - \sin \alpha \sin \alpha \cos \alpha]$.

 [Watch Video Solution](#)

19. A trust fund has Rs. 30000 that must be invested in two different types of bonds. The first bond pays 5% interest per year, and the second bond pays 7% interest per year. Using matrix multiplication, determine how to divide Rs 30000 among the two types of bonds. If the trust fund must obtain an annual total interest of (i) Rs 1800 (ii) 2000.

 [Watch Video Solution](#)

20. The bookshop of a particular school has 10 dozen chemistry books, 8 dozen physics books, 10 dozen economics books. Their selling prices are Rs 80, Rs 60 and Rs 40 each respectively. Find the total amount the bookshop will receive from selling all



[Watch Video Solution](#)

21. the restriction on n , k and p so that $PY + Wy$ will be defined are :

A. $K=3, p=n$

B. K is arbitrary , $p=2$

C. p is arbitrary , $k=3$

D. $k = 2, p = 3$

Answer: A



[View Text Solution](#)

22. If $n = p$, then the order of the matrix $7X \quad 5Z$ is: (A) $p \times 2$

(B) $2 \times n$ (C) $n \times 3$ (D) $p \times n$

A. $p \times 2$

B. $2 \times n$

C. $n \times 3$

D. $p \times n$

Answer: A

 [Watch Video Solution](#)

Exercise 3 3

1. Find the transpose of each of the following matrices: (i) $\left[5\frac{1}{2} \quad -1 \right]$ (ii)

$[1 \quad -123]$ (iii) $[-156\sqrt{35623} \quad -1]$

 [Watch Video Solution](#)

2.

if $A = [(-1, 2, , 3), (5, 7, 9), (-2, 1, 1)]$ and $B = \begin{bmatrix} -4 & 1 & -5 \\ 1 & 2 & 0 \\ 1 & 3 & 1 \end{bmatrix}$,

then verify that (I) $(A + B)' = A' + B'$, (ii) $(A - b)' = A' = B'$

 [View Text Solution](#)

3. if $A' = \begin{bmatrix} 3 & 4 \\ -1 & 2 \\ 0 & 1 \end{bmatrix}$ and $B = \begin{bmatrix} -1 & 2 & 1 \\ 1 & 2 & 3 \end{bmatrix}$, then verify that

(i) $(A + B)' = A' + B'$ (ii) $(A - B)' = A' - B'$

 [Watch Video Solution](#)

4. If $A' = \begin{bmatrix} -2 & 3 \\ 1 & 3 \end{bmatrix}$ and $B = \begin{bmatrix} -1 & 0 \\ 1 & 2 \end{bmatrix}$, find $[A + 2B]'$.

 [Watch Video Solution](#)

5. For the matrices A and B, verify that $(AB)' = B'A'$, where (i)

$$A = [1 \ -43], B = [-121] \quad \text{(iii) } A = [012], B = [157]$$

 [Watch Video Solution](#)

6. If (i) $A = [\cos \alpha \ \sin \alpha \ -\sin \alpha \ \cos \alpha]$, then verify that $A'A = I$

(ii) $A = [\sin \alpha \ \cos \alpha \ -\cos \alpha \ \sin \alpha]$, then verify that $A'A = I$.

 [Watch Video Solution](#)

7. (i) Show that the matrix $A = [1 \ -15 \ -12 \ 15 \ 13]$ is a symmetric matrix. (ii) Show that the matrix $A = [0 \ 1 \ -1 \ -12 \ 11 \ -10]$ is a skew symmetric matrix.

 [Watch Video Solution](#)

8. for the matrix $A = \begin{bmatrix} 1 & 5 \\ 6 & 7 \end{bmatrix}$, verify that :

(i) $(A+A')$ is a symmetric matrix.

(ii) $(A-A')$ is a skew symmetric matrix.

 [Watch Video Solution](#)

9. Find $\frac{1}{2}(A + A')$ and $\frac{1}{2}(A - A')$, when $A = \begin{bmatrix} a & b & c \\ 0 & a & 0 \\ b & -c & 0 \end{bmatrix}$

 [Watch Video Solution](#)

10. Express the following matrices as the sum of a symmetric and a skew symmetric matrix: (i) $\begin{bmatrix} 3 & 5 & 1 \\ -1 & & \end{bmatrix}$ (ii) $\begin{bmatrix} 6 & -2 & 2 \\ -2 & 2 & -3 \\ -12 & -13 & \end{bmatrix}$ (iii) $\begin{bmatrix} 3 & 3 & -1 & -2 \\ -2 & -2 & 1 & 4 \\ 5 & 2 & & \end{bmatrix}$ (iv) $\begin{bmatrix} 1 & 5 \\ -12 & \end{bmatrix}$

 [Watch Video Solution](#)

11. If A and B are symmetric matrices of the same order then (A) A-B is skew symmetric (B) A+B is symmetric (C) AB-BA is skew symmetric (D) AB+BA is symmetric

- A. skew symmetric matrix
- B. symmetric symmetric matrix
- C. zero matrix
- D. identity matrix

Answer: A

 [Watch Video Solution](#)

12. If $A = \begin{bmatrix} \cos \alpha & -\sin \alpha \\ \sin \alpha & \cos \alpha \end{bmatrix}$ then $A + A' = I$ then $\alpha =$

- A. $\frac{\pi}{6}$
- B. $\frac{\pi}{3}$

C. Π

D. $\frac{3\pi}{2}$

Answer: A

 [Watch Video Solution](#)

Exercise 3 4

1. $\begin{bmatrix} 1 & -1 \\ 2 & 3 \end{bmatrix}$ find the inverse of matrix

 [Watch Video Solution](#)

2. $\begin{bmatrix} 2 & 1 \\ 1 & 1 \end{bmatrix}$ find the inverse of matrix

 [Watch Video Solution](#)

3. $\begin{bmatrix} 1 & 3 \\ 2 & 7 \end{bmatrix}$ find the inverse of matrix

 [Watch Video Solution](#)

4. $\begin{bmatrix} 2 & 3 \\ 5 & 7 \end{bmatrix}$ find the inverse of the matrix

 [Watch Video Solution](#)

5. Multiplicative inverse of the matrix $\begin{bmatrix} 2 & 1 \\ 7 & 4 \end{bmatrix}$ is (i) $\begin{bmatrix} 4 & -1 \\ -7 & -2 \end{bmatrix}$ (ii) $\begin{bmatrix} -4 & -1 \\ 7 & -2 \end{bmatrix}$ (iii) $\begin{bmatrix} 4 & -1 \\ 7 & 2 \end{bmatrix}$ (iv) $\begin{bmatrix} 4 & -1 \\ -7 & 2 \end{bmatrix}$

 [Watch Video Solution](#)

6. $\begin{bmatrix} 2 & 5 \\ 1 & 3 \end{bmatrix}$

 [Watch Video Solution](#)

7. $\begin{bmatrix} 3 & 1 \\ 5 & 2 \end{bmatrix}$ using elementary method find the inverse of matrix

 [Watch Video Solution](#)

8. $\begin{bmatrix} 4 & 5 \\ 3 & 4 \end{bmatrix}$ find the inverse of matrix

 [Watch Video Solution](#)

9. $\begin{bmatrix} 3 & 10 \\ 2 & 7 \end{bmatrix}$ find the inverse of matrix

 [Watch Video Solution](#)

10. Using elementary transformations, find the inverse of the matrix

$$[3 \quad -1 \quad -42]$$

 [Watch Video Solution](#)

11. $\begin{bmatrix} 2 & -6 \\ 1 & -2 \end{bmatrix}$ find inverse of matrix

 [Watch Video Solution](#)

12. find inverse using elementary operations $\begin{bmatrix} 6 & -3 \\ -2 & 1 \end{bmatrix}$

 [Watch Video Solution](#)

13. If $A = \begin{bmatrix} 2 & -3 \\ -1 & 2 \end{bmatrix}$ then $A^{-1} =$

A. $\begin{bmatrix} 2 & -3 \\ -1 & 2 \end{bmatrix}$

B. $\begin{bmatrix} 2 & 3 \\ 1 & 2 \end{bmatrix}$

C. $\begin{bmatrix} -1 & 2 \\ 2 & -3 \end{bmatrix}$

D. $\begin{bmatrix} 1 & 2 \\ 2 & 3 \end{bmatrix}$

Answer: B

 [Watch Video Solution](#)

14. $\begin{bmatrix} 2 & 1 \\ 4 & 2 \end{bmatrix}$ find the inverse of matrix

 [Watch Video Solution](#)

15. If $A = \begin{bmatrix} 2 & -3 & 3 \\ 2 & 2 & 3 \\ 3 & -2 & 2 \end{bmatrix}$ then

$C_2 \rightarrow C_2 + 2C_1$ and then $R_1 \rightarrow R_1 + R_3$ gives

 [Watch Video Solution](#)

16. Using elementary transformations, find the inverse of the matrix

$(13 - 2 - 30 - 1210)$

 [Watch Video Solution](#)

17. $A = \begin{bmatrix} 2 & 0 & -1 \\ 5 & 1 & 0 \\ 0 & 1 & 3 \end{bmatrix} A^{-1} = ?$

 [Watch Video Solution](#)

18. Matrices A and B will be inverse of each other only if

A. $AB=BA$

B. $AB=BA=0$

C. $AB=0, BA=I$

D. $AB+BA=I$

Answer: A

 [Watch Video Solution](#)

4. If A and B are symmetric matrices, prove that $AB - BA$ is a skew symmetric matrix.

 [Watch Video Solution](#)

5. Show that the matrix $B^T A B$ is symmetric or skew-symmetric according as A is symmetric or skew-symmetric.

 [Watch Video Solution](#)

6. Find the values of x, y, z if the matrix $A = \begin{bmatrix} 0 & 2y & z \\ x & y & -zx \\ y & -zx & yz \end{bmatrix}$ satisfy the equation $A' A = I$.

 [Watch Video Solution](#)

7. for what values of x:

$$\begin{bmatrix} 1 & 2 & 1 \end{bmatrix} \begin{bmatrix} 1 & 2 & 0 \\ 2 & 0 & 1 \\ 1 & 0 & 2 \end{bmatrix} \begin{bmatrix} 0 \\ 2 \\ x \end{bmatrix} = 0?$$

 [Watch Video Solution](#)

8. if $A = \begin{bmatrix} 3 & 1 \\ -1 & 2 \end{bmatrix}$, show that $A^2 - 5A + 7I = 0$.

 [Watch Video Solution](#)

9. find x, if

$$\begin{bmatrix} x & -5 & -1 \end{bmatrix} \begin{bmatrix} 1 & 0 & 2 \\ 0 & 2 & 1 \\ 2 & 0 & 3 \end{bmatrix} \begin{bmatrix} x \\ 4 \\ 1 \end{bmatrix} = 0$$

 [Watch Video Solution](#)

10. A manufacturer produces three products x,y,z which he sells in two markets ,Annual sales are indicated below:

Market	products		
I	10,000	2,000	18,000
II	6,000	20,000	8,000

(A) if unit sale prices of x,y and z are Rs. 2.50, Rs. 1.50 and Rs. 1.00, respectively , find the total revenue algebra .

(b) if the unit costs of the above three commodities are Rs. 2.00, Rs. 1.00 and 50 paise respectively, find the gross profit.

 [Watch Video Solution](#)

11. Find the matrix X so that $X \begin{bmatrix} 1 & 2 & 3 \\ 4 & 5 & 6 \end{bmatrix} = \begin{bmatrix} -7 & -8 & -9 \\ 2 & 4 & 6 \end{bmatrix}$

 [Watch Video Solution](#)

12. If A and B are square matrices of the same order such that $AB = BA$, then prove by induction that $AB^n = B^n A$. Further, prove

that $(AB)^n = A^n B^n$ for all $n \in \mathbb{N}$.



Watch Video Solution

13. If $A = [\alpha \beta \gamma - \alpha]$ is such that $A^2 = I$, then $1 + \alpha^2 + \beta\gamma = 0$ (b)

$1 - \alpha^2 + \beta\gamma = 0$ (c) $1 - \alpha^2 - \beta\gamma = 0$ (d) $1 + \alpha^2 - \beta\gamma = 0$

A. $1 + \alpha^2 + \beta\gamma = 0$

B. $1 - \alpha^2 + \beta\gamma = 0$

C. $1 - \alpha^2 - \beta\gamma = 0$

D. $1 + \alpha^2 - \beta\gamma = 0$

Answer: A



Watch Video Solution

14. A matrix which is both symmetric as well as skew-symmetric is

A. A is a diagonal matrix

B. A is a zero matrix

C. A is a square matrix

D. None of the above

Answer: B



[Watch Video Solution](#)

15. If A is a square matrix such that $A^2 = A$, then $(I + A)^3 - 7A$ is equal to

A. A

B. $I - A$

C. I

D. $3A$

Answer: A



Watch Video Solution