



CHEMISTRY

BOOKS - MTG CHEMISTRY (ENGLISH)

PRACTICE PAPER -3

Mcqs

1. Which of the following is an addition polymer ?





- A. Terylene
- B. Bakelite
- C. Polyesters
- D. Teflon

Answer: D



Watch Video Solution

2. Which one of the following reactions of xenon compounds is not feasible ?



Answer: A



Watch Video Solution

3. Match of the Column I with column II and mark the appropriate choice.

Column I		Column II	
(A)	Ascorbic acid	(i)	Beri-beri
(B)	Retinol	(ii)	Cracked lips
(C)	Riboflavin	(iii)	Scurvy
(D)	Thiamine	(iv)	Night blindness

A. $A \rightarrow ii, B \rightarrow iii, C \rightarrow iv, D \rightarrow i$

B. $A \rightarrow iii, B \rightarrow I, C \rightarrow ii, D \rightarrow iv$

C. $A \rightarrow I, B \rightarrow ii, C \rightarrow iii, D \rightarrow iv$

D. $A \rightarrow iii, B \rightarrow iv, C \rightarrow ii, D \rightarrow i$

Answer: D



Watch Video Solution

4. Four metals and their methods of refinement are given

(i) Ni, Cu, Zr, Ga

(ii) electrolysis, van Arkel process, zone refining , Mond's process

Choose the right method for each.

A. Ni : Electrolysis, Cu : van Arkel process,

Zr : Zone refining , Ga : Mond's process

B. Ni : Mond's process, Cu: Electrolysis ,

Zr : van Arkel process, Ga : Zone refining

C. Ni : Mond's Porcess, Ga : Zone refining

Zr : Zone refining , Ga : Electrolysis

D. Ni : Electrolysis , Cu : Zoe refinig ,

Zr : van Arkel process, Ga : Mond's process

Answer: B



View Text Solution

5. If initial concentration is doubled, the time for half-reaction is also doubled, the order of reaction is

A. zero

B. first

C. second

D. third

Answer: A



Watch Video Solution

6. Which of the following compounds is found abundantly in nature?

A. Fructose

B. Glucose

C. Starch

D. Cellulose

Answer: D



Watch Video Solution

7. In the following question, a statement of assertion is followed by a statement of reason . Mark the correct choice.

Assertion : $[Cu(NH_3)_4]^{2+}$ is coloured while $[Cu(CN)_4]^{3-}$ is colourless

.

Reason : $[Cu(NH_3)_4]^{2+}$ has dsp^2 hybridisation

A. Both assertion and reason are true and reason is the correct explanation of assertion .

B. Both assertion and reason are true but reason . Is not the correct explanation of assertion.

C. Assertion is true but reason is false.

D. Both assertion and reason are false.

Answer: B



Watch Video Solution

8. Which base is not present in nucleic acids?

- A. Cytosine
- B. Adenine
- C. Thymine
- D. Guanidine

Answer: D



Watch Video Solution

9. Half-life period of a zero order reaction is

- A. Proportional to initial concentrations of reactants
- B. independent of initial concentrations of reactants
- C. inversely proportional to initial concentrations of reactions
- D. inversely proportional to the square of initial concentrations of reactants .

Answer: A



Watch Video Solution

10. Types of drugs that mimic that natural messenger by switching on the receptor are called


- A. antagonists
- B. chemical messengers
- C. receptors
- D. agonists


Answer: D



Watch Video Solution

11. Identify 'Z' in the reaction given below:








Answer: B



Watch Video Solution

12. White phosphorus when reacts with nitric acid gives





Answer: C







Watch Video Solution

13. In the process of extraction of gold.



Identify the complexes $[\text{X}]$ and $[\text{Y}]$.




Answer: A



Watch Video Solution

14. Which of the following represents the isopolyacid of phosphorus ?



Answer: D



Watch Video Solution

15. In an antifluorite structure, cations occupy

A. octahedral voids

B. centre of cube

C. tetrahedral voids

D. corners of cube

Answer: C



Watch Video Solution

16. Primary , secondary and tertiary alcohols can be distinguished by

A. Baeyer's reagent

B. Fehling's solution

C. sulphuric acid




D. Lucas reagent

Answer: D



Watch Video Solution

17. Which of the following curve gives the variation of Λ_m with \sqrt{C} for CH_3COOH ?



D. None of these

Answer: D



Watch Video Solution

18. Depression of freezing point of which of the following solutions does represent the cryoscopic constant of water ?

- A. 6% by mass of urea in aqueous solution
- B. 100 g of aqueous solution containing 18 g of glucose
- C. 59 g of aqueous solution containing 9 g of glucose
- D. 1 M KCl solution in water

Answer: C



Watch Video Solution

19. Among the following, the essential amino acid is :

- A. alanine
- B. valine
- C. proline
- D. serine

Answer: B



Watch Video Solution

20. Match the column I with column II and mark the appropriate choice

Column I		Column II	
(A)	Metalloid	(i)	Selenium
(B)	Radioactive	(ii)	Silver
(C)	Transition	(iii)	Arsenic
(D)	Chalcogen	(iv)	Uranium

A. $A \rightarrow I, B \rightarrow ii, C \rightarrow iii, D \rightarrow iv$

B. $A \rightarrow iii, B \rightarrow iv, C \rightarrow ii, D \rightarrow i$

C. $A \rightarrow iv, B \rightarrow ii, C \rightarrow iii, D \rightarrow i$

D. $A \rightarrow ii, B \rightarrow iii, C \rightarrow iv, D \rightarrow i$

Answer: B



Watch Video Solution

21. The pyrimidine bases present in DNA are

- A. cytosine and adenine
- B. cytosine and guanine
- C. cytosine and thymine
- D. cytosine and uracil

Answer: C



Watch Video Solution

22. When acyl chloride is heated with Na Salt of a carboxylic acid the product is

- A. an aldehyde
- B. an alkene
- C. an anhydride
- D. an ester.

Answer: C



Watch Video Solution

23. Schottky defect is likely to be found in

A. AgI

B. NaCl

C. ZnS


D. ZnO

Answer: B



Watch Video Solution

24. The cell in which the following reaction occurs :



The equilibrium constant of the cell reaction is

A. 6.69×10^{-7}

B. 9.69×10^{-7}

C. 9.69×10^7


D. 6.69×10^7

Answer: C



Watch Video Solution

25. The two isomers X and Y with the formula $Cr(H_2O)_5ClBr_2$ were taken for experiment on depression in freezing point. It was found that one mole of X gave depression corresponding to 2 moles of particles and one mole of Y gave depression due to 3 moles of particles. The structural formulae of X and Y respectively are



D. $[Cr(H_2O)_4Br_2]Cl \cdot H_2O$, $[Cr(H_2O)_5Cl]Br_2$

Answer: D



Watch Video Solution

26. A glucose solution is to be injected into the blood stream. It must have the same....as the blood stream

A. molarity

B. vapour pressure

C. osmotic pressure

D. viscosity

Answer: C



Watch Video Solution

27. Which of the following has highest boiling point ?

- A. Benzene,
- B. Phenol
- C. Toluene
- D. Ethylbenzene

Answer: B



Watch Video Solution

28. The correct order of equivalent conductance at infinite dilution of LiCl, NaCl and KCl is

- A. LiCl gt NaCl gt KCl
- B. KCl gt NaCl gt LiCl
- C. NaCl gt KCl gt LiCl
- D. LiCl gt KCl gt NaCl

Answer: B



Watch Video Solution

29. Match the defects gives in column I with statements given in column II and mark the appropriate choice.

Column I		Column II	
(A)	Simple vacancy defect	(i)	shown by non-ionic solids and increases the density of the solid.
(B)	Simple interstitial defect	(ii)	shown by ionic solids and decreases the density of the solid.
(C)	Frenkel defect	(iii)	shown by non-ionic solids and decreases the density of the solid.
(D)	Schottky defect	(iv)	shown by ionic solids and density of the solid remains the same.

A. $A \rightarrow iv, B \rightarrow iii, C \rightarrow ii, D \rightarrow i$

B. $A \rightarrow iii, B \rightarrow iv, C \rightarrow I, D \rightarrow ii$

C. $A \rightarrow iii, B \rightarrow I, C \rightarrow iv, D \rightarrow ii$

D. $A \rightarrow I, B \rightarrow iii, C \rightarrow iv, D \rightarrow ii$

Answer: C



Watch Video Solution

30. IUPAC name of $K_3[Fe(C_2O_4)_3]$ is

- A. potassium trioxalatoferrate (I)
- B. potassium tetraoxalatoferrate (III)
- C. Potassium trioxalatoferrate (III)
- D. Potassium trioxalatoferrate (II)

Answer: C



Watch Video Solution

31. Dyeting of fibre involves the process of

- A. adsorption

B. absorption

C. sorption

D. all of these

Answer: D



Watch Video Solution

32. The time for 90% of a first order reaction to complete is approximately

A. 1.1 times that of half-life

B. 2.2 times that of half- life

C. 3.3 times that of half-life




D. 4.4 times that of half-life.

Answer: C




Watch Video Solution

33. In which of the following polymers ethylene glycol is one of the monomer units?



D.



Answer: A



Watch Video Solution

34. Which one of the following statements is incorrect ?

A. Specific conductivity decreases with dilution ,

B. Equivalent and molar conductivities increase with dilution.

C. Λ_m° for a weak electrolyte cannot be found by extrapolation of Λ_m to zero concentration.

D. Molar conductivity of a strong electrolyte increases with dilution because ionization

Answer: D




[View Text Solution](#)

35. Pick up the correct statement.

A. Boiling points of alkyl halides are greater than those of the corresponding alkanes.

B. In water, the solubility decreases as



C. Aniline is a weaker base than ammonia.

D. All of the these

Answer: D



View Text Solution

36. How many $\text{P}=\text{O}$ bonds and $\text{P}-\text{OH}$ bonds (respectively) are present in orthophosphoric acid ?

A. 2,1

B. 3,3

C. 1,3

D. 4,3

Answer: C



Watch Video Solution

37. When phenol is treated with Br_2 -water, the product is

- A. o- and p - bromophenol
- B. 2,3,4 -tribromophenol
- C. 2,4,6- tribromophenol
- D. none of these

Answer: C



Watch Video Solution

38. Match the column I with column II and mark the appropriate choice .

Column I		Column II	
(A)	Methanol	(i)	Conversion of phenol to <i>o</i> -hydroxybenzoic acid
(B)	Kolbe's reaction	(ii)	Heated copper at 573 K
(C)	Williamson's synthesis	(iii)	Wood spirit
(D)	Conversion of 2° alcohol to ketone	(iv)	Reaction of alkyl halide with sodium alkoxide

A. $A \rightarrow iii, B \rightarrow iv, C \rightarrow I, D \rightarrow ii$

B. $A \rightarrow iii, B \rightarrow I, C \rightarrow iv, D \rightarrow ii$

C. $A \rightarrow ii, B \rightarrow iii, C \rightarrow I, D \rightarrow iv$

D. $A \rightarrow iv, B \rightarrow I, C \rightarrow iii, D \rightarrow ii$

Answer: B



View Text Solution

39. Which of the following reaction will not give primary amine ?



Answer: C



Watch Video Solution

40. In the following question, a statement of assertion is followed by a statement of reason. Mark the correct choice.

Assertion : Square planar complexes do not show optical isomerism.

Reason : Optional isomerism is due to the absence of elements of symmetry .

A. Both assertion and reason are true and reason is the correct explanation of assertion.

- B. Both assertion and reason are true but reason is not the correct explanation of assertion .
- C. Assertion is true but reason is false.
- D. Both assertion and reason are false.

Answer: B



View Text Solution

41. Which of the following is not a colloid ?

- A. Foam
- B. Cloud
- C. Rooh Afza syrup
- D. Egg

Answer: C



Watch Video Solution

42. Which of the following is not a natural polymer ?

- A. Starch
- B. Nucleic acid
- C. Polystyrene
- D. Protein

Answer: C



Watch Video Solution

43. 45 g of ethylene glycol ($C_2H_6O_2$) is mixed with 600 g of water. The freezing point of the solution is (K_f for water is $1.86 \text{ K kg mol}^{-1}$)

- A. 273.95 K
- B. 270.95 K
- C. 370 . 95 K





D. 373.95 K

Answer: B



Watch Video Solution

44. Which of the following pairs of compounds is expected to exhibit same colour in aqueous solution ?



Answer: B



Watch Video Solution

45. A solid has a *b. c. c.* structure . If the distance of closest approach between the two atoms is 1.73\AA . The edge length of the cell is :

A. 199 pm

B. $\sqrt{3/2}$ pm

C. 142.2 pm

D. $\sqrt{2}$ pm

Answer: A



Watch Video Solution

46. Which of the following statement is incorrect ?

A. XeF_2 is a powerful reducing agent .

B. XeF_2 is obtained by the direct reaction between F_2 and Xe at high pressure.

C. XeF_2 undergoes alkaline hydrolysis to give O_2 and Xe

D. XeF_2 contains two bond pairs and three lone pairs.

Answer: A



View Text Solution

47. 1% aqueous solution of $Ca(NO_3)_2$ has freezing point

A. $0^\circ C$

B. less than $0^\circ C$

C. $1^\circ C$




D. $2^\circ C$

Answer: B



Watch Video Solution

48. XeF_4 reacts violently with water to give



Answer: C




View Text Solution

49. Pick up the correct statement

A. Boiling points of alkyl halides are greater than those of the corresponding alkanes.

B. In water, the solubility decreases as



C. Aniline is a weaker base than ammonia.

D. All of the these

Answer: D



Watch Video Solution

50. Which of the following has highest coagulating power for As_2S_3 sol ?



Answer: B



Watch Video Solution

Practice Paper 3

1. Which of the following is an addition polymer ?

A. Terylene

B. Bakelite

C. Polyesters





D. Teflon

Answer: D



Watch Video Solution

2. Which one of the following reactions of xenon compounds is not feasible ?



Answer: A

[Watch Video Solution](#)

3. Match the Column I with column II and mark the appropriate choice.

Column I		Column II	
(A)	Ascorbic acid	(i)	Beri-beri
(B)	Retinol	(ii)	Cracked lips
(C)	Riboflavin	(iii)	Scurvy
(D)	Thiamine	(iv)	Night blindness

A. $A \rightarrow ii, B \rightarrow iii, C \rightarrow iv, D \rightarrow i$

B. $A \rightarrow iii, B \rightarrow I, C \rightarrow ii, D \rightarrow iv$

C. $A \rightarrow I, B \rightarrow ii, C \rightarrow iii, D \rightarrow iv$

D. $A \rightarrow iii, B \rightarrow iv, C \rightarrow ii, D \rightarrow i$

Answer: D

[Watch Video Solution](#)

4. Four metals and their methods of refinement are given

(i) Ni, Cu, Zr, Ga

(ii) electrolysis, van Arkel process, zone refining, Mond's process

Choose the right method for each.

A. Ni : Electrolysis, Cu : van Arkel process,

Zr : Zone refining, Ga : Mond's process

B. Ni : Mond's process, Cu : Electrolysis,

Zr : van Arkel process, Ga : Zone refining

C. Ni : Mond's Process, Ga : Zone refining

Zr : Zone refining, Ga : Electrolysis

D. Ni : Electrolysis, Cu : Zone refining,

Zr : van Arkel process, Ga : Mond's process

Answer: B



View Text Solution

5. If initial concentration is doubled, the time for half-reaction is also doubled, the order of reaction is

- A. zero
- B. first
- C. second
- D. third

Answer: A



Watch Video Solution

6. Which of the following compounds is found abundantly in nature?

- A. Fructose
- B. Glucose
- C. Starch
- D. Cellulose

Answer: D



Watch Video Solution

7. In the following question, a statement of assertion is followed by a statement of reason . Mark the correct choice.

Assertion : $[Cu(NH_3)_4]^{2+}$ is coloured while $[Cu(CN)_4]^{3-}$ is colourless

.

Reason : $[Cu(NH_3)_4]^{2+}$ has dsp^2 hybridisation

- A. Both assertion and reason are true and reason is the correct explanation of assertion .
- B. Both assertion and reason are true but reason . Is not the correct explanation of assertion.
- C. Assertion is true but reason is false.
- D. Both assertion and reason are false.

Answer: B



[Watch Video Solution](#)

8. Which base is not present in nucleic acids?

- A. Cytosine
- B. Adenine
- C. Thymine
- D. Guanidine

Answer: D



[Watch Video Solution](#)

9. Half-life period of a zero order reaction is

- A. Proportional to initial concentrations of reactants
- B. independent of initial concentrations of reactants
- C. inversely proportional to initial concentrations of reactions

D. inversely proportional to the square of initial concentrations of reactants .

Answer: A



Watch Video Solution

10. Types of drugs that mimic that natural messenger by switching on the receptor are called

A. antagonists

B. chemical messengers

C. receptors



D. agonists

Answer: D



Watch Video Solution

11. Identify 'Z' in the reaction given below:






Answer: B



Watch Video Solution

12. White phosphorus when reacts with nitric acid gives





Answer: C







Watch Video Solution

13. In the process of extraction of gold.



Identify the complexes $[\text{X}]$ and $[\text{Y}]$.







Answer: A



Watch Video Solution

14. Which of the following represents the isopolyacid of phosphorus ?



Answer: D



Watch Video Solution

15. In an antifluorite structure, cations occupy

A. octahedral voids

B. centre of cube

C. tetrahedral voids

D. corners of cube

Answer: C



Watch Video Solution

16. Primary , secondary and tertiary alcohols can be distinguished by

A. Baeyer's reagent

B. Fehling's solution

C. sulphuric acid




D. Lucas reagent

Answer: D



Watch Video Solution

17. Which of the following curve gives the variation of Λ_m with \sqrt{C} for CH_3COOH ?



D. None of these

Answer: D



Watch Video Solution

18. Depression of freezing point of which of the following solutions does represent the cryoscopic constant of water ?

- A. 6% by mass of urea in aqueous solution
- B. 100 g of aqueous solution containing 18 g of glucose
- C. 59 g of aqueous solution containing 9 g of glucose
- D. 1 M KCl solution in water

Answer: C



Watch Video Solution

19. Among the following, the essential amino acid is :

- A. alanine
- B. valine
- C. proline
- D. serine

Answer: B



Watch Video Solution

20. Match the column I with column II and mark the appropriate choice

Column I		Column II	
(A)	Metalloid	(i)	Selenium
(B)	Radioactive	(ii)	Silver
(C)	Transition	(iii)	Arsenic
(D)	Chalcogen	(iv)	Uranium

A. $A \rightarrow I, B \rightarrow ii, C \rightarrow iii, D \rightarrow iv$

B. $A \rightarrow iii, B \rightarrow iv, C \rightarrow ii, D \rightarrow i$

C. $A \rightarrow iv, B \rightarrow ii, C \rightarrow iii, D \rightarrow i$

D. $A \rightarrow ii, B \rightarrow iii, C \rightarrow iv, D \rightarrow i$

Answer: B



Watch Video Solution

21. The pyrimidine bases present in DNA are

- A. cytosine and adenine
- B. cytosine and guanine
- C. cytosine and thymine
- D. cytosine and uracil

Answer: C



Watch Video Solution

22. When acyl chloride is heated with Na Salt of a carboxylic acid the product is

- A. an aldehyde
- B. an alkene
- C. an anhydride
- D. an ester.

Answer: C



Watch Video Solution

23. Schottky defect is likely to be found in

A. AgI

B. NaCl

C. ZnS


D. ZnO

Answer: B



Watch Video Solution

24. The cell in which the following reaction occurs :



The equilibrium constant of the cell reaction is

A. 6.69×10^{-7}

B. 9.69×10^{-7}

C. 9.69×10^7


D. 6.69×10^7

Answer: C



Watch Video Solution

25. The two isomers X and Y with the formula $Cr(H_2O)_5ClBr_2$ were taken for experiment on depression in freezing point. It was found that one mole of X gave depression corresponding to 2 moles of particles and one mole of Y gave depression due to 3 moles of particles. The structural formulae of X and Y respectively are



D. $[Cr(H_2O)_4Br_2]Cl \cdot H_2O$, $[Cr(H_2O)_5Cl]Br_2$

Answer: D



Watch Video Solution

26. A glucose solution is to be injected into the blood stream. It must have the same....as the blood stream

A. molarity

B. vapour pressure

C. osmotic pressure

D. viscosity

Answer: C



Watch Video Solution

27. Which of the following has highest boiling point ?

- A. Benzene,
- B. Phenol
- C. Toluene
- D. Ethylbenzene

Answer: B



Watch Video Solution

28. The correct order of equivalent conductance at infinite dilution of LiCl, NaCl and KCl is

- A. LiCl gt NaCl gt KCl
- B. KCl gt NaCl gt LiCl
- C. NaCl gt KCl gt LiCl
- D. LiCl gt KCl gt NaCl

Answer: B



Watch Video Solution

29. Match the defects gives in column I with statements given in column II and mark the appropriate choice.

Column I		Column II	
(A)	Simple vacancy defect	(i)	shown by non-ionic solids and increases the density of the solid.
(B)	Simple interstitial defect	(ii)	shown by ionic solids and decreases the density of the solid.
(C)	Frenkel defect	(iii)	shown by non-ionic solids and decreases the density of the solid.
(D)	Schottky defect	(iv)	shown by ionic solids and density of the solid remains the same.

A. $A \rightarrow iv, B \rightarrow iii, C \rightarrow ii, D \rightarrow i$

B. $A \rightarrow iii, B \rightarrow iv, C \rightarrow I, D \rightarrow ii$

C. $A \rightarrow iii, B \rightarrow I, C \rightarrow iv, D \rightarrow ii$

D. $A \rightarrow I, B \rightarrow iii, C \rightarrow iv, D \rightarrow ii$

Answer: C



Watch Video Solution

30. IUPAC name of $K_3[Fe(C_2O_4)_3]$ is

- A. potassium trioxalatoferrate (I)
- B. potassium tetraoxalatoferrate (III)
- C. Potassium trioxalatoferrate (III)
- D. Potassium trioxalatoferrate (II)

Answer: C



Watch Video Solution

31. Dyeting of fibre involves the process of

- A. adsorption

B. absorption

C. sorption

D. all of these

Answer: D



Watch Video Solution

32. The time for 90% of a first order reaction to complete is approximately

A. 1.1 times that of half-life

B. 2.2 times that of half- life

C. 3.3 times that of half-life




D. 4.4 times that of half-life.

Answer: C




Watch Video Solution

33. In which of the following polymers ethylene glycol is one of the monomer units?



D.



Answer: A



Watch Video Solution

34. Which one of the following statements is incorrect ?

A. Specific conductivity decreases with dilution ,

- B. Equivalent and molar conductivities increase with dilution .
- C. Λ_m° for a weak electrolyte cannot be found by extrapolation of Λ_m to zero concentration .
- D. Molar conductivity of a strong electrolyte increases with dilution because ionization

Answer: D

 [View Text Solution](#)

35. Pick up the correct statement .

- A. Boiling points of alkyl halides are greater than those of the corresponding alkanes.
- B. In water , the solubility decreases as
- $$CH_3OH > C_2H_5OH > C_6H_5OH$$
- C. Aniline is a weaker base than ammonia.

D. All of the these

Answer: D



View Text Solution

36. How many $\text{P}=\text{O}$ bonds and $\text{P}-\text{OH}$ bonds (respectively) are present in orthophosphoric acid ?

A. 2,1

B. 3,3

C. 1,3

D. 4,3

Answer: C



Watch Video Solution

37. When phenol is treated with Br_2 -water, the product is

- A. o- and p - bromophenol
- B. 2,3,4 -tribromophenol
- C. 2,4,6- tribromophenol
- D. none of these

Answer: C



Watch Video Solution

38. Match the column I with column II and mark the appropriate choice .

Column I		Column II	
(A)	Methanol	(i)	Conversion of phenol to <i>o</i> -hydroxybenzoic acid
(B)	Kolbe's reaction	(ii)	Heated copper at 573 K
(C)	Williamson's synthesis	(iii)	Wood spirit
(D)	Conversion of 2° alcohol to ketone	(iv)	Reaction of alkyl halide with sodium alkoxide

A. $A \rightarrow iii, B \rightarrow iv, C \rightarrow I, D \rightarrow ii$

B. $A \rightarrow iii, B \rightarrow I, C \rightarrow iv, D \rightarrow ii$

C. $A \rightarrow ii, B \rightarrow iii, C \rightarrow I, D \rightarrow iv$

D. $A \rightarrow iv, B \rightarrow I, C \rightarrow iii, D \rightarrow ii$

Answer: B



View Text Solution

39. Which of the following reaction will not give primary amine ?



Answer: C



Watch Video Solution

40. In the following question, a statement of assertion is followed by a statement of reason. Mark the correct choice.

Assertion : Square planar complexes do not show optical isomerism.

Reason : Optional isomerism is due to the absence of elements of symmetry .

A. Both assertion and reason are true and reason is the correct explanation of assertion.

B. Both assertion and reason are true but reason is not the correct explanation of assertion .

C. Assertion is true but reason is false.

D. Both assertion and reason are false.

Answer: B



View Text Solution

41. Which of the following is not a colloid ?

A. Foam

B. Cloud

C. Rooh Afza syrup

D. Egg

Answer: C



Watch Video Solution

42. Which of the following is not a natural polymer ?

- A. Starch
- B. Nucleic acid
- C. Polystyrene
- D. Protein

Answer: C



Watch Video Solution

43. 45 g of ethylene glycol ($C_2H_6O_2$) is mixed with 600 g of water. The freezing point of the solution is (K_f for water is $1.86 \text{ K kg mol}^{-1}$)

- A. 273.95 K
- B. 270.95 K
- C. 370 . 95 K

D. 373.95 K

Answer: B



Watch Video Solution

44. Which of the following pairs of compounds is expected to exhibit same colour in aqueous solution ?

A. $FeCl_2$, $CuCl_2$

B. $VOCl_2$, $CuCl_2$

C. $VOCl_2$, $FeCl_2$

D. $FeCl_2$, $MnCl_2$

Answer: B



Watch Video Solution

45. A solid has a *b. c. c.* structure . If the distance of closest approach between the two atoms is 1.73\AA . The edge length of the cell is :

A. 199 pm

B. $\sqrt{3/2}$ pm

C. 142.2 pm

D. $\sqrt{2}$ pm

Answer: A



Watch Video Solution

46. Which of the following statement is incorrect ?

A. XeF_2 is a powerful reducing agent .

B. XeF_2 is obtained by the direct reaction between Fe_2 and Xe at high pressure.

C. XeF_2 undergoes alkaline hydrolysis to give O_2 and Xe

D. XeF_2 contains two bond pairs and three lone pairs.

Answer: A



View Text Solution

47. 1% aqueous solution of $Ca(NO_3)_2$ has freezing point

A. $0^\circ C$

B. less than $0^\circ C$

C. $1^\circ C$




D. $2^\circ C$

Answer: B



Watch Video Solution

48. XeF_4 reacts violently with water to give



Answer: C




View Text Solution

49. Pick up the correct statement

A. Boiling points of alkyl halides are greater than those of the corresponding alkanes.

B. In water, the solubility decreases as



C. Aniline is a weaker base than ammonia.

D. All of the these

Answer: D



Watch Video Solution

50. Which of the following has highest coagulating power for As_2S_3 sol ?



Answer: B



Watch Video Solution