



## MATHS

# **BOOKS - AGRAWAL PUBLICATION**

# (2019) QUESTION PAPER



**1.** Check whether g(x) is a factor of P(x) by dividing polynomial p(x) by polynoial g(x).

where p(x) =  $x^5 - 4x^3 + x^2 + 3x + 1$ , g(x) =  $x^3 - 3x + 1$ .

## Watch Video Solution

**2.** Find the area of the triangle formed by joining the mid-points of the sides of the triangle ABC, whose vertices are A(0, -1), B(2,1) and C(0,3).

**3.** Draw the graph of the equations x-y+1 = 0and 3x + 2y - 12 = 0. Using this graph, find the values of x and y which satisfy both the equations.

Watch Video Solution

**4.** Prove that  $\sqrt{3}$  is an irrational number.

5. Find the greatest number which on dividing1251, 9377 and 15628 leaves remainders 1, 2 and3 respectively.





7. If  $\angle A = 90^{\circ}$ , then find the value of  $\tan\left[\frac{B+C}{2}\right]$  Watch Video Solution

8. If tan(A +B) = 1 and tan(A - B) =  $\frac{1}{\sqrt{3}}$ ,  $0^{\circ} < A + B < 90^{\circ}$ , A>B, then find the values of A and B.

**9.** In Figure, PQ is a chord of length 8 cm of a circle of radius 5 cm. The tangents at P and Q intersect at a point T. find the length TP.





**10.** Prove that opposite sides of a quadrilateral

circumscribing a circel subtend supplementary

angles at the centre of the circle.



**11.** Water in a canal, 6 m wide an 1.5 m deep, is flowing with a speed of 10 km/h. How much area will be irrigate in 30 minutes if 8 cm of standing water is needed?



**12.** A class teacher has the following absentee record of 40 students of a class for the whole term. Find the mean number of days a student was absent.

Number of days	0-6	6-12	12-18	18-24	24-30	30-36	36-42
Number of students	10	11	7	4	4	3	1



Watch Video Solution

**13.** A car has two wipers which do not overlap. Each wiper has a blade of length 21 cm sweeping through and angle  $120^{\circ}$ . Find the total area cleaned at each sweep of the blades.

$$\left(take\pi=rac{22}{7}
ight)$$

#### Watch Video Solution

14. A pole has to be erected at a point on the boundary of a circular park of diameter 13m in such a way that the difference of its distances from two diametrically opposite fixed gates A and B on the boundary is 7 m. Is it possible to do so? If yes, at what distances from the two gases should the pole be erected?



15. If m times the  $m^{th}$  term of an Arithmetic Progession is equal to n times its  $n^{th}$  term and  $m \neq n$ , show that the `(m + n)^(th) term of the AP is zero.

Watch Video Solution

**16.** The sum of the first three numbers is an Arithmetic Progression is 18. If the product of

the first and the third term is 5 times the common difference. Find the three numbers.

**17.** Construct a triangle ABC with side BC = 6 cm, AB = 5 cm and  $\angle ABC = 60^{\circ}$ . Then consturct another triangle whose sides are  $\frac{3}{4}$ of the corresponding sides of the triangle ABC.

**18.** In Figure, a decorative block is shown which is made of two solids, a cube and a hemisphere. The base the block is a cube with edge 6 cm and the hemisphere fixed on the top has a diameter of 4.2 cm. Find:

the total surface area of the block.





**19.** In Figure, a decorative block is shown which is made of two solids, a cube and a hemisphere. The base the block is a cube with edge 6 cm and the hemisphere fixed on the top has a diameter of 4.2 cm. Find: the volume of the block formed.



 $12308.8cm^3$ . The radius of the top and bottom

circular ends are 20 cm and 12 cm respectivley.

Find the height of the bucket and the area of

metal sheet used in making the bucket.

 $(Use\pi = 3.14)$ 



**21.** If a line is drawn parallel to one side of a triangle to intersect the other two sides in distinct points, prove that the other two sides are divided in the samea ratio.



**22.** Prove that in a right triangle, the square of the hypotenuse is equal to the sum of the squares of the other two sides.

Watch Video Solution

**23.** If  $1 + \sin^2 \theta = 3 \sin \theta \cos \theta$ , then prove that

 $\tan \theta = 1 \text{ or } \tan \theta = 1/2.$ 

24. Change the following distribution to a

'more than type' distribution.

Hence draw the more than type ogive for this

### distribution.

Class interval	20-30	30-40	40-50	50-60	60-70	70-80	80-90
Frequency	10	8	12	24	6	25	15

Watch Video Solution

**25.** The shadow of a tower standing on a level ground is found to be 40 m longer when the Sun's altitude is  $30^{\circ}$  than what it was  $60^{\circ}$ .

Find the height of the tower.

 $\left(Given\sqrt{3}=1.732
ight)$