



MATHS

BOOKS - AGRAWAL PUBLICATION

SAMPLE PAPER 11

Exercise

1. Without performing actual division, check if $\frac{17}{30}$ is a terminating decimal.

[Watch Video Solution](#)

2. Find the value of x so that the distance between the points $(-3,4)$ and $(x,-4)$ is 10 units.



Watch Video Solution

3. The vertices of an equilateral triangle ABC are $(0,0)$, $(0,y)$ and $(3, \sqrt{3})$, then find the value of y .



Watch Video Solution

4. Define the mode of a frequency distribution and give the formula used in computing the mode of a grouped frequency distribution.



Watch Video Solution

5. A right triangle has hypotenuse of length p cm and one side of length q cm . If $p - q = 1$, find the length of the third side of the triangle.

A.

B.

C.

D.

Answer:



Watch Video Solution

6. If a hexgon $ABCDEF$ circumscribes a circle
then show that $AB+CD+EF = BC+DE+FA$,



Watch Video Solution

7. Three identical cubes each of volume 27 cu cm are joined together end to end. What are the dimensions of the resulting cuboid?



Watch Video Solution

8. If a chord of a circle of radius ' r ' subtends a right angle at the centre of the circle, then determine the area of the corresponding segment?



Watch Video Solution

9. What is the volume of the material in a spherical shell with inner radius 'r' and outer radius 'R'?



Watch Video Solution

10. If $\tan \theta = 1$, then calculate the value of $\sec \theta + \operatorname{cosec} \theta$.



Watch Video Solution

11. If $3\tan^2 x = 1$



Watch Video Solution

12. What is the positive real root of $64x^2 - 1 = 0$?



Watch Video Solution

13. The base radii of two cylinders are in the ratio 2 : 3 and their heights are in the ratio 5:3. The ratio of their volumes is :



[Watch Video Solution](#)

14. If α and β be the zeros of the quadratic polynomial $2x^2 + 5x + 1$ then calculate the value of $\alpha + \beta + \alpha\beta$?



[Watch Video Solution](#)

15. What is middle value of a class interval which lies between true upper limit and true lower limit called?




[Watch Video Solution](#)

16. An integer is chosen at random between 1 and 100 . Find the probability that chosen number is divisible by 10.



[Watch Video Solution](#)

17. In the figure. If $\frac{OA}{OD} = \frac{OC}{OB}$, then



which pair of angle are equal?



Watch Video Solution

18. Check if 0.2 is a root of the equation

$$x^2 - 0.4 = 0.$$





[Watch Video Solution](#)

19. If 6 times the 6^{th} term of the A.P is equal to 9 times the 9^{th} term, then find its 15^{th} term.



[Watch Video Solution](#)

20. Find the solution of the following pair of equation: $x-3y = 2$, $3x-y = 14$













[Watch Video Solution](#)

21. The chord of a circle of radius 8 cm subtends a right angle at its centre. Find the length of the chord.



Watch Video Solution

22. Formula one Portugese Grand Prix technical team at the Algarve International Circuit are analysing last year data of drives's performance to provide valuable inference to commentators on how the drives can improve this year.

	Support staff	Lap errors		Support staff	Lap errors
 Ferrari	36	41 (13%)	 Force India	36	36 (11%)
 Mercedes	36	61 (19%)	 Toro Rosso	36	23 (7%)
 Red Bull Racing	36	52 (16%)	 Renault	36	16 (5%)
 McLaren	36	31 (9%)	 Sauber	36	13 (4%)
 Williams	36	33 (10%)	 Haas		19 (6%)

The length of time taken by 80 drives to complete a journey is given in the table below:

Times (in minutes)	70-80	80-90	90-100	100-110	110-120	120-130
Number of drivers	4	10	14	20	24	8

In which interval does the median of the distribution lie?

A. 80-90

B. 90-100

C. 100-110

D. 110-120

Answer:



Watch Video Solution


23. Google maps cartography team is working on improving the scalability quality of maps when you use the app on your phones to zoom in using 4 fingers. They are using a proprietary tool called "MapMaker" to figure out scalability factors. A mathematical model

is created for a type of object (below cross-section) to test its scalability on maps app.



In the diagram, $AC = 8cm$, $CE = 4cm$ and the area of the triangle BEC is 4.2 sq cm .

Another enlargement with centre E , maps $\triangle EBC$ onto $\triangle EFA$, $BC = 3.6cm$



The area of $\triangle ABC$ is:

- A. 4.2 sq cm
- B. 6.3 sq cm
- C. 8.4 sq cm
- D. 12.6 sq cm

Answer:



Watch Video Solution

24. Find the HCF and the LCM of 72 and 120, using prime factorisation method.



Watch Video Solution

25. Write a pair of equations in variables x and y which is consistent with

(A) unique solution

(B) infinitely many solution



Watch Video Solution

26. Write a pair of equations in variables x and y which is consistent with

(A) unique solution

(B) infinitely many solution



Watch Video Solution

27. In an AP, if $a = 1$, $a_n = 20$ and $S_n = 399$, then n is equal to



Watch Video Solution

28. The vertices of an equilateral triangle ABC are $(0, 0)$, $(0, y)$ and $(3, \sqrt{3})$, then find the value of y




Watch Video Solution

29. If $\cos \theta + \sin \theta = \sqrt{2} \cos \theta$, then prove that $\cos \theta - \sin \theta = \sqrt{2} \sin \theta$



Watch Video Solution

30. In the figure, chord AB subtends an angle of 60° at the centre of the circle of radius 3.5 cm. Find the (a) length of the arc APB (b) the area of the sector AOB (C) area of the minor segment (Shaded region) (use $\sqrt{3} = 1.73$)



Watch Video Solution

31. If $\sin \theta + \cos \theta = p$ and $\sec \theta + \operatorname{cosec} \theta = q$, then prove that $q(p^2 - 1) = 2p$.



Watch Video Solution

32. 7. Let A (4, 2) B(6. , 5) and C(1. , 4). be the vertices of $\triangle ABC$. (1) The median from A meets BC at D. Find the coordinates of the point D. (2) the coordinates of the point P on AD such that $AP:PD = 2:1$. (3) Find the coordinates of points Q and R on medians BE

and CF respectively such that $BQ:QE = 2:1$

and $CR:RF = 2:1$. (4) what do you observe?



Watch Video Solution

33. One card is drawn from a pack of 52 cards , each of the 52 cards being equally likely to be drawn. Find the probability that the card drawn is black .



Watch Video Solution

34. One card is drawn from a pack of 52 cards , each of the 52 cards being equally likely to be drawn. Find the probability that the card drawn is either black or a queen .



Watch Video Solution

35. One card is drawn from a pack of 52 cards , each of the 52 cards being equally likely to be drawn. Find the probability that the card drawn is black and a queen .



[Watch Video Solution](#)

36. In figure ABC and DBC are two triangles on the same base BC . If AD intersects BC at O , show that $\frac{ar(ABC)}{ar(DBC)} = \frac{AO}{DO}$.

[Watch Video Solution](#)

37. Prove that the line segments joining the mid-points of the sides of a triangle form four triangles, each of which is similar to the original triangle.



Watch Video Solution

38. Verify that 2,1,1 are the zeros of the polynomial $x^3 - 4x^2 + 5x - 2$. Also, verify the relationship between the zeroes and the coefficients



Watch Video Solution

39. If $x = 2^2 \times 3^3 \times 7^2$, $y = 2^3 \times 3^2 \times 5 \times 7$, then find HCF (x,y)



[Watch Video Solution](#)

40. What is the HCF of the smallest prime number and the smallest composite number?



[Watch Video Solution](#)

41. IF α, β are the zeroes of the polynomial $5x^2 - 7x + 2$ then the sum of their reciprocal is:



[Watch Video Solution](#)

42. If the lines represented by $3x + 2py = 2$ and $2x + 5y + 1 = 0$ are parallel, then find the value of p .



Watch Video Solution

43. Find the 10^{th} term from the end of the A.P .
 $4, 9, 14, \dots, 254$.



Watch Video Solution

44. Solve for x and y $y, x + y = 3$ and $7x + 6y = 2$.



Watch Video Solution

45. Find a quadratic polynomial whose zeroes are -3 and 5 .



Watch Video Solution

46. For what values of 'a' does the quadratic equation $x^2 - ax + 1 = 0$ not have real roots?



Watch Video Solution

47. If p and q are the roots of the quadratic equation $x^2 + px - q = 0$, then find the values of p and q.



Watch Video Solution

48. Which term of the AP 21, 42, 63, 84,... Is 210?



Watch Video Solution

49. Find distance between the points (0, 5) and (-5, 0)



Watch Video Solution


50. What is the distance between two parallel tangents to a circle of radius 5 cm?





Watch Video Solution

51. In the figure, $\angle APB = 90^\circ$. Find the length of OP .



Watch Video Solution

52. $\triangle ABC \sim \triangle DEF$ such that $DE = 3$ cm , $EF = 2$ cm , $DF = 2.5$ and $BC = 4$ cm . Find the perimeter of $\triangle ABC$.



Watch Video Solution

53. If $\operatorname{cosec}\theta - \cot\theta = \frac{1}{3}$, then the value of $\operatorname{cosec}\theta + \cot\theta$ is:



Watch Video Solution

54. If $\triangle ABC$ is right angled at C, then the value of $\cos(A+B)$ is



Watch Video Solution

55. A wire is in the shape of a circle of radius 21 cm. It is bent to form a square. The side of the square is : $\left(\pi = \frac{22}{7} \right)$



Watch Video Solution



56. If the area of three adjacent faces of a cuboid are X , Y and Z respectively, then find the volume of cuboid.



Watch Video Solution

57. A crane stands on a level ground. It is represented by a tower $ABCD$, of height 11 m and a jib BR . The jib is of length 20 m and can rotate in a vertical plane about B . A vertical cable, RS , carries a load S . the diagram shows

current position of the jib, cable and load.





The length BS is

- A. 8m
- B. 12m
- C. 13.9m
- D. 17.9 m

Answer:

58. A crane stands on a level ground. It is represented by a tower ABCD of height 11 m and BR. The jib is of length 20 m and can rotate in a vertical plane about B. A vertical cable, RS, carries a load S. the diagram shows current position of the jib, cable and load.



The angle that the jib, BR, makes with the horizontal, is

A. 45°

B. 30°

C. 60°



D. 75°

Answer:



Watch Video Solution

59. A crane stands on a level ground. It is represented by a tower ABCD, of height 11 m and a jib BR. The Jib is of length 20 m and can rotate in a vertical plane about B. A vertical cable, RS, carries a load S. the diagram shows current position of the jib, cable and load.



The measure of the angles BRS, is

A. 60°

B. 75°

C. 30°

D. 45°

Answer:




Watch Video Solution

60. NITI aayog has tasked their statistical officer to create a model for farmers to be able to predict their produce output based on various factors.

To test the model out, the officer picked a local farmer who sells apples to check various factors like weight, bad apples, half-cooked, green vs red etc.

A box containing 250 apples was opened and each apple was weighed.



The distribution of the masses of the apples is given in the following table:

Mass (in grams)	80-100	100-120	120-140	140-160	160-180
Frequency	20	60	70	p	60

The value of p is

A. 50

B. 40

C. 35

D. 45

Answer:




Watch Video Solution

61. NITI aayog has tasked their statistical officer to create a model for farmers to be able to predict their produce output based on various factors.

To test the model out, the officer picked a local farmer who sells apples to check various factors like weight, bad apples, half-cooked, green vs red etc.

A box containing 250 apples was opened and each apple was weighed.



The distribution of the masses of the apples is given in the following table:

Mass (in grams)	80-100	100-120	120-140	140-160	160-180
Frequency	20	60	70	p	60

The lower limit of the modal class is

A. 80

B. 100

C. 120

D. 140

Answer:



Watch Video Solution

62. Show that $3 + \sqrt{5}$ is an irrational number, assuming that $\sqrt{5}$ is an irrational number.



Watch Video Solution

63. Without actually performing the long division, find if $\frac{987}{10500}$ will have terminating or non-terminating (repeating) decimal expansion. Give reasons for your answer



Watch Video Solution

64. Prove that the points $(a, b + c)$, $(b, c + a)$ and $(c, a + b)$ are collinear.




Watch Video Solution

65. Two opposite vertices of a square are $(-1, 2)$ and $(3, 2)$. Find the coordinates of other two vertices.



Watch Video Solution

66. In the figure, OABC is a rhombus, where O is the origin.



Write down the coordinates of B in terms of a , s and t .



Watch Video Solution

67. ABC is an isosceles triangle in which $AB = AC$. Prove that the tangent to the circum-circle at A is parallel to BC.



Watch Video Solution


68. In an acute angled $\triangle ABC$, $\sec(B + C - A) = 2$ and $\tan(C + A - B) = \frac{1}{\sqrt{3}}$. Find the three angles of $\triangle ABC$.



Watch Video Solution

69. Find the area of the shaded region in the given figure, if ABCD is a square of side 14 cm

and APD and BPC are semicircles.



Watch Video Solution

70. Show that 12^n cannot end with the digits 0 or 5 for any natural number n



Watch Video Solution

71. Which term of the AP $-2, -7, -12, \dots$ will be -77 ? Find the sum of this AP upto the term -77 .



[Watch Video Solution](#)

72. 5 books and 7 pens together cost Rs 434, whereas 7 books and 5 pens together cost Rs 550, find the total cost of 1 book and 2 pens.



[Watch Video Solution](#)

73.

$$(\tan A)(1 + \sec A) - \frac{\tan A}{1 - \sec A} = 2 \operatorname{cosec} A$$



Watch Video Solution

74. If $\sin \theta = \frac{12}{13}$, find the value of

$$\frac{\sin^2 \theta - \cos^2 \theta}{2 \sin \theta \cos \theta} - \frac{1}{\tan^2 \theta}.$$



Watch Video Solution

75. If the zeros of the polynomial $f(x) = ax^3 + 3bx^2 + 3cx + d$ are in A.P. then show that $2b^3 - 3abc + a^2d = 0$



Watch Video Solution

76. From the top of a tower h m high, angles of depression of two objects, which are in line with the foot of the tower are α and β ($\beta > \alpha$). Find the distance between the two objects.



[Watch Video Solution](#)

77. Two tangents TP and TQ are drawn to a circle with centre O from an external point T .
Prove that $\angle PTQ = 2\angle OPQ$.

[Watch Video Solution](#)

78. Prove that the area of the semicircle drawn on the hypotenuse of a right angled triangle is equal to the sum of the areas of the

semicircles drawn on the other two sides of
the triangle



Watch Video Solution