



MATHS

BOOKS - AGRAWAL PUBLICATION

SAMPLE PAPER 6

Exercise

1. $\frac{\cot A + \tan B}{\cot B + \tan A}$ is :



Watch Video Solution

2. For any two positive integers 'a' and b, what is the value of HCF (a, b), LCM (a, b)?



[Watch Video Solution](#)

3. Using prime factorisation method, find the HCF and LCM of 210 and 175



[Watch Video Solution](#)

4. Find the mean of first 10 odd natural numbers.



[Watch Video Solution](#)

5. If $2x$, $x + 10$, $3x + 2$ are in A.P., find the value of x .



Watch Video Solution

6. By taking $A = 90^\circ$ and $B = 30^\circ$, show that $\sin(A - B) = \sin A \cos B - \cos A \sin B$.



Watch Video Solution

7. The value of $(\cos 0^\circ + \sin 45^\circ + \sin 30^\circ)(\sin 90^\circ - \cos 45^\circ + \cos 60^\circ)$ is



Watch Video Solution

8. The degree of the polynomial $(x + 1)(x^2 - x - x^4 + 1)$ is:



[Watch Video Solution](#)

9. Find the ratio of the volume of a right circular cone to that of the volume of right circular cylinder, of equal diameter and height.



[Watch Video Solution](#)

10. Write a quadratic polynomial sum of whose zeros is 3 and product is -6.





[Watch Video Solution](#)

11. The value of c for which the pair of equations $cx - y = 2$ and $6x - 2y = 3$ will have infinitely many solutions is



[Watch Video Solution](#)

12. Determine the probability of getting a number which is neither prime nor composite in single throw of a fair dice.



[Watch Video Solution](#)

13. Find the mean of the following data:

1,7,9,3,4,5,6.



Watch Video Solution

14. If $P(E) = 0.001$, then find the value of $P(\overrightarrow{E})$.



Watch Video Solution

15. One card is drawn at random from a well shuffled deck of 52 cards. What is the probability to get a face card ?



Watch Video Solution

16. A die is thrown once. What is the probability of getting a prime number?



Watch Video Solution

17. The ratio of the length of a rod and its shadow is $1 : \sqrt{3}$. The angle of elevation of the sun is :



Watch Video Solution

18. What is the sum of the roots of the quadratic equation $x^2 - 2x - 15 = 0$?



Watch Video Solution



[Watch Video Solution](#)

19. Form cubic polynomial in x with the sum, sum of the products of its zeros taken two at a time, and product of its zeros are 8, 0 and 9 respectively.



[Watch Video Solution](#)


20. What is the value of 'p' for which the quadratic equation $2px^2 + 6x + 5 = 0$ has equal roots.



[Watch Video Solution](#)

21. Selvi is setting up a water purifier system in her house which includes setting up an overhead tank in the shape of a right circular cylinder. This is filled by pumping water from a sump (underground tank) which is in the shape of a cuboid.

The underground water tank (sump) is a sturdy single moulded piece built to withstand underground pressure and is available in the storage capacity of 2000 L.




These, along with hassle-free installation and minimum maintenance needs make it the ideal water storage solution.

Dimensions (sump): 1.57 m × 1.44 m × 95 cm.

Dimensions (overhead tank):

Radius 60 cm and Height 95 cm



Water flow conditions at the required overload capacity should be checked for critical pressure drop to ensure that valves are adequately sized.

On the basis of the above information, answer the following questions:

The ratio of the capacity of the sump to the capacity of the overhead tank is

A. 1:2

B. 2:1

C. 1:4

D. 4:1

Answer:




Watch Video Solution

22. Selvi is setting up a water purifier system in her house which includes setting up an overhead tank in the shape of a right circular cylinder. This is filled by pumping water from a sump (underground tank) which is in the shape of a cuboid.

The underground water tank (sump) is a sturdy single moulded piece built to withstand underground pressure and is available in the storage capacity of 2000 L.

L.




These, along with hassle-free installation and minimum maintenance needs make it the ideal water storage solution.

Dimensions (sump): 1.57 m × 1.44 m × 95 cm.

Dimensions (overhead tank):

Radius 60 cm and Height 95 cm



Water flow conditions at the required overload capacity should be checked for critical pressure drop to ensure that valves are adequately sized.

On the basis of the above information, answer the following questions:

If overhead tank need to be painted to save it from corrosion, how much area need to be painted?

A. 2.92 sq m

B. 1.13 sq m

C. 4.71 sq m

D. 3.58 sq m

Answer:




Watch Video Solution

23. Selvi is setting up a water purifier system in her house which includes setting up an overhead tank in

the shape of a right circular cylinder. This is filled by pumping water from a sump (underground tank) which is in the shape of a cuboid.

The underground water tank (sump) is a sturdy single moulded piece built to withstand underground pressure and is available in the storage capacity of 2000

L.




These, along with hassle-free installation and minimum

maintenance needs make it the ideal water storage solution.

Dimensions (sump): 1.57 m × 1.44 m × 95 cm.

Dimensions (overhead tank):

Radius 60 cm and Height 95 cm



Water flow conditions at the required overload capacity should be checked for critical pressure drop to ensure that valves are adequately sized.

The capacity (in litres) of the overhead tank is

A. 1047 litres

B. 1074 litres

C. 1205 litres

D. 1207 litres

Answer:




Watch Video Solution

24. Selvi is setting up a water purifier system in her house which includes setting up an overhead tank in

the shape of a right circular cylinder. This is filled by pumping water from a sump (underground tank) which is in the shape of a cuboid.

The underground water tank (sump) is a sturdy single moulded piece built to withstand underground pressure and is available in the storage capacity of 2000

L.




These, along with hassle-free installation and minimum

maintenance needs make it the ideal water storage solution.

Dimensions (sump): 1.57 m × 1.44 m × 95 cm.

Dimensions (overhead tank):

Radius 60 cm and Height 95 cm



Water flow conditions at the required overload capacity should be checked for critical pressure drop to ensure that valves are adequately sized.

On the basis of the above information, answer the following questions:

If the amount of water in the sump, at an instant, is 1500 litres, then the water level in the sump at that instant is

A. 66.3 cm

B. 69.3 cm

C. 72.4 cm


D. 60.9 cm

Answer:



Watch Video Solution

25. Rishu is riding in a hot air balloon. After reaching a point P, he spots a car parked at B on the ground at an angle of depression of 30° . The balloon rises further by 50 metres and now he spots the same car at an angle of depression of 45° and a lorry parked at B' at an angle of depression of 30° . (Use $\sqrt{3} = 1.73$)



The measurement of Rishu facing vertically is the height. Distance is defined as the measurement of car/lorry from a point in a horizontal direction. If an imaginary line is drawn from the observation point to

the top edge of the car/lorry, a triangle is formed by the vertical, horizontal and imaginary line.

If the height of the balloon at point P is 'h' m and distance AB is 'x' m, then 'x' and 'h' are related as:

A. $h = 3x$

B. $x = 3h$

C. $h = \sqrt{3x}$


D. $x = \sqrt{3}h$

Answer:



Watch Video Solution

26. Rishu is riding in a hot air balloon. After reaching a point P, he spots a car parked at B on the ground at an angle of depression of 30° . The balloon rises further by 50 metres and now he spots the same car at an angle of depression of 45° and a lorry parked at B' at an angle of depression of 30° . (Use $\sqrt{3} = 1.73$)



The measurement of Rishu facing vertically is the height. Distance is defined as the measurement of car/lorry from a point in a horizontal direction. If an imaginary line is drawn from the observation point to

the top edge of the car/lorry, a triangle is formed by the vertical, horizontal and imaginary line.

The height of the balloon at point P' and distance AB are related as:

A. $h = x+50$

B. $x = h+50$

C. $h = 50-x$


D. $x = 50h$

Answer:



[Watch Video Solution](#)

27. Rishu is riding in a hot air balloon. After reaching a point P, he spots a car parked at B on the ground at an angle of depression of 30° . The balloon rises further by 50 metres and now he spots the same car at an angle of depression of 45° and a lorry parked at B' at an angle of depression of 30° . (Use $\sqrt{3} = 1.73$)



The measurement of Rishu facing vertically is the height. Distance is defined as the measurement of car/lorry from a point in a horizontal direction. If an imaginary line is drawn from the observation point to

the top edge of the car/lorry, a triangle is formed by the vertical, horizontal and imaginary line.

The height of the balloon at point P, then

A. 68.25 m

B. 86.5 m

C. 73.2 m


D. 70.8 m

Answer:



Watch Video Solution

28. Rishu is riding in a hot air balloon. After reaching a point P, he spots a car parked at B on the ground at an angle of depression of 30° . The balloon rises further by 50 metres and now he spots the same car at an angle of depression of 45° and a lorry parked at B' at an angle of depression of 30° . (Use $\sqrt{3} = 1.73$)



The distance AB on the ground is

A. 124.2 m

B. 118 m

C. 171.4 m


D. 142.6 m

Answer:





Watch Video Solution

29. A factory is using an inclined conveyor belt to transport its product from level 1 to 2 which is 3 m above level - 1 as shown in the figure below. The inclined conveyor is supported from one end to level 1 and from the other end to a post located 8 m away from level 1 supporting point.



Degree of Incline



The factory wants to extend the conveyor belt to reach at a new level 3 which is 9 m above level 1 while maintaining the inclination angle.

Which concept of geometry helps in determining the distance at which level 3 should be placed?

A. Area of sector

B. Congruency of triangles

C. Similarity of triangles

D. Pythagoras Theorem

Answer:





Watch Video Solution

30. A factory is using an inclined conveyor belt to transport its product from level 1 to 2 which is 3 m above level - 1 as shown in the figure below. The inclined conveyor is supported from one end to level 1 and from the other end to a post located 8 m away from level 1 supporting point.



Degree of Incline



The factory wants to extend the conveyor belt to reach at a new level 3 which is 9 m above level 1 while maintaining the inclination angle.

The distance at which a new post is to be installed to support the conveyor belt at level 3, is

A. 11 m

B. 14 m

C. 20 m


D. 24 m

Answer:





Watch Video Solution

31. A factory is using an inclined conveyor belt to transport its product from level 1 to 2 which is 3 m above level - 1 as shown in the figure below. The inclined conveyor is supported from one end to level 1 and from the other end to a post located 8 m away from level 1 supporting point.



Degree of Incline



The factory wants to extend the conveyor belt to reach at a new level 3 which is 9 m above level 1 while maintaining the inclination angle.

How much distance is extended from D to B?

A. 12 m

B. 16 m

C. 6 m

D. 3 m

Answer:





Watch Video Solution

32. A factory is using an inclined conveyor belt to transport its product from level 1 to 2 which is 3 m above level - 1 as shown in the figure below The inclined conveyor is supported from one end to level 1 and from the other end to a post located 8 m away from level 1 supporting point.



Degree of Incline



The factory wants to extend the conveyor belt to reach at a new level 3 which is 9 m above level 1 while maintaining the inclination angle.

The length of the conveyor belt up to level 3 is

A. 22.8 m

B. 26 m

C. 25.6 m


D. 33 m

Answer:





Watch Video Solution

33. A factory is using an inclined conveyor belt to transport its product from level 1 to 2 which is 3 m above level - 1 as shown in the figure below The inclined conveyor is supported from one end to level 1 and from the other end to a post located 8 m away from level 1 supporting point.



Degree of Incline



The factory wants to extend the conveyor belt to reach at a new level 3 which is 9 m above level 1 while maintaining the inclination angle.

The length of the conveyor belt up to level 2 is

A. 12.1 m

B. 7.2 m

C. 6.9 m

D. 8.5 m

Answer:




Watch Video Solution

34. In order to conduct Sports Day activities in your School, lines have been drawn with chalk powder at a distance of 1 m each, in a rectangular shaped ground ABCD, 100 flowerpots have been placed at a distance of 1 m from each other along AD, as shown in given figure below. Niharika runs $\frac{1}{4}$ th the distance AD on the 2nd

line and posts a green flag. Preet runs $\frac{1}{5}$ th distance

AD on the eighth line and posts a red flag.



Find the position of green flag

A. (2,50)

B. (2,25)

C. (5,5)


D. (5,20)

Answer:



Watch Video Solution

35. In order to conduct Sports Day activities in your School, lines have been drawn with chalk powder at a distance of 1 m each, in a rectangular shaped ground ABCD, 100 flowerpots have been placed at a distance of 1 m from each other along AD, as shown in given figure below. Niharika runs $\frac{1}{4}$ th the distance AD on the 2nd line and posts a green flag. Preet runs $\frac{1}{5}$ th distance AD on the eighth line and posts a red flag.



Find the position of red flag

A. (10,40)

B. (6,25)

C. (5,20)


D. (8,20)

Answer:



Watch Video Solution

36. In order to conduct Sports Day activities in your School, lines have been drawn with chalk powder at a distance of 1 m each, in a rectangular shaped ground ABCD, 100 flowerpots have been placed at a distance of 1 m from each other along AD, as shown in given figure below. Niharika runs $\frac{1}{4}$ th the distance AD on the 2nd line and posts a green flag. Preet runs $\frac{1}{5}$ th distance AD on the eighth line and posts a red flag.



What is the distance between both the flags?

A. 10 m

B. 9 m

C. 8m

D. 7 m

Answer:



[Watch Video Solution](#)

37. Determine the AP whose 3rd term is 5 and the 7th term is 9 .



[Watch Video Solution](#)

38. The zeroes of $3x^2 - 4 - x$ are :



[Watch Video Solution](#)

39. Find the coordinates of the point which divides the line joining (1,-2) and (4,7) internally in the ratio 1:2.



[Watch Video Solution](#)

40. Find the third vertex of a triangle, if two of its vertices are at $(-3, 1)$ and $(0, -2)$ and the centroid is at the origin.



[Watch Video Solution](#)

41. Two dice are thrown simultaneously and the outcomes are noted. Find the probability that: sum of numbers on the two dice is 5.



Watch Video Solution

42. If 0.3528 is expressed in the form of $\frac{p}{2^m 5^n}$ find the smallest values of m, n and p.




Watch Video Solution

43. Amrish wakes up in the morning and notices that his digital clock reads 07: 25 am. After noon, he looks at the

clock again.


What is the probability that
the number in column A is 4 ?



[Watch Video Solution](#)

44. Amrish wakes up in the morning and notices that his digital clock reads 07:25 am. After noon, he looks at the clock again.

What is the probability that
the number in column B is 8 ?



[Watch Video Solution](#)


45. The persons start walking together and their steps measure 40 cm, 42 cm and 45 cm respectively. What is

the minimum distance each should walk so that each can cover the same distance in complete steps?




[Watch Video Solution](#)

46. There is a circular park of radius 24 m and there is a pole at a distance of 26 m from the centre of the park as shown in the figure. It is planned to enclose the park by planting trees along line segments PO and PR tangential to the park.



Find the length of PQ and PR.

[▶ Watch Video Solution](#)



47.

If six trees are to be planted along each tangential line

segments at equal distances, find the distance between any two consecutive trees.

 [Watch Video Solution](#)


48. The perpendicular from A on side BC of a $\triangle ABC$ meets BC at D such that $DB = 3CD$. Prove that $2AB^2 = 2AC^2 + BC^2$

 [Watch Video Solution](#)

49. Draw a line segment of length 8 cm and divide it internally in the ratio 4:5.

 [Watch Video Solution](#)

50. In the give figure, the sectors of two concentric circles of radii 7 cm and 3.5 cm are shown. Find the area of the shaded region.



[Watch Video Solution](#)

51. The mean of the following frequency distribution is 62.8 and the sum of all frequencies is 50. Compute the

missing frequencies f_1 and f_2 :



[Watch Video Solution](#)

52. Solve for x and y :

$$7x - 4y = 49, 5x - 6y = 57$$



[Watch Video Solution](#)

53. The sum of the reciprocals of Meena's ages (in years) 3 years ago and 5 year hence is $\frac{1}{3}$. Find her present age.



[Watch Video Solution](#)

54. A natural number when increased by 12, equals 160 times its reciprocal. Find number.



Watch Video Solution

55. A number consists of two digits. When it is divided by the sum of its digits, the quotient is 6 with no remainder. When the number is diminished by 9, the digits are reversed. Find the number.



Watch Video Solution

56. Two poles of equal heights are standing opposite each other on either side of the road, which is 80 m

wide. From a point between them on the road, the angles of elevation of the top of the poles are 60° and 30° , respectively. Find the height of the poles.



[Watch Video Solution](#)

57.

Prove

that:

$$\left(\frac{\tan \theta}{1 - \tan \theta} \right) - \left(\frac{\cot \theta}{1 - \cot \theta} \right) = \frac{\cos \theta + \sin \theta}{\cos \theta - \sin \theta}$$



[Watch Video Solution](#)

58. State and prove Basic Proportionality Theorem (Thales Theorem)



[Watch Video Solution](#)

59. Write the denominator of the rational number $\frac{771}{3000}$ in the form $2^p 5^q$, where p and q are non-negative integers



Watch Video Solution

60. If two positive integers m and n are expressible as $m = ab^2$ and $n = a^3b$, where a and b are prime numbers, then find LCM (m, n)



Watch Video Solution

61. Find the value of the remainder, when $x^2 + (a + b)x + ab$ is divided by $(x + a)$



[Watch Video Solution](#)

62. If the sum of a positive number and its square is 240, then find the number



[Watch Video Solution](#)

63. If x , $x - 2$ and $3x$ are in AP, then find the value of x



[Watch Video Solution](#)

64. Determine the 12^{th} term of the AP, 5, 8, 11, 14,



[Watch Video Solution](#)

65. The sum and the product of the roots of the quadratic equations $2x^2 + 14x + 24 = 0$



[Watch Video Solution](#)

66. Find the ratio in which x-axis divides the join of (2,-3) and (5,6).



[Watch Video Solution](#)

67. The distance between the points $(a \cos \theta + b \sin \theta, 0)$ and $(0, a \sin \theta - b \cos \theta)$.



[Watch Video Solution](#)

68. Plotting the points A $(-4, 6)$ and B $(-4, -6)$ on the coordinate axes check if P $(-4, 2)$ lies on the line segment AB



[Watch Video Solution](#)

69. Check if the three sides of lengths 3 cm 6 cm and 8 cm can form a right triangle



[Watch Video Solution](#)

70. Find the length of an altitude in an equilateral triangle of side 'a' cm



[Watch Video Solution](#)

71. State and prove the Pythagoras theorem.



[Watch Video Solution](#)

72. From the external point P tangents PA and PB are drawn to a circle with centre O. If $\angle PAB = 50^\circ$, then find $\angle AOB$.



Watch Video Solution

73. Simplify $(1 + \tan^2 \theta)(1 + \sin \theta)(1 - \sin \theta)$



Watch Video Solution

74. If $3 \sec \theta = 5$, then find the value of $\cot \theta$



Watch Video Solution

75. The total surface area of a cylinder of base radius r and height h is _____.



Watch Video Solution

76. If the area of a circle is 154cm^2 , then find its circumference.



[Watch Video Solution](#)



77. Two unbiased coins are tossed simultaneously, then the probability then the probability of getting no head is $\frac{p}{q}$. Find the value of $(p + q)^2$



[Watch Video Solution](#)

78. A playgroup school is looking to refurnish the playground area that is in almost a triangular shape

(ABC) .There is a small tree ,almost a vertical line in shape lets say AD, at the corner of the playground area



A path runs along the edge BC of the field .As part of material purchase planning ,the playgroup manager needs to scope out the surrounding area including the dimensions of the tree.

The height of the tree AD is :

A. $29\sqrt{3}m$

B. $38\sqrt{3}m$

C. $43\sqrt{3}m$



D. $60\sqrt{3}m$

Answer:



Watch Video Solution

79. A playgroup school is looking to refurbish the playground area that is in almost a triangular shape (ABC). There is a small tree, almost a vertical line in shape lets say AD, at the corner of the playground area



A path runs along the edge BC of the field. As part of

material purchase planning ,the playgroup manager needs to scope out the surrounding area including the dimensions of the tree.

On the basis of the above information , answer any four of the following questions :

The length of the path BC is :

A. 193 m

B. 189m

C. 188m


D. 183 m

Answer:



Watch Video Solution

80. A playgroup school is looking to refurbish the playground area that is in almost a triangular shape (ABC). There is a small tree, almost a vertical line in shape let's say AD, at the corner of the playground area



A path runs along the edge BC of the field. As part of material purchase planning, the playgroup manager needs to scope out the surrounding area including the dimensions of the tree.

On the basis of the above information, answer any four of the following questions:

The area (in sq m) of the field ABC is:

A. 2790 sq.m

B. 2970 sq. m

C. 3102 sq. m



D. 3210 sq. m

Answer:



Watch Video Solution

81. A playgroup school is looking to refurnish the playground area that is in almost a triangular shape (ABC). There is a small tree, almost a vertical line in shape, let's say AD, at the corner of the playground area



A path runs along the edge BC of the field .As part of material purchase planning ,the playgroup manager needs to scope out the surrounding area including the dimensions of the tree.


The length BD is :

- A. 198m
- B. 208m
- C. 228m
- D. 243m

Answer:



82. In CERN , some work is carried out for developing an accurate and fast numerical method that can calculate natural gas flow in a pipeline under non isothermal steady -state conditions .



The cross section of the pipeline is shown below:




Diagram 1




Diagram 2

In Diagram 1, O is the centre of the circle of radius 6 cm

and P is the mid -point of the chord AB .The length OP is
3 cm.

The measure of $\angle AOB$ is :

A. 60°

B. 75°

C. 120°


D. 135°

Answer:




Watch Video Solution

83. In CERN , some work is carried out for developing an accurate and fast numerical method that can calculate natural gas flow in a pipeline under non isothermal steady -state conditions .



The cross section of the pipeline is shown below:



In Diagram 1, O is the centre of the circle of radius 6 cm and P is the mid -point of the chord AB .The length OP is 3 cm.

The area (in sq cm) of $\triangle AOB$ is :

- A. 5.2
- B. 10.4
- C. 15.6
- D. 20.8

Answer:



[Watch Video Solution](#)


84. Resident Welfare Association (RWA) of a M2 K Society in Azadpur have put up three electric poles A,B

and C in a society 's common park near Tower A .

Despite these poles ,some parts of the park are still in

dark. So , RWA decides to have one more electron pole D

in the park.



The position of the pole C is :

A. (5,4)

B. (2,7)

C. (8,9)


D. (9,8)

Answer:



Watch Video Solution

85. Resident Welfare Association (RWA) of a M2 K Society in Azadpur have put up three electric poles A,B and C in a society 's common park near Tower A . Despite these poles ,some parts of the park are still in dark. So , RWA decides to have one more electron pole D in the park.



The distance of the pole B from the corner O of the park is :

A. $\sqrt{53}$ units

B. $\sqrt{41}$ units

C. $\sqrt{72}$ units


D. $\sqrt{145}$ units

Answer:



[Watch Video Solution](#)

86. Resident Welfare Association (RWA) of a M2 K Society in Azadpur have put up three electric poles A,B and C in a society 's common park near Tower A . Despite these poles ,some parts of the park are still in dark. So , RWA decides to have one more electron pole D in the park.



The position of the fourth pole D so that four points A,B,C and D form a parallelogram is :

A. (1,4)

B. (1,5)

C. (2,3)

D. (5,1)


Answer:



Watch Video Solution

87. Resident Welfare Association (RWA) of a M2 K Society in Azadpur have put up three electric poles A,B and C in a society 's common park near Tower A . Despite these poles ,some parts of the park are still in dark. So , RWA decides to have one more electric pole D

in the park.



On the basis of the above information ,answer any four

of the following questions :

The distance between poles A and C is :

A. $\sqrt{18}$ units

B. $\sqrt{17}$ units

C. $\sqrt{5}$ units

D. $\sqrt{34}$ units

Answer:



Watch Video Solution


88. Resident Welfare Association (RWA) of a M2 K Society in Azadpur have put up three electric poles A,B

and C in a society 's common park near Tower A .

Despite these poles ,some parts of the park are still in

dark. So , RWA decides to have one more electron pole D

in the park.



Plot a point D so that ABCD becomes parallelogram .The distance between poles B and D is :

A. $\sqrt{24}$ units

B. $\sqrt{17}$ units

C. $\sqrt{5}$ units

D. $\sqrt{26}$ units

Answer:



[Watch Video Solution](#)

89. Find the greatest positive integer that will divide 434 and 539 leaving remainders 9 and 12 respectively .



[Watch Video Solution](#)

90. For any positive real number x , prove that there exists an irrational number y such that $y^2 = x$



Watch Video Solution

91. If the zeroes of the polynomial $x^3 - 3x^2 + x + 1$ are a, b, c , find $a^2 + b^2 + c^2$.



Watch Video Solution

92. The n th terms of an A.P. $\frac{1}{m}, \frac{m+1}{m}, \frac{2m+1}{m}, \dots$ is:



Watch Video Solution

93. If $x = r \sin A \cos C$, $y = r \sin A \sin C$ and $z = r \cos A$, prove that $r^2 = x^2 + y^2 + z^2$



Watch Video Solution

94.
$$\frac{\tan^2 \theta}{(\sec \theta - 1)^2} = \frac{1 + \cos \theta}{1 - \cos \theta}$$



Watch Video Solution

95. The diameter of a cycle wheel is 21 cm. How many revolutions will it make in moving 66 m ?



Watch Video Solution

96. Without actually performing the long division, find if $\frac{987}{10500}$ will have terminating or non-terminating (repeating) decimal expansion. Give reasons for your answer



[Watch Video Solution](#)

97. Show that the sum of an A.P. whose first term is a , the second term is b and the last term is c , is equal to $\frac{(a+c)(b+c-2a)}{2(b-a)}$



[Watch Video Solution](#)

98. A person on tour has Rs. 4200 for his expenses. If he expenses. If he extends his tour for 3 days, he has to cut down his daily expenses by Rs. 70. Find the original duration of the tour.



Watch Video Solution

99. Theorem 8.10 : The line drawn through the mid-point of one side of a triangle, parallel to another side bisects the third side.



Watch Video Solution

100. Sixteen glass spheres each of radius 2 cm are packed into a cuboidal box of internal dimensions 20 cm \times 10 cm \times 10 cm and then the box is filled with water. Find the volume of water filled in the box.



[Watch Video Solution](#)

101. If S is a point on side PQ of a $\triangle PQR$ such that $PS = QS = RS$, then $PR^2 + QR^2 = \dots\dots\dots$



[Watch Video Solution](#)

102. If the sum of first 7 terms of an AP is 49 and that of 17 terms is 289, find the sum of first n terms.



Watch Video Solution