



MATHS

BOOKS - NAND LAL PUBLICATION

INTRODUCTION TO TRIGONOMETRY

Exercise 8 1

1. In $\triangle ABC$, right angled at B, $AB = 24$ cm , $BC = 7$ cm.

Determine :- $\sin A$, $\cos A$.




Watch Video Solution

2. In $\triangle ABC$, right angled at B, $AB = 24$ cm , $BC = 7$ cm.

Determine :- $\sin C$, $\cos C$.

 [Watch Video Solution](#)

3. In fig., find $\tan P - \cot R$.



 [Watch Video Solution](#)

4. If $\sin A = \frac{3}{4}$ calculate $\cos A$ and $\tan A$.

 [Watch Video Solution](#)

5. Given $15 \cot A = 8$, find $\sin A$ and $\sec A$.

 [Watch Video Solution](#)

6. Given $\sec \theta = \frac{13}{12}$, calculate all other trigonometric ratios.

 [Watch Video Solution](#)

7. if $\angle A$ and $\angle B$ are acute angles such that $\cos A = \cos B$, show that $\angle A = \angle B$.

 [Watch Video Solution](#)

8. If $\cot \theta = \frac{7}{8}$, evaluate:- $\frac{(1 + \sin \theta)(1 - \sin \theta)}{(1 + \cos \theta)(1 - \cos \theta)}$

 [Watch Video Solution](#)

9. If $\cot \theta = \frac{7}{8}$ evaluate :- $\cot^2 \theta$.

 [Watch Video Solution](#)

10. If $3\cot A=4$, check whether $\frac{1-\tan^2 A}{1+\tan^2 A} = \cos^2 A - \sin^2 A$ or not

 [Watch Video Solution](#)

11. In triangle ABC, right angled at B, if $\tan A = \frac{1}{\sqrt{3}}$. Find the value of $-\sin A \cos C + \cos A \sin C$.

 [Watch Video Solution](#)

12. In triangle ABC, right angled at B, if $\tan A = \frac{1}{\sqrt{3}}$. Find the value of $-\cos A \cos C - \sin A \sin C$.

 [Watch Video Solution](#)

13. In $\triangle PQR$, right angled at Q, $PR + QR = 25$ cm and $PQ = 5$ cm. Determine the values of $\sin P$, $\cos P$ and $\tan P$.

 [Watch Video Solution](#)

14. State whether the following are true or false. Justify your answer. :- The value of $\tan A$ is always less than 1.

 [Watch Video Solution](#)

15. State whether the following are true or false. Justify your answer. :- $\sec A = \frac{12}{5}$ for some value of angle A.

 [Watch Video Solution](#)

16. State whether the following are true or false. Justify your answer. :- $\cos A$ is abbreviation used for cosecant of angle A .

 [Watch Video Solution](#)

17. State whether the following are true or false. Justify your answer. :- $\cot A$ is product of \cot and A .

 [Watch Video Solution](#)

18. State whether the following are true or false. Justify your answer. :- $\sin = \frac{4}{3}$ for some angle θ .

 [Watch Video Solution](#)

Exercise 8 2

1. Evaluate The following : $\sin 60^\circ \cos 30^\circ + \sin 30^\circ \cos 60^\circ$

 [Watch Video Solution](#)

2. Evaluate The following : $2 \tan^2 45^\circ + \cos^2 30^\circ - \sin^2 60^\circ$

 [Watch Video Solution](#)

3. Evaluate The following : $\frac{\cos 45^\circ}{\sec 30^\circ + \operatorname{cosec} 30^\circ}$

 [Watch Video Solution](#)

4. Evaluate The following : $\frac{\sin 30^\circ + \tan 45^\circ - \csc 60^\circ}{\sec 30^\circ + \cos 60^\circ + \cot 45^\circ}$

 [Watch Video Solution](#)

5. Evaluate The following :

$$\frac{5 \cos^2 60^\circ + 4 \sec^2 30^\circ - \tan^2 45^\circ}{\sin^2 30^\circ + \cos^2 30^\circ}$$

 [Watch Video Solution](#)

6. Choose the correct option and justify your choice:-

$$\frac{2 \tan 30^\circ}{1 + \tan^2 30^\circ}$$

A. $\sin 60^\circ$

B. $\cos 60^\circ$

C. $\tan 60^\circ$

D. $\sin 30^\circ$

Answer: A



Watch Video Solution

7. $\frac{1 - \tan^2 45^\circ}{1 + \tan^2 45^\circ} =$

A. $\tan 90^\circ$

B. 1

C. $\sin 45^\circ$

D. 0

Answer: D

 [Watch Video Solution](#)

8. Choose the correct option and justify your choice:- $\sin 2A = 2 \sin A$ is true when A

A. 0°

B. 30°

C. 45°

D. 60°

Answer: A

 [Watch Video Solution](#)

9. Choose the correct option and justify your choice:-

$$\frac{2\tan 30^\circ}{1 - \tan^2 30^\circ} .$$

A. $\cos 60^\circ$

B. $\sin 60^\circ$

C. $\tan 60^\circ$

D. none of these

Answer: C



Watch Video Solution

10. If $\tan(A+B)=\sqrt{3}$ and $\tan(A-B)=\frac{1}{\sqrt{3}}$, $0^\circ < A + B \leq 90^\circ$,

$A > B$, find A and B .



 [Watch Video Solution](#)

Exercise 8 2 True Or False

1. $\sin (A + B) = \sin A + \sin B$.

 [Watch Video Solution](#)

2. State whether the Following is true or false. Justify your answer:- The value of $\sin \theta$ increases as θ increases.

 [Watch Video Solution](#)

3. State whether the Following is true or false. Justify your answer:- The value of $\cos \theta$ increases as θ increases.



[Watch Video Solution](#)

4. State whether the following is true or false. Justify your

answer:- $\sin \theta = \cos \theta$ for all values of θ .



[Watch Video Solution](#)

5. State whether the following are true or false. Justify your

answer. :- $\cot A$ is not defined for $A = 0^\circ$.



[Watch Video Solution](#)

Exercise 8 3

1. Evaluate : $\frac{\sin 18^\circ}{\cos 72^\circ}$

 [Watch Video Solution](#)

2. Evaluate : $\frac{\tan 26^\circ}{\cot 64^\circ}$

 [Watch Video Solution](#)

3. Evaluate : $\cos 48^\circ - \sin 42^\circ$

 [Watch Video Solution](#)

4. Evaluate : $\cos ec 31^\circ - \sec 59^\circ$

 [Watch Video Solution](#)

5. Show that : $\tan 48^\circ \tan 23^\circ \tan 42^\circ \tan 67^\circ = 1$

 [Watch Video Solution](#)

6. Show that

$$\cos 38^\circ - \sin 52^\circ = 0$$

 [Watch Video Solution](#)

7. If $\tan 2A = \cot(A - 18^\circ)$, where $2A$ is an acute angle, find the value of A .

 [Watch Video Solution](#)

8. If $\tan A = \cot B$, prove that $A + B = 90^\circ$.

 [Watch Video Solution](#)

9. If $\sec 4A = \operatorname{cosec}(A - 20^\circ)$, where $4A$ is an acute angle, find the value of A .

 [Watch Video Solution](#)

10. If A , B and C are interior angles of a triangle ABC , then show that $\sin\left(\frac{B + C}{2}\right) = \cos \frac{A}{2}$.

 [Watch Video Solution](#)

11. Express $\sin 67^\circ + \cos 75^\circ$ in terms of Trigonometric ratios of angles between 0° and 45° .

 [Watch Video Solution](#)

Exercise 8 4

1. Express the trigonometric ratios $\sin A$, $\sec A$ and $\tan A$ in terms of $\cot A$.

 [Watch Video Solution](#)

2. Write all the other trigonometric ratios of $\angle A$ in terms of $\sec A$.

 [Watch Video Solution](#)

3. Evaluate :- $\frac{\sin^2 63^\circ + \sin^2 27^\circ}{\cos^2 17^\circ + \cos^2 73^\circ}$.

 [Watch Video Solution](#)

4. Evaluate: $\sin 25^\circ \cos 65^\circ + \cos 25^\circ \sin 65^\circ$

 [Watch Video Solution](#)

5. Choose the coorrect option. Justify choice :

$$9 \sec^2 A - 9 \tan^2 A =$$

A. 1

B. 9

C. 8

D. 7

Answer: B



Watch Video Solution

6. Choose the correct option. Justify choice :

$$(1 + \tan \theta + \sec \theta)(1 + \cot \theta - \operatorname{cosec} \theta) =$$

A. 0

B. 1

C. 2

D. none of these

Answer: C



Watch Video Solution

7. Choose the correct option. Justify your choice : $(\sec A + \tan A)(1 - \sin A) = ?$ a. $\sec A$ b. $\sin A$ c. $\operatorname{cosec} A$ d. $\cos A$

A. $\sec A$

B. $\sin A$

C. $\operatorname{cosec} A$

D. $\cos A$

Answer: D



Watch Video Solution

8. Choose the correct option. Justify your choice :

$$\frac{1 + \tan^2 A}{1 + \cot^2 A} \quad \text{a. } \sec^2 A \quad \text{b. } -1 \quad \text{c. } \cot^2 A \quad \text{d. } \tan^2 A$$

A. $\sec^2 A$

B. -1

C. $\cot^2 A$

D. none of these

Answer: D



Watch Video Solution

9. Prove the following identities, where the angles involved are acute angles for which the expressions are defined. :

$$(\cos ec\theta - \cot \theta)^2 = \frac{1 - \cos \theta}{1 + \cos \theta}.$$

 [Watch Video Solution](#)

10. Prove the following identities, where the angles involved are acute angles for which the expressions are defined. :

$$\frac{\cos A}{1 + \sin A} + \frac{1 + \sin A}{\cos A} = 2 \sec A.$$

 [Watch Video Solution](#)

11. Prove the following identity :

$$\frac{\tan \theta}{1 - \cot \theta} + \frac{\cot \theta}{1 - \tan \theta} = 1 + \sec \theta \cos ec\theta.$$

 [Watch Video Solution](#)

12. Prove the following identities, where the angles involved are acute angles for which the expressions are defined. :

$$\frac{1 + \sec A}{\sec A} = \frac{\sin^2 A}{1 - \cos A}.$$

 [Watch Video Solution](#)

13. Prove the following identities, where the angles involved are acute angles for which the expressions are defined. :

$$\frac{\cos A - \sin A + 1}{\cos A + \sin A - 1} = \csc A + \cot A, \text{ using the identity } \csc^2 A = 1 + \cot^2 A)$$

 [Watch Video Solution](#)

14. Prove the following identities, where the angles involved are acute angles for which the expressions are defined. :

$$\sqrt{\frac{1 + \sin A}{1 - \sin A}} = \sec A + \tan A .$$

 [Watch Video Solution](#)

15. Prove that the following identities, where the angles involved are acute angles for which the expressions are defined :

$$\frac{\sin \theta - 2 \sin^3 \theta}{2 \cos^3 \theta - \cos \theta} = \tan \theta$$

 [Watch Video Solution](#)

16. Prove the following identities, where the angles involved are acute angles for which the expressions are defined. :

$$(\sin A + \csc A)^2 + (\cos A + \sec A)^2 = 7 + \tan^2 A + \cot^2 A$$

.



[Watch Video Solution](#)

17. Prove the following identities, where the angles involved are acute angles for which the expressions are defined.

$$(\csc A - \sin A)(\sec A - \cos A) = \frac{1}{\tan A + \cot A} \quad [\text{Hint}$$

:Simplify LHS and RHS separately]



[Watch Video Solution](#)

18. Prove the following identities, where the angles involved are acute angles for which the expressions are defined. :

$$\left(\frac{1 + \tan^2 A}{1 + \cot^2 A} \right) = \left(\frac{1 - \tan A}{1 - \cot A} \right)^2 = \tan^2 A .$$

 [Watch Video Solution](#)