

MATHS

BOOKS - OBJECTIVE RD SHARMA ENGLISH

SETS

Illustration

- 1. which of the following collection is a set?
 - A. the collection of all girls in your class.
 - B. the collection of intelligent girls in your class.
 - C. the collection of beautiful girls in your class
 - D. the collection of tall girls in your class.

Answer:

2. If B is the set whose elements are obtained by adding 1 to each of the even numbers , then the set builder notation of B is

B.
$$B = [X:x \text{ is odd and } x?1]$$

C. B=
$$\{x:x \text{ is odd and } x \in z \}$$

D. B= { x:x is an interger }

Answer: C



Watch Video Solution

3. which of the following collection is not a set?

A. [x:x is a real number and
$$x^2-1=0$$
)

B. { x: x is a real number and $x^2+1=0$ }

C. { x:x is a real number and $x^2 - 9 = 0$ }

D. {x:x is a real number and $x^2 = x + 2$ }

Answer:



Watch Video Solution

4. which of the following sets in not finite?

A. $\left\{ (x,y)\!:\!x^2+y^2 \le 1 \le x+y, x,y \in R
ight]$

 $\text{B.} \left\{ (x,y)\!:\! x^2 = \ +y^2 \le 1 \le x+y, x,y \in Z \right\}$

C. $ig\{(x,y)\!:\!x^2\leq y\leq |x|, x,y\in Zig\}$

D. $ig\{(x,y)\!:\!x^2\leq y\leq |x|,x,y\in Zig\}$

Answer:



5. the collection of intellgent students in a class is :

A. a null set

B. a singleton set

C. a finite set

D. not a well defined collection

Answer: D



Watch Video Solution

6. If $X=\{8^n-7n-1\mid n\in N\}$ and $y=\{49n-49\mid n\in N\}$. Then,

A. $X\subset Y$

 $\operatorname{B.} Y \subset X$

 $\mathsf{C}.\,X=Y$

D. none of these

Answer:



Watch Video Solution

- $If A = \{x \colon\! x = 2n+1, n \in Z\} \ \text{and} \ B = \{x \colon\! x = 2n, n \in nZ\}$ 7. then $A \cup B =$
 - A. N
 - B. Z
 - C. R
 - D. R

Answer: B



- $IfA=(x\!:\!x=4n,n\in Z) \ ext{and} \ b=\{x\!:\!x=6n,n\in Z\},$ then 8.
- $A \cap B$ contains

A. 16 B. 24 C. 28 D. 32 **Answer: B Watch Video Solution** Section I Solved Mcqs **1.** If A and B are finite sets, such that $A\subset B$, then $n(A\cup B)$ is equal to A. ϕ B.B C. A

D. none of these

Answer: B




Watch Video Solution

- **2.** In a college of 300 students, every student reads 5 newspapers and every newspaper is read by 60 students. The number of newspaper is -
 - A. at least 30
 - B. At most 20
 - C. exactly 25
 - D. none of these

Answer: C





Answer: C



Watch Video Solution

5. if A and B are two sets them

$$(A-B)\cup (B-A)\cup (A\cap B)$$
is equal to

- A. $A \cup B$
- $B.A \cap B$
- $\mathsf{C}.\,A$
- D.B'

Answer: A



Watch Video Solution

- if A,B,C be three sets 6. such $A \cup B = A \cup C$ and $A \cap B = A \cap c = \phi$, then

that

A. A=B B. B=C C. A=C D. A=B=C **Answer: Watch Video Solution** Let A and B be 7. sets that two $A\cap X=B\cap X=\phi \ \ {
m and} \ \ A\cup X=B\cup X$ for some set X. then A. A=B B. A=X C. B=X D. $A \cup b = X$ **Answer:**

$$A \cup B \cup C = U, ext{then} \ \ [(A-B) \cup (B-C) \cup (C-A)^{\,\prime}] ext{ equals}$$

A.
$$A \cup B \cup C$$

$$\operatorname{B.}A\cup (B\cap C)$$

C.
$$A\cap B\cap C$$

D.
$$A\cap (B\cup C)$$

Answer:



9. The sets S and E are defined as given below:

$$S = \{(x,y)\!:\! |x-3| < 1 \,\, ext{and} \,\, |y-3| < 1 \}$$
 and

Show that
$$S\subset E$$
.

 $E = ig\{(x,y) : 4x^2 + 9y^2 - 32x - 54y + 109 \le 0ig\}.$

A. $A\subset B$

B. $B\subset A$

$$\mathsf{C}.\,A=B$$

D. none of these

Answer:

Watch Video Solution

10. if $A=\left\{(x,y)\!:\!x^2+y^2\leq 1, x,y\in R
ight]$ and $B=\left\{(x,y)\!:\!x^2+y^2\leq x^2+y^2\leq 4, x,y\in R
ight]$ then

A.
$$A-B=A$$

 $B.\,B-A=B$

C.
$$A-B=\phi$$

$$\operatorname{D.}B-A=\phi$$

Answer:



Watch Video Solution

11. Solve : $2\cos^2\theta+\sin\theta\leq 2$, where $\dfrac{\pi}{2}\leq \theta\leq \dfrac{3\pi}{2}$.

A.
$$\{ heta\!:\!\pi/2\leq heta\leq5\pi/6\}$$

$$\mathtt{B.}\left\{\theta\!:\!\pi\leq\theta\leq3\pi/2\right\}$$

C.
$$\left\{ heta\!:\!\pi/2\leq heta\leq 5rac{\pi}{6}
ight\}\cup \left\{ heta\!:\!\pi\leq heta 3\pi/2
ight\}$$

D. none of these

Answer:



12. 20 teachers of a school either teach mathematics or physics 12 of them mathematics white 4 teach both the subjects . The number of teachers teching physics only ,is

- A. 12
- B. 8
- C. 16
- D. none of these

Answer: B



Watch Video Solution

13. A market research group conducted a survey of 2000 consumers and reported that 1720 consumers liked product P_1 and 1450 consumers like product P_2 . What is the least number that must have liked both the products?

A. 1170
B. 3170
C. 270
D. none of these
Answer:
Watch Video Solution
14. A college warded 38 medals in football, 15 in basketball and 20 in
cricket. If these medals went to a total of 58 men and only three men
got medals in all the three sports, how many received medals in exactly
two of the three sports?
A. 18
B. 15
C. 9

Answer: C



Watch Video Solution

15. In a class of 55 students the number of students studying subjects are , 23 iin Mathematics 24.in physics 19in chemisty 12 in Mathematics and physics ,9 in Mathematics and chemistry ,7 in physics and chemistry and 4 in all the three subjects.

the number of students who have taken ecactly one subject is

- **A.** 6
- B. 9
- C. 7
- D. none of these

Answer: D

16.
$$IfA = \{x, y\} : x^2 + y^2 = 25\}$$
 and

$$B=\left\{(x,y)\!:\!x^2+9y^2=144
ight\}, ext{ then } A\cap B ext{ contains}$$

- A. one point
- B. three point
- C. two point
- D. four point

Answer: four point



- 17. If n(A) = 10, n(B) = 6 and n(C) = 5 for three disjoint sets
- A,B,C then $n(A\cup B\cup C)$ equals
 - A. 21

- B. 11
- C. 1
- D. 9

Answer: A



Watch Video Solution

18. in a certain town 25% families own a cell phone 15% familesown a scooter and 65% families own neither a cell phone nor a scooter if 500 families own both a cell phone and a scooter, then the total number of families in the town is

- A. 1 and 2
- B. 1 and 3
- C. 2 and 3
- D. 1,2 and 3

Answer:



Watch Video Solution

- **19.** Three sets A,B and C are such that $A=B\cap C$ and $B=C\cap A$
 - $A.A \subset B$
 - $\mathsf{B}.\,A\supset B$
 - $\mathsf{C}.\,A=B$
 - D. $A\subset B'$

Answer:



- **20.** If $A = \{x, y\}$, then the power set of A is
 - A. $\{x^{y}, y^{x}\}$

B. $\{\phi, x, y\}$

C. $\{\phi, \{x\}, \{2y\}\}$

D. $\{\phi, \{x\}, \{y\}, \{x, y\}\}$

Answer: D



Watch Video Solution

intersection of all the intervals having the form

$$\left[1+rac{1}{n},6-rac{2}{n}
ight]$$
, where n is a postive integer is

A. [1,6]

B. (1,6)

C. [2,4]

D. [3/2, 5]

Answer:



atti video Solution

22. The value of
$$(A \cup B \cup C) \cap \left(A \cap B^C \cap C^C\right) \cap C^C$$
 is

$$\operatorname{A.}B\cap C"$$

$$\operatorname{B.}B'\cap C'$$

$$\mathsf{C}.\,B\cap C$$

D. $A\cap B\cap C$

Answer:



23. about to only mathematics

A.
$$P\subset Q$$
 and $Q-P=\phi$

$$\mathsf{B}.\,Q\mathscr{p}$$

$$\mathsf{C}.\,B\cap C$$

D. $A\cap B\cap C$

Answer:



Watch Video Solution

24. If A and B are two sets containing 2 elements and 4 elements, respectively. Then, the number of subsets of $A \times B$ having 3 or more elements, is

- A. 256
- B. 220
- C. 219
- D. 211

Answer:



1. A survey shows that $63\,\%$ of the Americans like cheese whereas $76\,\%$ like apples , If $x\,\%$ of the Americans like both cheese and apples , then find value of x .

- A. x=39
- B. x=63
- $\mathsf{C.}\,39 \leq x \leq 63$
- D. 36

Answer: C



Watch Video Solution

2. In a battle, $70\,\%$ of the combatants lost one eye, $80\,\%$ an are, $75\,\%$ an arem. $85\,\%$ a leg, and $x\,\%$ lost all the four organs. Then minimum value of x is

B. 12

C. 15

D. 15

Answer: A



Watch Video Solution

3. If $A = \{1, 3, 5, 7, 9, 11, 13, 15, 17\}, B = \{2, 4, \ldots, 18\} \, \, \text{and} \, \, N$ the

set of natural numbers is the universal set, then $A' \cup \{(A \cup B) \cap B'\}$ is (a) φ (b)N (c) A (d) B

A. A

B. N

C.B

 $D. \phi$

Answer: B



Watch Video Solution

4. If $X = \{4^n - 3n - 1 \colon n \in N\}$ and $y = \{9(n-1) \colon n \in N\}$, then

 $X \cup Y$ equals

- A. X
- B. Y
- C. N
- D.Z

Answer: B



Watch Video Solution

5. If sets A and B are defined as

 $A=\{(x,y)\!:\!y=e^x,x\in R\}$ and B = $\{(x,y)\!:\!y=x,x\in R\}$

 $\mathsf{A}.\,B\subset A$

B. $A\subset B$

 $\mathsf{C}.\,A\cap b=\phi$

 $D.A \cup B = A$

Answer: C

Watch Video Solution

6. If sets A and B are defined as

 $A=\{(x,y)\!:\!y=e^x,x\in R\}$ and B = $\{(x,y)\!:\!y=x,x\in R\}$

A. $A\cap B=\phi$

B. $A \cap B = \{(0, 1)\}$

 $\mathsf{C}.\,A\cup B=R^2$

D. $A \cap B = \{(0,0)\}$

Answer: B

7. Suppose, A_1,A_2,\ldots,A_{30} are thirty sets each having 5 elements and B_1,B_2,B_n sets each with 3 elements, let $\bigcup\limits_{i=1}^{30}A_i=\bigcup\limits_{j=1}^nB_j=S$ and each element of S belongs to exactly 10 of the A_i 's and exactly 9 of the B_j 's. Then, n is equal to

A. 15

B. 135

C. 45

D. 90

Answer: C



8. If set A and B are defined as

$$A = igg\{(x,y) \mid y = rac{1}{x}, 0
eq x \in Rigg\}, B = \{(x,y) \mid y = -x, x \in R, \}$$

. Then (a) $A \cap B = A(b)A \cap B = B(c)A \cap B = \phi(d)A \cup B = A$

A.
$$A\cap B=A$$

$$\mathtt{B}.\,A\cap B=B$$

$$\mathsf{C}.\,A\cap B=\phi$$

D. none of these

Answer: C



Watch Video Solution

9. if a N= $\{ax: x \in N\}$ and $bN \cap cN = dN$, where b,c in N are relatively prime, then

$$\mathsf{A.}\,d=bc$$

$$B. c = bd$$

$$\mathsf{C}.\,b=cd$$

$$\operatorname{D.} a = bcd$$

Answer: A



Watch Video Solution

10. If $aN=\{ax\mid x\in N\}$ and $bN\cap cN=dN$, where b,carepsilon N, then

- A. d=bc
- B. c= bd
- C. b=cd
- D. d=LCM(c and b)

Answer: D



11. In a town of 10,000 families it was found that 40% family buy newspaper A, 20% buy newspaper B and 10% families buy newspaper C, 5% families buy A and B, 3% buy B and C and 4% buy A and C. If 2%families buy all the three newspapers, then find the number of families which buy A only

- A. 3100
- B. 3300
- C. 2900
- D. 1400

Answer: B



Watch Video Solution

12. In a town of 10000 families, it was found that 40% families buy newspaper A, 20% families buy newspaper B, 10 % families buy

newspaper C, 5% families buy A and B, 3% buy B and C and 4 % buy a and C. If 2% families buy all the three newspaper. Find (i) the number of families which buy newspaper A only. (ii) the number of families which buy none of A, B and C. A. 4000 B. 3300 C. 4200 D. 5000 **Answer: A Watch Video Solution** 13. Consider the set a of all determinants of order 3 with entries 0 or 1

only. Let B be the subset of A consisting of all determinants with value 1.

Let C be the subset of A consisting of all determinants with value –1.

Then:

A. C is empty

B. B has as many element as C

 $\mathsf{C}.A = B \cup C$

D. B has twice as many elements as C.

Answer: B



- **14.** If A and B are stes, then $A \cap (A \cup B) =$
 - A. A
 - B. B
 - $\mathsf{C}.\,\phi$
 - $D.A \cap B$

Answer: A



watch video Solution

- A. 2n elements
- B. 2^n elements
- C. n elements
- D. none of these

Answer: B



Watch Video Solution

16. if $A=\{\phi,\{\phi\}\}$, then the power set of A is

A. A

 $\mathsf{B.}\left\{\phi,\{\phi\},A\right\}$

C. $\{\phi, \{\phi\}, \{\{\phi\}\}, A\}$

D. none of these
Answer: C
Watch Video Solution
17. Sets A and B have 3 and 6 elaments respectively. What can be

theminimum number of elements in $A \cup B$

A. 3

B. 6

C. 9

D. 18

Answer: B

18. two finite sets have m and n elements . The total number of subsets of the first set is 56 more than the total number of subsets of the seccond set , the values of m and n are

- A. m=7,n=6
- B. m=6,n=3
- C. m=5,n=1
- D. m=8,n=7

Answer: B



Watch Video Solution

19. if X and Y are two sets , then $X\cap (Y\cup X)$ 'equals

A. X

B. Y

 $\mathsf{C}.\,\phi$

D. none of these

Answer: C



Watch Video Solution

20. Let $A = \{x : x \text{ is a multiple of 3}\}$ and $B = \{x : x \text{ is a multiple of 5}\}$, then

 $A\cap B$ is given by

A. $[3,6,9,\dots \}$

B. $\{5, 10, 15, 20, \dots\}$

C. $\{15, 30, 45, \dots\}$

D. none of these

Answer: C



21. Given the sets $A = \{1, 2, 3\}$, $B = \{3, 4\}$, $C = \{4, 5, 6\}$, then find $A \cup (B \cap C)$.

A. {3}

B. {1,2,3,4}

C. {1,2,5,6}

D. {1,2,3,4,5,6}

Answer: B



Watch Video Solution

22. Let A and B be two non- empty subsets of a set X such that A is not a subset of B .Then

A. A is a subset of complement of B

B. B is a subset of A

C. A and B are Disjoint

D. A and the complement of bare non-disjoint.

Answer: D



Watch Video Solution

- 23. Let U be the universal set for sets A and B such that $n(A) = 200, n(B) = 300 \text{ and } n(A \cap B) = 100. \text{ then } n(A' \cap B') \text{ is}$ equal to 300, provided that n(U) is equal to
 - A. 600

B. 700

C. 800

D. 900

Answer: B



24. Out of 800 boys in a school, 224 played cricket, 240 played hockey and 336 played basketball. Of the total, 64 played both basketball and hockey; 80 played cricket and basketball and 40 played cricket and hockey; 24 played all the three games. The number of boys who did not play any game is



Watch Video Solution

25. From 50 students taking examinations in mathematics, physics and chemistry,37 passed mathematics, 24 physics and 43 chemistry. At most 19 passed mathematics and physics, at most 29 mathematics and chemistry and at most 20 physics and chemistry. Find the largest possible number that could have passed all three exams.

A. 11

B. 12

C. 13

D. 14

Answer: D



Watch Video Solution

26. Let Z be the set of all integers and

$$A = \left\{(a,b)\!:\! a^2 + 3b^2 = 28, a,b \in Z\right\}$$

and
$$B = \{(a, b) : a > b \in Z\}$$

then the number of elements is $A \cap B$, is

A. 2

B. 4

C. 6

D. 5

Answer: C

27. in a class of 35 students, 17 have taken Mathematics, 10 have taken mathematics but not economics if each student has taken erither mathematics Of Economics or both, then the number of students who have taken Economics but not mathematics is

- **A.** 7
- B. 25
- C. 18
- D. 32

Answer: C



28. if
$$A = \left\{ (x,y) : y = \frac{4}{x}, x \neq 0 \right\}$$
 and

$$B=\left\{(x,y)\!:\!x^2+y^2=8,x,y\in R
ight\}$$
,then

A.
$$A\cap B=\phi$$

- B. $A\cap B$ contains one point only
- C. $A\cap B$ contains two points only
- D. $A\cap B$ is a multiple of 4 points only .

Answer: C



- **29.** If $A = \{x : x \text{ is a multiple of 4}\}$ and $B = \{x : x \text{ is a multiple of 6}\}$, then A
- □ B consists of all multiple of (A) 4 (B)8 (C) 12 (D)16
 - A. 16
 - B. 12

C. 8

D. 4

Answer: B,D



Watch Video Solution

30. if $A = \{(x, y) : x^2 + y^2 = 4, x, y \in R\}$ and

 $B=\left\{(x,y)\!:\!x^2+y^2=9,x,y\in R
ight\}$,then

A. $A-B=\phi$

B.B-A=B

 $\mathsf{C}.\,A\cap B
eq \phi$

 $\mathsf{D}.\,A\cap B=A$

Answer: B



31. if $A = \{(x,y): x^2 + y^2 = 4, x, y \in R\}$ and

$$B=\{(x,y)\!:\!Y=|x|,x,y\in R\}$$
 then

A.
$$A\cap B=\phi$$

B. $A\cap B$ is singlcton set

 $\mathsf{C}.\,A\cap B$ contains two elements only

D. $A\cap B$ contains three elements only .

Answer: C



Watch Video Solution

then the region for
$$(A\cap B)$$
 is

A.
$$A\cap B=\{ heta\!:\!\pi/3\leq heta\leq2\pi/3\}$$

B.
$$A\cap B=\{ heta\colon -\pi/3\leq heta\leq 2\pi/3\}$$

32. If $A=\left\{\theta\!:\!2\cos^2\theta+\sin\theta\leq 2\right\}$, and $B=\left\{\theta\!:\!rac{\pi}{2}\leq\theta\leqrac{3\pi}{2}
ight\}$

C.
$$A\cap B=\{ heta\colon -5\pi/6\leq heta\leq 5\pi/6\}$$

D.
$$A \cup B = \{ heta \colon 0 \leq heta \leq \pi/6\}$$

Answer: A



Watch Video Solution

33. in rule method the null set is resresented by

A. {0}

В. Ф

 $\mathsf{C}.\left\{x\!:\!x\neq x\right\}$

 $\mathsf{D.}\left\{x\!:\!x=x\right\}$

Answer: C



34. If A and B are two given sets, then $A\cap (A\cap B)^{\circ}$ is equal to :

35. Let n(U) = 700, n(A) = 200, n(B) = 300 and $n(A \cap B) = 100$,

A. A

B.B

 $\mathsf{C}.\,\Phi$

D. $A\cap b^c$

Answer: D



Watch Video Solution

then find $n(A' \cap B')$

A. 400

B. 600

C. 300

Answer: C



Watch Video Solution

36. If $A = \{x : x \text{ is a multiple of 3}\}$ and, $B = \{x : x \text{ is a multiple of 5}\}$, then

A-B is

- A. $\overline{A}\cap B$
- B. $A\cap \overline{B}$
- $\operatorname{C.} \overline{A} \cap \overline{B}$
- D. $\overline{A\cap B}$

Answer: B



37. For any three sets A_1,A_2,A_3 , let $B_1=A_1,B_2=A_2-A_1$ and $B_3=A_3-(A_1\cup A_2)$, then which one of the following statement is always true

A.
$$A_1 \cup A_2 \cup A_3 \supset B_1 \cup B_2 \cup B_3$$

B.
$$A_1 \cup A_2 \cup A_3 = B_1 \cup B_2 \cup B_3$$

C.
$$A_1 \cup A_2 \cup A_3 \subset B_1 \cup B_2 \cup B_3$$

D. none of these


Answer:



Watch Video Solution

38. In a city $20\,\%$ of the population travels by car, $50\,\%$ by bus and $10\,\%$ travels by both car and bus. Then persons travelling by car or bus is-

A. 0.8



40. Two finite sets have m and n elements respectively. The total number of subsets of first set is 56 more than the total number of subsets of the second. Find the values of m and n.

- A. 7,6
- B. 6,3
- C. 6,4
- D. 7,4

Answer: C



Watch Video Solution

41. In a class of 175 students the following data shows the number of students opting one or more subjects Mathematics 100, physics 70, chemistry 28, physics and Chemistry 23, mathematics and chemistry 28,

mathematics and physics 30, mathematics physics and chemistry 18. how many students have offered mathematics alone?

then

- A. 35
- B. 48
- C. 60
- D. 22

Answer: C



- if $A = \{1, 2, 3, 4, 5\}, B = \{2, 4, 6\}$ and $C = \{3, 4, 6\}$, 42.

 $(A \cup B) \cap C$ is

- A. {3,4,6}
- B. {1,2,3}
- C. {1,4,3}

D. none of these

Answer: A



Watch Video Solution

43. in a class of 45 student, 22 can speak hindi and 12 can speak English only . The number of students , who can speak both Hindi and English , is

A. 9

B. 11

C. 23

D. 17

Answer: B



44. In a certain town 25% families own a cellphone, 15% families own a scooter and 65% families own neither a cellphone nor a scooter. If 500 families own both a cellphone and scooter, then total umber of families in the town is

- A. 10000
- B. 20000
- C. 30000
- D. 40000

Answer: C



Watch Video Solution

45. Let A be a set represented by the squares of natural numbers and x,y are any two elements of A then

A.
$$x-y=\ \in A$$

B.
$$xy \in A$$

C.
$$x+y\in A$$

D.
$$\dfrac{x}{y} \in A$$

Answer: B



Watch Video Solution

Chapter Test

- 1. Which of the following cannot be the number of elements in the power set of any finite set ?
 - A. 26
 - B. 32
 - C. 6
 - D. 16

Answer: A,C



Watch Video Solution

- **2.** If $A = \{1, 2, 3, 4\}$, then the number of subsets of set A containing element 3, is
 - A. 24
 - B. 28
 - C. 8
 - D. 16

Answer: C



Watch Video Solution

3. If $A=\{1,2,3,4\}$, then the number of substets of A that contain the element 2 but not 3, is

B. 4

C. 8

D. 24

Answer: B



Watch Video Solution

4. If n(u) = 100, n(A) = 50, n(B) = 20 and $n(A \cap B) = 10$, then

A. 60

 $n\Big\{(A\cup B)^{\, {}_{\mathbb Q}}\,\Big\}$

B. 30

C. 40

D. 20

Answer: C

5. Let Z denoted the set of integers, then

$$\{x\in Z\colon |x-3|<4\}\cap \{x\in Z\colon |x-4|<5\}=$$

- A. $\{\,-1,0,1,2,3,4\}$
- B. $\{-1, 0, 1, 2, 3, 4, 5\}$
- $\mathsf{C.}\ \{,\, 0,\, 1,\, 2,\, 3,\, 4,\, 5,\, 6\}$
- $\mathtt{D.}\ \{\,-1,0,1,2,3,4,5,6,7,8,9\}$

Answer: C



Watch Video Solution

6. If A_n is the set of first n prime numbers, then $\mathop{U}\limits_{n=2}^{10} A_n =$

A. $\{2, 3, 5, 7, 11, 13, 17, 19\}$

B. {2, 3, 5, 7, 11, 13, 17, 19, 23, 29}

 $C. \{3, 5\}$

D. $\{2, 3\}$

Answer: B



Watch Video Solution

7. If A_n is the set of first n prime numbers, then $\mathop{U}\limits_{n=2}^{10} A_n =$

A. {3, 5, 7, 11, 13, 17, 19}

B. $\{2, 3, 5\}$

C. `{2,3,5,7,11,13,17,19,23,29}

D. $\{3, 5, 7\}$

Answer: C



Let $A_1,A_2,A_3,\ldots,A_{100}$ be 100 seta and such that $n(A_1)=i+1$ and $A_1\subset A_2\subset A_3\subset ...A_{100}, then \mathop{U}\limits_{i=1}^{100}Ai$ contains...

elements

B. 100

C. 101

D. 102

Answer: C



Watch Video Solution

If A and 9. В are two sets such that n(A)=7, n(B)=6 and $(A\cap B)
eq \phi$ Then the greatest possible value of n $(A\Delta B)$ is

A. 11

B. 12

C. 13

D. 10

Answer: A



Watch Video Solution

10. If A and such that are two sets В n(A)7, n(B), = 6 and $n(A \cap B)
eq \phi$ The least possible value of $n(A\Delta B)$, is

A. 1

B. 7

C. 6

D. 13

Answer: A

If $A_1, A_2, ..., A_{100}$ that sets such are $n(A_i)=i+2, A_1\subset A_2\subset A_3...\subset A_{100} \,\, ext{ and } \,\, \mathop{\cap}\limits_{i=3}^{100}A_i=A, then n(A)=$

A. 3

11.

B. 4

D. 6

C. 5

Answer: C



12. If A,B and C are three non-empty sets such that A and B are disjoint and the number of elements contained in A is equal to those contained in the set of elements common to the set A and C, then $n(A \cup B \cup C)$ is necessarily equal to

A. $n(B \cup C)$

B. $n(A \cup C)$

C. both a and b

D. none of these

Answer: B



Watch Video Solution

13. If $A = \left\{ n : \frac{n^3 + 5n^2 + 2}{n} \text{ is an integer} \right\}$, then the number of elements in the set A, is

A. 1

B. 2

C. 3

Answer: D



Watch Video Solution

14. If $\left\{p\in N\colon ext{p is a prime and }p=rac{7n^2+3n+3}{n} ext{for some }n\in N
ight\}$ '

then the number of elements in the set A, is

- **A.** 1
- B. 2
- C. 3
- D. 4

Answer: A



15. A, B and C are three non-empty sets. If $A\subset B$ and $B\subset C$ then which the following is true?

A.
$$B-A=C-B$$

B.
$$A\cap B\cap C=B$$

$$\mathsf{C}.\,A\cup B=B\cap C$$

D.
$$A \cup B \cup C = A$$

Answer: C



Watch Video Solution

16. If A=[1,2,3,4,5,6] then how many subsets of A contain the element 2, 3 and 5?

A. 4

B. 8

C. 16

D. 32

Answer: B



Watch Video Solution

17. If S is the set of squares and R is the set of rectangles, then $(S \cup R) - (S \cup S)$ is

A. S

B.R

C. set of squares but not rectangles

D. set of rectangles but not squares

Answer: D



18. If P is the set of all parallelogrma, and T is the set of all trapeziums, then $P\cap T$ is

19. If $n(A\cap B)=10,$ $n(B\cap C)=20$ and $n(A\cap C)=30,$ then the

A. P

В. Т

C. ϕ

D. none of these

Answer: A



- greatest possible value of $n(A\cap B\cap C)$ is
 - A. 15
 - B. 20

C. 10

D. 4

Answer: C



Watch Video Solution

20. If $n(a\cap B)=5,$ $n(A\cap C)=7$ and $n(A\cap B\cap C)=3,$ then the minimum possible value of $n(B\cap C)$ is

A. 0

B. 1

C. 3

D. 2

Answer: C



21. A and B are any two non-empty sets and A is proper subset of B. If $n(A)=5, \,\,$ then find the minimum possible value of $n(A\Delta B)$

A. is 1

B. is 5

C. cannot be determined

D. none of these

Answer: A



Watch Video Solution

22. If A, B and C are three non-hempty sets such that any two of them are disjoint, then $(A \cup B \cup C) \cap (A \cap B \cap C) =$

A. A

B. B

D. Φ

Answer: D



Watch Video Solution

23.

 $A = \left\{p\!:\! p = rac{(n+2)ig(2n^5+3n^4+4n^3+5n^2+6ig)}{n^2+2n}, np \in Z^+
ight\}$

If

then the number of elements in the set A, is

- A. 2
- B. 3
- C. 4
- D. 6

Answer: C



24. If A, B and C are three sets such that
$$A\supset B\supset C,$$
 then $(A\cup B\cup C)-(A\cap B\cap C)=$

A.
$$A-B$$

$$B.B-C$$

$$\mathsf{C}.\,A-C$$

D. none of these

Answer: C



Watch Video Solution

25. If $A_1\subset A_2\subset A_3\subset\subset A_{50}$ and $n(A_x)=x-1$, then find

A. 99

B. 98

C. 100

D. 10

Answer: D



Watch Video Solution

26. If $n(A_i)=i+1$ and $A_1\subset A_2\subset ...\subset A_{99}, then ninom{99}{i-1}A_i=1$

A. 21

B. 7

C. 100

D. 14

Answer: C



27. In a class, 70 students wrote two tests wiz, test-I and test-II $50\,\%$ of the students failed in test I and $40\,\%$ of the students in test -II. How many students passed in both tests?



Watch Video Solution

28. In an election, two contestants A and B contested x% of the total voters voted for A and (x+20)% for B. If 20% of the voters did not vote, then x is

A. 30

B. 25

C. 40

D. 35

Answer: A



29. In a rehabitation programe, a group of 50 families were assured new houses and compensation by the government. Number of families who got both is equal to the number of families who got neither of the two. The number of families who got new house is 6 greater than the number of families who got compensation. How many families got houses?

A. 22

B. 28

C. 23

D. 25

Answer: B



30. In an office, every employee likes at least one of tea, coffee and milk. The number of employees who like only tea, only coffee, only milk and all the three are all equal. The number of employees who like only tea and coffee, only coffee and milkand only tea and milk are equal and each is equal to the number of employees who like all the three. Then a possible value of the number of employees in the office is

- A. 65
- B. 90
- C. 77
- D. 85

Answer: C

