



CHEMISTRY

BOOKS - CENGAGE CHEMISTRY (ENGLISH)

REDOX REACTIONS

Solved Examples

1. Calculate the oxidation number of all the atoms in the following compounds and ions:

a. $PbSO_4$, b. CrO_4^{2-}



Watch Video Solution

2. Determine the oxidation number of following underline elements:

$H\underline{C}N$

 [Watch Video Solution](#)

3. Using Stock notation , represent the following compounds , $HAuCl_4$, Tl_2O , FeO , Fe_2O_3 , C , CuO , MnO and MnO_2 .



 [Watch Video Solution](#)


4. Which of the following species do not show disproportionation reaction and why?

BrO^\ominus (hypobromite ion), BrO_2^\ominus (bromite ion), BrO_3^\ominus (bromate ion), and BrO_4^\ominus (perbromate ion)

 [Watch Video Solution](#)


5. Suggest a scheme of classification of the following redox reactions






 [Watch Video Solution](#)

6. Why following two reaction proceed differently?





and




 [Watch Video Solution](#)

7. Use the arbitrary method to balance the following equations:




c.




 [Watch Video Solution](#)

8. Balance the following equation by oxidation number method.




 [Watch Video Solution](#)

9. Balance the following reaction by oxidation number method:




 [Watch Video Solution](#)

10. Complete and balance the following in acidic medium:



 [Watch Video Solution](#)


11. Balance the following reaction in acidic medium.






Watch Video Solution

12. Balance the following by ion electron method in basic medium.




Watch Video Solution

13. Balance the following by ion electron method (acidic medium).










Watch Video Solution

14. Balance the following by ion electron method in acidic medium.




Watch Video Solution

15. Which of the following are examples of disproportionation reactions?



 [Watch Video Solution](#)

16. Balance the following equation in basic medium.







 [Watch Video Solution](#)

17. H_2SO_4 acts as an oxidising agent, a dehydrating agent, and an acid.


Among each of the following reactions, which behaviour is shown by

H_2SO_4 ?



Watch Video Solution

18. Balance the equation




in acidic medium



Watch Video Solution

19. For the reaction



Equivalent weight of Br_2 (molecular weight M) is

A. $\frac{M}{2}$

B. $\frac{M}{10}$


C. $\left(\frac{M}{2} + \frac{M}{10}\right)$

D. $\left(\frac{M}{6}\right)$

Answer: C



Watch Video Solution



Equivalent weight of P_4 is

A. $\frac{M}{4}$

B. $\frac{M}{12}$

C. $\left(\frac{M}{4} + \frac{M}{12}\right)$

D. $\left(\frac{M}{2} + \frac{M}{6}\right)$

Answer: C

 Watch Video Solution



Equivalent weight of $KClO_3$ is

A. $\frac{M}{4}$


B. $\frac{M}{2}$

C. $\left(M + \frac{M}{2}\right)$

D. $\left(\frac{M}{4} + \frac{M}{2}\right)$

Answer: C

 Watch Video Solution



The equivalent weight of Cu_2S is

A. $\frac{M}{2}$

B. $\frac{M}{6}$

C. $\frac{M}{8}$


D. $\frac{M}{4}$

Answer: C



Watch Video Solution

23.



The equivalent weight of As_2S_3 is

A. $\frac{M}{24}$

B. M


C. $\frac{M}{2}$

D. $\frac{M}{28}$

Answer: D

 [Watch Video Solution](#)

24. The equivalent weight of HNO_3 (molecular weight = 63) in the following reaction is



A. $\frac{4 \times 63}{3}$

B. $\frac{63}{5}$


C. $\frac{63}{3}$

D. $\frac{63}{8}$

Answer: D

 [Watch Video Solution](#)

25. The equivalent weight of H_2SO_4 in the following reaction is



A. 98

B. $\frac{98}{6}$

C. $\frac{98}{2}$

D. $\frac{98}{8}$

Answer: B



[Watch Video Solution](#)

26. The equivalent weight of potash alum



A. M

B. $\frac{M}{2}$

C. $\frac{M}{6}$

D. $\frac{M}{8}$


Answer: B

 [Watch Video Solution](#)

27. Calculate the number of moles of Cu and HNO_3 to give NO and NO_2 in the (2:1) molar ratio.


 [Watch Video Solution](#)

28. Balance the following equations:




 [Watch Video Solution](#)

29. Balance the following equations:



 [Watch Video Solution](#)

30. Write a balanced equation when copper reacts with nitric acid, a brown gas is formed and the solution turns blue.



 [Watch Video Solution](#)

31. Question : Balance the following redox equation by both methods.




 [Watch Video Solution](#)

32. Balance the following reactions: $\text{NH}_3 + \text{O}_2 \rightarrow \text{NO} + \text{H}_2\text{O}$

 [Watch Video Solution](#)



33. Complete and balance the following equations:



 [Watch Video Solution](#)


Ex 2 1

1. Identify the oxidant and the reductant in the following reactions:



 [Watch Video Solution](#)

2. Find the oxidation number of sulphur in the following compounds:



 [Watch Video Solution](#)

3. Find the oxidation number of *Cl* in HCl , HClO

 [Watch Video Solution](#)

4. Find the oxidation number of carbon in the following compounds:

CH_3OH , CH_2O , HCOOH , C_2H_2 .



 [Watch Video Solution](#)

5. Find the oxidation number of *Fe* in Fe_3O_4

 [Watch Video Solution](#)




6. Identify the oxidant and reductant in the following reactions:

a.



 [Watch Video Solution](#)

7. Identify the species undergoing oxidation and reduction.



 [Watch Video Solution](#)

8. Assertion : In the reaction,





copper acts as a reductant and sulphur acts as an oxidant.

Reason : The given reaction is not a redox reaction.


 [Watch Video Solution](#)

9. Which of the following represents oxidation?



 [Watch Video Solution](#)


10. Using stock notation, represent the following compound and write names also.



 [Watch Video Solution](#)

Ex 2 2

1. Indicate the species which are oxidised and reduced in the following reactions:



 [Watch Video Solution](#)

2. What is the oxidation state of Cl in

(a) CrO_2Cl_2 , (b) $HClO_4$



Watch Video Solution

3. Balance the following half-reactions in acidic medium:

(a) $IO_3^\ominus(aq) \rightarrow I_3^\ominus(aq)$



Watch Video Solution

4. Write balanced redox reactions for each of the following reactions:

(a) Potassium dichromate ($K_2Cr_2O_7$) reacts with hydroiodic acid (HI) to produce potassium iodide, chromium (III) iodide, and solid iodine, $I_2(s)$.

(b) A purple solution of aqueous potassium permanganate ($KMnO_4$) reacts with aqueous sodium sulphite (Na_2SO_3) in basic solution to yield the green manganate ion (MnO_4^{2-}) and sulphate ion (SO_4^{2-}).


(c) $Sn^{2+}(aq)$ reduce $I_4^{\ominus}(aq)$ to $I^{\ominus}(aq)$ and is oxidised to Sn^{4+} .

(d) $H_2O_2(aq)$ oxidises $Mn^{2+}(aq)$ to MnO_2 in basic medium.

(e) $H_2O_2(aq)$ reduces $Cr_2O_7^{2-}(aq)$ to green coloured $Cr^{3+}(aq)$ in acidic medium.





 [Watch Video Solution](#)

5. Balance the following chemical reactions






 [Watch Video Solution](#)

6. Write balanced ionic half equation (oxidation and reduction) for each of the following reactions:






 [Watch Video Solution](#)

7. Balance the following half reactions in basic medium:




 Watch Video Solution

8. Write balanced net ionic equations for the following reactions in basic solution:




(b)




 Watch Video Solution

9. Balanced the following equations:



 [Watch Video Solution](#)

10. For the redox reaction:



The correct coefficient of the reactants for the balanced reaction are:

A. $Cr_2O_7^{2-} = 1, Ni = 3, H^{\oplus} = 14$

B. $Cr_2O_7^{2-} = 3, Ni = 3, H^{\oplus} = 12$

C. $Cr_2O_7^{2-} = 2, Ni = 3, H^{\oplus} = 14$

D. $Cr_2O_7^{2-} = 1, Ni = 1, H^{\oplus} = 16$

Answer: A

 [Watch Video Solution](#)

11. SO_2 under atmospheric condition changes to SO_x^{2-} . If oxidation number of S in SO_x^{2-} is $+6$, what is the value of x in SO_x^{2-} ?

- A. 2
- B. 1
- C. 3
- D. 4

Answer: A



[Watch Video Solution](#)

12. Which of the following can act as oxidising as well as reducing agent?

- A. 1, 2, 3
- B. 2, 3, 4
- C. 1, 3, 4

D. All

Answer: C

 [Watch Video Solution](#)

13. Sulphur has highest oxidation state in

A. SO_2

B. H_2SO_4

C. $Na_2S_4O_6$

D. $Na_2S_2O_3$

Answer: B

 [Watch Video Solution](#)

14. The number of electrons involved in the reduction of nitrate (NO_3^\ominus) to hydrazine (N_2H_4) is

- A. 8
- B. 7
- C. 3
- D. 5

Answer: B



[Watch Video Solution](#)





15. What is the oxidation state of P in $Ba(H_2PO_2)_2$?

- A. +2
- B. +3
- C. +1
- D. -1

Answer: C

 [Watch Video Solution](#)

16. Which of the following a disproportionation reactions?



Answer: D

 [Watch Video Solution](#)

17. In balancing the half reaction



The number of electron that must be added is

A. 1 on the right

B. 0





C. 1 on the left

D. 2 on the right

Answer: D

 [Watch Video Solution](#)

18. Which of the following changes requires a reducing agent ?





Answer: B

 [Watch Video Solution](#)

Exercise

1. In the following reactions:






Which species is reduced and which is oxidised?



[Watch Video Solution](#)

2. Which of the following are redox reactions?



D. Disproportionation of Cu^\oplus in aqueous solution.

Answer: A:D



Watch Video Solution

3. What is the sum of oxidation numbers of various elements in HCO_3^- (bicarbonate) ion?



Watch Video Solution

4. What is the oxidation number of iodine in each of the following compounds: IF_7 , IF_5 , KI , I_2 , ICl , HIO_4 ?



Watch Video Solution

5. What is the oxidation number of Mn in KMnO_4 , K_2MnO_4 , MnSO_4 , MnO_2 , and Mn_3O_4 ?



Watch Video Solution


6. What is the oxidation number of Mg and N in magnesium nitride?

 [Watch Video Solution](#)

7. What is the oxidation number and valency of carbon in methanal ($HCHO$)?


 [Watch Video Solution](#)

8. Write the following redox reactions using half equations:



 [Watch Video Solution](#)

9. In the reaction given in equation



mention:

I. Which reactant is oxidised? To what?

II. Which reactant is the oxidiser?


III. Which reactant is reduced? To what?

IV. What reactant is the reducer?

 [Watch Video Solution](#)

10. Write correctly balanced equations for the following redox reaction.

Using half reaction:




 [Watch Video Solution](#)

11. In question 10, state which element is oxidised by which element and what is reduced to what in the reactions expressed by the respective equations.

 [View Text Solution](#)


12. Balance the following redox reactions.

Copper reacts with nitric acid, a brown gas is formed and solution turns blue.



 [Watch Video Solution](#)

13. Write correctly balanced half reactions and overall equations for the following skeletal equations:



 [Watch Video Solution](#)

14. Starting with correctly balanced half reactions, write the overall net ionic reaction in the following changes:

Chloride ion is oxidised to Cl_2 by MnO_4^\ominus in acid solution.

 [Watch Video Solution](#)

15. Assign oxidation numbers to the elements in the following ionic compounds.

a. $NaBr$, b. MgO , c. AlF_3

 [Watch Video Solution](#)

16. Calculate the oxidation number of the underlined elements:

a. $\underline{P}H_3$, b. $\underline{Mg}O$, c. $H\underline{N}O_3$, d. $H_3\underline{P}O_4$

 [Watch Video Solution](#)

17. Calculate the oxidation number of the underlined elements in the following compounds:

a. $K\underline{Mn}O_4$, b. $\underline{Cr}O_2\underline{Cl}_2$, c. $Na\underline{I}O_3$


 [Watch Video Solution](#)

18. What is the oxidation number of the underlined elements?

a. $H_2\underline{S}$, b. $H_2\underline{S}O_4$ c. $Na\underline{S}_2O$


 [Watch Video Solution](#)

19. Balance the following equation by oxidation number method in acidic medium.




 [Watch Video Solution](#)

20. Balance the following equations.




 [Watch Video Solution](#)

21. Balance the following equations by the ion electron method:




 [Watch Video Solution](#)

22. Balance the following equations




 [Watch Video Solution](#)

23. Balance the following equations by ion electron method:






 [Watch Video Solution](#)

24. Balance the following equations by ion electron (half reaction) method for each of the following equations:



 [Watch Video Solution](#)

25. Indicate in the following reactions which of the reactants, if any, are oxidised or reduced:



 [Watch Video Solution](#)

26. A mole of N_2H_4 loses 10 mol of electrons to form a new compound Y. Assuming that all the nitrogen appears in the new compound, what is the

oxidation state of nitrogen in Y ? (There is no change in the oxidation number of hydrogen.)

A. +1

B. -3

C. +3


D. +5

Answer: C



Watch Video Solution

27. In the reaction:



Which element is reduced?

A. *Cr*

B. *H*


C. *O*

D. *I*

Answer: A

 [Watch Video Solution](#)

28. In the following equation, MnO_2 acts as




- A. Oxidising agent
- B. Reducing agent
- C. Both oxidising and reducing agent.
- D. Neither oxidising nor reducing agent.

Answer: B

 [Watch Video Solution](#)


29. Balance the following equations by ion electron method:



 [Watch Video Solution](#)

Exercises Linked Comprehension

1. Consider the following unbalanced redox reaction:



The oxidation number of X is -2 and neither X nor water is involved in the redox process.

The element(s) undergoing oxidation is / are

A. A

B. B


C. Y

D. B or Y or both

Answer: D

 [Watch Video Solution](#)

2. Consider the following unbalanced redox reaction:



The oxidation number of X is -2 and neither X nor water is involved in the redox process.

The positive oxidation states of B and Y in BY are respectively,

A. $+1, -1$

B. $+2, -2$


C. $+3, -3$

D. All of these

Answer: D

 [Watch Video Solution](#)

3. Consider the following unbalanced redox reaction:



The oxidation number of X is -2 and neither X nor water is involved in the redox process.

If the above reaction is balanced with smallest whole number coefficients, the sum of the stoichiometric coefficients of all the compound is

A. 9

B. 8

C. 7

D. 6

Answer: B



[Watch Video Solution](#)

4. Oxidation reaction involves loss of electrons, and reduction reaction involves gain of electrons. The reaction in which a species

disproportionates into two oxidation states (lower and higher) is called disproportionation reaction.

Which of the following statements is wrong?

- A. An acidified $K_2Cr_2O_7$ paper on being exposed to SO_2 turns green.
- B. Mercuric chloride and stannous chloride cannot exist as such.
- C. Iron turning on addition to $CuSO_4$ solution decolourises the blue colour.
- D. $[CuI_4]^{2-}$ is formed but $[CuCl_4]^{2-}$ is not.

Answer: D

 [Watch Video Solution](#)

5. Oxidation reaction involves loss of electrons, and reduction reaction involves gain of electrons. The reaction in which a species disproportionates into two oxidation states (lower and higher) is called disproportionation reaction.

Which of the following statements is wrong?

- A. Acidified $KMnO_4$ solutions decolourises on the addition of sodium oxalate.
- B. In the reaction between Br_2 and CsI , Br_2 is an oxidising agent and CsI is a reducing agent.
- C. In the reaction $2K_2SO_3 + I_2 \rightarrow 2KI + K_2S_4O_6$, the change in the oxidation number of S is 0.5.
- D. C has the same oxidation number in both CH_4 and CO_2

Answer: D

 [Watch Video Solution](#)

6. Oxidation reaction involves loss of electrons, and reduction reaction involves gain of electrons. The reaction in which a species disproportionates into two oxidation states (lower and higher) is called disproportionation reaction.

Which of the following statements is correct?

- A. An element in the lowest oxidation state acts only as a reducing agent.
- B. An element in the highest oxidation state acts only as a reducing agent.
- C. The oxidation number of V is $Rb_4K(HV_{10}O_{28})$ is $+4$.
- D. The oxidation number and valency of Hg in calomel is $+1$

Answer: A



[Watch Video Solution](#)

7. Oxidation reaction involves loss of electrons, and reduction reaction involves gain of electrons. The reaction in which a species disproportionates into two oxidation states (lower and higher) is called disproportionation reaction.

Which of the following statements is wrong?





- A. The algebraic sum of the oxidation numbers of all atoms in an ion is zero.
- B. The oxidation number is an arbitrary number. It can have positive, negative, zero, or fractional values.
- C. When a negative ion changes to neutral species, the process is oxidation.
- D. The oxidation number of phosphorous can vary from -3 to $+5$.

Answer: A

 [Watch Video Solution](#)

8. Oxidation reaction involves loss of electrons, and reduction reaction involves gain of electrons. The reaction in which a species disproportionates into two oxidation states (lower and higher) is called disproportionation reaction.

Which of the following is not a disproportionation reaction?



Answer: C

 [Watch Video Solution](#)

9. The valency of carbons is generally 4, but its oxidation state may be -4 , -2 , 0 , $+2$, -1 , etc. In the compounds containing C , H , and O , the oxidation number of C is calculated as

$$\text{Oxidation number of } C = \frac{2n_O - n_H}{n_C}$$

Where n_O , n_H and n_C are the numbers of oxygen, hydrogen, and carbons, atoms, respectively.

The oxidation of C in diamonds is

A. 0

B. +1

C. -1

D. +2

Answer: A



Watch Video Solution

10. The valency of carbons is generally 4, but its oxidation state may be -4, -2, 0, +2, -1, etc. In the compounds containing C , H , and O , the oxidation number of C is calculated as

$$\text{Oxidation number of } C = \frac{2n_O - n_H}{n_C}$$

Where n_O , n_H and n_C are the numbers of oxygen, hydrogen, and carbons, atoms, respectively.

In which of the following compounds is the valency of C two?

A. Ketenes

B. Alkenes

C. Allenes

D. Carbenes

Answer: D




Watch Video Solution


11. The valency of carbons is generally 4, but its oxidation state may be -4 , -2 , 0 , $+2$, -1 , etc. In the compounds containing C , H , and O , the oxidation number of C is calculated as

$$\text{Oxidation number of } C = \frac{2n_O - n_H}{n_C}$$

Where n_O , n_H and n_C are the numbers of oxygen, hydrogen, and carbons, atoms, respectively.

In which of the following compounds is the oxidation state of carbon is zero?





Answer: D


 [Watch Video Solution](#)

12. The valency of carbons is generally 4, but its oxidation state may be -4 , -2 , 0 , $+2$, -1 , etc. In the compounds containing C , H , and O , the oxidation number of C is calculated as

$$\text{Oxidation number of } C = \frac{2n_O - n_H}{n_C}$$

Where n_O , n_H and n_C are the numbers of oxygen, hydrogen, and carbons, atoms, respectively.

In which of the following compounds is the oxidation state of C highest?



D. CH_4

Answer: A

 Watch Video Solution

13. The valency of carbons is generally 4, but its oxidation state may be -4 , -2 , 0 , $+2$, -1 , etc. In the compounds containing C , H , and O , the oxidation number of C is calculated as

$$\text{Oxidation number of } C = \frac{2n_O - n_H}{n_C}$$

Where n_O , n_H and n_C are the numbers of oxygen, hydrogen, and carbons, atoms, respectively.

In which of the following compounds is the oxidation state of C a fraction?

A. CO

B. CO_2

C. Carbon suboxide

D. All

Answer: C




Watch Video Solution

14. Redox equations are balanced either by ion-electron method or by oxidation number method. Both methods lead to the correct form of the balanced equation. The ion electron method has two advantages. So some chemists prefer to use the ion-electron method for redox reactions carried out in dilute aqueous solutions, where free ions have more or less independent existence.

The oxidation state method for redox reactions is mostly used for solid chemicals or for reactions in concentrated acid media.

For the reaction



the n -factor is

A. 1

B. 11

C. $\frac{5}{3}$

D. 61

Answer: D




[Watch Video Solution](#)

15. Redox equations are balanced either by ion-electron method or by oxidation number method. Both methods lead to the correct form of the balanced equation. The ion electron method has two advantages. So some chemists prefer to use the ion-electron method for redox reactions carried out in dilute aqueous solutions, where free ions have more or less independent existence.

The oxidation state method for redox reactions is mostly used for solid chemicals or for reactions in concentrated acid media.

For the reaction



the n -factor is

A. 1

B. 11

C. 28

D. 61

Answer: B



[Watch Video Solution](#)

16. Redox equations are balanced either by ion-electron method or by oxidation number method. Both methods lead to the correct form of the balanced equation. The ion electron method has two advantages. So some chemists prefer to use the ion-electron method for redox reactions carried out in dilute aqueous solutions, where free ions have more or less independent existence.

The oxidation state method for redox reactions is mostly used for solid

chemicals or for reactions in concentrated acid media.



n -factor is

A. 11

B. 28

C. 61

D. $\frac{5}{3}$

Answer: D




[Watch Video Solution](#)

17. Redox equations are balanced either by ion-electron method or by oxidation number method. Both methods lead to the correct form of the balanced equation. The ion electron method has two advantages. So some chemists prefer to use the ion-electron method for redox reactions carried out in dilute aqueous solutions, where free ions have more or less independent existence.

The oxidation state method for redox reactions is mostly used for solid chemicals or for reactions in concentrated acid media.

For the reaction



the n -factor is

A. 11

B. 28

C. 61

D. $\frac{5}{3}$

Answer: B




[Watch Video Solution](#)




18. Intermolecular redox reactions are those in which one molecule is oxidised and the other is reduced. Intramolecular redox reactions are those in which one atom of a molecule is oxidised and the other atom is

reduced.

Which of the following reactions is / are intermolecular redox reaction (s)



B.



Answer: A:C







[Watch Video Solution](#)

19. Certain materials such as turpentine oil, unsaturated organic compound, phosphorus, metals such as *Zn*, and *Pb*, etc., can absorb O_2 from air in the presence of H_2O , which is converted to absorb O_2 from air in the presence of H_2O , which is converted to H_2O_2 . This is called autoxidation. Intermolecular redox reactions are those in which one molecule is oxidised and the other is reduced. Intramolecular redox

reactions are those in which one atom of a molecule is oxidised and the other atom is reduced.

Which of the following reactions is / are disproportionation reactions (s)

?







Answer: A::B::C

 [Watch Video Solution](#)

20. Certain materials such as turpentine oil, unsaturated organic compound, phosphorus, metals such as *Zn*, and *Pb*, etc., can absorb O_2 from air in the presence of H_2O , which is converted to absorb O_2 from air in the presence of H_2O , which is converted to H_2O_2 . This is called autoxidation. Intermolecular redox reactions are those in which one

molecule is oxidised and the other is reduced. Intramolecular redox reactions are those in which one atom of a molecule is oxidised and the other atom is reduced.

Which of the following reactions is / are intermolecular redox reaction (s)






Answer: A::B::C

 [Watch Video Solution](#)

21. Certain materials such as turpentine oil, unsaturated organic compound, phosphorus, metals such as *Zn*, and *Pb*, etc., can absorb O_2 from air in the presence of H_2O , which is converted to absorb O_2 from air in the presence of H_2O , which is converted to H_2O_2 . This is called autoxidation. Intermolecular redox reactions are those in which one

molecule is oxidised and the other is reduced. Intramolecular redox reactions are those in which one atom of a molecule is oxidised and the other atom is reduced.

Which of the following reactions is / are auto redox or induced oxidation reaction (s)



D.

Answer: A::B::C::D







[Watch Video Solution](#)

22. Certain materials such as turpentine oil, unsaturated organic compound, phosphorus, metals such as Zn , and Pb , etc., can absorb O_2 from air in the presence of H_2O , which is converted to absorb O_2 from air in the presence of H_2O , which is converted to H_2O_2 . This is called

autoxidation. Intermolecular redox reactions are those in which one molecule is oxidised and the other is reduced. Intramolecular redox reactions are those in which one atom of a molecule is oxidised and the other atom is reduced.

Which of the following reactions is / are none of the reactions mentioned in the question?



Answer: A::B::C::D




Watch Video Solution

23. Certain materials such as turpentine oil, unsaturated organic compound, phosphorus, metals such as *Zn*, and *Pb*, etc., can absorb O_2 from air in the presence of H_2O , which is converted to absorb O_2 from

air in the presence of H_2O , which is converted to H_2O_2 . This is called autoxidation. Intermolecular redox reactions are those in which one molecule is oxidised and the other is reduced. Intramolecular redox reactions are those in which one atom of a molecule is oxidised and the other atom is reduced.

Which of the following statements about the reaction is / are correct?



- A. $AuCl_4^\ominus$ is reduced to Au
- B. Zn is oxidised to Zn^{2+}
- C. Cl^\ominus is a spectator ion.
- D. It is an intermolecular redox reaction.

Answer: A::B::C::D





[Watch Video Solution](#)



24. Certain materials such as turpentine oil, unsaturated organic compound, phosphorus, metals such as Zn , and Pb , etc., can absorb O_2

from air in the presence of H_2O , which is converted to absorb O_2 from air in the presence of H_2O , which is converted to H_2O_2 . This is called autoxidation. Intermolecular redox reactions are those in which one molecule is oxidised and the other is reduced. Intramolecular redox reactions are those in which one atom of a molecule is oxidised and the other atom is reduced.

Which of the following reactions has / have spectator ions?



C.






Answer: A::B::C::D



Watch Video Solution

1. Which of the following compounds can be oxidised further with a strong oxidising agent?



Answer: C::D




Watch Video Solution

2. Which of the following statements is / are correct?


A. The oxidation state of H in $LiAlH_4$ is -1

B. The oxidation state of H in $LiAlH_4$ is $+1$

C. The reaction of hydrogen in that oxidation state with H_2O is



D. The reaction of hydrogen in that oxidation state with H_2O is



Answer: A:C

 [Watch Video Solution](#)

3. Which of the following statements is / are correct?

A. The oxidation states of N in NH_3 , HN_3 , and N_2H_4 are -3 , $-1/3$, and -2 , respectively.

B. The oxidation state of N in NO_2 , N_2O_4 , and NO_2^- are $+4$, $+4$, and $+3$, respectively.

C. The oxidation states of N in NH_2OH , NO , and HNO_3 are -1 , $+2$, and $+5$, respectively.





D. The oxidation states of N in N_2O and HCN are $+1$ and -3 , respectively.

Answer: A::B::C::D



Watch Video Solution

4. Which of the following reactions should be balanced in basic medium?







Answer: A::B



Watch Video Solution

5. Which of the following reactions is not a redox reaction?









Answer: A::B::C

 Watch Video Solution

6. No reaction occurs in which of the following equations?



Answer: A::C::D

 Watch Video Solution

7. Which of the following statements is / are correct?

A. (a) In the reaction $H_2O_2 + I_2 \rightarrow I^\ominus + ?$

the missing product is O_2 .

B. In the above reaction (a), the missing product is H_2O

C. In the reaction $H_2O_2 + Sn^{2+} \rightarrow Sn^{4+} + ?$,

the missing product is O_2

D. In the above reaction (c), the missing product is H_2O

Answer: A:D



[Watch Video Solution](#)

8. Which of the following statements is / are correct?

A. In the reaction $MnO_4^{2-} + H^\oplus \rightarrow Mn^{2+} + ?$

the missing product is MnO_4^\ominus .

B. In the above reaction (a), the missing product is MnO_2 .

C. In the reaction $NO_2 + H_2O \rightarrow NO + ?$

the missing product is NO_3^\ominus .

D. In the above reaction (c), the missing product is iNO_2^\ominus .

Answer: A:C

 **Watch Video Solution**

9. Which of the following statements is /are correct?

In the reaction $xCu_3P + yCr_2O_7^{2-} \rightarrow Cu^{2+} + H_3PO_4 + Cr^{3+}$

A. Cu in Cu_3P is oxidised to Cu^{2+} whereas P in Cu_3P is also oxidised to PO_4^{3-} .

B. Cu in Cu_3P is oxidised to Cu^{2+} whereas P in Cu_3P is reduced to H_3PO_4 .





C. In the conversion of Cu_3P to Cu^{2+} and H_3PO_4 , 11 "electrons" are involved.

D. The value of x is 6

Answer: A::C::D

 [Watch Video Solution](#)

10. Which of the following statements is / are correct about the following reactions?



A. In reaction (I), H_2SO_4 acts as a dehydrating agent.

B. In reaction (II), H_2SO_4 acts as an acid.

C. In reaction (III), H_2SO_4 acts both as an acid and an oxidising agent.

D. In reaction (IV), H_2SO_4 , acts as an oxidising agent.

Answer: A::B::C::D

 Watch Video Solution

11. In the reaction



Which of the following statements is /are correct?

A. The coefficients of $\overset{\ominus}{O}H$ and I^\ominus in the given in balanced equation are, respectively, 6 and 5.

B. The coefficients of $\overset{\ominus}{O}H$ and I^\ominus in the given balanced equation are, respectively, 5 and 6.

C. C_2H_5OH is oxidised to CHI_3 and $HCOO^\ominus$.

D. The number of electrons in the conversion of C_2H_5OH to CHI_3 and $HCOO^\ominus$ is 8

Answer: A::C::D

 [Watch Video Solution](#)


12. Which of the following statements is / are correct?

- A. PbO_2 reacts with HCl to evolve Cl_2 gas.
- B. PbO_2 reacts with HNO_3 to form O_2 gas.
- C. Pb_3O_4 reacts with HCl to evolve Cl_2 gas.
- D. Pb_3O_4 reacts with HNO_3 to form PbO_2 , but O_2 is not liberated.

Answer: A::B::C::D

 [Watch Video Solution](#)

13. Which of the following statements about the following reaction is / are Wrong?



A. Both Cu_2 and Cu_2S are reduced.

B. Only Cu_2S is reduced.

C. Cu_2S is the oxidant.

D. Only Cu_2O is reduced.

Answer: B::C::D

 [Watch Video Solution](#)

14. The oxidation number of Cr is +6 in

A. $FeCr_2O_4$

B. $KCrO_3Cl$


C. CrO_5

D. $[Cr(OH)_4]^\ominus$

Answer: B::C

 [Watch Video Solution](#)

15. The oxidation number of carbon is zero in






Answer: A::B::C::D



Watch Video Solution

16. Which of the following has//have been arranged in order of decreasing oxidation number of sulphur?





Answer: A:C

 [Watch Video Solution](#)

17. The oxidation number of carboxylic carbon atom in CH_3COOH is

A. +2

B. +4





C. +1

D. +3

Answer: D

 [Watch Video Solution](#)





18. Which of the following is//are autoredox reactions?



Answer: A::B::C

 [Watch Video Solution](#)

19. Which of the following is / are disproportionation reactions?



Answer: A::B::C::D

 [Watch Video Solution](#)

20. For the reaction $KO_2 + H_2O + CO_2 \rightarrow KHCO_3 + O_2$, the mechanism of reaction suggest.

- A. Acid-base reaction
- B. Disproportionation reaction
- C. Hydrolysis
- D. Redox change

Answer: A::B::C::D

 [Watch Video Solution](#)

21. Which of the following can be used both as an oxidant and a reductant?

- A. HNO_2
- B. SO_2

C. O_2

D. CO

Answer: A::B::C::D

 [Watch Video Solution](#)

22. Which molecule represent by the bold atoms are in their highest oxidation state?

A. $H_2S_2O_8$

B. P_4O_{10}



C. F_2O

D. Mn_2O_7

Answer: A::B::D

 [Watch Video Solution](#)

23. Which molecule represent by the bold atoms are in their lowest oxidation state?



Answer: B::C



Watch Video Solution

24. Which of the following statements is /are correct about $CH_2 = CCl_2$

A. Both carbons are in +2 oxidation state.

B. Both carbons are in -2 oxidation state

C. The first carbons has +2 and the second has -2 oxidation states.

D. The average oxidation number of carbon is zero.

Answer: A::B::D

 [Watch Video Solution](#)

25. Which of the following statements about tailing of Hg is / are correct?

A. It is due to Hg_2O .

B. It is due to HgO


C. It is removed by H_2O_2




D. It is removed by O_3

Answer: A::C

 [Watch Video Solution](#)

26. Which of the following is / are disproportionation redox changes?






Answer: C::D



Watch Video Solution

27. Which of the following statements about the reaction is /are correct?



A. *Hg* is reduced.

B. Sulphide is oxidised.

C. *N* is reduced

D. *HNO*₃ is an oxidant.

Answer: B::C::D



Watch Video Solution




28. Which of the following substances undergo(s) disproportionation reactions under basic medium?




Answer: B::C::D

 [Watch Video Solution](#)

29. Which of the following represents redox reactions?






Answer: B::C::D

 [Watch Video Solution](#)

30. Consider the redox reaction



A. $S_2O_3^{2-}$ gets reduced to $S_4O_6^{2-}$

B. $S_2O_3^{2-}$ gets oxidised to $S_4O_6^{2-}$



C. I_2 gets reduced to I^\ominus

D. I_2 gets oxidised to I^\ominus

Answer: B::C

 [Watch Video Solution](#)

31. Which of the following compounds acts both as an oxidising as well as a reducing agent?







Answer: A::B::D



Watch Video Solution

32. Which of the following reactions does not involve oxidation-reduction ?









Answer: C::D

 [Watch Video Solution](#)

Exercises Single Correct


1. Which of the following represents a redox reaction?





Answer: D

 [Watch Video Solution](#)

2. In the reaction



the substance oxidised is



Answer: A



[Watch Video Solution](#)

3. In the reaction



the element which loses as well as gains electrons is



C. Cl

D. None of these

Answer: C



[Watch Video Solution](#)

4. The oxidation number of oxygen in OF_2 is

A. +2

B. -2

C. +1

D. -1

Answer: A



[Watch Video Solution](#)

5. An oxidation process involves

- A. Increase in oxidation number
- B. Decrease in oxidation number
- C. Both decrease and increase in oxidation number
- D. No change in oxidation number

Answer: A



[Watch Video Solution](#)

6. Which of the following is the strongest reducing agent in aqueous medium?

- A. *Mg*
- B. *Na*
- C. *Li*
- D. *Ca*

Answer: C

 [Watch Video Solution](#)

7. Which of the following is the strongest oxidising agent ?

A. I_2

B. F_2

C. Cl_2

D. Br_2

Answer: B

 [Watch Video Solution](#)

8. The oxidation number of phosphorus do not involve oxidation reduction?

A. +3

B. +2

C. +1





D. -1

Answer: C



Watch Video Solution

9. Which of the following reactions do not involve oxidation reduction ?



A. I, II

B. I, III


C. I, III, IV

D. III, IV





Answer: D

 Watch Video Solution

10. For the redox reaction



the correct coefficients of the reactants for the balanced equation are



Answer: A

 Watch Video Solution

11. The oxidation state of nitrogen is correctly given for

A. Compound = $[CO(NH_3)_5Cl]Cl_2$, Oxidation state = 0

B. Compound = NH_2OH , Oxidation state = -2

C. Compound = $(N_2H_5)_2SO_4$, Oxidation state = +2

D. Compound = Mg_3N_2 , Oxidation state = -3

Answer: D



Watch Video Solution

12. The oxidation state of chromium in $Cr(CO)_6$ is

A. 0

B. +2

C. -2





D. +6

Answer: A



Watch Video Solution

13. Which of the following is not a redox reaction?




Answer: A



Watch Video Solution

14. In a chemical reaction,



value x, y and z respectively are:

A. 1, 3, 1

B. 4, 1, 4

C. 3, 2, 3

D. 2, 1, 2

Answer: A



[Watch Video Solution](#)

15. A mole of N_2H_4 loses 10 mol of electrons to form a new compound Y. Assuming that all the nitrogen appears in the new compound, what is the oxidation state of nitrogen in Y ? (There is no change in the oxidation number of hydrogen.)

A. - 1

B. - 3

C. + 3

D. + 5

Answer: C

 [Watch Video Solution](#)

16. When copper is treated with a certain concentration of nitric acid, nitric oxide and nitrogen dioxide are liberated in equal volumes according to the equation



The coefficients x and y are

A. 2 and 3

B. 2 and 6





C. 1 and 3

D. 3 and 8

Answer: B

 [Watch Video Solution](#)

17. In which of the following pairs is there the greatest difference in the oxidation numbers of the underlined elements?




Answer: D



Watch Video Solution

18. In the reaction



A. Bromine is oxidised and carbonate is reduced

B. Bromide is reduced and water is oxidised


C. Bromine is neither reduced nor oxidised

D. Bromide is both reduced and oxidised

Answer: D

 [Watch Video Solution](#)

19. In the reaction



- A. $FeCl_3$ acts as an oxidising agent
- B. Both H_2S and $FeCl_3$ are oxidised
- C. $FeCl_3$ is oxidised while H_2S is reduced
- D. H_2S acts as an oxidising agent

Answer: A

 [Watch Video Solution](#)

20. The oxidation number of cobalt in $K[Co(CO)_4]$ is

A. +1

B. +3

C. -1




D. -3

Answer: C



Watch Video Solution

21. Which of the following is not a disproportionation reaction?



A. I, II

B. I, III, IV

C. II, IV





D. I, III

Answer: B



Watch Video Solution

22. which of the following represent redox reactions?



A. I, II

B. I, III

C. III, IV

D. II, III, IV

Answer: D

 [Watch Video Solution](#)

23. In which of the following cases is the oxidation state of N atom wrongly calculated?

A. Compound = NH_4Cl , Oxidation state = -3

B. Compound = $(N_2H_5)_2SO_4$, Oxidation state = $+2$




C. Compound = Mg_3N_2 , Oxidation state = -3

D. Compound = NH_2OH , Oxidation state = -1

Answer: B

 [Watch Video Solution](#)

24. Question : Which of the following is not a disproportionation reaction?



Answer: C



Watch Video Solution

25. The number of moles of $K_2Cr_2O_7$ reduced by one mole of Sn^{2+} ions is

A. 1/3

B. 3

C. 1/6

D. 6

Answer: A



Watch Video Solution

26. Which of the following is redox reaction ?

A. H_2SO_4 with $NaOH$

B. In atmosphere, O_3 from O_2 by lighting

C. Nitrogen oxides from nitrogen and oxygen by lightning

D. Evaporation of H_2O

Answer: C



Watch Video Solution

27. The oxidation state of Fe in $Fe(CO)_5$ is

A. 0

B. +2

C. -2





D. +6

Answer: A



Watch Video Solution

28. In which of the following pairs is there the greatest difference in the oxidation numbers of the underlined elements?






Answer: D



Watch Video Solution

29. [Which of the following is not an intermolecular redox reaction?



Answer: A



Watch Video Solution

30. The number of moles of $KMnO_4$ required to oxidise 1mol of $Fe(C_2O_4)$ in acidic medium is

A. 0.6

B. 1.67


C. 0.2

D. 0.4

Answer: A

 [Watch Video Solution](#)

31. In the reaction




- A. O_2 acts as an oxidising agent
- B. Both K and O_2 are oxidised
- C. O_2 is oxidised while K is reduced
- D. K acts as an oxidising agent

Answer: A

 [Watch Video Solution](#)

32. Which of the following is the best description of the behaviour of bromine in the reaction given below?



- A. Proton acceptor only
- B. Both oxidised and reduced
- C. Oxidised only
- D. Reduced only

Answer: B

 [Watch Video Solution](#)

33. $Cr_2O_7^{2-} + X \xrightarrow{H^+} Cr^{3+} + H_2O + \text{oxidised product of } X$, X in the above reaction cannot be

- A. $C_2O_4^{2-}$
- B. Fe^{2+}
- C. SO_4^{2-}
- D. SO_2

Answer: C

 [Watch Video Solution](#)

34. The oxidation state of chromium in the final product formed by the reaction between KI and acidified potassium dichromate solution is

A. +4

B. +6

C. +2

D. +3

Answer: D

 [Watch Video Solution](#)

35. The number of moles of $KMnO_4$ reduced by 1mol of KI in alkaline medium is (a) $1/5$ (b) 2 (c) $3/2$ (d) 4

A. 1

B. 2

C. 5


D. 1/5

Answer: B



Watch Video Solution

36. In the balanced chemical reaction



a , b , c , and d , respectively, correspond to

A. 5, 6, 3, 3

B. 5, 3, 6, 3

C. 3, 5, 3, 6

D. 5, 6, 5, 5

Answer: A



Watch Video Solution

37. In the reaction $A^{+x} + MnO_4 \rightarrow AO_3 + Mn^{++} + \frac{1}{2}O$, if one mole of MnO_4 oxidises 1.67 moles of A^{+x} to AO_3 , then what will be the value of x ?

A. 5

B. 3


C. 2

D. 1

Answer: C



Watch Video Solution



The above equation balances when

A. $a = 2, b = 4, c = 6$ and $x = 2, y = 6, z = 3$

B. $a = 4, b = 2, c = 6$ and $x = 6, y = 2, z = 3$

C. $a = 6, b = 4, c = 2$ and $x = 6, y = 3, z = 2$

D. $a = 1, b = 4, c = 6$ and $x = 2, y = 6, z = 3$

Answer: D



[Watch Video Solution](#)

39. Oxidation number of carbon in CH_2Cl_2 is

A. 0

B. 2

C. 3

D. 5

Answer: A



[Watch Video Solution](#)

40. Excess of KI reacts with $CuSO_4$ solution and Na_2SO_3 solution is added to it. Which of the following statements is incorrect for the reaction?

A. Evolved I_2 is reduced

B. CuI_2 is formed.

C. $Na_2S_2O_3$ is oxidised.

D. Cu_2I_2 is formed.

Answer: B



[Watch Video Solution](#)

41. Calculate the oxidation number of Sulphur in H_2SO_5 . Suggest structure of this compounds. Count for the fallacy.

A. +8

B. +6

C. +4

D. +2

Answer: B



[Watch Video Solution](#)

42. The number of peroxide bonds in perxenate ion $[XeO_6]^{4-}$ is

A. 0

B. 2

C. 3

D. 1

Answer: A

 [Watch Video Solution](#)

43. The oxidation number of Pr in Pr_6O_{11} is

A. $\frac{22}{6}$

B. $\frac{20}{6}$


C. 3

D. 4

Answer: A

 [Watch Video Solution](#)

44. In which of the following is the highest oxidation state not possible?






Answer: B

 [Watch Video Solution](#)

45. Which of the following statements is not correct about the given reaction ?



A. Fe is oxidised from Fe^{2+} to Fe^{3+}





B. Carbon is oxidised from C^{2+} to C^{4+}

C. N is oxidised from N^{3-} to N^{5+}

D. carbenes




Answer: D


46. Which of the following is not a disproportionation reaction ?



Answer: D

47. Which of the following is not an intramolecular redox reaction?






Answer: D



Watch Video Solution

48. In the equation



n stands for

A. 1

B. 2

C. 3





D. 4

Answer: B



Watch Video Solution





49. Which of the following is an intermolecular redox reaction?



Answer: D

 [Watch Video Solution](#)


50. The oxidation state of *A*, *B*, and *C* in a compound are +2, +5, and -2, respectively. The compounds is



Answer: C

 [Watch Video Solution](#)

51. The number of electrons lost in the following change is



A. 2

B. 4

C. 6

D. 8

Answer: D

 [Watch Video Solution](#)

52. The oxidation number of *Pt* in $[Pt(C_2H_4)Cl_3]^\ominus$ is

A. +1

B. +2

C. +3

D. +4

Answer: B

 [Watch Video Solution](#)

53. The oxidation number of P in $Mg_2P_2O_7$ is

A. +3

B. +2

C. +5

D. -3

Answer: C

 [Watch Video Solution](#)

54. The oxidation number of phosphorus in PO_4^{3-} , P_4O_{10} , and $P_2O_7^{4-}$ is

A. +5

B. +3

C. -3




D. +2


Answer: A



Watch Video Solution

55. which of the following leads to redox reaction ?





Answer: C

 [Watch Video Solution](#)

56. The oxidation number of S in $Na_2S_4O_6$ is

A. +0.5

B. 2.5

C. +4

D. +6

Answer: B

 [Watch Video Solution](#)

57. The oxidant state of iodine in $H_4IO_6^\ominus$ is

A. +7

B. -1

C. +5

D. +1

Answer: A

 [Watch Video Solution](#)

58. When iron is rusted, it is

A. Oxidised

B. Reduced

C. Evaporated

D. Decomposed

Answer: A

 [Watch Video Solution](#)

59. An element that never has a positive oxidation state in any of its compounds is

- A. Boron
- B. Oxygen
- C. Chlorine
- D. Fluorine

Answer: D



[Watch Video Solution](#)

60. Starch iodide paper is used to test for the presence of

- A. Iodine
- B. Iodide ion
- C. Oxidising agent

D. Reducing agent

Answer: C

 [Watch Video Solution](#)

61. Which of the following acid posses oxidising, reducing and complex forming properties ?

A. HNO_3

B. H_2SO_4


C. HCL

D. HNO_2

Answer: D

 [Watch Video Solution](#)

62. In the reaction



the number of electrons transferred from the reductant to the oxidant is

A. 8

B. 4

C. 16



D. 24



Answer: D



Watch Video Solution

63. Which of the following examples does not represent disproportionation ?





Answer: A



[Watch Video Solution](#)

64. Which of the following statements is not correct ?

A. The oxidation number of S in $(NH_4)_2S_2O_8$ is $+6$.

B. The oxidation number of O s in OsO_4 is $+8$.

C. The oxidation number of S in H_2SO_5 is $+8$.


D. The oxidation number of O in KO_2 is $-1/2$.

Answer: C



[Watch Video Solution](#)

65. The oxidant which cannot act as a reducing agent is



Answer: C



Watch Video Solution

66. The coordination number and oxidation number of Cr in $K_3[Cr(C_2O_4)_3]$ are, respectively,

A. 4 and +2

B. 6 and +3





C. 3 and -3

D. 3 and 0

Answer: B

 [Watch Video Solution](#)





67. Which of the following reactions does not involve either oxidation or reduction ?



Answer: C

 [Watch Video Solution](#)

68. In which of the following processes is nitrogen oxidised ?



Answer: A

 [Watch Video Solution](#)

69. The oxidation number of *C* in *HNC* is

A. +2

B. -3

C. +3

D. 0

Answer: A

 [Watch Video Solution](#)

70. The oxidation number of Fe in $Fe_{0.94}O$ is

- A. 200
- B. $200/94$
- C. $94/200$
- D. None

Answer: B



[Watch Video Solution](#)

71. The oxidant number of Fe in $Na_2[Fe(CN)_5NO]$ is

- A. +2
- B. +1
- C. +3

D. -2

Answer: A

 [Watch Video Solution](#)

72. The oxidation number of Cl in $CaOCl_2$ is

A. -1 and $+1$

B. $+2$


C. -2

D. None

Answer: A

 [Watch Video Solution](#)

73. The equivalent weight of FeC_2O_4 in the change



A. $M/3$

B. $M/6$

C. $M/2$

D. $M/1$

Answer: A



[Watch Video Solution](#)

74. The oxidation state of Fe in Fe_3O_8 is

A. $3/2$

B. $4/5$




C. $5/4$

D. $16/3$

Answer: D

 [Watch Video Solution](#)

75. In which of the following compounds, the oxidation state of transition metal is zero ?



Answer: D

 [Watch Video Solution](#)

76. Oxidation state of S in $H_2S_2O_8$ is

A. +2

B. +4




C. +6

D. +7

Answer: C

 Watch Video Solution

77. Which of the following is not a disproportionation reaction ?







D. All

Answer: C



Watch Video Solution

78. Which of the following is a disproportionation reaction ?



Answer: A



Watch Video Solution

79. When $KMnO_4$ acts as an oxidising agent and ultimately forms MnO_4^{2-} , MnO_2 , Mn_2O_3 , and Mn^{2+} , then the number of electrons transferred in each case, respectively, are

A. 4, 3, 1, 5

B. 1, 5, 3, 7





C. 1, 3, 4, 5

D. 3, 5, 7, 1

Answer: C

 [Watch Video Solution](#)




80. which of the following is a redox reaction ?



Answer: D

 [Watch Video Solution](#)

81. The oxidation states of sulphur in the anions SO_3^{2-} , $S_2O_4^{2-}$, and $S_2O_6^{2-}$ follow the order



Answer: A



[Watch Video Solution](#)

82. For decolourisation of 1 mole of acidified $KMnO_4$ the moles of H_2O_2 required are

A. $1/2$

B. $3/2$

C. $5/2$

D. $7/2$

Answer: C



[Watch Video Solution](#)

83. A metal ion M^{3+} loses three electrons, its oxidation number will be

A. +3

B. +6

C. 0


D. -3

Answer: B



[Watch Video Solution](#)

84. To an acidic solution of an anion, a few drops of $KMnO_4$ solution are added. Which of the following, if present, will not decolourise the $KMnO_4$ solution?



Answer: A



Watch Video Solution

85. The number of moles of $K_2Cr_2O_7$ reduced by one mole of Sn^{2+} ions is

A. $1/6$

B. $1/3$

C. $2/3$

D. 1

Answer: C

 [Watch Video Solution](#)

86. Which of the following is not a reducing agent ?

A. SO_2

B. H_2O_2

C. CO_2

D. NO_2

Answer: C

 [Watch Video Solution](#)

87. The oxidation state of chromium is $[Cr(PPh_3)_3(CO)_3]$ is

A. +3

B. +8

C. 0


D. +5

Answer: C



Watch Video Solution

88. The values of the x and y in the following redox reaction.



A. $x = 2, y = 4$

B. $x = 5, y = 3$

C. $x = 3, y = 5$

D. $x = 4, y = 2$

Answer: C

 [Watch Video Solution](#)

89. Which gas is evolved when PbO_2 is treated with conc HNO_3 ?

A. NO_2

B. O_2


C. N_2

D. N_2O

Answer: B

 [Watch Video Solution](#)

90. The equivalent mass of oxidising agent in the following reaction is



A. 32

B. 64

C. 16

D. 8

Answer: C



Watch Video Solution

91. In alkaline medium, ClO_2 oxidises H_2O_2 to O_2 and is itself reduced to Cl^- . How many moles of H_2O_2 are oxidised by 1 mol of ClO_2 ?

A. 1

B. $3/2$

C. $5/2$


Answer: C



Watch Video Solution

Exercises Assertion Reasoning

1. Assertion (A): H_2O_2 acts only as an oxidising agent.



Reason (R): All peroxides behave as oxidising agents only.

- A. If both (A) and (R) are correct and (R) is the correct explanation of (A).
- B. If both (A) and (R) are correct but (R) is not the correct explanation of (A).
- C. If (A) is correct but (R) is incorrect.
- D. If both (A) and (R) are incorrect.

Answer:

 [Watch Video Solution](#)

2. Assertion (A): $KMnO_4$ is a stronger oxidising agent than $K_2Cr_2O_7$.

Reason (R): This is due to increasing stability of the lower species to which they are reduced.

- A. If both (A) and (R) are correct and (R) is the correct explanation of (A).
- B. If both (A) and (R) are correct but (R) is not the correct explanation of (A).
- C. If (A) is correct but (R) is incorrect.
- D. If (A) and (R) are incorrect.

Answer:

 [Watch Video Solution](#)

3. Assertion (A): SO_2 and Cl_2 are both bleaching agents.

Reason (R): Both are reducing agents.

A. If both (A) and (R) are correct and (R) is the correct explanation of (A).

B. If both (A) and (R) are correct but (R) is not the correct explanation of (A).

C. If (A) is correct but (R) is incorrect.

D. If (A) and (R) are incorrect.

Answer: C

 [Watch Video Solution](#)

4. Assertion (A): F_2 undergoes disproportionation reaction.

Reason (R): Fluorine shows both positive and negative oxidation states.

A. If both (A) and (R) are correct and (R) is the correct explanation of (A).

B. If both (A) and (R) are correct but (R) is not the correct explanation of (A).

C. If (A) is correct but (R) is incorrect.

D. If both (A) and (R) are incorrect.

Answer: D

 [Watch Video Solution](#)

5. Assertion (A): Sn reacts with HCl to produce H_2 gas.

Reason (R): Sn is a better reducing agent than H_2 gas.

A. If both (A) and (R) are correct and (R) is the correct explanation of (A).

B. If both (A) and (R) are correct but (R) is not the correct explanation of (A).

C. If (A) is correct but (R) is incorrect.

D. If (A) and (R) are incorrect.

Answer: A

 [Watch Video Solution](#)

6. Assertion (A): In aqueous solution, SO_2 reacts with H_2S liberating sulphur

Reason (R): SO_2 is an effective reducing agent.

A. If both (A) and (R) are correct and (R) is the correct explanation of (A).

B. If both (A) and (R) are correct but (R) is not the correct explanation of (A).

C. If (A) is correct but (R) is incorrect.

D. If (A) and (R) are incorrect.

Answer: B

 [Watch Video Solution](#)

7. Assertion (A): $PbCl_2$ is more stable than $PbCl_4$.

Reason (R): $PbCl_4$ is a powerful oxidising agent.

A. If both (A) and (R) are correct and (R) is the correct explanation of (A).

B. If both (A) and (R) are correct but (R) is not the correct explanation of (A).

C. If (A) is correct but (R) is incorrect.

D. If (A) and (R) are incorrect.

Answer: A

 [Watch Video Solution](#)

8. Assertion (A): O_2 is stronger reducing agent than F_2

Reason (R): F_2 is more electronegative.

A. If both (A) and (R) are correct and (R) is the correct explanation of (A).

B. If both (A) and (R) are correct but (R) is not the correct explanation of (A).

C. If (A) is correct but (R) is incorrect.

D. If (A) and (R) are incorrect.

Answer: D



[Watch Video Solution](#)

9. Assertion (A): The two Fe atoms in FeO_3O_4 have different oxidation numbers.

Reason (R): Fe^{2+} ions decolourise $KMnO_4$ solution.

A. If both (A) and (R) are correct and (R) is the correct explanation of (A).

B. If both (A) and (R) are correct but (R) is not the correct explanation of (A).

C. If (A) is correct but (R) is incorrect.

D. If (A) and (R) are incorrect.

Answer: B

 [Watch Video Solution](#)

10. Assertion (A): HNO_3 acts only as an oxidising agent, while HNO_2 acts both as an oxidising agent and a reducing agent.

Reason (R): The oxidation number of N in HNO_3 is maximum.

A. If both (A) and (R) are correct and (R) is the correct explanation of (A).

B. If both (A) and (R) are correct but (R) is not the correct explanation of (A) .

C. If (A) is correct but (R) is incorrect.

D. If (A) and (R) are incorrect.

Answer: A

 [Watch Video Solution](#)

11. Assertion (A): O_3 can act as an oxidising agent as well as a reducing agent, but SO_2 can act only as an oxidant.

Reason (R): The oxidation number of O in O_3 is zero, and the oxidation number of S in SO_2 is $+4$.

A. If both (A) and (R) are correct and (R) is the correct explanation of (A) .

B. If both (A) and (R) are correct but (R) is not the correct explanation of (A) .

C. If (A) is correct but (R) is incorrect.

D. If both (A) and (R) are incorrect.

Answer: D

 [Watch Video Solution](#)

12. Assertion (A): Sodium perxenate (Na_4XeO_6) reacts with NaF in acidic medium to give XeO_3 and F_2

Reason (R): XeO_6^{4-} is a stronger oxidant than F_2 .

A. If both (A) and (R) are correct and (R) is the correct explanation of (A).

B. If both (A) and (R) are correct but (R) is not the correct explanation of (A).

C. If (A) is correct but (R) is incorrect.

D. If (A) and (R) are incorrect.

Answer: A



Watch Video Solution

13. Assertion (A): In the process of drying dishes with a towel, the wetting agent is the dish and the drying agent is the towel.

Reason (R): The wetting agent gets wet during the process.

- A. If both (A) and (R) are correct and (R) is the correct explanation of (A).
- B. If both (A) and (R) are correct but (R) is not the correct explanation of (A).
- C. If (A) is correct but (R) is incorrect.
- D. If (A) and (R) are incorrect.

Answer: C



Watch Video Solution

14. Assertion (A): A reaction between Fe and I_2 occurs, but a reaction between Fe^{2+} and I^{\ominus} does not occur.

Reason (R): Fe is a better reducing agent than I^{\ominus} .

A. If both (A) and (R) are correct and (R) is the correct explanation of (A).

B. If both (A) and (R) are correct but (R) is not the correct explanation of (A).

C. If (A) is correct but (R) is incorrect.


D. If (A) and (R) are incorrect.

Answer: A



[Watch Video Solution](#)

15. Assertion: (A): The reactions between NH_3 and MnO_4^{\ominus} occurs in an acidic medium.



Reason (R): MnO_4^\ominus is reduced to MnO_2 in acidic medium.

- A. If both (A) and (R) are correct and (R) is the correct explanation of (A).
- B. If both (A) and (R) are correct but (R) is not the correct explanation of (A).
- C. If (A) is correct but (R) is incorrect.
- D. If both (A) and (R) are incorrect.


Answer: D



[Watch Video Solution](#)


Exercises Integers

1. Among the following, what is the total number of compounds having +3 oxidation state of the underlined elements?





Watch Video Solution



2. Among the following, what is the total number of compounds having +3 oxidation state of the underlined elements?



Watch Video Solution




3. Among the following, what is the total number of compounds having zero oxidation state of the underlined elements?





Watch Video Solution

4. Among the following, what is the total number of compounds having zero oxidation state of the underlined elements?



Watch Video Solution

5. Among the following elements, what is the total number of elements having the lowest oxidation state of zero? Ta



d. Ti

e. Tl



Watch Video Solution

6. Among the following , what is the total number of speices which are very good oxidising agents ?

a. F_2

b. F^\ominus

c. Na

d. Na^\oplus




e. MnO_4^\ominus



Watch Video Solution

7. Among the following ,what is the total number of speices which are very good oxidising agents/reducing agents/neither oxidising nor reducing ones ?

a. F_2



Watch Video Solution

8. Among the following ,what is the total number of speices which are very good oxidising agents/reducing agents/neither oxidising nor reducing ones ?



c. Na

d. Na^{\oplus}

e. MnO_4^{\ominus}

f. I^{\ominus}

Cl^{\ominus}

h. Ce^{4+}

i. $Cr_2O_7^{2-}$

j. CrO_4^{2-}


k. HNO_3

l. Fe^{2+}




Watch Video Solution

9. Balance the following by ion electron method in basic medium.



Watch Video Solution


10. CN^{\ominus} ion is oxidised by a powerful oxidising agent to NO_3^{\ominus} and CO_2 or CO_3^{2-} depending on the acidity of the reaction mixture.



What is the number (n) of electrons involved in the process, divided by 10?

 [Watch Video Solution](#)

11. What is the n -factor for the phenol in the following reaction?



 [Watch Video Solution](#)

Archives Single Correct

1. The oxidation number of C in CH_2O is

A. -2

B. +2

C. 0

D. +4

Answer: C



[Watch Video Solution](#)

2. The brown ring complex compound is formulated as

$[Fe(H_2O)_5NO]SO_4$. The oxidation state of Fe is

A. 1

B. 2

C. 3




D. 0

Answer: A



[Watch Video Solution](#)

3. The equivalent mass of $MnSO_4$ is half of its molecular mass when it is converted to



Answer: B



Watch Video Solution

4. What is the oxidation state of P in $Ba(H_2PO_2)_2$?

A. +3

B. +2

C. +1

D. -1

Answer: A

 [Watch Video Solution](#)

5. The oxidation states of the most electronegative elements in the products of the reaction between BaO_2 and H_2SO_4 are

A. 0 and -1

B. -1 and -2


C. -2 and 0

D. -2 and $+1$

Answer: B

 [Watch Video Solution](#)

6. For the redox reaction



the correct coefficients of the reactions for the balanced reaction are

A. 2, 5, 16

B. 16, 5, 2

C. 5, 16, 2

D. 2, 16, 5

Answer: A



[Watch Video Solution](#)

7. In the compound $\text{Yb}_2\text{Cu}_3\text{O}_7$ which shows superconductivity, what is the oxidation state of Cu ?

Assume that the rare earth element yttrium is in its usual +3 oxidation state.

A. $+\frac{7}{3}$

B. $-\frac{7}{3}$

C. $\frac{5}{3}$


D. $-\frac{5}{2}$

Answer: A



Watch Video Solution

8. In the reaction



A. Br_2 is oxidised and CO_3^{2-} is reduced.

B. Br_2 is reduced and H_2O is oxidised.

C. Br_2 is neither reduced nor oxidised.

D. Br_2 is both reduced and oxidised.

Answer: D

 [Watch Video Solution](#)

9. $KMnO_4$ acts as an oxidising agent in acidic medium. The number of moles of $KMnO_4$ that will be needed to react with one mole of sulphide ions in acidic solution as

A. $\frac{2}{5}$

B. $\frac{3}{5}$

C. $\frac{4}{5}$

D. 1

Answer: A

 [Watch Video Solution](#)

10. The oxidation number of S in S_8 , S_2F_2 , and H_2S , respectively, are

A. 0, + 1 and - 2

B. +2, +1 and -2





C. 0, +1 and +2

D. -2, +1 and -2

Answer: A

 [Watch Video Solution](#)

11. Which of the following species has an atom with +6 oxidation state?



Answer: D

 [Watch Video Solution](#)

12. In the neutralization of $Na_2S_2O_3$ using $K_2Cr_2O_7$ by idometry, the equivalent weight of $K_2Cr_2O_7$ is

A. $M/2$

B. $M/6$

C. $M/3$


D. M

Answer: B



[Watch Video Solution](#)

13. The reaction



is an example of

A. Oxidation

B. Reduction

C. Disproportionation

D. Decomposition

Answer: C

 [Watch Video Solution](#)

14. Maximum oxidation state is present in

A. CrO_2Cl_2 and MnO_4^\ominus

B. MnO_2

C. $[Fe(CN)_6]^{3-}$ and $[Co(CN)_6]^{3-}$

D. MnO

Answer: A

 [Watch Video Solution](#)

15. Which of the following is not oxidised by O_3 ?

A. KI

B. $FeSO_4$

C. $KMnO_4$

D. K_2MnO_4

Answer: C



[Watch Video Solution](#)

16. Oxidation states of the metal in the minerals haematite and magnetite, respectively, are

A. II , III in haematite and III in magnetite

B. II , III in haematite and II in magnetite

C. II in haematite and II , III in magnetite


D. III in haematite and II , III in magnetite

Answer: D

 Watch Video Solution

Archives Integers

1. The difference in the oxidation numbers of the two types of sulphur atoms in $Na_2S_4O_6$ is:



 Watch Video Solution