

## **PHYSICS**

## **NCERT - FULL MARKS PHYSICS(TAMIL)**

## **THERMODYNAMICS**

Exercises

- 1. A boiler heats water flowing at the rate of
- 2,0 litres per minute from 27°C to 77°C. If the
- boiler operates on a gas burner, the rate of

consumption of the fuel if its heat of combustion is  $4.0 \times 10^4 J/g$  , is



Watch Video Solution

2. What amount of heat must be supplied to  $2.0 imes 10^{-2}$  kg of nitrogen (at room temperature ) to raise the temperature by  $45\,^{\circ}\,C$  at constant pressure. Molecular mass of  $N_2 = 28, R = 8.3 J \text{mol}^{-1} K^{-1}$ .



## 3. Explain why

- (a) Two bodies at different temperature  $T_1$  and  $T_2$  if brought in thermal contact do not necessarily settle to the mean temperature  $\left(T_1+T_2\right)/2$  ?
- (b) The coolant in a chemical or nuclear plant (i.e., the liquid used to prevent different parts of a plant from getting too hot)should have high specific heat. Comment.
- (c) Air pressure in a car tyre increases during driving . Why?
- (d) The climate of a harbour town is more

temperature (i.e., without extremes of heat and cold) than that of a town in a desert at the same latitude. Why?



Watch Video Solution

4. A cyclinder with a movable piston contains 3mols of hydrogen at standard temperature and pressure. The walls of the cyclinder are made of a heat insulator, and the piston is insulated by having a pile of sand on it. By what factor does the pressure of the gas

increases, if the gas is compressed to half its original volume? Given  $\gamma=1.4.$ 



**Watch Video Solution** 

5. In changing the state of a gas adiabatically from an equilibrium state A to another equilibrium state B, an amount of work equal to 22.3J is done on the system. If the gas is taken from State A to B via a process in which the net heat absorbed by the system is 9.35cal

., How much is the net work done by the system in the later case? (Take  $1cal.\,=4.9J$ )



**Watch Video Solution** 

**6.** Two cyclinder A and B of equal capacity are connected to eachother via a stopcock. The cyclinder A contains an ideal gas at standard temperature and pressure, while the cyclindr B is completely evacuated. The entire system is thermally insulated. The stopcock is suddenly opened. Answer the following:

(a) What is the final pressure of the gas in A and B?

(b) What is the change in internal energy of the gas?

(c) What is the change in temperature of a gas?

(d) Do the intermidiate states of the system (before settling to the final equilibrium state)lie on its P - V - T surface?



**7.** A stream engine delivers  $5.4 \times 10^8 J$  of work per minute and absorbs  $3.6 \times 10^9 J$  of heat per minute from its boiler. What is the efficiency of the engine? How much heat is wasted per minute?



**Watch Video Solution** 


**8.** An electric heater supplies heat to a system at a rate of 100W. If system performs work at a

rate of 75 joules per second. At what rate is the internal energy increasing?



Watch Video Solution

**9.** A thermodynamic system is taken from an original state to an intermediate state by the linear process shown in Fig. (12.13)



Its volume is then reduced to the original value from E to F by an isobaric process.

Calculate the total work done by the gas from D to E to F



10. Refrigerator is to maintain eatables kept inside at  $9^{\circ}\,C$  . If room temperature is  $36^{\circ}\,C$  Calculate the co-efficient of performance.

