

BIOLOGY

BOOKS - TRUEMAN BIOLOGY

CELL- THE BASIC UNIT OF LIFE (CELL AND ITS STRUCTURAL ORGANISATION)

Multiple Choice Answer Type

- 1. An example of encleated living plant cell is
 - A. RBC
 - B. sieve tube cell
 - C. companion cell
 - D. xylem parenchyma

Answer: B Watch Video Solution 2. Which is not a compartment in the cell? A. Nucleus B. Mitochondria C. Chloroplast D. Centriole Answer: D **Watch Video Solution**

3. Intracellular compartments are not found in cells of

A. lower plants B. prokaryotes C. higher plants D. eukaryotes Answer: B **Watch Video Solution** 4. Small cells are metabolically active as they have A. higher nucleocytoplasmic ratio B. higher surface area per unit volume C. more cytoplasm D. both (1) & (2) are correct.

Answer: D

5. Which of the following represents the correct sequence of relative sizes (in descending order) of the entities named ?

A. Cell, nucleus, water molecule, oxygen atom, chromosome

B. Nucleus, water molecule, cell, chromo-some, oxygen atom

C. Chromosome, cell, nucleus, water molecule, oxygen atom

D. Cell, nucleus, chromosome, water molecule, oxygen atom.

Answer: D



6. The size of a cell depends upon

A. its oxygen requirements

B. its minerals and materials requirements C. regulation ability of its nucleus D. all of the above **Answer: D Watch Video Solution** 7. Stem cells are A. permanent cells in plants

B. undifferentiated cells

C. not capatable of division and development

D. all of the above

Answer: B



8. The prokaryotic cells have							
A. one envelope system							
B. two envelope system							
C. three envelope system							
D. no envelope system							
Answer: A Watch Video Solution							
9. Which is absent in RBC ?							
A. Aerobic respiration							
B. Cytoplasm							
C. mRNA							

Answer: A
Watch Video Solution
10. Largest animal cell is that of
A. Ostrich egg
B. Nerve cell
C. Muscle cell
D. RBC

D. Membrane

Answer: A

11. A multicellular organism is lartger due to A. large number of cells B. larger cells C. smaller cells D. surface area - volume ratio **Answer: A Watch Video Solution** 12. Omnis cellula-e cellula' i.e., new cells arise from prexisting cells, this statement was given by A. Purkinje B. Virchow C. Swammerdam

D. Robert Hooke

Answer: B



13. Acetabularia (Umbrella plant) is 10 cm long, single celled marine green alga and

- A. binucleated
- B. multinucleated
- C. coenocytic
- D. uninucleated

Answer: D



14. is known as cytoplasm minus all inclusions and organelles.							
A. Hyaloplasm							
B. Stroma							
C. Protoplasm							
D. Protoplast							
Answer: A							
Watch Video Solution							
15. Protoplast lacks							
A. neutral							
B. nucleus							
C. plasma membrane							
D. cell wall.							

Answer: D



Watch Video Solution

16. Cytoplasmic streaming is a characteristic of plant cells, Amoeba &

WBC. It is caused by

- A. sliding microtubules
- B. contracting microfilaments
- C. change in turgor pressure
- D. growth of cell

Answer: B



17. Cytoplasm is crystallo-colloidal polyphasic solution, discovered by Kolliker. It is actually

A. Protoplasm

B. Protoplasm - Nucleus and cytoplasm

C. Hyaloplasm - Organelle

D. Protoplasm - Organelle

Answer: B



18. The term protoplasm was coined by

A. Dujardin

B. Purkinje

C. Hugo von Mohl

D. T.H. Huxley

Answer: B



Watch Video Solution

19. Proteins (export proteins) that are to be used outside the cell are synthesized

A. in mitochondria

B. on SER

C. on RER

D. on free ribosomes

Answer: C



20. Which organelle helps in the synthesis of lipids, chloesterol, steroids and visual pigments in epithelial cells of retina?

- A. SER
- B. RER
- C. Golgi bodies
- D. Ribosomes



- 21. SER mainly consists of
 - A. cisternae and tubules
 - B. cisternae and vesicles
 - C. vesicles only

D. tubules and vesicles								

Answer: D



22. Nissi granules in cyton of nerves are rich in

A. RER

B. Golgi bodies

C. Mitochondria

D. SER



23. SER is concerned with							
A. lysosome							
B. protein synthesis							
C. sphaerosome							
D. all of these							
Answer: C							
Watch Video Solution							
24. The endoskeleton of cell is made up of							
A. ER							
A. ER B. cytoplasm							

D. ribosomes
Answer: A
Watch Video Solution
25. Mechanical support, enzyme circulation, protein synthesis and
detoxification of durgus are the function of
A. ER

B. ribosomes

C. dictyosomes

D. chloroplast

Watch Video Solution

26. ER is extensively developed and abundant in							
A. liver							
B. sperms							
C. resting cells							
D. all correct							
Answer: A							
Watch Video Solution							
27. ER has a structure similar to							
A. cell wall							
A. cell wall B. cell membrane							

Answer: B



28. The nucleoplasm is continuous with the cytoplasm of a cell through

- A. ER
- B. Nuclear pores
- C. Golgi apparatus
- D. Vacuoles



29. Membrane system considered to be extension of infolded plasma
membrane is
A. Golgi complex
B. plastids
C. mitochondria
D. ER
Answer: D
Watch Video Solution
Watch Video Solution
30. Gastic cells secreting zymogen have well developed
30. Gastic cells secreting zymogen have well developed

D. mitochondria

Answer: B



Watch Video Solution

- 31. Choose the correct statement.
 - A. Ribosomal subunits are united during protein synthesis.
 - B. Ribosomal subuits always remain united.
 - C. Ribosomal subunits are united in nucleus during r-RNA synthesis.
 - D. All are correct statements.

Answer: A



32. Non membranous cell organelles are
A. mitochondria
B. ribosomes
C. ER and nucleolus
D. ribosomes and centrioles
Answer: D
Watch Video Solution
33. Site of formation of ribosomal precursor/ribosomal subunits in cell is
A. nucleus
B. nucleolus
C. Golgi body


D. stroma	
Answer: B	
Watch Video Solution	
34. Ribosomes are attached to ER through	
A. rRNA	
B. Hydrophobic attraction	

C. Ribophorins

Watch Video Solution

D. tRNA

Answer: C



D.	nucle	eus

Answer: A



Watch Video Solution

- 37. Ribosomes differ from cell to cell/species to species in
 - A. types of membranes
 - B. types of rRNA
 - C. $Mg^{\,+\,+}$ concentration
 - D. all of these

Answer: B



38.	Which	is	must	for	bin	ding	of sub	units	of ribo	osomes	?
J U .	VVIIICII		masc			41116	OI Jul	uiiics	01 110	22011163	•

- A. $Mg^{\,+\,+}$
- B. Ca^{++}
- C. Fe^{++}
- D. Mg and Si



- **39.** Ribosomes are composed of
 - A. DNA and protein
 - B. RNA and protein
 - C. Nucleoproteins + $Mg^{+\,+}$ + tRNA

D. DNA, rRNA and proteins

Answer: B



Watch Video Solution

- **40.** Subunits of prokaryotic ribosomes are
 - A. 50 S + 50 S
 - B. 50 S + 30 S
 - C.40 S + 30 S
 - D. 60 S + 40 S

Answer: B



41. 70 S type of ribosomes found in :-
A. prokaryotic cells
B. eukaryotic cells
C. mitochondria
D. all the above
Answer: D
Watch Video Solution
Watch Video Solution
42. In eukaryotic cell, the type of ribosomes is
42. In eukaryotic cell, the type of ribosomes is
42. In eukaryotic cell, the type of ribosomes is A. 70 S

D. none
Answer: C
Watch Video Solution
43. Which organoid (organelle) is located near the nucleus and contains stack of flattened cisternae (tubular) structures?
A. Chloroplast
B. Golgi bodies
C. Centrosome

D. Centriole

Watch Video Solution

Answer: B

A. DNA and RNA B. Proteins, DNA and lipids C. Proteins, phospholipids and enzymes D. Respiratory enzymes and digestive enzymes **Answer: C Watch Video Solution** 45. In plant cells the number of golgi bodies increases during A. food synthesis B. cell division C. translocation

44. Golgi bodies contain

D. respiration

Answer: B **Watch Video Solution** 46. One of the organelles showing polarity is A. ribosomes B. vacoule C. Golgi bodies

Answer: C

D. lysosomes



47. Which part of sperm is formed by Golgi bodies?

A. 1)Middle piece
B. 2)Axial filament
C. 3)Neck
D. 4)Acrosome
Answer: D
Watch Video Solution
48. Secretory vesicles are pinched off as zymogen granules from
side of dictyosomes.
A. convex
B. concave
C. plain
D. all sides

Answer: B



Watch Video Solution

49. In plant cell, which organelle secretes pectin, hemicellulose, proteins and microfibrils of cellulose to make cell wall?

- A. 1)ER
- B. 2)plasma membrane
- C. 3)dictyosomes
- D. 4)glyoxysomes

Answer: C



Watch Video Solution

50. Golgi apparatus serves as the centre of

- A. proteins production
- B. enzyme production
- C. β oxidation of fatty acids
- D. carbohydrates synthesis

Answer: D



Watch Video Solution

- 51. Unicisternal dictyosomes are found in
 - A. plant cells
 - B. fungi
 - C. bacteria
 - D. algal cell

Answer: B

52. Golgi complex takes part in formation of

A. 1)acrosome of sperm

B. 2)cortical granules and vitelline membrane of oocytes

C. 3) yolk in egg

D. 4) all of the above

Answer: D



Watch Video Solution

53. Which is not under the control of distyosomes?

A. Autophagy

B. Extracellular secretions

- C. Cell plate formation
- D. Galactose synthesis

Answer: A



Watch Video Solution

54. Golgi complex is specialized for

- A. energy transduction
- B. glycosidation of lipids
- C. digestion
- D. phagosome formation

Answer: B




- **55.** Protein synthesis can occur in
 - A. nucleoplasm and cytoplasm
 - B. mitochondria and chloroplast
 - C. ribosome and centrosome
 - D. all of the above

Answer: B



- **56.** Pyrenoids are centre of
 - A. fat
 - B. starch
 - C. protein formation
 - D. enzyme formation

Answer: B Watch Video Solution 57. Cup-shaped chloroplast in present in A. Spirogyra B. Chlamydomonas C. Ulothrix D. All **Answer: B Watch Video Solution**



- A. Chloroplast
- B. mitochondria
- C. both of the above
- D. none, as no cell is an energy transducer

Answer: C



59. A piece of carrot and a flower is put in water separately. The water becomes coloured in case of carrot but remains colourless in case in flower. It is because

- A. in carrot, Anthocyanin pigments are found in cell sap which are
 - water soluble
- B. in flowers, carotenoid pigments are fat soluble and found in chromoplast and do not come out in water.

C. In flowers pigments are found in cytoplasm while in carrot, pigments are localized in vacuoles. D. (1) and (2) **Answer: D Watch Video Solution** 60. The cell within cell, organelle is A. RER B. mitochondria C. both (1) & (2)

C. both (1) & (2)

D. bacteria

Answer: B



61. Cell organelles with own genome system and considered to be semiautonomous are

A. chloroplasts and nucleus

B. chloroplast and mitochondria

C. chloroplast

D. chloroplast, centrioles & mitochondria

Answer: B



62. Biogenesis of chloraplast and mitochondria is

A. de novo

B. from ER/nuclear membrane

D. GERL system **Answer: C Watch Video Solution** 63. The chlorophyll pigments are located in the chloroplast in its A. membrane part B. grana region C. stroma region D. loculus **Answer: B Watch Video Solution**

C. from preexisting organelle

64. Which one is common in nucleus, chloroplast adn mitochondria ?
A. 80 S Ribosomes and DNA
B. Circular and nakes DNA
C. Double limiting membrane
D. All of the above
Answer: C
Watch Video Solution
65. Plastids present in unilluminated cells are
A. Chloroplast
B. chromoplast
C. leucoplast
D. proplastid

Answer: C Watch Video Solution 66. Chlorophyll pigments are readily soluble in A. water B. acids/alkalies C. acetone/alcohol D. all of these





67. Pigment absent in chromoplast

A. anthocyanin B. carotene C. xanthophyll D. all of the above **Answer: A Watch Video Solution** 68. Thylakoid are found in the plastids of A. bacteria B. blue green algae C. higher plants D. all of these **Answer: C**



69. Thylakoids are found in

A. 1)bacteria

B. 2)blue green algae

C. 3) higher plants

D. 4)all of these

Answer: D



Watch Video Solution

70. Protein synthesis occurs in cell in

A. cytoplasm only

B. cytoplasm, mitochondria and chloroplast

- C. ribosome attached on nuclear envelope
- D. nucleolus and cytoplasm both

Answer: B



71. In Mitochondria, Cristae act as sites for

- A. 1)protein synthesis / translation
- B. 2) oxidation reduction reactions
- C. 3)breakdown of molecules
- D. 4) phosphorylation of molecules

Answer: B



72. Animal cells have more mitochondria than plant cells because
A. plant cells need less energy
B. animal cells do not have chloroplast
C. both correct
D. both wrong
Answer: B
Answer: B Watch Video Solution
Watch Video Solution

D. All correct

C. Phosphates

Answer: A



74. Oxysomes/Elementary particles/ F_0-F_1 particles are centre of oxidative phosphorylation and found in

- A. matrix of mitochondria
- B. thylakoids
- C. inner menbrane of mitochondria
- D. all wrong

Answer: C



Watch Video Solution

75. Enzyme ATPase is found in of oxysome.

- A. F_1
- B. F_0
- C. $F_1 F_0$ particle
- D. none of the above but in cytoplasm

Answer: A



Watch Video Solution

- 76. Enzymes for ETS in mitochondria are located in
 - A. inner membrane
 - B. oxysomes
 - C. outer membrane
 - D. matrix

Answer: A



77. which one is absent in human RBC?

A. Biomembrane

B. Enzymes

C. Hyaloplasm

D. Kreb's cycle

Answer: D



Watch Video Solution

78. Point out the wrong matching.

A. Mitochondria - Respiration

B. Plastid - Photosyntesis

- C. Ribosome Carbohydrates
- D. Cytoplasm RNA

Answer: C



79. Which of the following observations most strongly support the view that mitochondria contain electron transport enzymes aggregated into compact association?

- A. Mithochondria have a property to concentrate in cells which form locomotory structres.
- B. Disruption of mitochondria yields membrane fragments which are able to syntesize ATP.
- C. Mitochondria have a folded inner membrane.


D. A contractile protein capable of utilizing ATP is obtained from mitochondria


Answer: B





Watch Video Solution

80. Choose the correct functioning of mitochondria.









Answer: A



Watch Video Solution

81. If a living cell is placed anaerobic condition its

A. mitochondria will multiply

B. mitochondria will disappear

C. ER will disappear

D. mitochondria and ribosomes multiply speedly

Answer: B



- 82. Outer and inner membranes of mitochondria are
 - A. structually and functionally similar
 - B. structurally different but functionally similar
 - C. structurally similar but functionally different.
 - D. Structurally and functionally different.

Answer: D



- **83.** Antibiodies are produced and secreted by plasma cells. Which of the following organelles must be well developed for effective antibody synthesis?
 - A. smooth ER
 - B. mitochondria

D. rough ER
Answer: D
Watch Video Solution
84. Which organelle can store large amount of calcium?
A. Lysosomes
B. glyoxysomes
C. Mitochondria
D. Golgi bodies
Answer: C
Watch Video Solution

C. storage vacuole

85. Which cell organelle reduces the number of other organelle?
A. Oxysome
B. Mitochondrion
C. Lysosome
D. None of these
Answer: C
Watch Video Solution
86. In granular leucoytes (WBC) like neutrophils the granules are
86. In granular leucoytes (WBC) like neutrophils the granules are A. ribosomes
A. ribosomes

Answer: D



87. Secondary lysosomes should have

- A. only enzymes
- B. enzymes and food particles
- C. food particles only
- D. undigested food only

Answer: B



Watch Video Solution

88. When lysosomes burst, they release their enzymes and digest entire cell. It is called

B. autophagy C. endocytosis D. exocytosis Answer: A **Watch Video Solution** 89. Which one is incorrect with reference to lysosome? A. They are filled with acid hydrolase and other enzymes. B. They are monomorphic and uniform in structure and function. C. They may be autophagic. D. They can digest proteins, nucleic acids, lipids and

A. autolysis

polysaccharides

Answer: B Watch Video Solution

90. In plant cells, peroxisomes are associated with

- A. Phototropism
- B. Photosynthesis
- C. Photorespiration
- D. Photoperiodism

Answer: C



91. Gloxysomes and peroxisomes are

A. microbodies B. cell inclusions C. ergastic bodies D. all of these **Answer: A Watch Video Solution** 92. Plants can convert fatty acids into sugar by A. glycolysis B. glyoxylate cycle C. Photorespiration D. krebs'cycle Answer: B



- 93. Malfunctioning of lysosomes results in
 - A. accumulation of waste materials
 - B. malignant transformation of cells
 - C. inborn diseases
 - D. all of the above.

Answer: D



- 94. Which organelle converts cellular polymers into monomers?
 - A. Lysosomes
 - B. Golgi bodies

C. SER
D. Plastids
Answer: A
Watch Video Solution
95. Lysosomes arise through the
A. Golgi complex

B. SER

C. RER

Answer: D

D. GERL System

96. Lysosomes are called
A. power house
B. energy transducer
C. disposal units of cell
D. all correct
Answer: C
Watch Video Solution
97. The organelle present in germinating seeds and connecting with β -oxidation or fat digestion is
p extension of facilities
A. glyoxysomes `
B. cytosol
C. mitochondria

D. sphaerosomes

Answer: A



Watch Video Solution

98. Lysosomes are called suicidal bags because they have

- A. 1) phagocytic activity
- B. 2)hydrolytic enzymes
- C. 3) β oxidation enzymes
- D. 4)all of these

Answer: B



- **99.** Polymorphism is shown by
 - A. lysosomes
 - B. glyoxysomes
 - C. peroxisomes
 - D. all microbodies

Answer: A



100. In which one of the following would you expect to find glyoxysomes

- A. Endosperm of wheat
- B. Endosperm of castor
 - C. Palisade cells in leaf

D.	Root	hairs

Answer: B



Watch Video Solution

101. Plant lysosomes rich in fats and taking part in synthesis of fats, are

- A. spherosomes
- B. glyoxysomes
- C. microsomes
- D. lysosomes

Answer: A



102. Organelles having enzymes involved in photorespiration are

A. mitochondria, chloroplast & peroxisomes

B. mitochondria, nucleus and ribosomes

C. mitochondria, glyoxysomes and peroxisomes

D. mitochondria, chloroplast & glyoxysomes

Answer: A



Watch Video Solution

103. In the process of metamorphosis of amphibians, the embryonic tissues are digested by

A. golgi apparatus

B. residual bodies

C. lysosomes

D. peroxisomes

Answer: C



Watch Video Solution

104. Peroxisomes are found in

A. plant cells

B. animal cells

C. both (1) & (2)

D. bacteria

Answer: C



105. Which of the following stores calcium required for muscle contraction?

A. Smooth ER

B. Microfilaments

C. GB

D. RER

Answer: A



Watch Video Solution

106. The glycolate metabolism occur in

A. lysosomes

B. ribosomes

C. glyoxysomes

D. peroxisome	
Answer: D	
Watch Video Solution	
107. The enzyme called Marker enzyme in lysosome is	
A. 1)acid phosphatase	
B. 2)peroxidase	

C. 3)hyaluronidase

Watch Video Solution

D. 4)catalase

Answer: A

108. Electron microscopy has revealed that the Golgi complex is involved in the

- A. formation of primary lysosomes
- B. development of ribosomes
- C. accumulation of lipoproteins
- D. accumulation of proteins

Answer: A



109. An individuals was on a fast for a long period of time. Which cell organelle would be the most likely one to respond to the distress signal?

A. Nucleolus

- B. ER
- C. Golgi complex
- D. Lysosome

Answer: D



Watch Video Solution

110. Microtubules are hollow, cylindrical, non contractile membraneless, cytoskeletal structure of 250 Å diameter. These are composed of sulphur rich tubulin protein and arise from nucleating centres like kietochore, basal body, massules of centrioles etc. This tubulin occurs in

- A. 11 longitudinal protofilaments
- B. 13 protofilaments
- C. 2 + 9 protofilaments

D. 0+ 9 protofilaments

Answer: B



Watch Video Solution

111. Microtubules help in

A. cilia, flagella, centrioles, spindle aparatus formation/cell division

- B. chromosomal fibres, nerve processes, endocytosis
- C. cell motility and cell shape, muscle contraction
- D. all the above are correct

Answer: A



Watch Video Solution

112. Filaments present in flagella/Cilia are
A. microtubules
B. microfilaments
C. microfibrils
D. microvilli
Answer: A
Watch Video Solution
113. Sweeping type of rhythmic movements are shown by
113. Sweeping type of rhythmic movements are shown by
113. Sweeping type of rhythmic movements are shown by A. flagella

Answer: B



114. Which is not an intracellular compartment in the cell?

- A. Nucleus
- B. Centriole
- C. Mitochondria
- D. Chloroplast

Answer: B



Watch Video Solution

115. 0 + 9 microfibrillar structure is found in

A. shaft of flagella B. shaft of cilia C. centriole D. all correct **Answer: C Watch Video Solution** 116. Which form cell wall and spindle? A. Golgi B. ER C. Microfilaments D. Microtubules **Answer: D**



117. Cytoplasmic streaming and function of microvilli depend on

A. microtubules

B. microfilaments

C. centriole

D. all of these

Answer: B



Watch Video Solution

118. Tubulin protein occurs in

A. 1)enzymes

B. 2)RER

- C. 3)microtubules and cilia
- D. 4) microfilaments and microvilli

Answer: C



Watch Video Solution


119. Centrosome is

- A. a nuclear structure of animal cell
- B. cytoplasmic structure of only animal cells
- C. cytoplasmic structure of both plant and animal cells
- D. cytoplasmic structure of plant cells

Answer: b



Watch Video Solution



C. 3)myoglobin

D. 4)myosin

Answer: A



Watch Video Solution

121. Microtubules are found in

A. bacteria

B. eukaryotic cells

C. prokaryotic cells

D. microvilli

Answer: B



Watch Video Solution

122. Arrangement of microtubules in basal bodies is

- A. 9 pairs in circle
- B. 9 triplets in circle
- C. 9 pairs in circle + 2 axial
- D. 2 in circle and 9 in periphery

Answer: B



Watch Video Solution

123. An organelle that has no DNA but capable of duplication is
A. centriole
B. centrosphere
C. centromere
D. kinetochore
Answer: A
Watch Video Solution
124. In Amoeba which controls the cytoplasmic osmolality ?
A. Nucleus
B. Ectoplasm

D. Contractile	e vacuole

Answer: D



Watch Video Solution

- 125. When an Amoeba is taken from river to sea water, than
 - A. contractile vacuole disappears
 - B. feeding stops
 - C. it divides immediately
 - D. undergoes encystment

Answer: A



Watch Video Solution

126. A large and mature plant cell has
A. many vacuole
B. no vacuole
C. a large vacuole
D. many small vacuoles & a large vacuole
Answer: C
Watch Video Solution
Watch Video Solution
Watch Video Solution 127. Cells of aleurone layer contain
127. Cells of aleurone layer contain

D. sugars	
nswer: C	
Watch Video Solution	
28. The layer of vacuole is	

12

- A. plasmalemma
- B. tonoplast
- C. sarcolemma
- D. cytoplasmic membrane

Answer: B



129. Contractile vacuoles help in

- A. excretion
- B. osmoregulation
- C. osmoregulation and respiration
- D. digestion

Answer: B



Watch Video Solution

- 130. The anthocyanin pigments responsible for colour of petals are
 - A. water soluble and located in cell sap
 - B. water soluble and located in chloroplast
 - C. water soluble and located in chromoplast

D. water insoluble and located in cell sap	
Answer: A	

Watch Video Solution

- 131. At maturity which of the following is enucleate?
 - A. Sieve cell
 - B. Companion cell
 - C. Palisade cell
 - D. Cortical cell

Answer: A



132. Nucleus was discovered in root cells of orchids by
A. Robert Brown
B. Robert Hooke
C. Straburger
D. Bowman
Answer: A
Watch Video Solution

133. Nucleus is the site of

A. 1)m-RNA synthesis

C. 3)both (1) & (2)

B. 2)assemblage of ribosomal units

D. 4) DNA and protein synthesis

Answer: B



Watch Video Solution

134. Below are given a few cell organelles :

- (a) Nucleus
- (b) Lysosomes
- (c) Peroxisomes
- (d) ER
- (e) Mitochondria
- (f) Centrioles
- (g) Plastids

Select the correct choice of organelles not bounded by two lipoprotein membranes.

A. 1)b, c, d, f

- B. 2)a, e, f
- C. 3)d, a, e, g
- D. 4)b, c, f

Answer: A



Watch Video Solution

135. Chromosomes at anaphase are of various shapes depending upon position of centromere. It is J shaped when centromere is

- A. middle
- B. top
- C. subterminal
- D. near centre

Answer: C

136.	Which	of the	following	structures	has s	single	membrane	?
150.	VVIIICII	OI LITE	TOHOWING	3ti uctui es	mas s	onigic	incino anc	•

- A. Nucleus
- B. Centriole
- C. Nucleolus
- D. None of these

Answer: D



137. Nucleoli are not found in

- A. Blue green algae
- B. Maize

D. Fungi
Answer: A
Watch Video Solution
138. Metacentric chromosomes have
A. no arms
B. equal arms
C. unequal arms
D. one arm
Answer: B
Watch Video Solution

C. Pancreas

139. Chromosomes appearing 'L' shaped during anaphase are
A. telecentric
B. submetacentric
C. sex chromosome
D. acrocentric
Answer: B
Watch Video Solution
140. Centromere is required for
A DNA duplication
A. DNA duplication
B. cytoplasmic cleavage

Answer: C



141. Coiled dense, deep stain portions of chromosomes are designated as

- A. pellicle
- B. heterochromatin
- C. euchromatin
- D. heterochromosomes

Answer: B



142. Chromosomes are best observed at metphase. For studying the shape, best stage is

A. early prophase

B. anaphase

C. telophase

D. late prophase

Answer: B



Watch Video Solution

143. Nuclear membrane is derived from

A. 1)ER

B. 2)plasma membrane

C. 3)membrane of mitochondria

D. 4)nucleoplasm	
Answer: A	
Watch Video Solution	
144. Nucleoproteins are synthesized by	

A. SER

B. nucleplasm

C. nucleolus

Watch Video Solution

D. r-RNA

Answer: C

145. The eukaryotic cells are essentially two envelope system because they contain

- A. cell wall and plasma membrane
- B. plasma membrane and nuclear membrane
- C. plasma membrane and thylakoid
- D. double membrane bound cell organelles

Answer: B



processes.

146. Which of the following statements justifies that " the cell is a self-contained unit"?

A. It independently carries out all fundamental biological

- B. It oxidises food molecules to produce energy and utilises this energy to synthesise complex molecules.
- C. Reproduces with similar herediatary properties.
- D. All of the above

Answer: D



147. Functionally like prokaryotes but otherwise found in eukaryotes

in

- A. muscle cell
- B. erythrocyte
- C. PPLO
- D. thrombocyte

Answer: B



148. The ER acts as a circulatory or transporting system. Choose the correct path of transport of substances.

- A. Lysosome ightarrow Golgi-membrane ightarrow Agranular ER ightarrow
 - **Granular ER**
- B. Granular ER $\;
 ightarrow\;$ Golgi membrane $\;
 ightarrow\;$ Lysosomes
- C. Golgi membrane $\,\rightarrow\,$ Lysosomes $\,\rightarrow\,$ Granular ER $\,\rightarrow\,$ Golgi
 - membrane

membrane

D. Agranular ER ightarrow Lysosome ightarrow Granular ER ightarrow Golgi -

Answer: B



149. Which of the following is related to glycosidation of lipids and glycosylation of protein?

A. Golgi body

B. Mitochondria

C. Lysosome

D. Peroxisome

with membrane of

Answer: A



Watch Video Solution

150. The membrane of endoplasmic reticulum remains continuous

A. plasma membrance and lysosome

B. Golgi-complex and plastids
C. plasma -membrane and ER

D. plasma - membrane and nuclear membrane

Answer: D



- **151.** Cytoskeleton of cell is made up of
 - A. Lysosome & vacoules & ribiosomes
 - B. microtubules
 - C. microfilaments and microtubules
 - D. all of the above

Answer: C



152. The larger and smaller subunits in 80 S ribosome are

A. 50 S, 30 S

B. 60 S, 40 S

C. 40 S, 60 S

D. 30 S, 50 S

Answer: B



Watch Video Solution

153. The functional unit in the synthesis of protein is

A. peroxisome

B. dictyosome

C. microsome

answer: D
Watch Video Solution
54. A cell organelle common in Protista and Monera is
A. Vacuole
B. Chloroplast
C. Lysosome
D. Ribosome
answer: D
Watch Video Solution

D. polysome

- A. Biosynthesis of polysaccharides
- B. Packaging of proteins
- C. Differentiation of cellular membrances
- D. Synthesis of fatty acids

Answer: D



156. Enzymes of citric acid or Krebs cycle occur in

- A. on inner mitochondrial membrane
- B. in the matrix
- C. on outer mitochondrial membrane

D. none	of	these

Answer: B



Watch Video Solution

157. Mitochondria are non-existent in

A. red algae

B. bacteria

C. green algae

D. all of these

Answer: B



Watch Video Solution

158. The endosymbiotic theory is concerned with

- A. origin of lichens
- B. origin of eukaryotes
- C. origin of chloroplast and mitochondria
- D. origin of viruses

Answer: C



- 159. Chloroplasts are engaged in
 - A. photosynthesis
 - B. proteins synthesis

C. photosynthesis and coding of structural proteins for thylakoid membrane

D. photosynthesis and detoxification

Answer: C



160. The thylakoid membrane contains

- A. oxysomes
- B. structurally distinct photosystems
- C. both (1) & (2)
- D. enzymes of dark reaction

Answer: B



161. Which of the following has/have lysosomes activities in plant cells ?

A. Spherosomes

B. Glyxysomes

C. Ribosomes

D. All of these

Answer: A



Watch Video Solution

162. Glyxysome helps in

A. amino acid metabolism

B. photorespiration

- C. beta-oxidation/digestion of fats

 D. all of the above
- **Answer: C**



163. When a lysosome fuses with a phagosomes/food, it result in the formation of

- A. primary lysosomes
- B. residual body
- C. autophagic vacuole
- D. secondary lysosome

Answer: D



164. Demolition squad of the cell is
A. dictysosome
B. RER
C. glyoxysomes
D. lysosome
Answer: D Watch Video Solution
165. A close relationship between ER, lysosome and dictyosomes is denoted as
A. vacuolar sytem
B. GERL

- C. annulate lamellae
- D. internal mileu

Answer: B



Watch Video Solution

166. Some of the enzymes, which are associated in converting fats into carbohydrates, are present in

" " Or

Site of gluconeogenesis is

- A. liposomes
- B. Golgi bodies
- C. microsomes
- D. glyoxysomes

Answer: D Watch Video Solution

167. During starvation, energy is supplied by

- A. lysosomes
- B. centrosomes
- C. vacuoles
- D. chromoplast

Answer: A



Watch Video Solution

168. Myofibrils are

A. microfilaments B. microtubules C. myoglobin D. ER **Answer: A Watch Video Solution** 169. In fruits and flowers, colour pigments are located in A. cytoplasm B. vacuole C. plastids D. cell membrane **Answer: B**



170. Water balance of cell is maintained by

A. ER

B. vacuoles

C. lysosomes

D. all of these

Answer: B



Watch Video Solution

171. The cell structures that are mainly nucleoproteinaceous in nature, usually have

A. single membrane

C. no membrane D. any of these **Answer: C Watch Video Solution** 172. The polynucleate cells of animals and plants are known as A. syncitial cells and coenocytes respectively B. coenocytes are syncitial cells respectively C. coenocytes D. poly cells Answer: A **Watch Video Solution**

B. double membrane

173. Cell wall is

- A. living and impermeable
- B. permeable, dead with pits
- C. dead permeable without pits
- D. living semipermeable with pits


Answer: B



Watch Video Solution

174. The cemanting layer of pectin between adjacent plant cell is called.

- A. middle lamella
- B. secondary wall



175. The prtoplasmic strands connecting the two adjacent plants cells through which exchange of material occur are celled.

- A. plasmalemma
- B. plasmodesmata
- C. tonofibrils
- D. spindle fibres

Answer: B



176. During the formation of cell wall the first formed layer of cellulose secreted by Golgi bodies is

- A. middle lamella
- B. Primary wall
- C. Tertiary wall
- D. S_1 layer of secondary wall

Answer: B



Watch Video Solution

177. A cell lakcking cell wall would alos lack

- A. Chloroplast
- B. ER

C. mitochondria
D. biomembrane

Answer: A



178. Which of one provides hardness to cell wall?

- A. Chloroplast
- B. S_1 layer of secondary wall
- C. Tertiary wall
- D. Primary wall

Answer: D



179. Which of one provides hardness to cell wall?
A. Cellulose
B. Suberin
C. Lignin
D. Cutin
Answer: C
Watch Video Solution
Water video Soldtion
Watch video Soldtion
180. The secondary wall is chiefly composed of
180. The secondary wall is chiefly composed of
180. The secondary wall is chiefly composed of A. lignin

Answer: A **Watch Video Solution** 181. Middle lamella is made up of A. cellulose B. protein C. calcium and magnesium pectate D. lipids and lignin Answer: C **Watch Video Solution**

182. Middle lamella is found between _____ of adjacent cells.

A. secondary walls B. Primary wall C. plasmalemma D. anywhere in cell **Answer: B Watch Video Solution** 183. Which layer of cell wall is found outside cell membrance? A. Primary wall B. secondary wall C. Tonoplast D. Tertiary wall Answer: D



184. Cell wall consists of

A. water, hemicellulose and cellulose+ pectin

B. cellulose, lipids and proteins

C. cellulose + proteins + pectin + water + lipids and hemicellulose

D. microfibrils and pectin

Answer: C



Watch Video Solution

185. The fatty chemical substance in cork cell wall is

A. lignin

B. chitin

D. suberin
Answer: D
Watch Video Solution
86. Which layer has more cellulose ?
A. Primary wall
B. Secondary wall
C. Cell membrance
D. Middle lamella
Answer: B
Watch Video Solution

C. cutin

187. Membrane proteins are
A. cellulase
B. lyases
C. permeases
D. All of these
Answer: C
Watch Video Solution
188. Unthickened area in secondary wall is called
A. stome
B. torus
C. pit
D. plasmodesma

Answer: C



189. The functional unit of kidney where urine is actually produced is the

- A. primary walll
- B. tertiary wall
- C. secondary wall
- D. cell membrance

Answer: A



Watch Video Solution

190. A pit is unthickened area is call wall. It lacks

A. primary wall

B. middle Lamella

C. secondary wall

D. cell wall and cell membrance

Answer: C

Watch Video Solution

191. A phospholipid molecule is amphipathic and produce two layers coming in contact with $H_2{\cal O}$. The head of phospholipid molecule is

- A. at the periphery
- B. towards the centre
- C. at the angle of 40°
- D. embendded in protein molecules

Answer: A



Watch Video Solution

192. Carbohydrate molecules attached to lipid and protein molecules from Glycocalyx (ex-traneous coat). These carbohydrates are usually

- A. monosaccarides
- B. polysaccharides
- C. oligosaccharides
- D. starches

Answer: C



193. Fluid mosaic model for the structures of plasma membrane explains

- A. a single lipid layer in between 2 protein layers
- B. a layer of proteins on one sides and a bilayer lipid on other side
- C. 2 lipid layers and 1 protein Layer
- D. a middle phospholipid bilayer with proteins both inside and on outer side of lipids bilayer

Answer: D



Watch Video Solution

194. Cell recognition and adhesion are facilitated by components of plasma membrane. These components are generally

A. lipids B. proteins C. both (1) & (2) D. glycolipids and glycoproteins **Answer: C Watch Video Solution 195.** Biomembrane are A. asymmetric and solid sheet like B. symmetric and globular C. asymmetric and fluidy

D. symmetric and fluidy

Answer: c



196. Lipid molecules (Phospholipids) are amphiatic. Each moleucle has



197. Beet root if kept in cold water anthocyanin does not come out due to plasma membrane

A. dead

B. impermeable to anthocyanin

C. permeable to anthocyanin

D. differential permeable

Answer: C



watcn	viaeo	Solution	

198. Frmae work molecules in biomembranes are

- A. glycolipids
- B. phospholipids
- C. glycoproteins
- D. oligosaccharides

Answer: C



Watch Video Solution

199. In cell membrane which molecules show flip flop diffusion

- A. carbohydrate (glycocalyx)
- B. lipid

C. protein

D. all of the above

Answer: B



Watch Video Solution

200. An Amoeba survives in a hypotonic solution that destroys a human RBC. It is due to

A. membrane permeability of Amoeba is much more than the

membrane of a RBC.

B. Amoeba has water expelling contractile vacuoles

C. both (1) and (2) are correct

D. amoeba has a rigid wall

Answer: C

201. The plasmalemma allows the passage of liquids engulfed in vesicles and passed on to the cytoplasmic vacuoles. This process of bulk drinking is called

- A. phagocytosis
- B. reverse pinocytosis
- C. exocytosis
- D. pinocytosis

Answer: D



Watch Video Solution

202. Lipid bilayers in biomembranes are barrier to

A. polar molecules

B. non polar molecules

C. both polar and non polar molecules

D. none

Answer: A

Watch Video Solution

203. The fluid mosaic model explains

- A. structural aspects of cell membrane
- B. functional aspects of cell membrane
- C. structural and functional aspects both
- D. none of the above

Answer: C



204. Fluidity/flexibiliy of a cell membrane is due to are

A. lipids

B. proteins

C. water

D. oligosaccharides

Answer: A



Watch Video Solution

205. Transmembrane proteins in cell membrane are

A. intrinsic proteins

B. extrinsic proteins

C. glycocalyx

D. tunnel proteins

Answer: D



Watch Video Solution

206. The functional characteristics of a Plasma membrane in fluid mosaic model are determined by

A. extrinsic proteins

B. intrinsic proteins

C. both (1) & (2)

D. lipid molecules

Answer: C



207. The channels and pumps that control molecular traffic in and out of a cells are collectively known as

- A. intrinsic proteins
- B. permeases
- C. receptors
- D. cytochromes

Answer: B



Watch Video Solution

208. A membrane is held together primarily by

- A. hydrophobic attractions
- B. hydrophilic attractions

- C. covalent bonds

 D. ionic bonds

 Answer: A

 Watch Video Solution
- 209. Absorptive cells on free surface bear
 - A. flagella
 - B. microvilli
 - C. desmosomes
 - D. pseudopodia

Answer: B



210. Carbohydrates in cell membrane participate in

- A. transportation of materials
- B. cell to cell recognition
- C. catalysing reactions
- D. all of the above

Answer: B



- **211.** Cell membrane has proteins, lipids and carbohydrates. With respect to their mutual proportions, which statement is correct?
 - A. All the three are in equal proportion
 - B. Lipids are in least proportions
 - C. Carbohydrates are in least proportions.

D. Proteins are in least amount

Answer: C



Watch Video Solution

212. Purple cabbage leaves do not pass out colour in cold water but do so in hot water because

- A. boiling water enters the cell easily
- B. plasmalemma is killed in boiling water
- C. pigment is not soluble in cold water
- D. cell wall is coagulated in boiling water

Answer: B



213. Plasmalemma of two adjacent cells are fussed in case of
A. terminal bars
B. tight junctions
C. microvilli
D. desmosomes
Answer: B
Watch Video Solution
214. Intercellular junction in animal cell is
A. middle lamella
A. middle lamella B. desmosome

Answer: B



Watch Video Solution

215. Poisons like cyanides inhibit Na^+ efflux and K^+ influx. The effect is reversed by injection of ATP indicating that

- A. $Na^{\,+}\,-K^{\,+}$ pump operates fully in cells
- B. ATP is hydrolysed by ATPase to release energy
- C. Energy for Na^+-K^+ pump comes from ATP hydrolysis
- D. ATP is a carrier protein

Answer: C



A. units membrane model B. fluid mosaic model C. lamellar / sandwich model D. micellar model **Answer: B Watch Video Solution** 217. Microfibrils are related to A. Cellulose B. chloroplast C. SER D. Phospholipids Answer: A



218. The overarching secondary wall which encloses a part of the pit cavity is called

A. pit border

B. pit membrane

C. pit aperture

D. pit canal

Answer: A



219. Lignin is the important constituent in the cell wall of

A. cambium

B. parenchyma C. phloem D. xylem **Answer: D Watch Video Solution** 220. Plasma membrane is derived from A. Golgi bodies B. peroxisome C. nucleus D. mitochondria **Answer: A Watch Video Solution**

221. Desmosomes possess

- A. desmotubules
- B. intercellular cementing material
- C. myofibrils
- D. all of the above

Answer: B



Watch Video Solution

222. Which is wrong?

- A. Cell junctions are found in animal cells only
- B. Cell junctions are absent in plant cells
- C. Plasmodesmata are cytoplasmic connections in plant cells

D. Cell junctions and plasmodesmata are found in plant and animal cells respectively

Answer: D



223. Membrances fluidly

- A. decreases with rise in temperature
- B. decreases with lowering of temperature
- C. increases with lowering of temperature
- D. no effect observed w.r.t. temperature

Answer: B



224. One of the following methods of transporation does not involve a change in extrinsic and intrinsic proteins ?

- A. Active transport
- B. Simple diffusion
- C. Facilitated diffusion
- D. Both (2) & (3)

Answer: B



225. Desmosomes are concerned with

- A. cytolysis
- B. cellular excretion
- C. cell division

D. cell	adherence

Answer: D



Watch Video Solution

- 226. Trans proteins of the plasma membrane are often also called
 - A. tunnel proteins
 - B. surface proteins
 - C. globular proteins
 - D. extrinsic proteins

Answer: A



227. Plasmodesmata are junctions between plant cells. These involve modification of

A. plasma membrane

B. cell wall

C. plasma membrane as well as cell wall

D. intercellular material

Answer: C



228. Flagella of prokaryotic and eukaryotic cells differ in

A. location in cell and mode of functioning

B. type of movement and placement in cell.

C. microtubular organization and functioning

D. microtubular organization and type of movement

Answer: D



Watch Video Solution

- **229.** Read the statements given below with regard to the function performed by Golgi apparatus
- I. Transport and chemically modify the material contained within it.
- II. Stores and synthesizes fats.
- III. Secrets slime in the insectivorous plants

Which of the following is the correct answer?

- A. I is wrong but II and III are correct
- B. II wrong but I and III are correct
- C. II and III are wrong but I is corrrect
- D. All are correct

Answer: B



Watch Video Solution

230. Which one is not properly paired

- A. Golgi apparatus Breaking of complex macromolecules
- B. Endoplasmic reticulum Protein synthesis
- C. Chloroplast Photosynthesis
- D. Mitochondria Oxidative phosphorylation

Answer: A



Watch Video Solution

231. Which group of organelles is involved in synthesis of substances needed by cell ?

- A. Lysosome, vacuole, golgi body
- B. Ribosome, rough ER, smooth ER
- C. Rough ER, microtubule, ribosome
- D. Smooth ER, lysosome, vacuole

Answer: B



Watch Video Solution

- 232. Lysosomes are never involved in
 - A. Autophagy
 - B. Extracellular digestion
 - C. Intracellular digestion
 - D. Synthesis of lysosomal enzymes

Answer: D

233. Match List -I with List - II and select the correct answer using the

codes given below the lists

List-I List-II

 \boldsymbol{A} . Dictyosomes Storage 1.

B. Glycocalyx Symplast 2. C. Vacuoles 3. Transport

D. Plasmodesmata 4. secretion

> 5. Histocompatibility

BDA. 1) $\frac{A}{4}$ 5 1 2

B CD

4 2 1

C. 3) ${A \atop 4}$ B CD

5 3 2

B CD3 1 2

Answer: A

234. Match list -I (Function of proteins of cytoskeleton) with list - II (Proteins involved in the given functions) and select the correct answer using the codes given below the lists.

(, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		in	List-II (Proteins involved in the Given Functions)	
A	Contraction of micro filaments.	1.	Peroxisomes	
	Inhibition of polymerization of	2.	Actin	
C.	microtubules. Breakdown of xenobiotics	3.	Dynein	
D.	Movement of cilia and flagella.	4.	Colchicine	

$^{\wedge}A$	B	C	D
A. $rac{A}{2}$	4	1	3
A	B	C	D
B. $\frac{A}{2}$	4	3	1
ϵ^{A}	B	C	D
c. $\frac{A}{4}$	2	1	3
D. $\frac{A}{4}$	B	C	D
υ. 4	2	3	1

Answer: A



235. Which of the following statements best describes the functional characteristics of lysosomes ?

- A. They function at alkaline pH
- B. They function only within the intracellular compartment
- C. They contain enzymes that lack macro molecular specificity
- D. Provide nourishment during starvation

Answer: D



236. Which of the following would be expected to contain the most				
peroxisomes ?				
A. Heart				
B. Stomach				
C. Liver				
D. Pancreas				
Answer: C				
Watch Video Solution				
237. Which is correctly matched ?				
A. Ribosome — Photosynthesis				

Enzymes of digestion

C. Lysosomes — Synthesis of amino acids

B. Centrosome -

D. ER — Formation of new nuclear membrane

Answer: D



Watch Video Solution

238. Go through the following statements:

- (i) Lysosomes contain hydrolytic enzymes which are optimally active at the alkaline pH.
- (ii) A number of proteins synthesised by ribosomes on the endoplasmic reticulum are modified in the cisternae of the Golgi apparatus before they are released from its cis face.
- (iii) Typically a mitochondrion has a diameter of 0.2-1.0 μ m and length of 1.0 4.1 μ m
- (iv) Elaioplasts store oils and fats.

Find out the correct statements

A. (i), (ii) & (iv)

- B. (iii) & (iv)
- C. (ii), (iii) & (iv)
- D. All are correct

Answer: B



side.

Watch Video Solution

239. Go through the following statements

- (i) In human beings, the membrane of the erythrocyte has approximately 52 percent lipids and 40 percent proteins
- (ii) Lipids are arranged within the membrane with the hydrophobic tails towards the outer side and the polar head towards the inner
- (iii) As the polar molecules cannot pass through the non- polar lipid bilayer, they require a carrier protein of the membrane to facilitate

their transport across the membrane

(iv) The endomembrane system includes endoplasmic reticulum,
Golgi complex, lysosomes and peroxisomes

Find out the wrong statements:

A. (i), (ii) & (iii)

B. (ii) & (iii)

C. (ii), (iii) & (iv)

D. (i), (ii) & (iv)

Answer: D



the correct answer using the codes given below the lists


240. Match the structures in List - I with the functions in List - II selet

List - I List-II

A Nucleolus 1. Lipid storage

B. Spherosomes 2. β – oxidation of fatty acids

C. GlyoxysomeD. Plasmodesmata4. RNA-synthesis



Answer: C



241. Which of the following sets of characters represent that of eukaryotic cytosolic ribosomes ?

A. 80 S (30S, 60 S), (16S r -RNA, 23S , r-RNA and 5S r-RNA

B. 70 S (30S, 50 S), (16S r - RNA, 23S, r-RNA and 5S r -RNA

C. 80S(40 S, 60 S), (18S r-RNA, 28 S, r - RNA, 5.8S r - RNA and 5S r -

RNA

D. 70 S (40S, 50 S), (18S r-RNA, 28S, r-RNA, 58S r - RNA and 5S r-

RNA)

Answer: C



Watch Video Solution

242. Consider the following processes

- (i) Breakdown of extra-cellular materials by releasing enzymes into the surrounding medium.
- (ii) Providing nourishment during starvation.
- (iii) Help during remodelling of the bone.
- (iv) Massive production of membrane glycoproteins, ribophorins -I and II for the stabilization of lysosomal investment.

Which of the above is/are function (s) of lysosomes?

A. (i) only

B. (i), (ii) and (iv)

C. (i), (ii) and (iii)`

D. (ii), (iii) and (iv)

Answer: C



Watch Video Solution

243. The correct order of increase in the size of the structures listed below is

- (i) Proteins
- (ii) Plant cell
- (iii) Mitochondria
- (iv) Ribosomes
 - A. (i), (iv), (iii), (ii)
 - B. (ii), (i), (iii) or (iv)
 - C. (ii), (iii), (i), (iv)

D. (iii), (ii), (i), (iv)

Answer: A



Watch Video Solution

244. Chloramphenicol, an inhibitor of protein synthesis, would inhibit protein synthesis in mitochondria but would not do so with regard to protein synthesis in the cytoplasm. This suggests that

- A. The mitochondria protein synthesis and the cytoplasmic protein synthesis are of different types
- B. The enzymes machinery of protein synthesis in mitochondria function independently
- C. The mitochondria are dependent upon nucleus for its protein synthesis
- D. Both 'b' and 'c'

Answer: B



Watch Video Solution

245. Chloroplasts

- A. Are found in all plant cells
- B. Have chlorophyll as their only pigment
- C. Do not contain any DNA and rely totally on the genes in the nucleus for the coding of their required proteins
- D. Are involved in the synthesis of sugar

Answer: D



246. Three of the following statements regarding cell organelles are correct while one is wrong. Which one is wrong.

- A. Endoplasmic reticulum consists of a network of membranous tubules and helps in transport, synthesis and secretion.
- B. Leucoplasts are bound by two membranes, lack pigment but contain their own DNA and protein synthesizing machinery.
- C. Sphaerosomes are sinble membrane bound and as associated with synthesis and storage of lipids.
- D. Lysosomes are single membranes vecicles budded off from ER and contain oxidative enzymes

Answer: D



247. The true statement about ribosomes is `

A. Attached ribosomes synthesise proteins mainly for use inside the cell.

B. Attached ribosomes are 70 S

C. 16S rRNA is absent in 80 S ribosomes

D. All of the above

Answer: C



248. Among the following, the molecule that would experience least resistance for entering a cell would be

A. NaCl

B. Glucose

- C. Fatty acid
- D. Amino acid

Answer: C



Watch Video Solution

249. Which group of organelles is involved in anabolic processes in a cell ?

- A. Lysosome, vacuole, ribosome
- B. Ribosome, rough ER, smooth ER
- C. Vacuole, rough ER, smooth ER
- D. Smooth ER, ribosome, vacuole

Answer: B



250. Extracts from 0.5 gm muscle tissur of two different animals were dispensed in unlabelled tubes A and B for an experiment. During the course of an experiment, the tubes got mixed up. When analysed, it was found that tube B contained a large number of mitochondria as compared to the extract in tube A. This shows that the extract in tube B most probably belongs to

- A. Human
- B. Seal
- C. Humming bird
- D. Snail

Answer: C



251. Hydrolases may accidentally leak out of the lysosomes but are unlikely to damage any of the internal cellular structures because

A. the cytoplasm contains several coenzymes that inhibit hydrolases

from functioning.

B. hydrolases are only active at an acidic (pH 5.5) pH.

C. peroxisomes and other organelles absorb free hydrolases

D. cells rapidly expel all hydrolases via exocytosis

Answer: B



Watch Video Solution

252. Which one of the following pairs is correctly matched?

A. ER 1. Microbodies

B. Peroxisome 2. Photorespiration C. Golgi complex 3. Protein synthesis D. Microtubular organelles 4. Locomotion **Answer: C Watch Video Solution** 253. You would except a cell with an extensive Golgi apparatus to A. move actively B. make a lot of ATP C. secrete a lot of material D. store a large quantity of good Answer: C **Watch Video Solution**

254. Mitochondria come in a variety of shapes and sizes and are accurately described by all of the following statements EXCEPT

- A. It is an organelle with a double membrane
- B. Mitochondria rely on the nuclear mRNA for protein synthesis
- C. Mitochondria possess infoldings known as cristae
- D. Usually mitochondria are shaped like rods

Answer: B



- 255. All of the following statements apply to microtubules EXCEPT
 - A. They are able to move vesicles and other storage inclusions
 - B. They serve a cytoskeletal area

- C. They are linear polymers of tubulin
- D. They make up the thin myofilament (actin) in skeletal muscle

Answer: D

the



Watch Video Solution

256. Which of the following statements regarding mitochondrial membrane is NOT correct ?

- A. The inner membrane is highly convoluted forming a series of infoldings
- B. The outer membrane resembles a sieve
- C. The outer membrane is permeable to all kinds of molecules
- D. The enzymes of the electron transfer chain are embedded in

outer membrane

Answer: D



Watch Video Solution

257. Select the wrong statement from the following

- A. both chloroplasts and mitochondria contain DNA.
- B. the chloroplasts are generally much larger than mitochondria
- C. both chloroplasts and mitochondria contain an inner and an outer membrane
- D. both chloroplasts and mitochondria have an internal compartment, the thylakoid space bounded by the thylakoid membrane

Answer: D



258. Which one of the following is not a constituent of cell membrane

- A. Proline
- B. Phospholipids
- C. Cholesterol
- D. Glycolipids

Answer: A



259. Plasmodesmata are

A. membrane connecting the nucleus with plasmalemma

- B. connections between adjacent cells

 C. lignified cemented adjecent cells


 D. locomotary structures

 Answer: B

 Watch Video Solution
- **260.** Cytoskeleton is made up of
 - A. cellulosic microfibrils
 - B. proteinaceous filaments
 - C. calcium carbonate granules
 - D. callose deposits

Answer: B





D. light - dependent reaction enzymes	

Answer: C



263. There is no DNA in

A. a mature spermatozoan

B. hair root


C. an enucleated ovum

D. mature RBCs

Answer: D



264. Identify the components labelled A, B, C and D in the diagram below from the list (i) to (viii) given along with



Components:

- (i) Cristae of mitochondria
- (ii) Inner membrane of mitochondria
- (iii) Cytoplasm
- (iv) Smooth endoplasmic reticulum
- (v) Rough endoplasmic reticulum

(vi) Mitochondrial matrix

(vii) Cell vacuole

(viii) Nucleus

The correct components are

A	B	C	D
A. (v)	(iv)	(viii)	(iii)
A	B	C	D
B. $rac{A}{(i)}$	(iv)	(viii)	(vi)
c. $rac{A}{(vi)}$	B	C	D
(vi)	(v)	(iv)	(vii)
A	B	C	D
D. (v)	(i)	(iii)	(ii)

Answer: A



Watch Video Solution

265. An elaborate network of filamentous proteinaceous structures present in the cytoplasm which helps in the maintenacne of cell shape is called

- A. Thylakoid
- B. Endoplasmic Reticulum
- C. Plamalemma
- D. Cytoskeleton

Answer: D



Watch Video Solution

- **266.** The plasma membrane consists mainly of
 - A. proteins embedded in carbohydrate bilayer
 - B. phospholipids embedded in a protein bilayer
 - C. proteins embedded in a phospholipids bilayer
 - D. proteins embedded in a polymer of glucose molecules

Answer: C

267. Which one of the following structures between two adjacent cells is an effective transport pathway?

- A. Plasmalemma
- B. Plasmodesmata
- C. Plastoquiones
- D. Endoplasmic reticulum

Answer: B



268. Which one of the following has its own DNA?

A. Peroxisome

Answer: B Watch Video Solution 269. The main arena of various types of activities of a cell is A. nucleus B. plasma membrane C. mitochondrian D. cytoplasm Answer: D **Watch Video Solution**

B. Mitochondria

C. Dictyosome

D. Lysosome

270. Who first saw and described a live cell

A. Anton von Leeuwenhoek

B. Matthias Scheiden

C. Theodore Schwan

D. Rudolf Virchow

Answer: A



Watch Video Solution

271. In animal cells lipid-like sterodial hormones are synthesized in

A. rough Endoplasmic Reticulum (RER)

B. smooth Endoplasmic Reticulum (SER)

C. Golgi apparatus


D. lysosomes

Answer: B



Watch Video Solution

272. The figure below shows the structure of a mitochondrion with its four parts labelled (A), matched with its function.



A. Part (D): Outer membrane - gives rise to inner membrane by splitting

- B. Part (B): Inner membrane forms infoldings called Cristae
- C. Part (C): Cristae -possess singel circular DNA molecule an ribosomes
- D. Part (A): Matrix major site for respiratory chain enzymes

Answer: B



273. Which one of the following is not considered as a part of the endomembrane system ?

- A. Golgi complex
- B. peroxisome
- C. vacuole
- D. lysosome

Answer: B



274. Important site for formation of glycoproteins and glycolipids is

- A. vacuole
- B. Golgi apparatus
- C. plastid
- D. lysosome

Answer: B



Watch Video Solution

275. Peptide synthesis inside a cell takes place in

A. chloroplast B. mitochondria C. chromoplast D. ribosomes **Answer: D Watch Video Solution** 276. Peptide synthesis inside a cell takes place in A. chloroplast B. mitochondria C. chromoplast D. ribosomes Answer: D

277. Ribosomes were first observed under the EM as dense particles by

A. Robert Brown

B. Camillo Golgi

C. George Palade

D. T.O. Diener

Answer: C



278. Which one of the following cellular parts is correctly described


- A. Ribosomes those on chloroplasts are larger (80s) while those in the cytoplasm are smaller (70s)
- B. Lysosomes optimally active at a pH of about 8.5
- C. Thylokoids flattened membranous sacs forming the grana of chloroplasts
- D. Centrioles sites for active RNA synthesis

Answer: C



- **279.** Which one of the following structures is an organelle within an organelle
- " " Or

Which of the following cell organelle lacks DNA and bounding membrane



Answer: C



Watch Video Solution

281. What is true about ribosomes?

- A. These are composed of ribonucleic acid and proteins
- B. These are found only in eukaryotic cells
- C. These are self-splicing introns of some RNAs
- D. The prokaryotic ribosomes are 80 S, where "S" stands for sedimentation coefficient.

Answer: A



Watch Video Solution

282. Select the corret statement form the following regrading cell membrance .

- A. Proteins make up 60 to 70% of the cell membrance
- B. Lipids are arranged in a bilayer with polar heads towards the inner part
- C. Fluid mosaic model of cell membrane was proposed by Singer and Nicoloson
- D. $Na^{\,+}$ and $K^{\,+}$ ions move across cell membrne by passive transport

Answer: B



Watch Video Solution

- A. as energy transferring organells
- B. in post translational modificates of propteins and glycosidation of liquids
- C. in trapping the light and transforming it inot chemical energy
- D. in degesting protiens and carbohydrates

Answer: B



284. Which one of the following organelle in the figure corretly matches with is function ?



- A. Golgi appartaus, formation of glycolipds
- B. Rough endoplasmic reticulum, protein synthesis
- C. Rough endoplasmic reticulum, formation of glycorproteins
- D. Golgi apparatus protein synthesis.

Answer: B



285. Pigment-containing membranous exten- sions in some cyanobacteria are

- A. Penumatophers
- **B.** Chromatophores
- C. Heterocysts
- D. Basal bodies

Answer: B



Watch Video Solution


286. Match the following and select the correct answer

Centriole (i)Infoldings in mitochondria

Chlorophyll (ii)Thylakoids

Cristae (iii)Nucleic acids

Ribozymes (iv)Basal body cilia or flagella





287. The motile bacteria are able to move by

A. pili

B. fimbriae

C. flagella

D. cilia

Answer: C

288. The solid linear cytoskeletal elements having a diameter of 6 nm amd made up of a single type of monomer are know as

- A. Lamins
- B. Microtubules
- C. Microfilaments
- D. Intermediate filaments

Answer: C



289. Cytochromes are found in

A. outer wall of mitochondria

Answer: B Watch Video Solution 290. DNA is not present in A. ribosomes B. nucleus C. mitochondria D. choroplast **Answer: A Watch Video Solution**

B. cirstae of mitochondria

D. matrix of mitochondria

C. lysosomes

291. Nuclear envelope is a derivative of

A. membrane of Golgi complex

B. microtubles

C. rought endoplasmic reticulum

D. smooth endoplasmic reticulum

Answer: C



Watch Video Solution

292. The structures that are formed by stacking of organized flattened membranous sacs in the chloroplasts are

A. grana


B. stroma lamellae

- C. stroma
 D. cristae
- **Answer: A**
 - Watch Video Solution

- 293. Select the correct matching in the following pairs
 - A. Smooth ER-Synthesis of lipids
 - B. Rough ER Synthesis of glycoge
 - C. Rough ER-Oxidation of fatty acids
 - D. Smooth ER Oxidation of Phospholipids

Answer: A





D. Plasma membrane

Answer: A



Watch Video Solution

296. Match the columns and identify the correct option

Column -I Column-II

Thylakoids (i) Disc-shaped sacs in golgi appartus

Cristae (ii) Condensed structure of DNA

(iii) Flat membranous sacs in stroma Cisternae

(iv) Infoldings in mitochondria Chromatin

(1) $(2) \qquad (3)$ (4)

(iv) (iii) (i) (ii)

(1) (2) (3) (4)B.

(iii) (iv) (i) (ii)

(1) (2) (3) (4)C.

(iii) (i) (iv) (ii)

(1) (2) (3) (4)D.

(iii) (iv) (ii) (i)

Answer: B



Watch Video Solution

297. Which of the following are not membrane-bound? A. Vacuoles B. ribosomes C. Lysosomes D. Mesonomes **Answer: B Watch Video Solution** 298. A protoplast is a cell

A. without plasma membrane

B. without nucleus

- C. undergiong division
- D. without cell wall

Answer: D



299. Cellular organelles with membranes are

- A. nuclei, ribosomes and mitochondria
- B. chromosomes, ribosomes and endoplasmic reticulum
- C. endoplasmic reticulum, ribosomes and nuclei
- D. lysosmes, Golgi apparatus & mitochondria

Answer: D



300. Water soluble pigment found in plant cell vacuoles are			
A. chlorophylls			
B. caroteniods			
C. anthocyanins			
D. xanthophylls			
Answer: C			
Watch Video Solution			
301. Microtubules are the constituents of			
A. Spindle fibres, Centrioles and Cilia			
B. Centrioles, Spindle fibres and Chromotin			
C. Centrosome, Nucleosome and Centrioles			
D. Cilia			

Answer: A



302. [A] : Mitochondria and chloroplasts are semiautonomous organelles .

[R]: They are formed by division of preexisting organellesas well as contain DNA but lack protein synthesizing machinery.

- A. (ii) is true but (i) is false
- B. (i) is true but (ii) is false.
- C. Both (i) and (ii) are false.
- D. Both (i) and (ii) are correct.

Answer: B



303. Which one of the following cell organelles is enclosed by a single membrane

- A. Chloroplasts
- B. Lysosomes
- C. Nuclei
- D. Mitochondria

Answer: B



304. A complex of ribosomes attached to a single strand of RNA is known as

- A. Polymer
- B. Polypeptide

- C. Okazaki fragment
- D. Polysome

Answer: D



Watch Video Solution

305. Select the mismatch

- A. Gas vacuoles Green bacteria
- B. Large central vacuoles Animal cells
- C. Protists Eukaryotes
- D. Methanogens Prokaryotes

Answer: B



Watch Video Solution

A. Lysosome			
B. Microsome			
C. Ribosome			
D. Mesosome			
Answer: A			
Watch Video Solution			
307. which of the following events does not occur in rough			
endoplasmic reticulum ?			
A. Phospholipid synthesis			
B. Cleavage of signal peptide			
C. Protein glycosylation			

306. A cell organelle containing hydrolytic enzymes is

D. Protein folding

Answer: A



Watch Video Solution

308. Select the incorrect match

A. Polytene chromosomes — Oocytes of amphibians

В.

 ${\bf Submetacentric\ chromosomes} \qquad -\quad {\bf L}\ \hbox{--shaped\ chromosomes}$

- C. Allosomes Sex chromosoems
- D. Lampbrush Dipotene bivalents

Answer: A



Watch Video Solution

309. Many ribosomes may associate with a single mRNA to form multiple copies of a polypeptide simultaneously. Such strings of ribosomes are termed as

- A. Nucleosome
- B. Platidome
- C. Polyhedral bodies
- D. Polysome

Answer: D



Watch Video Solution

310. Select the wrong statement

A. Mitochondria are the powerhouse of the cell in all kingdoms

excepts Monera,

B. Pseudopodia are locomotory and feeding structures in

Sporozoans

C. Mushrooms belong to Basidiomycetes.

D. Cell wall is present in membres of Fungi and plantae.

Answer: B



311. The golgi complex participates in

A. Activation of amino acids

B. Respiration is bacteria

C. Formation of secretory vesicles

D. Fatty acids

Answer: C



312. Which of the following is true for nucleolus?

A. It is site for active ribosomol RNA synthesis.

B. It takes part in spindle formation

C. It is a membrance-bound structure.

D. Larger nucleoli are present in dividing cells

Answer: A



Watch Video Solution