



BIOLOGY

BOOKS - TRUEMAN BIOLOGY

KINGDOM FUNGI (KINGDOM MYCOTA)

Multiple Choice Questions

1. Fungi differ Algae in having

- A. mainly cellulosic cell wall
- B. mainly cell wall of chitin

C. unicellular nonjacketete sex organs

D. starch as reserve food

Answer: B



Watch Video Solution

2. The fungus which is commonly associated in endomycorrhiza belong to

A. zygomycetes

B. oomycetes

C. deutermycetes

D. basidiomycetes

Answer: D



Watch Video Solution

3. Thread like structures constituting the body mycelium of the fungus are known as

A. thallus

B. paraphyses

C. hyphae

D. rhizines

Answer: C



Watch Video Solution

4. Mycology (Mycetology) is a branch which deals with the study of

A. Algae

B. Fungi

C. Viruses

D. Bacteria

Answer: B



Watch Video Solution

5. Fungi differ from other kingdoms in being

- A. unicellular decomposers
- B. unicellular consumers
- C. multicellular decomposers
- D. multicellular consumers

Answer: C



Watch Video Solution

6. In fungi, food is mainly stored in the form of

- A. glycogen and oil drops

B. glucose

C. starch

D. chitin

Answer: A



Watch Video Solution

7. In endomycorrhiza, the fungus is commonly

A. zygomycetes

B. oomycetes

C. deutermycetes

D. basidiomycetes

Answer: A



Watch Video Solution

8. What is unique in the cell wall of fungi ?

A. N-Muramic acid

B. N-Acetyl glucosamine

C. cellulose

D. Diaminopimelic acid

Answer: B

 [Watch Video Solution](#)

9. The mode of nutrition in all fungi is always

A. autotrophic

B. saprophytic

C. parasitic

D. heterotrophic

Answer: D

 [Watch Video Solution](#)

10. Part of fungal hyphae known to occur inside cortical cells is

A. endomycorrhiza

B. ectomyycorrhiza

C. lichen

D. both (1) and (2)

Answer: A



Watch Video Solution

11. VAM contains

A. saprophytic bacteria

B. saprophytic fungi

C. symbiotic fungi

D. symbiotic bacteria

Answer: C



Watch Video Solution

12. Mycorrhiza is

A. symbiotic association of a soil fungus and roots
of higher plants

B. parasite association between a fungus and roots of seeded plants

C. saprophytic association between a fungus and roots of seeded plants

D. symbiotic association between an algae and fungi

Answer: A



Watch Video Solution

13. Mycorrhizae are symbiotic association of fungi with roots of higher plants. These are useful for plants due

to their following at tribute

- A. fixing atmospheric nitrogen
- B. enhancing absorption of nutrients like P, Cu, B, K, Zn from soil
- C. killing atmospheric nitrogen in nearby area
- D. providing resistance against abiotic stress

Answer: B



Watch Video Solution

14. Fungi and algae show similarity in

A. presence of sexual reproduction

B. paramylon as food reserve

C. constitution of cell wall

D. having similar chlorophylls

Answer: A



Watch Video Solution

15. Blue green mould is known as

A. Rhizopus

B. Mucor

C. Penicillium

D. Agaricus

Answer: C



Watch Video Solution

16. Heterothallism refers to

A. fusion is not accompanied with zygote formation

B. fusion between morphologically similar strains

C. fusion between the strains of structurally similar and physiologically different

D. all of the above.

Answer: C



Watch Video Solution

17. Heterothallism is a device to prevent

A. outbreeding

B. crossing over

C. inbreeding

D. none of these

Answer: C



Watch Video Solution

18. Technically homothallic mycelium is described as

A. self compatible

B. self sterile

C. unisexual

D. all of these

Answer: A

 [Watch Video Solution](#)

19. In Sac fungi (ascomycetes) the ascospores occur in sac like body known as

- A. asucs
- B. basidium
- C. ascocarp
- D. basidiocarp

Answer: A

 [Watch Video Solution](#)

20. The name Club fungi is given to basidiomycetes due to the presence of

A. club shaped basidia

B. club shaped basidiospores

C. hymenium of basidia

D. water droplet mechanism for dehiscence of basidiospores

Answer: A



Watch Video Solution

21. A sporophyte which can also become a parasite is known as

- A. facultative saprophyte
- B. facultative parasite
- C. obligate saprophyte
- D. obligate parasite

Answer: B



Watch Video Solution

22. An obligate parasite is one which

A. always requires a living host

B. is normally a parasite but can become a saprophyte

C. always requires dead organic matter to live on

D. is usually a saprophyte but can become a parasite

Answer: A



Watch Video Solution

23. Pencillium and yeast belong to class

A. Ascomycetes

B. Phycomycetes

C. Schizomycetes

D. Zygomycetes

Answer: A



Watch Video Solution

24. A multicellular mass of filaments that spreads through the organic matter being used by fungi is called

A. mycelium

B. hyphae

C. ascocarp

D. fruiting body

Answer: A



Watch Video Solution

25. All members of fungi imperfecti (Deuteromycetes) group lack

A. sexual reproduction

B. spores

C. asexual reproduction

D. hyphae

Answer: A



Watch Video Solution

26. Fungi producing 2 to 4 meiospores on the tip of a club shaped structure belong to

- A. asomycetes
- B. phycomycetes
- C. basidiomycetes
- D. deuteromycetes

Answer: C



Watch Video Solution

27. The sexual reproduction whereby vegetative cells come in contact and sexual apparatus is all together absent is known as

- A. parthenogenesis
- B. somatogamy
- C. plasmogamy
- D. hologamy

Answer: B



[Watch Video Solution](#)

28. Dikaryophase/ Dikaryon formation is particularly a characteristic feature of

- A. all fungi
- B. oomycetes and ascomycetes
- C. ascomycetes and basidiomycetes
- D. only basidiomycetes

Answer: C



[Watch Video Solution](#)

29. Which is the "perfect stage" of the fungus?

- A. When it reproduces sexually
- B. When it reproduces asexually.
- C. When it form perfect resting spores.
- D. When the fungus is perfectly healthy

Answer: A



Watch Video Solution

30. The term 'Black mould' indicates the presence of

- A. black coloured hyphae in Rhizopus

B. black coloured pigments in hyphae

C. black pin head like structures present on the mycelium

D. black coloured rhizoidal hyphae

Answer: C



Watch Video Solution

31. Which of the following is not pathogenic?

A. Yeast

B. Albugo

C. Alternaria

D. Ustilago

Answer: A



Watch Video Solution

32. Binucleate spores of *Puccinia graminis* released from *Barberis* (Barberry) leaf and responsible for initial infection in a wheat plant are called as

A. pycnispores

B. aeciospores

C. uredospores

D. teleutospores

Answer: B



Watch Video Solution

33. The fungus growing frequently on stale bread is known as

- A. *Rhizopus stolonifer*
- B. *Penicillium notatum*
- C. *Agaricus campestris*
- D. *Aspergillus fumigatus*

Answer: A



Watch Video Solution

34. Coenocytic, aseptate hyphae are a characteristic feature of

A. Penicillium

B. Agaricus

C. Yeast

D. Rhizopus

Answer: D



Watch Video Solution

35. As regards the mode of nutrition is concerned,
Bread mould is considered to be a

- A. parasite
- B. saprophyte
- C. shows mutualism
- D. epiphyte

Answer: B



Watch Video Solution

36. One of the following units helps the Rhizopus for perennation

A. chlamydospores

B. ascospore

C. sporangiospores

D. oidia

Answer: A



Watch Video Solution

37. The life cycle of moulds/ Rhizopus/ Mucor is

A. isomorphic

B. haplontic

C. diplontic

D. heteromorphic

Answer: B



Watch Video Solution

38. In Rhizopus species, the sexual reproduction takes place between two gametangia containing coenogamete by the process of

A. oogamy

B. somatogamy

C. gemetangial copulation

D. gametangial contact

Answer: C



Watch Video Solution

39. Zygosporos formed by the conjugation of coenogametangia are

A. thin walled and blue green

B. thick walled and black

C. thick walled and green

D. thin walled and bluish.

Answer: B



Watch Video Solution

40. Uninucleated and pigmented conidia are a characteristics features of

A. Rhizopus

B. Penicillium

C. Agaricus

D. Yeast

Answer: B



Watch Video Solution

41. What is wrong for Basidiomycetes ?

A. Dolipora septum

B. Clamp connections

C. Sex organs absent but all stages of sexual reproduction present

D. Mycelium is aseptate and unbranched

Answer: D



Watch Video Solution

42. Dikaryotization ($n+n$) in *Agaricus* is brought about by

A. clamp connections

B. somatogamy between two hyphae of different strains

C. both i and ii correct

D. basidiospores

Answer: B



43. A fungus contains cells with two nuclei from different genomes. The nuclei do not fuse but divide independently and simultaneously as new cells are formed. It belongs to

A. phycomycetes

B. zygomycetes

C. deutermycetes

D. basidiomycetes

Answer: D



Watch Video Solution

44. Dolipore septa are found in

- A. Basidiomycetes
- B. Ascomycetes
- C. Deutermycetes
- D. Oomycetes

Answer: A



Watch Video Solution

45. Asexual spores in ascomycetes are mainly

- A. ascospores

B. conidia

C. zoospores

D. sporangiospores

Answer: B



Watch Video Solution

46. Where does meiosis occur in mushroom?

A. In basidiocap

B. In basidium

C. paraphysis

D. Gills

Answer: B



Watch Video Solution

47. The umbrella shaped structure of the basidiocarp of *Agaricus* is known as

A. stipe

B. gill

C. hymenium

D. pileus

Answer: D



Watch Video Solution

48. In *Rhizopus*, sexual fusion takes place between

A. two gametangia

B. two gametes

C. two hyphae

D. two sporangia

Answer: A



Watch Video Solution

49. In yeast, meiosis occurs in

A. ascospores

B. metulae

C. ascus

D. dikaryon

Answer: C



Watch Video Solution

50. An example in which reproductive structures lack a layer of sterile vegetative cells surrounding the egg is

A. Funaria

B. ectocarpus

C. Riccia

D. Cycas

Answer: B



Watch Video Solution

51. The characters related to ascomycetes are

A. separate branched mycelium

B. mitospores produced exogenously in chains

C. 4-8 ascospores inside a sac like ascus

D. all of the above.

Answer: D



Watch Video Solution

52. Yeast are

A. aerobic and prokaryotic

B. anaerobic and prokaryotic

C. facultative aerobic and eukaryotic

D. facultative anaerobic and eukaryotic

Answer: C



Watch Video Solution

53. Yeasts grow abundantly on

- A. cow Dung and Cow urine
- B. organic matter rich in sugar
- C. organic matter rich in fats
- D. nectar

Answer: B



Watch Video Solution

54. Yeasts differ from bacteria in being

- A. unicellular
- B. eukaryotic
- C. prokaryotic
- D. akaryotic

Answer: B



Watch Video Solution

55. The nonmycelial unicellular ascomycetes having no fruiting bodies are known as

A. Yeasts

B. Blue moulds

C. Lichens

D. Mushrooms

Answer: A



Watch Video Solution

56. Mostly the yeasts are

A. parasites

B. saprophytes

C. epihytes

D. symbionts

Answer: B



Watch Video Solution

57. The common example of budding yeasts is

A. Schizosaccharomyces

B. Saccharomyces

C. Saccharomycoides

D. Both (2) and (3)

Answer: B



Watch Video Solution

58. The principal agent of industrial fermentation and bread making is

- A. *Schizosaccharomyces octosporus*
- B. *Saccharomyces cerevisiae*
- C. *Saccharomyces ellipsoideus*
- D. none of the above.

Answer: B



Watch Video Solution

59. Pseudomycelium in yeasts is produced at the time of

- A. budding
- B. fission
- C. sexual reproduction
- D. never formed

Answer: A



Watch Video Solution

60. The yeasts differ from *Penicillium* in being

- A. unicellular
- B. multicellular
- C. parasitic
- D. saprophytic

Answer: A



Watch Video Solution

61. Bread becomes porous due to release of CO_2 by the action of

A. yeast

B. bacteria

C. virus

D. protozoans

Answer: A



Watch Video Solution

62. Lichen is a symbiotic association of

A. an alga and a fungus

B. alga and bacteria

C. fungus and bacteriophages

D. bacteria

Answer: A



Watch Video Solution

63. What is correct for isidia in lichens ?

A. They help in nitrogen fixation

B. They increase photosynthesis

C. They are detachable and help in sexual reproduction

D. All of the above.

Answer: B



Watch Video Solution

64. A lichen able to fix nitrogen also is called

A. azotodesmic lichen

B. corticolus lichen

C. lignocolus lichen

D. saxicolous lichen

Answer: A

 [Watch Video Solution](#)

65. Most of the lichens consist of

- A. blue green algae and ascomycetes
- B. green algae and ascomycetes
- C. green algae and basidiomycetes
- D. blue green algae and basidiomycetes

Answer: B

 [Watch Video Solution](#)

66. The lichens can be used

- A. as antibiotic and litmus
- B. in perfumes and scent sticks
- C. as food by man and reindeers
- D. all of those

Answer: D



Watch Video Solution

67. Lichens multiply by

- A. conidia

B. oidia

C. ascospores

D. soredia

Answer: D



Watch Video Solution

68. Which is not a lichen?

A. Reindeer moss

B. Rock flowers

C. Stone mushroom

D. Puff balls

Answer: D



Watch Video Solution

69. Reindeer moss is a lichen used as food by man. This belongs to the genus

A. Cetraria

B. Lobaria

C. Usnea

D. Cladonia

Answer: D



Watch Video Solution

70. Lichen are ecologically important as they

A. are source of some medicines

B. are pioneers of succession on barren rocks

(Lithosere)

C. are symbionts of algae and fungi

D. are associated with mycorrhizal roots

Answer: B



Watch Video Solution

 Watch Video Solution

71. Lichens growing on rocks are called

A. corticolous

B. coprophilous

C. terricolous

D. saxicolous

Answer: D

 Watch Video Solution

72. In lichens, the nonstalked, noncorticated, detachable powdery masses containing few algal cells and closely covered by fungal hyphae are called

A. soredia

B. gonidia

C. sporangiophore

D. metulae

Answer: A



Watch Video Solution

73. Lichens are

- A. commensal
- B. dual/composite organism
- C. saprophyte
- D. all the above

Answer: B



Watch Video Solution

74. *Aspergillus* species are important in industries as they produce

A. citric acids, gluconic acid and oxalic acid

B. Ergot

C. Litmus

D. all of the above.

Answer: A



Watch Video Solution

75. Primary host of *Puccinia graminis tritici* causing rust in

A. Rice

B. Wheat

C. Grass

D. Bamboo

Answer: B



Watch Video Solution

76. The primary infection in stem rust of wheat is caused by

A. basidiospores

B. uredospores

C. aeciospores

D. teleutospores

Answer: C



Watch Video Solution

77. Spores helpful for secondary infections in the spread of stem rust of wheat is

A. aeciospores

B. uredospores

C. teleutospores

D. basidiospores

Answer: B



Watch Video Solution

78. Sexual stages of *Puccinia graminis tritici* are confined to

- A. Wheat
- B. Barberry
- C. *Thalictrum*
- D. none of these

Answer: A



Watch Video Solution

79. The inflammation of mucous membrane of throat and mouth (thrush) and vaginitis is due to

- A. Trichophyton
- B. Epidermophyton
- C. Candida
- D. Torula

Answer: C



Watch Video Solution

80. White Rust of Crucifers is due to

A. *Albugo candida* (=Cystopus candidus)

B. *Cercospora personata*

C. *Colletorichum falcatum*

D. *Pythium debaryanum*

Answer: A



Watch Video Solution

81. Late blight of Potato is due to

A. *Phytophthora*

B. *Alternaria*

C. Phythium

D. Colletotrichum falcatum

Answer: B



Watch Video Solution

82. Rice crop was destroyed by a fungus which resulted in Bengal famine (1942-43). It was due to

A. Xanthomons malvacearum

B. Pyricularia oryzae

C. Helminthosporium oryzea

D. Puccinia graminis

Answer: C



Watch Video Solution

83. A fungus whose extract of sclerotia can be chemically altered to produce powerful hallucinogenic drug (LSD) is

- A. *Claviceps purpurea*
- B. *Aspergillus flavus*
- C. *Amanita caesarea*
- D. *Psilocybe mexicana*

Answer: A



Watch Video Solution

84. The species of *Penicillium* used in ripening/maturation of cheese other than *P. camturmberti* is

A. *P. notatum*

B. *P. chrysogenum*

C. *P. roqueforti*

D. *P. vermiculatum*

Answer: C



Watch Video Solution

85. A carcinogen present in the mould *Aspergillus flavus* which grows in ground nuts and storage grains is

- A. Phenacetin
- B. vinyl chloride
- C. Aflatoxin
- D. Benzidine

Answer: C



Watch Video Solution

86. Red rot of sugarcane is a serious epiphytotic disease of sugar cane. It is caused by

- A. *Alfernaria solani*
- B. *Colletotrichum falcatum*
- C. *Gibberella fuji kuroi*
- D. *Fusarium oxysporum*

Answer: B



Watch Video Solution

87. Fungi resemble to

A. Algae

B. Bryophytes

C. Pteridophytes

D. Tracheophytes

Answer: A



Watch Video Solution

88. Sexual reproduction in fungi in which flagel-lated gametes differentiate and fuse is known as

A. spermatogamy

B. planogametic copulation

C. gametangial copulation

D. gametangial contact

Answer: B



Watch Video Solution

89. Fusion between two morphologically similar but physiologically and genetically different thali of opposite strains in fungus is known as

A. homothallism

B. anisogamous

C. heterothallism

D. isogamous

Answer: C



Watch Video Solution

90. A unicellular fungus is

A. Penicillium

B. Mucor

C. Saccharomyces

D. Puccinia

Answer: C

 [Watch Video Solution](#)

91. In Mycorrhizae, the association between fungus and plants is

- A. Symbiosis
- B. competitive
- C. parasitic
- D. not very specific

Answer: D

 [Watch Video Solution](#)

92. Mycorrhiza works as

- A. modified shoot
- B. a root hair in adverse condition
- C. an organism for propagation
- D. mechanical tissue for support

Answer: B



Watch Video Solution

93. Meiosis occurs in the life cycle of Rhizopus during

- A. formation of gemetangium

- B. germination of zygosporangium
- C. formation of germ sporangium
- D. formation of aplanospores

Answer: B



Watch Video Solution

94. Ascus in ascomycetes contains 8 ascospores.

These are formed as a result of

- A. two meiosis
- B. one meiosis and one mitosis
- C. four mitosis

D. one meiosis and two mitosis

Answer: B



Watch Video Solution

95. The dikaryon in basidiomycetes is indicative of

A. karyogamy

B. plasmogamy

C. isogamy

D. syngamy

Answer: B

 [Watch Video Solution](#)

96. In which fungus is the dikaryotic stage long lasting

?

- A. Club fungi
- B. Imperfect fungi
- C. Sca fungi
- D. Zygosporangium fungi

Answer: A

 [Watch Video Solution](#)

97. Which one is not related to perfect stage of fungus

A. Zygosporos

B. Meiosporos

C. Ascospores

D. Mitospores

Answer: D



Watch Video Solution

98. Number of spore stages in Puccinia is

A. five

B. four

C. three

D. two

Answer: A



Watch Video Solution

99. Poisonous mushrooms are popularly called

A. Puff Balls

B. Toad Stools

C. Bracket fungi

D. Sponge Mushrooms

Answer: B



Watch Video Solution

100. Part of the mushroom visible above ground is

A. ascus

B. ascocarp

C. basidiocarp

D. assimilative part

Answer: C

 [Watch Video Solution](#)

101. The meiospores of yeast are nonmotile and called

A. aeciospores

B. aplanospores

C. ascospores

D. basidiospores

Answer: C

 [Watch Video Solution](#)

102. Leavening of bread is brought about by

A. Agaricus

B. yeast

C. Bacteria

D. Rhizopus

Answer: B



Watch Video Solution

103. Saccharomyces is used in

A. pasteurization

B. preservation

C. Tanning

D. bakery and wine

Answer: D



Watch Video Solution

104. Oidia resemble yeast in

A. fermentation

B. sexual reproduction

C. being diploid

D. all of these

Answer: A



Watch Video Solution

105. Which one of the following is popularly called eukaryotic E. coli ?

A. Neurospora

B. Rhizopus

C. Saccharomyces

D. Eubacteria

Answer: C



Watch Video Solution

106. Powdery mildew of crops is caused by

- A. Ascomycetes
- B. Basidiomycetes
- C. Phycomycetes
- D. Deuteromycetes

Answer: A



Watch Video Solution

107. The first antibiotic penicillin was isolated from

- A. *Penicillium notatum*
- B. *P. chrysogenum*
- C. *P. roqueforti*
- D. *P. vermiculatum*

Answer: A



Watch Video Solution

108. What does *Claviceps* cause ?

- A. Rust

B. Smut

C. Ergotism

D. Angina

Answer: C



Watch Video Solution

109. Chitin is chemically

A. N-acetyl glucosamine

B. N-acetyl muramic acid

C. N-acetyl gluconic acid

D. α -derivative of cellulose

Answer: A



Watch Video Solution

110. An asomycetous fungus is

A. Yeast

B. Phytophthora

C. Puccinia

D. Agaricus

Answer: A

 [Watch Video Solution](#)

111. Yeasts are unicellular but placed in Fungi because

- A. yeasts are acellular
- B. yeasts reproduce by fungal methods
- C. yeasts have cellulosic cell wall
- D. yeasts have pectin

Answer: B

 [Watch Video Solution](#)

112. Fungi and bacteria are

- A. producers
- B. consumers
- C. reducers/decomposers
- D. none of these

Answer: C



Watch Video Solution

113. Clamp connections occur in

- A. Haplomycetes

B. Saccharomycetes

C. Basidiomycetes

D. Ascomycetes

Answer: C



Watch Video Solution

114. Which of the following environment conditions are essential for optimum growth of *Mucor* on a piece of bread

A. Temperature of about $25^{\circ}C$

B. Temperature of about $5^{\circ}C$

C. Relative humidity of about 5%

D. Relative humidity of about 95%

E. A shady place

F. A brightly illuminated place

Choose the answer from the following options

A. B, D and E only

B. B, C and F only

C. A, C and E only

D. A, D and E only

Answer: D



Watch Video Solution

115. Fruiting body formed from a filamentous heterotrophic organism which is known for its nutritive value for humans is

A. Crernocarp

B. Acervulus

C. Basidiocarp

D. Akinete

Answer: C



Watch Video Solution

116. Find the incorrect match

- A. *Phytophthora infestans*- Late blight of potato
- B. *Sclerospora graminicola* - Downy mildews
- C. *Candida albicans* - Oral thrush
- D. *Claviceps* - Powdery mildews

Answer: D



Watch Video Solution

117. Mycelium of *Mucor*\ *Rhizopus* is

- A. septate and unicellular

B. septate and multicellular

C. aseptate and uninucleate

D. coenocytic

Answer: D



Watch Video Solution

118. A fungus, which is commonly called 'Honey mushroom is

A. Morchella

B. Geaster

C. Armillaria

D. Claviceps

Answer: C



Watch Video Solution

119. Find the correct match

Name	Feature	Class
(1) Aspergillus	Aseptate mycelium	Asco-mycetes
(2) Trichoderma	Imperfect fungi	Phyco-mycetes
(3) Rhizopus	Coenocytic mycelium	Deutero-mycetes
(4) Puccinia	Branched and septate mycelium	Basidio-mycetes



Watch Video Solution

120. Which one of the following is a wood-rotting fungus ?

A. xylophagous

B. Lycoperdon

C. Morchella

D. Polyporus

Answer: D



Watch Video Solution

121. Match the columns

(A) Early Blight of Potato	(i) <i>Puccinia graminis</i>
(B) Late Blight of Potato	(ii) <i>Ustilago tritici</i>
(C) Smut of Wheat	(iii) <i>Phytophthora infestans</i>
(D) Rust of Wheat	(iv) <i>Alternaria solani</i>

A. (A)-(i), (B)-(ii), (C)-(iii), (D)-(iv)

B. (A)-(iv), (B)-(iii), (C)-(ii), (D)-(i)

C. (A)-(ii), (B)-(ii), (C)-(iv), (D)-(i)

D. (A)-(iv), (B)-(ii), (C)-(iii), (D)-(i)

Answer: B



Watch Video Solution

122. Find the correct match

- A. *Phytophthora infestans* - Early blight of potato
- B. *Albugo candida* - white rust of crucifers
- C. *Puccinia graminis* - Loose smut of wheat
- D. all of the above.

Answer: B

 [Watch Video Solution](#)

123. Which one of the following is endogenously produced ?

A. Ascospores

B. Basidiospores

C. Conidiospores

D. All of the above.

Answer: A



Watch Video Solution

124. Match List-I (Fungal class) with List-II (Organism) and select the correct answer using the codes given

below the lists

List-I (Fungal class)	List-II (Organism)
A. Ascomycetes	1. <i>Agaricus</i>
B. Basidiomycetes	2. <i>Trichoderma</i>
C. Deuteromycetes	3. <i>Rhizopus</i>
D. Zygomycetes	4. <i>Saccharomyces</i>

A. Codes: A B C D
(1) 4 2 1 3

B. Codes: A B C D
(2) 2 1 3 4

C. Codes: A B C D
(3) 4 1 2 3

D. Codes: A B C D
(4) 2 3 1 4

Answer: C



Watch Video Solution

125. The staple crop in Ireland was completely destroyed in 1844-1846, by a fungal disease resulting in a great famine. The causal organism in this case was

- A. *Puccinia graminis*
- B. *Ustilago tritici*
- C. *Phytophthora infestans*
- D. *Claviceps purpurea*

Answer: C



Watch Video Solution

126. Consider the following stages

1. Spermogonial 2. Aecial

3. Uredial 4. Telial

5. Basidial

The correct sequence of these stages in the life-cycle of *Puccinia graminis tritici* is

A. 2,1,4,3,5

B. 1,2,4,5,3

C. 1,2,3,4,5

D. 2,1,4,5,3

Answer: C



Watch Video Solution

127. Mycorrhizal association controls root affecting pathogens in plants because

- A. Mycorrhizal fungi colonize the roots and act as a barrier during infection
- B. Mycorrhizal fungi help phosphorus uptake
- C. Mycorrhizal fungi help during stress and shock
- D. Mycorrhizal fungi produce toxins against pathogens

Answer: D



128. Which of the following information can be used to distinguish yeast from bacterial cells?

- A. Fungi are more significant animal pathogens than bacteria
- B. Unlike fungi, bacterial species contain rigid cell walls
- C. Yeast are much larger than bacterial cells
- D. Fungi species lack internal cell structures

Answer: C



Watch Video Solution

129. Saprophyte is an organism that depends on dead plant or animal tissue for a source of nutrition and metabolic energy. Which of the following is the most appropriate definition of a fungus?

- A. Eukaryotic multicellular heterotroph
- B. Parasitic, eukaryotic plant
- C. Saprophytic plants
- D. Saprophytic heterotroph

Answer: D



Watch Video Solution

130. All of following are characteristic of fungi EXCEPT

- A. Fungal diseases are responsive to antibiotic therapy
- B. Fungi are usually present in a haploid state
- C. Fungi are possess chitin cell walls
- D. Fungi can reproduce sexually and asexually

Answer: A



Watch Video Solution

131. Ergot of rye is caused by a species of

A. Ustilago

B. Claviceps

C. Erysiphe

D. Phytophthora

Answer: B



Watch Video Solution

132. Mycorrhiza is found in

A. oligotrophic soil

B. eutrophic soil

C. both (1) and (2)

D. none

Answer: A



Watch Video Solution

133. Which pair belongs to basidiomycetes?

A. Peziza and stink horns

B. Morchella and mushrooms

C. Puff balls and Amanita sp.


D. Puff balls and Claviceps

Answer: C



Watch Video Solution

134. The reproductive structure shown in the figure is characteristic of which class of fungi ?



A. Zygomycetes

B. Ascomycetes

C. Basidiomycetes

D. Deuteromycetes

Answer: B



Watch Video Solution

135. Which one is the wrong pairing for the disease and its causal organism?

- A. Loose smut of wheat - *Ustilago nuda*
- B. Root - knot of vegetables - *Meloidogyne* sp.
- C. Late blight of potato - *Alternaria solani*
- D. Black rust of wheat - *Puccinia graminis*

Answer: C



Watch Video Solution

136. Edible part of mushroom is

- A. basidiocarp
- B. primary mycelium
- C. fungal hyphae
- D. basidiospores

Answer: A



Watch Video Solution

137. Match column I with column II and select the correct option.

Column I (Kingdom)	Column II (Class)
(A) Morels	1. Deuteromycetes
(B) Smut	2. Ascomycetes
(C) Bread mould	3. Basidiomycetes
(D) Imperfect fungi	4. Phycomycetes

A. A-3, B-4, C-1, D-2

B. A-2, B-3, C-4, D-1

C. A-3, B-4, C-2, D-1

D. A-2, B-1, C-4, D-3

Answer: B



Watch Video Solution

138. Which one single organism or the pair of organisms is correctly group?

A. Lichen is a composite organism formed from the symbiotic association of an algae and a protozoan

B. Yeast used in making bread and beer is a fungus

C. Nostoc and Anabaena are examples of Protista

D. Paramecium and plasmodium belong to the same kingdom as that of Penicillium

Answer: B



Watch Video Solution

139. Sexual reproductive structures in lichens are produced by

A. Algae

B. Fungi

C. Both algae and fungi

D. Lichens remain vegetative and do not reproduce

Answer: B



Watch Video Solution

140. Wonder drug is extracted from

A. Aspergillum

B. Claviceps

C. Penicillium

D. Albugo

Answer: C



Watch Video Solution

141. Coenocytic mycelium is characteristic feature of

A. Phycomycetes

B. Ascomycetes

C. Basidiomycetes

D. Dueteromycetes

Answer: A



Watch Video Solution

142. Which of the organism is used as food ?

A. Bracket fungi

B. Agaricus

C. Claviceps

D. Moulds

Answer: B



Watch Video Solution

143. Lichens are composite organisms consisting of an alga and _____

A. Mosses

B. Fungus

C. Protozoa

D. Bacterium

Answer: B



Watch Video Solution

144. Which of the following fungi contains hallucinogens

- A. *Ustilago* sp.
- B. *Morchella esculenta*
- C. *Amanita muscaria*
- D. *Neurospora* sp.

Answer: C



Watch Video Solution

145. Which one of the following matches is correct?

(1) <i>Alternaria</i>	Sexual reproduction absent	Deuteromycetes
(2) <i>Mucor</i>	Reproduction by Conjugation	Ascomycetes
(3) <i>Agaricus</i>	Parasitic fungus	Basidiomycetes
(4) <i>Phytophthora</i>	Aseptate mycelium	Basidiomycetes



Watch Video Solution

146. The imperfect fungi which are decomposers of litter and help in mineral cycling belong to:

A. Deuteromycetes

B. Basidiomycetes

C. Phycomycetes

D. Ascomycetes

Answer: A



Watch Video Solution

147. Choose the wrong statement

A. *Penicillium* is multicellular and produces antibiotics

B. *Neurospora* is used in the study of biochemical genetics

C. Morels and truffles are poisonous mushrooms

D. Yeast is unicellular and useful in fermentation

Answer: C



Watch Video Solution

148. Which the following are most suitable indicators of SO_2 pollution in the environment ?

A. Lichens

B. Conifers

C. Algae

D. Fungi

Answer: A



Watch Video Solution

149. One of the major components of cell wall of most fungi is

A. Peptidoglycan

B. Cellulose

C. Hemicellulose

D. Chitin

Answer: D



Watch Video Solution

150. Which one of the following is wrong for fungi

- A. They are eukaryotic
- B. All fungi possess a purely cellulosic cell wall.
- C. They are heterotrophic.
- D. They are both unicellular and multicellular

Answer: B



Watch Video Solution

151. Mycorrhizae are the example of

A. Fungistasis

B. Amensalism

C. Antibiosis

D. Mutualism

Answer: D



Watch Video Solution

152. After karyogamy followed by meiosis, spores are produced exogenously in

A. Saccharomyces

B. Agaricus

C. *Alternaria*

D. *Neurospora*

Answer: B



Watch Video Solution