

# **BIOLOGY**

# **BOOKS - CENGAGE BIOLOGY (ENGLISH)**

# **NEET 2017 PAPER**

Mcq

- **1.** Which of the following are found in extreme saline conditions?
  - A. Eubacteria
  - B. Cyanobacteria
  - C. Mycobacteria

D. Archaebacteria

## **Answer: D**



**Watch Video Solution** 

- 2. Which of the following components provides sticky character to the bacterial cell?
  - A. Nuclear membrane
  - B. Plasma membrane
  - C. Glycocalyx
  - D. Cell wall

# **Answer: C**



- 3. Viroids differ from viruses in having
  - A. DNA molecules without protein coat
  - B. RNA molecules with protein coat
  - C. RNA molecules without protein coat
  - D. DNA molecules with protein coat

### **Answer: C**



**Watch Video Solution** 

**4.** Which among the following are the smallest living cells, known without a definite cell wall, pathogenic to plants as well as animals and can survive without oxygen?

A. Pseudomonas B. Mycoplasma C. Nostoc D. Bacillus **Answer: B Watch Video Solution** 5. An example of colonial alga is A. Volvox B. Ulothrix C. Spirogyra D. Chlorella

# Answer: A



**Watch Video Solution** 

- 6. Zygotic meiosis is characteristic of
  - A. Fucus
  - B. Funaria
  - C. Chlamydomonas
  - D. Marchantia

# **Answer: C**



7. Life cycle of Ectocarpus and Fucus respectively are
A. Diplontic, Haplodiplontic
B. Haplodiplontic, Diplontic
C. Haplodiplontic, Haplontic
D. Haplontic, Diplontic
Answer: B
Watch Video Solution

**8.** An important characteristic that hemichordates share with Chordates is

A. Ventral tubular nerve cord

- B. Pharynx with gills slits

  C. Pharynx without gill slits

  D. Absence of notochord

  Answer: B

  Watch Video Solution
- **9.** Which of the following represents order of Horse ?
  - A. Perissodactyla

B. Caballus

- C. Ferus
- D. Equidae

**10.** In Case of poriferans, the spongocoel is lined with flagellated cells called

- A. Oscula
- B. Choanocytes
- C. Menechymal cells
- D. Ostia

**Answer: B** 



A. Berry
B. Nut
C. Capsule
D. Drupe
Answer: D
Watch Video Solution
12. In Bougainvillea thorns are the modification of
A. Adventitious root
B. Stem
C. Leaf
D. Stipules

## **Answer: B**



**Watch Video Solution** 

- 13. Root hair develop from the region of
  - A. Elongation
  - B. Root cap
  - C. Meristematic activity
  - D. Maturation

## **Answer: D**



A. Cotyledon
B. Endosperm
C. Pericarp
D. Perisperm
Answer: B
Watch Video Solution
<b>15.</b> The vascular cambium normally gives rise to
A. Primary phloem
B. Secondary xylem

**14.** The morphological nature of the edible part of coconut is

C. Periderm

D. Phelloderm

# **Answer: B**



**Watch Video Solution** 

- 16. Which of the following is made up of dead cells?
  - A. Collenchyma
  - B. Phellem
  - C. Phloem
  - D. Xylem parenchyma

# **Answer: B**



17. Identify the wrong statement in context of heartwood.

A. It is highly durable

B. It conducts water and minerals efficiently

C. It comprises dead elements with highly lignified walls

D. Organic compounds are deposited in it.

#### **Answer: B**



**Watch Video Solution** 

**18.** Select the correct route for the passage of sperms in male frogs

A. Testes  $\;
ightarrow\;$  Vasa efferentia  $\;
ightarrow\;$  Kidney  $\;
ightarrow\;$  Seminal

Vesicle ightarrow Urinogenital duct ightarrow Cloaca

B. Tests  $\;
ightarrow\;$  Vasa efferentia  $\;
ightarrow\;$  Bidder's canal  $\;
ightarrow\;$  Ureter

ightarrow Cloaca

C. Tests  $\,
ightarrow\,$  Vasa efferentia  $\,
ightarrow\,$  Kidney  $\,
ightarrow\,$  Bidder's canal

ightarrow Urinogenital duct ightarrow Cloaca

D. Tests  $\,
ightarrow\,$  Bidder's canal  $\,
ightarrow\,$  Kidney  $\,
ightarrow\,$  Vasa efferentia

ightarrow Urinogenital duct ightarrow Cloaca

## **Answer: C**



**19.** Adult humen RBCs are enucleate. Which of the following statement (s) is /are most appropriate explanation for this featrue?

- (i) They do not need to reproduce
- (ii) They are somatic cells
- (iii) They do not metabolize
- (iv) All their space is available for oxygen transport
  - A. Only a
  - B. a, c and d
  - C. b and c
  - D. Only d

### **Answer: D**



Watch Vidaa Calutian

Watch video Solution

**20.** Which of the 'following cell organells is responsible for extracting energy from carbohydrates to form ATP?

- A. Ribosome
- B. Chloroplast
- C. Mitochondrion
- D. Lysosome

**Answer: C** 



**Watch Video Solution** 

**21.** Which one of the following statements is correct, with reference to enzyme?

A. Holoenzyme=Apoenzyme+Coenzyme B. Coenzyme=Apoenzyme+Holoenzyme C. Holoenzyme=Coenzyme+Co-factor D. Apoenzyme=Holoenzyme+Coenzyme **Answer: A** 



# 22. Which of the following are not polymeric?

- A. Proteins
- **B.** Polysaccharides
- C. Lipids
- D. Nucleic acids

#### **Answer: C**



- **23.** Which of the following options gives the correct sequence of events during mitosis?
  - A. Condensation o nuclear membrane disassembly o arrangement at equator o centromere division o segregation o telephase
  - B. Condensation ightarrow crossing over ightarrow nuclear membrane disassembly ightarrow segregation ightarrow telephase
  - C. Condensation o arrangement at equator o centromere division o segregation o telephase

D. Condensation ightarrow nuclear membrane disassembly ightarrow crossing over ightarrow segregation ightarrow telephase

# Answer: A



**Watch Video Solution** 

**24.** Anaphase Promoting Complex (APC) is a protein degradation machinery necessary for proper mitosis of animal cells. If APC is defective in a human cell, which of the following is expected to occur?

- A. Chromosomes will be fragmented
- B. Chromosomes will not segregate
- C. Recombination of chromosome arms will occur
- D. Chromosomes will not condense

### **Answer: B**



# **Watch Video Solution**

- **25.** Which of the following facilitates opening of stomatal aperture?
  - A. Decrease in turgidity of guard cells.
  - B. Radial orientation of cellulose microfibrils in the cell wall of guard cells.
  - C. Longitudinal orientation of cellulose microfibrils in the cell wall of guard cells.
  - D. Contraction of outer wall of guard cells.

#### **Answer: B**

26. The water potential of pure water is

A. Less than zero

B. More than zero but less than one

C. More than one

D. Zero

#### **Answer: D**



**Watch Video Solution** 

27. Select the mismatch

A. Rhodospirllum-Mycorrhiza

- B. Anabaena Nitrogen fixer
- C. Rhizobium Alfalfa
- D. Frankia Alnus

## **Answer: A**



**Watch Video Solution** 

**28.** With reference to factors affecting the rate of photosynthesis, which of the following statements is not correct?

A. Increasing atmospheric  $CO_2$  concentration up to 0.05% can enhance  $CO_2$  fixation.

- B.  $C_3$  plants respond to higher tempertures with enhanced photosynthesis while  $C_4$  plants have much lower temperture optimum.
- C. Tomato is a greenhouse crop which can be grown in  ${\cal C}O_2$ -enriched atmopshere for higher yield.
- D. Light saturation for  $CO_2$  fixation occurs at 10% of full sunlight.

### **Answer: B**



**29.** PEP is primary  $CO_2$  acceptor in

A.  $C_4$  plants

- B.  $C_2$  plants
- $C. C_3$  and  $C_4$  plants
- D.  $C_3$  plants

#### **Answer: A**



**Watch Video Solution** 

# **30.** Which statement is wrong for Krebs' cycle?

- A. There is one point in the cycle where  ${\rm FAD}^+$  is reduced to  ${\rm FADH}_2.$
- B. During conversion of succinyl CoA to succinic acid, a molecule of GTP is synthesised.

- C. The cycle starts with condensation of acetyl group (acetyl CoA) with pyruvic acid to yield citric acid.
- D. There are three points in the cycle where  $\mathrm{NAD}^+$  is reduced to  $\mathrm{NADH}\!+\!H^+.$

# **Answer: C**



**31.** Fruit and leaf drop at early stages can be prevented by the application of

- A. Ethylene
- **B.** Auxins
- C. Gibberellic acid

D. Cytokinins

**Answer: B** 



**Watch Video Solution** 

32. Which cells of 'Crypts of Lieberkuhn' secrete antibacterial lysozyme?

- A. Paneth cells
- B. Zymogen cells
- C. Kupffer cells
- D. Argentaffin cells

# **Answer: A**



**33.** Which of the following option best represents the enzyme composition of pancreatic juice?

- A. Amylase, pepsin, trpsinogen, maltase
- B. Peptidase, amylase, pepsin, rennin
- C. Lipase, amylase, trpsinogen, procarboxypeptidase
- D. Amylase, peptidase, trypsinogen, rennin

## **Answer: C**



**Watch Video Solution** 

**34.** The primary dentition in human differs from permanent dentition in not having one of the following type of teeth

B. Pre-molars C. Molars D. Incisors **Answer: B Watch Video Solution** 35. Lungs are made up of air filled sacs the alveloi they do not collase even after forceful expeiration because of A. Inspiratory Reserve Volume B. Tidal Volume C. Expiratory Reserve Volume

A. Canines

D. Residual Volume
Answer: D
Watch Video Solution
<b>36.</b> The hepatic portal vein drains blood to liver from

A. Stomach

B. Kidneys

C. Intestine

**Watch Video Solution** 

D. Heart

**Answer: C** 

**37.** Frog's heart when taken out of the body continues to beat for sometime.

Select the best option from the following statements.

- (i) Frog is a poikilotherm.
- (ii) Frog does not have any coronary circulation
- (iii) Heart is 'myogenic' in nature.
- (iv) heart is autoexcitable
  - A. Only d
  - B. a and b
  - C. c and d
  - D. Only c

## **Answer: C**



<b>38.</b> A decrease in blood	pressure/volume	will	not	cause	the
release of					
A. Atrial Natriuretic fac	tor				

B. Aldosterone

C. ADH

D. Renin

# **Answer: A**



**Watch Video Solution** 

**39.** Which of the following statements is correct?

- A. The descending limb of loop of Henle is impermeable to water.
- B. The ascending limb of loop of Henle is permeable to water.
- C. The descending limb of loop of Henle is permeable to electrolytes.
- D. The ascending limb of loop of Henle is impermeable to water.

### **Answer: D**



**Watch Video Solution** 

40. The pivot joint between atlas and axis is a type of

- A. Cartilaginous joint
- B. Synovial joint
- C. Saddle joint
- D. Fibrous joint

### **Answer: B**



**Watch Video Solution** 

**41.** Out of 'X' pairs of ribs in humans only 'Y' pairs are true ribs. Select the option that correctly represents values of X and Y and provides their explanation.

A.

X=12 Y=5 True ribs are attached dorsally to vertebral column and sternum on two ends

В.

X=24 Y=7 True ribs are dorsally attached to vertebral column but are free on ventral side

X=24 Y=12 True ribs are dorsally attached to vertebral column but are free on ventral side

D.

X=12 Y=7 True ribs are attached dorsally to vertebral column and ventrally to the sternum

#### **Answer: D**



- 42. Receptor sites for neurotransmitters are present on
  - A. Pre-synaptic membrane
  - B. Tips of axons

- C. Post-synaptic membrane
- D. Membranes of synaptic vesicles.

#### **Answer: C**



- **43.** Good vision depends on adequate intake of carotene rich food. Select the best option from the following statements.
- (a) Vitamin A derivatives are formed from carotene
- (b) The photopigments are embedded in the membrane discs of the inner segment
- (c) Retinal is a derivative of Vitamin A.
- (d) Retinal is a light absorbing part of all the visual photopigments

- A. a, c and d
- B. a and c
- C.b, c and d
- D. a and b

## **Answer: A**



- **44.** Myelin sheath is produced by
  - A. Astrocytes and Schwann Cells
  - B. Oligodendrocytes and Osteoclasts
  - C. Osteoclasts and Astrocytes
  - D. Schwann Cells and Oligodendrocytes

### **Answer: D**



**Watch Video Solution** 

- **45.** Hypersecretion of Growth Hormone in adults does not cause further increase in height because
  - A. Epiphyseal plates close after adolescence
  - B. Bones loose their sensitivity to Growth Hormone in adults
  - C. Muscle fibres do not grow in size after birth
  - D. Growth Hormone becomes inactive in adults

### **Answer: A**



