



MATHS

BOOKS - NAGEEN PRAKASHAN ENGLISH

THREE-DIMENSIONAL GEOMETRY

Solved Example

1. A line makes 30° , 120° and 90° angles from the positive direction of x-axis, y-axis and π -axis respectively. Find its direction cosines.

[Watch Video Solution](#)

2. Find the direction ratios and direction cosines of a line joining the points $(3, -4, 6)$ and $(5, 2, 5)$.

[Watch Video Solution](#)

3. Show that the points $(2, 3, 4)$, $(-1, -2, 1)$, $(5, 8, 7)$ are collinear.

 [Watch Video Solution](#)

4. A vector of magnitude 6 units makes equal angles from OX -, OY - and OZ -axes. Find the vector.

 [Watch Video Solution](#)

5. Find the equation of a line passing through the point $(2, -3, 5)$ and parallel to vector $(3\hat{i} + 2\hat{j} - \hat{k})$.

 [Watch Video Solution](#)

6. Find the vector and cartesian equation of a line passes through the points $(1, 3, 2)$ and origin.

 [Watch Video Solution](#)

 Watch Video Solution

7. Find the value of λ . If the points $A(-1, 3, 2)$, $B(-4, 2, -2)$ and $C(5, \lambda, 10)$ are collinear.

 Watch Video Solution

8. Find the angle between the lines $\vec{r} = (\hat{i} + \hat{j}) + \lambda(3\hat{i} + 2\hat{j} + 6\hat{k})$ and $\vec{r} = (\hat{i} - \hat{k}) + \mu(\hat{i} + 2\hat{j} + 2\hat{k})$

 Watch Video Solution

9. Show that the lines

$\frac{x-1}{1} = \frac{y}{-5} = \frac{z}{3}$ and $\frac{x+1}{7} = \frac{y}{2} = \frac{z-3}{1}$ are perpendicular.

 Watch Video Solution

10. Show that the lines $\frac{x-4}{1} = \frac{y+3}{-4} = \frac{z+1}{7}$ and $\frac{x-1}{2} = \frac{y+1}{-3} = \frac{z+10}{8}$ intersect.

Find the coordinates of their point of intersection.

 [Watch Video Solution](#)

11. Find the co-ordinates of a point where the line $\frac{x-1}{-2} = \frac{y-2}{3} = \frac{z+5}{-4}$, meets the plane $2x + 4y - z = 3$.

 [Watch Video Solution](#)

12. Find the co-ordinates of the foot of perpendicular drawn from point $A(1, 6, 3)$ to the line $\frac{x}{1} = \frac{y-1}{2} = \frac{z-2}{3}$.

 [Watch Video Solution](#)

13. Find the shortest distance between the lines

$$\vec{r} = \hat{i} + \hat{j} + \lambda(2\hat{i} - \hat{j} + \hat{k}) \quad \text{and}$$

$$\vec{r} = (2\hat{i} + \hat{j} - \hat{k}) + \mu(3\hat{i} - 5\hat{j} + 2\hat{k})$$

 [Watch Video Solution](#)

14. Find the shortest distance between the lines $\frac{x+2}{-4} = \frac{y}{1} = \frac{z-7}{1}$

and $\frac{x+3}{-4} = \frac{y-6}{3} = \frac{z}{2}$

 [Watch Video Solution](#)

15. Find the shortest distance between the lines

$$\vec{r} = \hat{i} + \hat{j} + \lambda(2\hat{i} - \hat{j} + \hat{k}) \quad \text{and} \quad \vec{r} = 2\hat{i} + \hat{j} - \hat{k} + \mu(2\hat{i} - \hat{j} + \hat{k}).$$

 [Watch Video Solution](#)

16. Show that the points $A(0, 4, 3)$, $B(-1, -5, -3)$, $C(-2, -2, 1)$ and $D(1, 1, 1)$ are coplanar. Also find the equation of the plane in which these points lie.



[Watch Video Solution](#)

17. Find the equation of the plane which cuts the intercepts of length 3, -4 and 2 units on the axes respectively.



[Watch Video Solution](#)

18. Convert the equation of plane $2x - 4y + 3z = 24$ into intercept form and find the intercepts cut from the axes.



[Watch Video Solution](#)

19. A variable plane moves in such a way that the sum of the reciprocals of its intercepts on the three coordinate axes is constant. Show that the plane passes through a fixed point.



[Watch Video Solution](#)

20. A plane cuts the co-ordinate axes at A, B and C respectively. If the centroid of $\triangle ABC$ is $(2, -3, 4)$, find the equation of the plane.



[Watch Video Solution](#)

21. Find the vector and equation of a plane which is at a distance of 10 units from origin and normal vector from origin to this plane is $2\hat{i} - \hat{j} + 2\hat{k}$.



[Watch Video Solution](#)

22. The vector equation of a plane is $\vec{r} \cdot (3\hat{i} + 2\hat{j} - 6\hat{k}) = 56$. Convert it into normal form. Also find the length of perpendicular from origin and direction cosines of normal to the plane.



Watch Video Solution

23. The co-ordinates of the foot of perpendicular from origin to a plane are $(1, 2, -3)$. Find the equation of the plane.



Watch Video Solution

24. Find the normal form of the plane $2x + 3y - z = 5$. Also find the length of perpendicular from origin and d.c's of the normal to the plane.



Watch Video Solution

25. Find the vector and cartesian equation of plane which passes through the point $(1, 3, -2)$ and normal to the vector $(2\hat{i} + \hat{j} - 2\hat{k})$.

 [Watch Video Solution](#)

26. Find the vector equation of the following plane in product form

$$\vec{r} = (\hat{i} - \hat{k}) + \lambda(\hat{i} + 2\hat{j}) + \mu(\hat{i} + 3\hat{j} - \hat{k}).$$

 [Watch Video Solution](#)

27. Find the cartesian form of the equation of the plane.

$$\vec{r} = (\lambda - \mu)\hat{i} + (1 - \mu)\hat{j} + (2\lambda + 3\mu)\hat{k}$$

 [Watch Video Solution](#)

28. Find the angle between the planes $3x + y + 2z = 1$ and $2x - y + z + 3 = 0$.

[Watch Video Solution](#)

29. Find the value of ' λ ' if the planes $\vec{r} \cdot (\hat{i} + 2\hat{j} + 3\hat{k}) + 3 = 0$ and $\vec{r} \cdot (\lambda\hat{i} + 2\hat{j} + 7\hat{k}) = 10$ are perpendicular.

[Watch Video Solution](#)

30. Find the equation of a plane passes through the point $(1, -2, 4)$ and parallel to the plane $3x - y + 3 + 2z + 5 = 0$.

[Watch Video Solution](#)

31. Find the equation of the plane which passes through the point $(2, 2, 2)$ and through the intersection of the planes $3x - y + 2z = 4$ and $x + y + z = 2$.

[Watch Video Solution](#)

32. Find the vector equation of a plane passing through the intersection of the planes $\vec{r} \cdot (\hat{i} + \hat{j} + \hat{k}) = 6$ and $\vec{r} \cdot (2\hat{i} + 3\hat{j} + 4\hat{k}) - 5 = 0$ and through the point $(2, 2, 1)$.

 [Watch Video Solution](#)

33. Find the angle between the line $\vec{r} = (2\hat{i} + \hat{j} - \hat{k}) + \lambda(2\hat{i} + 2\hat{j} + \hat{k})$ and the plane $\vec{r} \cdot (6\hat{i} - 3\hat{j} + 2\hat{k}) + 1 = 0$.

 [Watch Video Solution](#)

34. If the line $\vec{r} = (2\hat{i} + \hat{j} - \hat{k}) + \lambda(\hat{i} + m\hat{j} - 2\hat{k})$ is parallel to the plane $\vec{r} \cdot (2\hat{i} + \hat{j} + m\hat{k}) = 1$ then find the value of m .

 [Watch Video Solution](#)

35. Find the equation of a plane passes through the points $(0, 0, 0)$ and $(1, 3, 5)$ and parallel to the line $\frac{x}{-2} = \frac{y}{1} = \frac{z+3}{4}$.

 [Watch Video Solution](#)

36. Find the equation of the plane containing line $\frac{x+1}{-3} = \frac{y-3}{2} = \frac{z+2}{1}$ and point $(0, 7, -7)$.

 [Watch Video Solution](#)

37. Find the perpendicular distance from the point $(1, -3, 4)$ to the plane $3x - 4y + 12z - 1 = 0$.

 [Watch Video Solution](#)

38. Show that the point $(1, 2, 1)$ is equidistant from the planes $\vec{r} \cdot (\hat{i} + 2\hat{j} - 2\hat{k}) = 5$ and $\vec{r} \cdot (2\hat{i} - 2\hat{j} + \hat{k}) + 3 = 0$.



Watch Video Solution

39. Show that the distance between planes

$$2x - 2y + z + 3 = 0 \text{ and } 4x - 4y + 2z + 5 = 0 \text{ is } \frac{1}{6}$$



Watch Video Solution

40. Find the equations of the planes parallel to the plane

$$x + 2y - 2z + 8 = 0 \text{ which are at distance of 2 units from the point}$$

$$(2, 1, 1).$$



Watch Video Solution

41. Find the co-ordinates of the foot of perpendicular and its

perpendicular distance drawn from the point $(1, 3, 4)$ to the plane

$$2x - y - 2z + 3 = 0. \text{ Also find the image of the point } (1, 3, 4) \text{ in the}$$

plane.



Watch Video Solution

42. Find the image of the point $(1, \sqrt{2}, \sqrt{3})$ in the plane $x + 2y + 4z = 38$

 [Watch Video Solution](#)

43. A variable plane which remains at a constant distance $3p$ from the origin cut the coordinate axes at A, B, C . Show that the locus of the centroid of triangle ABC is $x^{-2} + y^{-2} + z^{-2} = p^{-2}$.

 [Watch Video Solution](#)

44. Find the distance of the point $(2, 3, 4)$ from the plane $3x + 2y + 2z + 5 = 0$ measured parallel to the line $\frac{x+3}{3} = \frac{y-2}{6} = \frac{z}{2}$.

 [Watch Video Solution](#)

45. Show that the line

$$\vec{r} = (\hat{i} + \hat{j} - \hat{k}) + \lambda(3\hat{i} - \hat{j})$$

$\vec{r} = (4\hat{i} - \hat{k}) + \mu(2\hat{i} + 3\hat{k})$ are coplanar. Also find the equation of plane in which these lines lie.

 [Watch Video Solution](#)

46. Prove that the lines

$$\frac{x+1}{3} = \frac{y+3}{5} = \frac{z+5}{7} \text{ and } \frac{x-2}{1} = \frac{y-4}{4} = \frac{z-6}{7} \text{ are coplanar.}$$

Also, find the plane containing these two lines.

 [Watch Video Solution](#)

47. Find the equation of a plane passing through the parallel lines

$$\frac{x-3}{1} = \frac{y+2}{-4} = \frac{z}{5}$$

and $\frac{z-4}{1} = \frac{y-3}{-4} = \frac{z-2}{5}$ are coplanar. Also find the equation of

plane in which these lines lie.

 [Watch Video Solution](#)

Exercise 11 A

1. If a line makes angles 90° , 135° , 45° with the x , y and z -axes respectively, find its direction cosines.

 [Watch Video Solution](#)

2. Can a line make angle 45° , 60° , 120° with x -, y - and z -axes respectively.

 [Watch Video Solution](#)

3. Find the direction cosines of that line whose direction ratios are as follows :

(i) $1, -2, 2$, (ii) $2, 6, 3$

(iii) $3, 1, -2$





[Watch Video Solution](#)

4. Find the direction cosines of the line joining the following points :

(i) $A(2, -1, 3), B(3, 1, 1)$

(ii) $A(2, -1, 2), B(-4, 2, 0)$

(iii) $A(4, 3, -5), B(-2, 1, -8)$



[Watch Video Solution](#)

5. Show that the point $A(2, -3, -4), B(1, 2, 3), C(3, -8, -11)$ are collinear.



[Watch Video Solution](#)

6. Find the angle between those lines whose direction ratios are as follows :

(i) $(2, 3, 6)$ and $(1, 2, 2)$

(ii) $(4, -3, 5)$ and $(3, 4, 5)$

(iii) $(1, 2, 1)$ and $(4, -3, 2)$

 [Watch Video Solution](#)

7. Find the angle between the following vectors :

(i) $\vec{a} = 2\hat{i} - 6\hat{j} + 3\hat{k}$ and $\vec{b} = \hat{i} + 2\hat{j} - 2\hat{k}$

(ii) $\vec{a} = 6\hat{i} + 3\hat{j} - 2\hat{k}$ and $\vec{b} = 4\hat{i} - 2\hat{j} + 9\hat{k}$

 [Watch Video Solution](#)

8. Show that the joint of the points $(1,2,3)$, $(4,5,7)$ is parallel to the join of the points $(-4,3,-6)$, $(2,9,2)$.

 [Watch Video Solution](#)

9. If A $(6,-6,0)$, B $(-1,-7,6)$, C $(3,-4, 4)$ and D $(2,-9,2)$ be four points in space. Show that AB is perpendicular to CD.



Watch Video Solution

10. If \vec{r} is a vector of magnitude 21 and has direction ratios 2, -3 and 6, then find \vec{r} .



Watch Video Solution

11. Find the angles which the following vectors, makes form the co-ordinates axes :

(i) $2\hat{i} + \hat{j} + 3\hat{k}$, (ii) $3\hat{i} - 4\hat{j} + 5\hat{k}$



Watch Video Solution

12. The pair of lines whose direction cosines are given by the equations $3l + m + 5n = 0$ and $6mn - 2nl + 5lm = 0$ are



Watch Video Solution

13. The direction cosines of two lines satisfying the

conditions $l + m + n = 0$ and $3lm - 5mn + 2nl = 0$

where l, m, n are the direction cosines.

The value of $(l - m)^2 + (m - n)^2 + (n - l)^2$ is



[Watch Video Solution](#)

14. If the direction cosines of two lines are l_1, m_1, n_1 and l_2, m_2, n_2 , then

find the direction cosine of a line perpendicular to these lines.



[Watch Video Solution](#)

15. Find the angle between any two diagonals of a cube.



[Watch Video Solution](#)

16. Find the angle between two lines whose direction ratios are

proportional to $1, 1, 2$ and $(\sqrt{3} - 1), (-\sqrt{3} - 1), 4$.



[Watch Video Solution](#)

17. Find the angles of a triangle whose vertices are $A(3, 2, 1)$, $B(35, 2)$ and $C(5, -2, 3)$.



[Watch Video Solution](#)

18. If a line makes angles 90° , 135° , 45° with the x , y and z -axes respectively, find its direction cosines.



[Watch Video Solution](#)

19. Find the direction cosines of a line which makes equal angles with the coordinate axes.



[Watch Video Solution](#)

20. If a line has the direction ratios 18, 12, 4, then what are its direction cosines?

 [Watch Video Solution](#)

21. Show that the points $(2, 3, 4)$, $(-1, -2, 1)$, $(5, 8, 7)$ are collinear.

 [Watch Video Solution](#)

22. Find the direction cosines of the sides of the triangle whose vertices are $(3, 5, 4)$, $(1, 1, 2)$ and $(5, 5, 2)$.

 [Watch Video Solution](#)

1. Find the vector equation of a line passes through the point whose position vector is $(2\hat{i} - \hat{j} - \hat{k})$ and parallel to vector $\hat{i} + 5\hat{k}$.

 [Watch Video Solution](#)

2. Find the vector equation of a line passes through the point $\hat{i} + 3\hat{j} + \hat{k}$ and parallel to vector $3\hat{i} - 2\hat{j} + \hat{k}$.

 [Watch Video Solution](#)

3. Find the equation of a line passes through the point $(2, 3, 4)$ and whose direction ratios are $3, -1, -2$.

 [Watch Video Solution](#)

4. Find the equation of a line parallel to the line $\frac{x - 5}{3} = \frac{y + 1}{-2} = \frac{z}{1}$ and passes through the point $(0, -1, 2)$.



 [Watch Video Solution](#)

5. The cartesian equation of a line is $\frac{x+2}{1} = \frac{y+3}{-2} = \frac{z}{3}$, find its vector equation.

 [Watch Video Solution](#)

6. Find the vector equation of the line through $A(3, 4, -7)$ and $B(1, -1, 6)$. Find also, its Cartesian equations.

 [Watch Video Solution](#)

7. Find the equation of a line passes through the points whose position vectors are $(\hat{i} + 4\hat{j} + \hat{k})$ and $(2\hat{i} - \hat{j} + 5\hat{k})$.

 [Watch Video Solution](#)

8. Prove that the points $A(2, 0, -3)$, $B(1, -2, -5)$ and $C(3, 2, -1)$ are collinear.

 [Watch Video Solution](#)

9. Prove that the points $A(9, -1, 4)$, $B(-1, -3, 2)$ and $C(4, -2, 3)$ are collinear.

 [Watch Video Solution](#)

10. Show that the points $A(-2, 3, 5)$, $B(1, 2, 3)$ and $C(7, 0, -1)$ are collinear.

 [Watch Video Solution](#)

11. Find the values of λ and μ if the points $A(-1, 4, -2)$, $B(\lambda, \mu, 1)$ and $C(0, 2, -1)$ are collinear.

[Watch Video Solution](#)

12. Find the equation of a line passes through the point $\hat{i} + \hat{j} + 5\hat{k}$ and parallel to line joining the points $(2, -4, 1)$ and $(0, 1, 3)$.

[Watch Video Solution](#)

13. The cartesian equation of a line is $6x + 1 = 3y - 2 = 3 - 2z$. Find its direction ratios.

[Watch Video Solution](#)

14. Show that the line $\frac{x+3}{2} = \frac{y+1}{-1} = \frac{z+3}{3}$ and $\frac{x}{5} = \frac{y-5}{1} = \frac{z-3}{-3}$ are perpendicular.

[Watch Video Solution](#)

15. Find the values of λ if the following of lines perpendicular :

$$\frac{1-x}{3} = \frac{7y-14}{3\lambda} = \frac{z+1}{2} \text{ and } \frac{7-7x}{3\lambda} = \frac{y}{1} = \frac{1-z}{5}$$

 [Watch Video Solution](#)

16. Show that the following pairs of lines intersect. Also find their point of intersection :

$$(i) \frac{x-1}{2} = \frac{y-2}{3} = \frac{z-3}{4} \text{ and } \frac{x-4}{5} = \frac{y-1}{2} = z$$

$$(ii) \frac{x-4}{1} = \frac{y+3}{-4} = \frac{z+1}{7} \text{ and } \frac{x-1}{2} = \frac{y+1}{-3} = \frac{z+10}{8}$$

 [Watch Video Solution](#)

17. Show that the lines

$$\frac{x-1}{1} = \frac{y-2}{-1} = \frac{z-1}{1} \text{ and } \frac{x-1}{1-} = \frac{y-1}{-1} = \frac{z-1}{2} \text{ do not}$$

intersect.

 [Watch Video Solution](#)

18. Find the co-ordinates of that point at which the lines joining the points $(1, 1, 2)$ and $(3, 5, -1)$ meets the xy -plane.

 [Watch Video Solution](#)

19. Find the co-ordinates of that point at which the line joining the points $(-2, 1, 4)$ and $(2, 0, 3)$ meets the yz - plane.

 [Watch Video Solution](#)

20. Find the co-ordinates of a point at which the line $\frac{x+1}{2} = \frac{y-3}{-2} = \frac{z+5}{6}$, meets the plane $3x - y + z = 3$.

 [Watch Video Solution](#)

21. Find the co-ordinates of a point at which the line $\frac{x+1}{2} = \frac{y-1}{-2} = \frac{z+5}{6}$, meets the plane $x - 2y + 3z = 8$.

 [Watch Video Solution](#)

22. Find the co-ordinates of the foot of perpendicular drawn from the point $(1, 2, 3)$ to the line $\frac{x - 6}{3} = \frac{y - 7}{2} = \frac{z - 7}{-2}$.

 [Watch Video Solution](#)

23. Find the length and the foot of the perpendicular drawn from the point $(2, -1, 5)$ to the line $\frac{x - 11}{10} = \frac{y + 2}{-4} = \frac{z + 8}{-11}$

 [Watch Video Solution](#)

24. Find the co-ordinates of the foot of perpendicular and length of perpendicular drawn from point $(\hat{i} + 6\hat{j} + 3\hat{k})$ to the line $\vec{r} = \hat{j} + 2\hat{k} + \lambda(\hat{i} + 2\hat{j} + 3\hat{k})$.

 [Watch Video Solution](#)

25. Find the image of the point $(1, 6, 3)$ in the line $\frac{x}{1} = \frac{y-1}{2} = \frac{z-2}{3}$. Also, write the equation of the line joining the given point and its image and find length of the segment joining the given point and its image.



[Watch Video Solution](#)

26. Find the image of the point $(0, 2, 3)$ in the line $\frac{x+3}{5} = \frac{y-1}{2} = \frac{z+4}{3}$.



[Watch Video Solution](#)

27. Find the image of the point $(3\hat{i} - \hat{j} + 11\hat{k})$ in the line $\vec{r} = 2\hat{j} + 3\hat{k} + \lambda(2\hat{i} + 3\hat{j} + 4\hat{k})$.



[Watch Video Solution](#)

28. Find the shortest distance between the following lines :

(i) $\vec{r} = 4\hat{i} - \hat{j} + \lambda(\hat{i} + 2\hat{j} - 3\hat{k})$ and

$$\vec{r} = \hat{i} - \hat{j} + 2\hat{k} + \mu(2\hat{i} + 4\hat{j} - 5\hat{k})$$

(ii) $\vec{r} = -\hat{i} + \hat{j} - \hat{k} + \lambda(\hat{i} + \hat{j} - \hat{k})$ and

$$\vec{r} = \hat{i} - \hat{j} + 2\hat{k} + \mu(-\hat{i} + 2\hat{j} + \hat{k})$$

(iii) $\frac{x-1}{-1} = \frac{y+2}{1} = \frac{z-3}{-2}$ and

$$\frac{x-1}{1} = \frac{y+1}{2} = \frac{z+1}{-2}$$

(iv) $\frac{x-1}{2} = \frac{y-2}{3} = \frac{z-3}{4}$ and $\frac{x-2}{3} = \frac{y-3}{4} = \frac{z-5}{5}$

(v) $\vec{r} = \vec{i} + 2\hat{j} + 3\hat{k} + \lambda(\hat{i} - \hat{j} + \hat{k})$ and

$$\vec{r} = 2\hat{i} - \hat{j} - \hat{k} + \mu(-\hat{i} + \hat{j} - \hat{k})$$



Watch Video Solution

29. Find the co-ordinates of the point at a distance of $\sqrt{5}$ units from the

point $(1, 2, 3)$ on the line $\frac{x+2}{3} = \frac{y+1}{2} = \frac{z-3}{2}$.



Watch Video Solution

30. Find the co-ordinates of the point at a distance of $\sqrt{14}$ from the mid-point of AB on the line joining the point $A(1, 2, 3)$ and $B(3, 6, 9)$.



Watch Video Solution

Exercise 11 C

1. Find the equations of the plane passing through the following points :

(i) $A(2, 1, 0)$, $B(3, -2, -2)$, $C(3, 1, 7)$

(ii) $A(1, 1, 1)$, $B(1, -1, 2)$, $C(-2, -2, 2)$

(iii) $A(0, -1, 0)$, $B(2, 1, -1)$, $C(1, 1, 1)$

(iv) $A(1, -2, 5)$, $B(0, -5, -1)$, $C(-3, 5, 0)$

(v) $A(4, -1, -1)$, $B(2, 0, 2)$, $C(3, -1, 2)$



Watch Video Solution

2. Show that the points

$A(-1, 4, -3)$, $B(3, 2, -5)$, $C(-3, 8, -5)$ and $D(-3, 2, 1)$

are coplanar.

 [Watch Video Solution](#)

3. Show that the point $A(4, -1, 2)$, $B(-3, 5, 1)$, $C(2, 3, 4)$ and $D(1, 6, 6)$ are coplanar. Also find the equation of the plane passing through these points.

 [Watch Video Solution](#)

4. Find the vector equation of the plane with intercepts 3, -4 and 2 on x , y and z -axis respectively.

 [Watch Video Solution](#)

5. Find the equation of a plane passes through the point $(1, 2, 3)$ and cuts equal intercepts on the co-ordinate axes.

 [Watch Video Solution](#)

6. Find the equation of a plane passes through the point $(4, 4, 1)$ and the ratio of intercepts cuts on axes from this plane is $2:1:1$.



[Watch Video Solution](#)

7. A plane meets the coordinate axes at A, B and C respectively such that the centroid of triangle ABC is $(1, -2, 3)$. Find the equation of the plane.



[Watch Video Solution](#)

Exercise 11 D

1. Find the equation of the plane which is at distance of 8 units from origin and the perpendicular vector from origin to this plane is $(2\hat{i} + \hat{j} - 2\hat{k})$.



[Watch Video Solution](#)

2. Find the equation of the plane which is at a distance of $\sqrt{29}$ units from origin and the perpendicular vector from origin to this plane is $(4\hat{i} - 2\hat{j} + 3\hat{k})$.

 [Watch Video Solution](#)

3. The vector equation of a plane is $\vec{r} \cdot (\hat{i} + 2\hat{j} + 2\hat{k}) = 12$. Convert it into normal form. Find the d.c.s' of the perpendicular vector drawn from origin to this plane and length of perpendicular.

 [Watch Video Solution](#)

4. The vector equation of a plane is $\vec{r} \cdot (6\hat{i} - 3\hat{j} - 2\hat{k}) + 2 = 0$. Convert it into normal form. Also find the length of perpendicular from origin and the d.c.'s of this perpendicular vector.

 [Watch Video Solution](#)

5. Find the equation of a plane which is a distance of 2 units from origin and the d.r.'s of perpendicular vectors are 2, -1, 2.

 [Watch Video Solution](#)

6. Find the angle between the planes

$$\vec{r} \cdot (\hat{i} + \hat{j} - 2\hat{k}) = 3 \text{ and } \vec{r} \cdot (2\hat{i} - 2\hat{j} + \hat{k}) = 22$$

 [Watch Video Solution](#)

7. Find the vector equation of the following planes whose Cartesian equations are $x + 2y + 3z + 5 = 0$

 [Watch Video Solution](#)

8. The co-ordinates of the foot of perpendicular from origin to a plane are (3, -2, 1). Find the equation of the plane.



 [Watch Video Solution](#)

9. Find the normal form of the plane $x + 2y - 2z + 6 = 0$. Also find the length of perpendicular from origin to this plane and the d.c.'s of the normal.

 [Watch Video Solution](#)

10. Find the d.c.'s of the normal and length of perpendicular from origin to the plane $x = 2$.

 [Watch Video Solution](#)

11. In each of the following cases, determine the direction cosines of the normal to the plane and the distance from the origin. (a) $z = 2$ (b) $x + y + z = 1$ (c) $2x + 3yz = 5$ (d) $5y + 8 = 0$

 [Watch Video Solution](#)

12. Find the coordinates of the foot of the perpendicular drawn from the origin to the plane $2x - 3y + 4z - 6 = 0$.

 [Watch Video Solution](#)

13. Find the coordinates of the foot of perpendicular drawn from origin to the planes: $x + y + z = 1$

 [Watch Video Solution](#)

14. Find the vector and Cartesian equation of the plane that passes through the point $(1,4,6)$ and the normal vector to the plane is $\hat{i} - 2\hat{j} + \hat{k}$.

 [Watch Video Solution](#)

15. Find the vector and cartesian equation of a plane which passes through the point $(2, -1, 3)$ and perpendicular to a line whose d.r.'s are $1, -3, 5$.



[Watch Video Solution](#)

16. Find the vector equation of the following plane in non-parametric form: $\vec{r} = (\lambda - 2\mu)\hat{i} + (3 - \mu)\hat{j} + (2\lambda + \mu)\hat{k}$.



[Watch Video Solution](#)

17. Convert the equation of the plane $\vec{r} = (\hat{i} - \hat{j}) + \lambda(-\hat{i} + \hat{j} + 2\hat{k}) + \mu(\hat{i} + 2\hat{j} + \hat{k})$ into scalar product form.



[Watch Video Solution](#)

18. Find the vector equation of the plane passing through the points $P(2, 5, -3)$, $Q(-2, -3, 5)$ and $R(5, 3, -3)$.

 [Watch Video Solution](#)

19. Find the equation of the plane passing through $A(2, 2, -1)$, $B(3, 4, 2)$ and $C(7, 0, 6)$. Also find a unit vector perpendicular to this plane.

 [Watch Video Solution](#)

20. Find the cartesian equation of plane passing through the points $(1, 1, 1)$, $(1, -1, 1)$ and $(-7, -3, -5)$.

 [Watch Video Solution](#)

21. Find the angle between the following planes :-

(i) $\vec{r} \cdot (2\hat{i} - 3\hat{j} + 4\hat{k}) = 5$ and $\vec{r} \cdot (-\hat{i} + \hat{j}) = 1$

(ii) $\vec{r} \cdot (2\hat{i} + 3\hat{j} - 6\hat{k}) = 1$ and

$\vec{r} \cdot (\hat{i} - 2\hat{j} + 2\hat{k}) + 3 = 0$

(iii) $x + y - 2z = 3$ and $2x - 2y + z + 1 = 0$



Watch Video Solution

22. Find the value of ' λ ' if the following planes are perpendicular.

(i) $2x - 4y + 3z + 1 = 0$ and $x + 2y + \lambda z = 3$

(ii) $\vec{r} \cdot (3\hat{i} - 6\hat{j} - 2\hat{k}) = 1$ and

$\vec{r} \cdot (2\hat{i} + \hat{j} - \lambda\hat{i}) = 2$



Watch Video Solution

23. Find the equation of the plane passes through the point (2, 3, 5) and parallel to the plane $x - 3y + z = 8$.



Watch Video Solution

[Watch Video Solution](#)

24. Find the equation of the plane passes through the point $(1, -3, 1)$ and parallel to the plane $2x + 3y + z = 1$.

 [Watch Video Solution](#)

25. Find the equation of the plane passes through the point $(2, 1, -2)$ and parallel to the plane $\vec{r} \cdot (3\hat{i} + \hat{j} - \hat{k}) = 0$.

 [Watch Video Solution](#)

26. Equation of plane passing through the points $(2, 2, 1)$ and $(9, 3, 6)$ and perpendicular to the plane $2x + 6y + 6z - 1 = 0$ is

 [Watch Video Solution](#)

27. Find the equation of a plane passes through the point $(0, 0, 0)$ and perpendicular to each to the planes $x + 2y - z = 1$ and $3x - 4y + z = 5$.



Watch Video Solution

28. Find the equation of the plane passing through the point $(-1, 3, 2)$ and perpendicular to each of the planes $x + 2y + 3z = 5$ and $3x + 3y + z = 0$.



Watch Video Solution

29. Find the equation of the plane through the intersection of the planes. $\vec{r} \cdot (\hat{i} + 3\hat{j} - \hat{k}) = 9$ and $\vec{r} \cdot (2\hat{i} - \hat{j} + \hat{k}) = 3$ and passing through the origin.



Watch Video Solution

30. Find the equation of a plane containing the line of intersection of the plane $x + y + z - 6 = 0$ and $2x + 3y + 4z + 5 = 0$ and passing through $(1, 1, 1)$.

 [Watch Video Solution](#)

31. Find the equation of the plane passing through the intersection of the planes $2x - 3y + z - 4 = 0$ and $x - y + z + 1 = 0$ and perpendicular to the plane $x + 2y - 3z + 6 = 0$.

 [Watch Video Solution](#)

32. Find the equation of a plane passing through the intersection of the planes $\vec{r} \cdot (2\hat{i} - 7\hat{j} + 4\hat{k}) = 3$ and $\vec{r} \cdot (3\hat{i} - 5\hat{j} + 4\hat{k}) + 11 = 0$ and passes through the point $(-2\hat{i} + \hat{j} + 3\hat{k})$.

 [Watch Video Solution](#)

33. Find the equation of a plane passing through the intersection of the planes $x - 3y + 2z - 5 = 0$ and $2x - y + 3z - 1 = 0$ and passes through the point $(1, -2, 3)$.



Watch Video Solution

34. Prove that the equation of a plane through point $(2, -4, 5)$ and the line of intersection of the planes $\vec{r} \cdot (2\hat{i} + 3\hat{j} - 4\hat{k}) = 1$ and $\vec{r} \cdot (3\hat{i} + \hat{j} - 2\hat{k}) = 2$ is $\vec{r} \cdot (2\hat{i} + 8\hat{j} + 7\hat{k}) = 7$.



Watch Video Solution

35. The vector equation of the plane through the point $(2, 1, -1)$ and passing through the line of intersection of the plane $r \cdot (\hat{i} + 3\hat{j} - \hat{k}) = 0$ and $r \cdot (\hat{j} + 2\hat{k}) = 0$, is



Watch Video Solution

Exercise 11 E

1. Find the angle between the line $\vec{r} = \hat{i} + 2\hat{j} - \hat{k} + \lambda(\hat{i} - \hat{j} + \hat{k})$ and the plane $\vec{r} \cdot (2\hat{i} - \hat{j} + \hat{k}) = 4$.

 [Watch Video Solution](#)

2. Find the value of 'm' for which the line $\vec{r} = (\hat{i} + 2\hat{j} - \hat{k}) + \lambda(2\hat{i} + \hat{j} + \hat{k})$ is parallel to the plane $\vec{r} \cdot (3\hat{i} - 2\hat{j} + m\hat{k}) = 5$.

 [Watch Video Solution](#)

3. Find the value of 'm' for which the line $\vec{r} = \hat{i} + \lambda(2\hat{i} - m\hat{j} - 3\hat{k})$ is parallel to the plane $\vec{r} \cdot (m\hat{i} + 3\hat{j} + \hat{k}) = 1$.

 [Watch Video Solution](#)

4. Find the equation of a plane passing through the points (0,0,0) and (3, -1, 2) and parallel to the line $\frac{x - 4}{1} = \frac{y + 3}{-4} = \frac{z + 1}{7}$.

 [Watch Video Solution](#)

5. Find the equation of the plane through (2, 3, -4) and (1, -1, 3) and parallel to x-axis.

 [Watch Video Solution](#)

6. Find the equation of a line passing through the point (1,2,3) and perpendicular to the plane $\vec{r} \cdot (2\hat{i} - 3\hat{j} + 4\hat{k}) = 1$.

 [Watch Video Solution](#)

7. The equation of the line passing through (1, 2, 3) and parallel to the planes $x - y + 2z = 5$ and $3x + y + z = 6$ is.



[Watch Video Solution](#)

8. Find the perpendicular distance from the point $(2\hat{i} - \hat{j} + 4\hat{k})$ to the plane $\vec{r} \cdot (3\hat{i} - 4\hat{j} + 12\hat{k}) = 1$.

[Watch Video Solution](#)

9. Find the perpendicular distance from the point $(2\hat{i} + \hat{j} - \hat{k})$ to the plane $\vec{r} \cdot (i - 2\hat{j} + 4\hat{k}) = 3$.

[Watch Video Solution](#)

10. Find the distance of the point $(21, 0)$ from the plane $2x + y + 2z + 5 = 0$.

[Watch Video Solution](#)

11. Find the distance of each of the following points from the corresponding given plane: $(2, 3, -5)$, $x + 2y - 2z = 9$

 [Watch Video Solution](#)

12. If the points $(1, 1, \lambda)$ and $(-3, 0, 1)$ are equidistant from the plane, $3x + 4y - 12z + 13 = 0$, then λ satisfies the equation :

 [Watch Video Solution](#)

13. Find the distance between the parallel planes $2x - y + 3 - 4 = 0$ and $6x - 3y + 13 = 0$.

 [Watch Video Solution](#)

14. Find the distance between the parallel planes, $\vec{r} = 2\hat{i} - 3\hat{j} + 6\hat{k} = 5$ and $\vec{r} = 6\hat{i} - 9\hat{j} + 18\hat{k} + 20 = 0$.

 [Watch Video Solution](#)

15. Find the equations of the planes parallel to the plane $x - 2y + 2z - 3 = 0$ which is at a unit distance from the point $(1, 2, 3)$.

 [Watch Video Solution](#)

16. Find the length of the foot of the perpendicular from the point $(1,1,2)$ to the plane $\vec{r} \cdot (2\hat{i} - 2\hat{j} + 4\hat{k}) + 5 = 0$

 [Watch Video Solution](#)

17. Find the coordinates of the foot of the perpendicular from the point $(2, 3, 7)$ to the plane $3x - y - z = 7$. Also, find the length of the perpendicular.

 [Watch Video Solution](#)

18. Find the image of the point $(1, 3, 4)$ in the plane

$$2x - y + z + 3 = 0.$$

 [Watch Video Solution](#)

19. Find the image of the point $O(0,0,0)$ in the plane $3x+4y-6z+1=0$

 [Watch Video Solution](#)

20. A variable plane which remains at a constant distance $3p$ from the origin cut the coordinate axes at A, B, C . Show that the locus of the centroid of triangle ABC is $x^{-2} + y^{-2} + z^{-2} = p^{-2}$.

 [Watch Video Solution](#)

21. Find the distance of the point $(1, -2, 3)$ from the plane

$$x - y + z = 5 \text{ measured parallel to the line } \frac{x}{2} = \frac{y}{3} = \frac{z}{-6}.$$

 [Watch Video Solution](#)

22. Find the distance of the point (0, -3, -2) from the plane $x + 2y - z = 1$

measured parallel to $\frac{x+1}{2} = \frac{y+1}{2} = \frac{z}{3}$



[Watch Video Solution](#)

23. Find the equation of the plane passing through the intersection of

the planes $2x - 3y + z - 4 = 0$ and $x - y + z + 1 = 0$ and

perpendicular to the plane $x + 2y - 3z + 6 = 0$.



[Watch Video Solution](#)

24. Find the equation of the plane through the intersection of the planes

$3x - 4y + 5z = 10$ and $2x + 2y - 3z = 4$ and parallel to the line

$x = 2y = 3z$.



[Watch Video Solution](#)

25. Find the equation of a line passing through the point $(2\hat{i} - 3\hat{j} - 5\hat{k})$ and perpendicular to the plane $\vec{r} \cdot (6\hat{i} - 3\hat{j} + 5\hat{k}) + 2 = 0$. Also find the point of intersection of this line and the plane.

 [Watch Video Solution](#)

26. Find the vector equation of a plane which is at a distance of 5 units from the origin and its normal vector is $2\hat{i} - 3\hat{j} + 6\hat{k}$.

 [Watch Video Solution](#)

Exercise 11 F

1. Show that the lines $\frac{x+1}{-3} = \frac{y-3}{2} = \frac{z+2}{1}$ and $\frac{x}{1} = \frac{y-7}{-3} = \frac{z+7}{2}$ are coplanar.

Also, find the equation of the plane containing them.

 [Watch Video Solution](#)

2. Show that the lines $\frac{x+3}{-3} = \frac{y-1}{1} = \frac{z-5}{5}$ and $\frac{x+1}{-1} = \frac{y-2}{2} = \frac{z-5}{5}$ are coplanar.

 [Watch Video Solution](#)

3. The length of the perpendicular drawn from the point (2,1,4) to the plane containing the lines $\vec{r} = (\hat{i} + \hat{j}) + \lambda(i + 2\hat{j} - \hat{k})$ and $\vec{r} = (i + \hat{j}) + \mu(-\hat{i} + \hat{j} - 2\hat{k})$ is \sqrt{l} . The value of l is _____.

 [Watch Video Solution](#)

4. Show that the lines

$$\vec{r} = (2\hat{j} - 3\hat{k}) + \lambda(\hat{i} + 2\hat{j} + 3\hat{k}) \text{ and}$$

$$\vec{r} = (2\hat{i} + 6\hat{j} + 3\hat{k}) + \mu(2\hat{i} + 3\hat{j} + 4\hat{k})$$

are coplanar. Also find the equation of the plane passing through these lines.

 [Watch Video Solution](#)

5. Find the equation of the plane passing through the parallel lines

$$\frac{x - 3}{3} = \frac{y + 4}{2} = \frac{z - 1}{1} \text{ and } \frac{x + 1}{3} = \frac{y - 2}{2} = \frac{z}{1}.$$



[Watch Video Solution](#)

Exercise 11 G

1. Show that the line through the points $(1, 1, 2)$, $(3, 4, 2)$ is perpendicular to the line through the points $(0, 3, 2)$ and $(3, 5, 6)$.

A. 30°

B. 60°

C. 90°

D. 180°

Answer: C



[Watch Video Solution](#)

2. Find the shortest distance

$$\vec{r} = \hat{i} + 2\hat{j} + 3\hat{k} + \lambda(\hat{i} - 3\hat{j} + 2\hat{k}) \text{ and } \vec{r} = 4\hat{i} + 5\hat{j} + 6\hat{k} + \mu(2\hat{i} + 3\hat{j} + 4\hat{k})$$

A. $\frac{4}{\sqrt{19}}$

B. $\frac{3}{\sqrt{19}}$

C. $\frac{2}{\sqrt{19}}$

D. $\frac{1}{\sqrt{19}}$

Answer: B



Watch Video Solution

3. Find the distance of the plane $2x - 2y + 4z = 6$ from the origin.

A. $\frac{8}{\sqrt{29}}$

B. $\frac{6}{\sqrt{29}}$

C. $\frac{4}{\sqrt{29}}$

D. $\frac{2}{\sqrt{29}}$

Answer: A



Watch Video Solution

4. A plane meets the coordinate axes at A , B and C respectively such that the centroid of triangle ABC is $(1, -2, 3)$. Find the equation of the plane.

A. $\alpha x + \beta y + \gamma z = 1$

B. $\alpha^2 x + \beta^2 y + \gamma^2 z = 3$

C. $\frac{x}{\alpha} + \frac{y}{\beta} + \frac{z}{\gamma} = 1$

D. $\frac{x}{\alpha} + \frac{y}{\beta} + \frac{z}{\gamma} = 3$.

Answer: D



Watch Video Solution

5. Find the equation of the plane which cuts intercepts 2,3,-4 on the axes.

A. $6x + 4y - 3z = 12$

B. $6x - 4y + 3z = 12$

C. $2x - 3y + 4z = 12$

D. None of these

Answer: B



[Watch Video Solution](#)

6. Find the perpendicular distance of the point (1, 0, 0) from the line

$$\frac{x - 1}{2} = \frac{y + 1}{-3} = \frac{z + 10}{8}.$$

A. $\sqrt{6}$ unit

B. $2\sqrt{6}$ unit

C. $3\sqrt{6}$ unit

D. None of these

Answer: B



Watch Video Solution

7. Find the image of the point $(1, 6, 3)$ in the line $\frac{x}{1} = \frac{y - 1}{2} = \frac{z - 2}{3}$.

Also, write the equation of the line joining the given point and its image and find length of the segment joining the given point and its image.

- A. $(1, 0, 7)$
- B. $(0, 1, 7)$
- C. $(7, -1, 0)$
- D. $(-7, -1, 0)$

Answer: A



Watch Video Solution

8. Find the image of the point $(1, 3, 4)$ in the plane $2x - y + z + 3 = 0$.

A. $(3, 5, -2)$

B. $(2, 3, -5)$

C. $(-3, 5, 2)$

D. $(-2, 3, 5)$

Answer: C



Watch Video Solution

9. The distance between the planes $3x + 5y + z = 8$ and $3x + 5y + z + 27 = 0$ is :

A. $\frac{8}{\sqrt{35}}$

B. $\frac{27}{\sqrt{35}}$

C. $\sqrt{35}$

D. $2\sqrt{35}$

Answer: C

 [Watch Video Solution](#)

10. Find the equation of the plane passing through the points $(1, -1, 2)$ and $(2, -2, 2)$ and which is perpendicular to the plane $6x - 2y + 2z = 9$

A. $x + y - 2z = -4$

B. $x + y - 2z + 1 = 0$

C. $x + y - 2z = 4$

D. None of these

Answer: A

 [Watch Video Solution](#)

Exercise 11 H

1. An equation of a plane parallel to the plane $x - 2y + 2z - 5 = 0$ and at a unit distance from the origin is

A. $x - 2y + 2z - 3 = 0$

B. $x - 2y + 2z + 1 = 0$

C. $x - 2y + 2z - 1 = 0$

D. $x - 2y + 2z + 5 = 0$

Answer: A



Watch Video Solution

2. If \vec{a} , \vec{b} and \vec{c} are unit vectors satisfying

$|\vec{a} - \vec{b}|^2 + |\vec{b} - \vec{c}|^2 + |\vec{c} - \vec{a}|^2 = 9$ then find the value of $|2\vec{a} + 5$

A. 1

B. 2

C. 3

D. 4

Answer: C



Watch Video Solution

3. If the straight lines $\frac{x-1}{k} = \frac{y-2}{2} = \frac{z-3}{3}$ and $\frac{x-2}{3} = \frac{y-3}{k} = \frac{z-1}{2}$ intersect at a point, then the integer k is equal to (1) -5 (2) 5 (3) 2 (4) -2

A. -5

B. 5

C. 2

D. -2

Answer: A



Watch Video Solution

4. Find the line of intersection of the planes

$$\vec{r} \cdot (3\hat{i} - \hat{j} + \hat{k}) = 1 \text{ and } \vec{r} \cdot (\hat{i} + 4\hat{j} - 2\hat{k}) = 2$$

A. $2\hat{i} + 7\hat{j} + 13\hat{k}$

B. $-2\hat{j} + 7\hat{k} + 13\hat{k}$

C. $2\hat{i} - 7\hat{j} + 13\hat{k}$

D. $-2\hat{i} - 7\hat{j} + 13\hat{k}$

Answer: B



Watch Video Solution

5. The vector equation of the plane through the point $\hat{i} + 2\hat{j} - \hat{k}$ and perpendicular to the line of intersection of the plane

$$\vec{r} \cdot (3\hat{i} - \hat{j} + \hat{k}) = 1 \text{ and } \vec{r} \cdot (\hat{i} + 4\hat{j} - 2\hat{k}) = 2, \text{ is}$$

A. $\vec{r} \cdot (2\hat{i} - 7\hat{j} - 13\hat{k}) = 1$

B. $\vec{r} \cdot (2\hat{i} + 7\hat{j} + 13\hat{k}) = 1$

C. $\vec{r} \cdot (2\hat{i} - 7\hat{j} - 13\hat{k}) = 4$

D. None of these

Answer: A

 [Watch Video Solution](#)

6. The plane $\frac{x}{a} + \frac{y}{b} + \frac{z}{c} = 1$ meets the coordinate axes at A,B and C respectively. Find the equation of the sphere OABC.

A. $x^2 + y^2 + z^2 + az + by + cz = 0$

B. $x^2 + y^2 + z^2 + 2az + 2by + 2cz = 0$

C. $x^2 + y^2 + z^2 - ax - by - cz = 0$

D. None of these

Answer: C

 [Watch Video Solution](#)

7. Equations of the line passing through $(1, 1, 1)$ and perpendicular to the plane $2x + 3y + z + 5 = 0$ are

A. $\frac{x - 1}{-1} = \frac{y + 2}{1} = \frac{z - 3}{-1}$

B. $\frac{x - 1}{3} = \frac{y + 2}{2} = \frac{z - 3}{-1}$

C. $\frac{x - 1}{1} = \frac{y + 2}{-2} = \frac{z - 3}{3}$

D. None of above

Answer: A



Watch Video Solution

8. The perpendicular distance between the line

$\vec{r} = 2\hat{i} - 2\hat{j} + 3\hat{k} + \lambda(\hat{i} - \hat{j} + 4\hat{k})$ and the plane

$\vec{r} \cdot (\hat{i} + 5\hat{j} + \hat{k}) = 5$ is :

A. $\frac{10}{3}$

B. $\frac{5}{3\sqrt{3}}$

C. $\frac{10}{3\sqrt{3}}$

D. $\frac{5}{3}$

Answer: C



Watch Video Solution

9. The vector equation of the plane through the point $(2, 1, -1)$ and passing through the line of intersection of the plane

$$r \cdot (\hat{i} + 3\hat{j} - \hat{k}) = 0 \text{ and } r \cdot (\hat{j}2\hat{k}) = 0, \text{ is}$$

A. $\vec{r} \cdot (\hat{i} + 9\hat{j} + 11\hat{k}) = 0$

B. $\vec{r} \cdot (\hat{i} + 9\hat{j} + 11\hat{k}) = 6$

C. $\vec{r} \cdot (\hat{i} - 9\hat{j} - 11\hat{k}) = 0$

D. None of the above

Answer: A



Watch Video Solution

10. A line makes angles α, β, γ and δ with the diagonals of a cube. Show that $\cos^2 \alpha + \cos^2 \beta + \cos^2 \gamma + \cos^2 \delta = 4/3$.

A. $\frac{1}{3}$

B. $\frac{2}{3}$

C. $\frac{4}{3}$

D. $\frac{5}{3}$

Answer: C



Watch Video Solution

Exercise 11 2

1. Show that the three lines with direction cosines $\frac{12}{13}, \frac{-3}{13}, \frac{-4}{13}, \frac{4}{13}, \frac{12}{13}, \frac{3}{13}; \frac{3}{13}, \frac{-4}{13}, \frac{12}{13}$ are mutually perpendicular.



[Watch Video Solution](#)

2. Show that the line through the points $(1, -1, 2)$ and $(3, 4, -2)$ is perpendicular to the line through the points $(0, 3, 2)$ and $(3, 5, 6)$.



[Watch Video Solution](#)

3. Show that the line through the points $(4, 7, 8)$, $(2, 3, 4)$ is parallel to the line through the points $(1, 2, 1)$, $(1, 2, 5)$.



[Watch Video Solution](#)

4. Find the equation of the line which passes through the point $(1, 2, 3)$ and is parallel to the vector $3\hat{i} + 2\hat{j} - 2\hat{k}$.



[Watch Video Solution](#)

5. Find the equation of the line in vector and in cartesian form that passes through the point with position vector $2\hat{i} - \hat{j} + 4\hat{k}$ and is in the direction $\hat{i} + 2\hat{j} - \hat{k}$.



[Watch Video Solution](#)

6. Find the Cartesian equation of the line which passes through the point $(-2, 4, -5)$ and is parallel to the line $\frac{x+3}{3} = \frac{4-y}{5} = \frac{z+8}{6}$.



[Watch Video Solution](#)

7. The cartesian equation of a line is $\frac{x-5}{3} = \frac{y+4}{7} = \frac{z-6}{2}$. Write its vector form.



[Watch Video Solution](#)

8. Find the vector and the cartesian equations of the lines that passes through the origin and $(5, 2, 3)$.

 [Watch Video Solution](#)

9. Find the vector and the cartesian equations of the line that passes through the points $(3, 2, 5)$, $(3, 2, 6)$.

 [Watch Video Solution](#)

10. Find the angle between the following pairs of lines.

(i) $\hat{r} = 2\hat{i} - 5\hat{j} + \hat{k} + \lambda(3\hat{i} + 2\hat{j} + 6\hat{k})$ and

$$\vec{r} = 7\hat{i} - 6\hat{k} + \mu(\hat{i} + 2\hat{j} + 2\hat{k})$$

(ii) $\vec{r} = 3\hat{i} + \hat{j} - 2\hat{k} + \lambda(\hat{i} - \hat{j} - 2\hat{k})$ and

$$\vec{r} = 2\hat{i} - \hat{j} - 5\hat{k} + \mu(3\hat{i} - 5\hat{j} - 4\hat{k})$$

 [Watch Video Solution](#)

11. Find the angle between the following pair of lines:

$$\frac{x-2}{2} = \frac{y-1}{5} = \frac{z+3}{-3} \text{ and } \frac{x+2}{-1} = \frac{y-4}{8} = \frac{z-5}{4}$$



Watch Video Solution

12. Find the values of p so that the lines $\frac{1-x}{3} = \frac{7y-14}{2p} = \frac{z-3}{2}$ and $\frac{7-7x}{3p} = \frac{y-5}{1} = \frac{6-z}{5}$ are at right angles.



Watch Video Solution

13. Show that the lines $\frac{x-5}{7} = \frac{y+2}{-5} = \frac{z}{1}$ and $\frac{x}{1} = \frac{y}{2} = \frac{z}{3}$ are perpendicular to each other.



Watch Video Solution

14. Find the shortest distance between the lines

$$\vec{r} = (\hat{i}\hat{i} + 2\hat{j} + \hat{k}) + \lambda(2\hat{i} + \hat{j} + 2\hat{k}) \text{ and } \vec{r} = 2\hat{i} - \hat{j} - \hat{k} + \mu(2\hat{i} + \hat{j}$$

.



Watch Video Solution

15. Find the shortest distance between the following lines:

$$\frac{x+1}{7} = \frac{y+1}{-6} = \frac{z+1}{1}; \frac{3-x}{-1} = \frac{y-5}{-2} = \frac{z-7}{1}$$



Watch Video Solution

16. Find the shortest distance

$$\vec{r} = \hat{i} + 2\hat{j} + 3\hat{k} + \lambda(\hat{i} - 3\hat{j} + 2\hat{k}) \text{ and } \vec{r} = 4\hat{i} + 5\hat{j} + 6\hat{k} + \mu(2\hat{i} + 3\hat{j} + \hat{k})$$



Watch Video Solution

17. Find the shortest distance between the lines whose vector equations

$$\vec{r} = (1-t)\hat{i} + (t-2)\hat{j} + (3-2t)\hat{k} \text{ and}$$

$$\vec{r} = (s+1)\hat{i} + (2s-1)\hat{j} - (2s+1)\hat{k}$$



Watch Video Solution

Exercise 11 3

1. In each of the following cases, determine the direction cosines of the normal to the plane and the distance from the origin. (a) $z = 2$ (b) $x + y + z = 1$ (c) $2x + 3yz = 5$ (d) $5y + 8 = 0$

 [Watch Video Solution](#)

2. Find the vector equation of a plane which is at a distance of 7 units from the origin and normal to the vector $3\hat{i} + 5\hat{j} - 6\hat{k}$.

 [Watch Video Solution](#)

3. Find the Cartesian equations of the following planes whose vector equations are: $\vec{r} \cdot [(s - 2t)\hat{i} + 93 - t)\hat{j} + (2s + t)\hat{k}] = 15$

 [Watch Video Solution](#)

4. In the following cases, find the coordinates of the foot of the perpendicular drawn from the origin. (a) $2x + 3y + 4z - 12 = 0$ (b) $3y + 4z - 6 = 0$ (c) $x + y + z = 1$ (d) $5y + 8 = 0$



Watch Video Solution

5. Find the vector and Cartesian equation of the plane that passes through the point (1,4,6) and the normal vector to the plane is $\hat{i} - 2\hat{j} + \hat{k}$.



Watch Video Solution

6. Find the equations of the planes that passes through three points. (a) $(1, 1, 1)$, $(6, 4, 5)$, $(j)(k)$ (b) $(1, 1, 1)$, $(6, 4, 5)$, $(j)(k)$ (c) $(1, 1, 1)$, $(6, 4, 5)$, $(j)(k)$ (d) $(1, 1, 1)$, $(6, 4, 5)$, $(j)(k)$ (e) $(1, 1, 1)$, $(6, 4, 5)$, $(j)(k)$ (f) $(1, 1, 1)$, $(6, 4, 5)$, $(j)(k)$ (g) $(1, 1, 1)$, $(6, 4, 5)$, $(j)(k)$ (h) $(1, 1, 1)$, $(6, 4, 5)$, $(j)(k)$ (i) $(1, 1, 1)$, $(6, 4, 5)$, $(j)(k)$ (j) $(1, 1, 1)$, $(6, 4, 5)$, $(j)(k)$ (k) $(1, 1, 1)$, $(6, 4, 5)$, $(j)(k)$ (l) $(1, 1, 1)$, $(6, 4, 5)$, $(j)(k)$ (m) $(1, 1, 1)$, $(6, 4, 5)$, $(j)(k)$ (n) $(1, 1, 1)$, $(6, 4, 5)$, $(j)(k)$ (o) $(1, 1, 1)$, $(6, 4, 5)$, $(j)(k)$ (p) $(1, 1, 1)$, $(6, 4, 5)$, $(j)(k)$ (q) $(1, 1, 1)$, $(6, 4, 5)$, $(j)(k)$ (r) $(1, 1, 1)$, $(6, 4, 5)$, $(j)(k)$ (s) $(1, 1, 1)$, $(6, 4, 5)$, $(j)(k)$ (t) $(1, 1, 1)$, $(6, 4, 5)$, $(j)(k)$



Watch Video Solution

7. Find the intercepts cut off by the plane $2x + y - z = 5$.



Watch Video Solution

8. Find the equation of the plane with intercept 3 on the y-axis and parallel to ZOY plane.



Watch Video Solution

9. Find the equation of the plane through the intersection of the planes

$$3x - y + 2z - 4 = 0 \quad \text{and}$$

$$x + y + z - 2 = 0 \quad \text{and the point } (2, 2, 1).$$



Watch Video Solution

10. Find the equation of the plane passing through the intersection of

$$\text{the planes } \vec{r} = 2\hat{i} + \hat{j} + 3\hat{k} = 7, \vec{r} = 2\hat{i} + 5\hat{j} + 3\hat{k} = 9 \text{ the point}$$

$$(2, 1, 3).$$



Watch Video Solution

11. Find the vector equation of the plane through the line of intersection of the planes $x + y + z = 1$ and $2x + 3y + 4z = 5$ which is perpendicular to the plane $x - y + z = 0$.



Watch Video Solution

12. Find the direction cosines of the unit vector perpendicular to the plane $\vec{r} \cdot (2\hat{i} + 2\hat{j} - 3\hat{k}) = 5$ and $\vec{r} \cdot (3\hat{i} - 3\hat{j} + 5\hat{k}) = 3$



Watch Video Solution

13. In the following cases, determine whether the given planes are parallel or perpendicular, and in case they are neither, find the angles between them. (a) $7x + 5y + 6z + 30 = 0$ and $3x - y + 10z + 4 = 0$ (b) $2x + \dots$



Watch Video Solution

14. In the following cases, find the distance of each of the given points from the corresponding given plane.

Point	Plane
(a) $(0, 0, 0)$	$3x - 4y + 12z = 3$
(b) $(3, -2, 1)$	$2x - y + 2z + 3 = 0$
(c) $(2, 3, -5)$	$x + 2y - 2z = 9$
(d) $(-6, 0, 0)$	$2x - 3y + 6z - 2 = 0$

 Watch Video Solution

Miscellaneous Exercise

1. Show that the line joining the origin to the point $(2, 1, 1)$ is perpendicular to the line determined by the points $(3, 5, -1)$ and $(4, 3, -1)$.

 Watch Video Solution

2. If l_1, m_1, n_1 and l_2, m_2, n_2 are the direction cosines of two mutually perpendicular lines, show that the direction cosines of the line perpendicular to both of these are $m_1n_2 - m_2n_1, n_1l_2 - n_2l_1, l_1m_2 - l_2m_1$.

 [Watch Video Solution](#)

3. Find the angle between the lines whose direction ratios are a, b, c and $b - c, c - a, a - b$.

 [Watch Video Solution](#)

4. Find the equation of a line parallel to x-axis and passing through the origin.

 [Watch Video Solution](#)

5. If the coordinates of the points A, B, C, D are $(1, 2, 3), (4, 5, 7), (-4, 3, -6)$ and $(2, 9, 2)$, then find the angle between AB and CD .



[Watch Video Solution](#)

6. If the lines $\frac{x-1}{-3} = \frac{y-2}{2k} = \frac{z-3}{2}$ and $\frac{x-1}{3k} = \frac{y-1}{1} = \frac{z-6}{-5}$ are perpendicular, find the value of k .



[Watch Video Solution](#)

7. Find the vector equation of the line passing through $(1, 2, 3)$ and perpendicular to the plane $\rightarrow r\hat{i} + 2\hat{j} - 5\hat{k} + 9 = 0$.



[Watch Video Solution](#)

8. Write the vector equation of the plane, passing through the point (a, b, c) and parallel to the plane $\rightarrow r\hat{i} + \hat{j} + \hat{k} = 2$.

 [Watch Video Solution](#)

9. Find the shortest distance between lines

$$\vec{r} = 6\hat{i} + 2\hat{j} + 2\hat{k} + \lambda(\hat{i} - 2\hat{j} + 2\hat{k}) \quad \text{and}$$

$$\vec{r} = -4\hat{i} - \hat{k} + \mu(3\hat{i} - 2\hat{j} - 2\hat{k}).$$

 [Watch Video Solution](#)

10. Find the coordinate of the point where the line through $(5, 1, 6)$ and $(3, 4, 1)$ crosses the i. yz-plane ii. zx-plane.

 [Watch Video Solution](#)

11. Find the coordinates of the point where the line through $(5, 1, 6)$ and $(3, 4, 1)$ crosses the ZX-plane.

 [Watch Video Solution](#)

12. Find the coordinates of the point where the line through $(3, -4, -5)$ and $(2, -3, 1)$ crosses the plane $2x + y + z = 7$.

 [Watch Video Solution](#)

13. Find the equation of the plane passing through the point $(-1, 3, 2)$ and perpendicular to each of the planes $x + 2y + 3z = 5$ and $3x + 3y + z = 0$

 [Watch Video Solution](#)

14. If the points $(1, 1, p)$ and $(3, 0, 1)$ be equidistant from the plane $\rightarrow r3\hat{i} + 4\hat{j} - 12\hat{k} + 13 = 0$, then find the value of p.

 [Watch Video Solution](#)

15. Find the equation of the plane passing through the line of intersection of the planes $\vec{r} \cdot (\hat{i} + \hat{j} + \hat{k}) = 1$ and $\vec{r} \cdot (2\hat{i} + 3\hat{j} - \hat{k}) + 4 = 0$ and parallel to x-axis.

 [Watch Video Solution](#)

16. If O be the origin and the coordinates of P be $(1, 2, 3)$, then find the equation of the plane passing through P and perpendicular to OP.

 [Watch Video Solution](#)

17. Find the equation of the plane which contains the line of intersection of the planes $\vec{r} \cdot (\hat{i} + 2\hat{j} + 3\hat{k}) - 4 = 0$ and $\vec{r} \cdot (2\hat{i} + \hat{j} - \hat{k}) + 5 = 0$ and which is perpendicular to the plane $\vec{r} \cdot (5\hat{i} + 3\hat{j} - 6\hat{k}) + 8 = 0$.

 [Watch Video Solution](#)

18. Find the distance of the point $(-1, -5, -10)$ from the point of the intersection of the line $\vec{r} = 2\hat{i} - 2\hat{k} + \lambda(3\hat{i} + 4\hat{j} + 2\hat{k})$ and the plane $\vec{r} \cdot (\hat{i} - \hat{j} + \hat{k}) = 5$.

 [Watch Video Solution](#)

19. Find the vector equation of the line passing through $(1,2,3)$ and parallel to the planes $\vec{r} \cdot (\hat{i} + \hat{j} + 2\hat{k}) = 5$ and $\vec{r} \cdot (3\hat{i} + \hat{j} + \hat{k}) = 6$

 [Watch Video Solution](#)

20. Find the vector equation of line passing through the point $(1, 2, -4)$ and perpendicular to the two lines:

$$\frac{x - 8}{3} = \frac{y + 19}{-16} = \frac{z - 10}{7} \quad \text{and} \quad \frac{x - 15}{3} = \frac{y - 29}{8} = \frac{z - 5}{-5}$$



Watch Video Solution

21. Prove that if a plane has the intercepts a, b, c and is at a distance of p units from the origin, then $\frac{1}{a^2} = \frac{1}{b^2} + \frac{1}{c^2} = \frac{1}{p^2}$.



Watch Video Solution

22. Distance between the two planes

$$2x + 3y + 4z = 4 \quad \text{and} \quad 4x + 6y + 8z = 12 \text{ is}$$

A. 2 units

B. 4 units

C. 8 units

D. $\frac{2}{\sqrt{29}}$ units

Answer: D



Watch Video Solution

23. The planes $2x - y + 4z = 5$ and $5x - 2.5y + 10z = 6$ are

A. perpendicular

B. parallel

C. intersect y-axis

D. passes through $\left(0, 0, \frac{5}{4}\right)$

Answer: B



Watch Video Solution