



CHEMISTRY

BOOKS - CBSE MODEL PAPER

SAMPLE PAPER 2022 TERM II

Section A

1. Arrange the following in the increasing order of their property indicated

Benzoic acid, Phenol, Picric acid, Salicylic acid (pka values).



Watch Video Solution

2. Arrange the following in the increasing order of their property indicated

Acetaldehyde, Acetone, Methyl tert butyl ketone
(reactivity towards NH_2OH)



Watch Video Solution

3. Arrange the following in the increasing order of their property indicated

ethanol, ethanoic acid, benzoic acid (boiling point)



Watch Video Solution



Watch Video Solution

4. Solutions of two electrolytes 'A' and 'B' are diluted. The Λ_m of 'B' increases 1.5 times while that of A increases 25 times. Which of the two is a strong electrolyte? Justify your answer. Graphically show the behavior of 'A' and 'B'.



Watch Video Solution

5. Give reasons to support the answer:

Presence of Alpha hydrogen in aldehydes and ketones is essential for aldol condensation.



[Watch Video Solution](#)

6. Give reasons to support the answer:

3 -Hydroxy pentan-2-one shows positive Tollen's test.



[Watch Video Solution](#)

Section B

1. Account for the following

Aniline cannot be prepared by the ammonolysis of

chlorobenzene under normal conditions



[Watch Video Solution](#)

2. Account for the following

N-ethylethanamine boils at 329.3K and butanamine boils at 350.8K, although both are isomeric in nature.



[Watch Video Solution](#)

3. Account for the following

Acylation of aniline is carried out in the presence of

pyridine.



[Watch Video Solution](#)

4. Convert the following:

Phenol to N-phenylethanamide.



[Watch Video Solution](#)

5. Convert the following:

Chloroethane to methanamine.



[Watch Video Solution](#)

6. Convert the following:

Propanenitrile to ethanol.



[Watch Video Solution](#)

7. Answer the following questions:

- a. $[Ni(H_2O)_6]^{2+}$ is green in colour whereas $[Ni(H_2O)_4(en)]^{2+}$ (aq) is blue in colour, give reason in support of your answer.



[Watch Video Solution](#)

8. Answer the following questions :

Write the formula and hybridization of the following compound:

tris(ethane-1,2-diamine) cobalt(III) sulphate



[Watch Video Solution](#)

9. In a coordination entity, the electronic configuration of the central metal ion is $t_{2g}^3 e_g^1$

Is the coordination compound a high spin or low spin complex?



[Watch Video Solution](#)

10. In a coordination entity, the electronic configuration of the central metal ion is $t_{2g}^3 e_g^1$

Draw the crystal field splitting diagram for the above complex.



[Watch Video Solution](#)

11. Account for the following:

Ti(IV) is more stable than the Ti (II) or Ti(III).



[Watch Video Solution](#)

12. Account for the following:

In case of transition elements, ions of the same charge in a given series show progressive decrease in radius with increasing atomic number.



[Watch Video Solution](#)

13. Account for the following:

Zinc is a comparatively a soft metal, iron and chromium are typically hard




[Watch Video Solution](#)

14. An alkene 'A' (Mol. formula C_5H_{10}) on ozonolysis gives a mixture of two compounds 'B' and 'C'. Compound 'B' gives positive Fehling's test and also forms iodoform on treatment with I_2 and NaOH. Compound 'C' does not give Fehling's test but forms iodoform. Identify the compounds A, B and C. Write the reaction for ozonolysis and formation of iodoform from B and C.



[Watch Video Solution](#)


15. Observe the figure given below and answer the questions that follow:



Which process is represented in the figure?

[▶ Watch Video Solution](#)


16. Observe the figure given below and answer the questions that follow:



What is the application of this process?

[▶ Watch Video Solution](#)

17. Observe the figure given below and answer the questions that follow:



Can the same process occur without applying electric field? Why is the electric field applied?

[Watch Video Solution](#)

18. What happens when reactions:

N-ethylethanamine reacts with benzenesulphonyl chloride

[Watch Video Solution](#)

19. What happens when reactions:

Benzylchloride is treated with ammonia followed by the reaction with Chloromethane.



Watch Video Solution


20. What happens when reactions:

Aniline reacts with chloroform in the presence of alcoholic potassium hydroxide




Watch Video Solution

21. Write the IUPAC name for the following organic compound:




Watch Video Solution

22. Complete the following



Watch Video Solution

23. Represent the cell in which the following reaction takes place. The value of E° for the cell is 1.260 V. What is the value of E_{cell} ?




[Watch Video Solution](#)

24. Why are fluorides of transition metals more stable in their higher oxidation state as compared to the lower oxidation state?



[Watch Video Solution](#)

25. Which one of the following would feel attraction when placed in magnetic field:




[Watch Video Solution](#)

26. It has been observed that first ionization energy of 5d series of transition elements are higher than that of 3d and 4d series, explain why?



[Watch Video Solution](#)


27. On the basis of the figure given below, answer the following questions:



Why Manganese has lower melting point than Chromium?

 [Watch Video Solution](#)

28. On the basis of the figure given below, answer the following questions:




Why do transition metals of 3d series have lower melting points as compared to 4d series?



[Watch Video Solution](#)

29. On the basis of the figure given below, answer the following questions:



In the third transition series, identify and name the metal with the highest melting point.



[Watch Video Solution](#)

Section C

1. Read the passage given below and answer the questions that follow.

Are there nuclear reactions going on in our bodies?

There are nuclear reactions constantly occurring in our bodies, but there are very few of them compared to the chemical reactions, and they do not affect our bodies much. All of the physical processes that take place to keep a human body running are chemical processes. Nuclear reactions can lead to chemical damage, which the body may notice and try to fix.

The nuclear reaction occurring in our bodies is radioactive decay. This is the change of a less stable nucleus to a more stable nucleus. Every atom has either a stable nucleus or an unstable nucleus, depending on how big it is and on the ratio of protons to neutrons. The ratio of neutrons to protons in a stable nucleus is thus around 1:1 for small nuclei ($Z < 20$). Nuclei with too many neutrons, too few neutrons, or that are simply too big are unstable. They eventually transform to a stable form through radioactive decay. Wherever there are atoms with unstable nuclei (radioactive atoms), there are nuclear reactions occurring naturally. The interesting thing is that there are

small amounts of radioactive atoms everywhere: in your chair, in the ground, in the food you eat, and yes, in your body.

The most common natural radioactive isotopes in humans are carbon-14 and potassium-40. Chemically, these isotopes behave exactly like stable carbon and potassium. For this reason, the body uses carbon-14 and potassium-40 just like it does normal carbon and potassium, building them into the different parts of the cells, without knowing that they are radioactive. In time, carbon-14 atoms decay to stable nitrogen atoms and potassium-40 atoms decay to stable calcium atoms. Chemicals in the body that relied on having a

carbon-14 atom or potassium-40 atom in a certain spot will suddenly have a nitrogen or calcium atom.

Such a change damages the chemical. Normally, such changes are so rare, that the body can repair the damage or filter away the damaged chemicals.

The natural occurrence of carbon-14 decay in the body is the core principle behind carbon dating. As long as a person is alive and still eating, every carbon-14 atom that decays into a nitrogen atom is replaced on average with a new carbon-14 atom.

But once a person dies, he stops replacing the decaying carbon-14 atoms. Slowly the carbon-14 atoms decay to nitrogen without being replaced, so that there is less and less carbon-14 in a dead

body. The rate at which carbon-14 decays is constant and follows first order kinetics. It has a half - life of nearly 6000 years, so by measuring the relative amount of carbon-14 in a bone, archeologists can calculate when the person died. All living organisms consume carbon, so carbon dating can be used to date any living organism, and any object made from a living organism. Bones, wood, leather, and even paper can be accurately dated, as long as they first existed within the last 60,000 years. This is all because of the fact that nuclear reactions naturally occur in living organisms.

(source: The textbook Chemistry: The Practical

Science by Paul B. Kelter, Michael D. Mosher and Andrew Scott states)

Why is Carbon -14 radioactive while Carbon -12 not?

(Atomic number of Carbon: 6)



[Watch Video Solution](#)

2. Read the passage given below and answer the questions that follow.

Are there nuclear reactions going on in our bodies?

There are nuclear reactions constantly occurring in our bodies, but there are very few of them compared to the chemical reactions, and they do

not affect our bodies much. All of the physical processes that take place to keep a human body running are chemical processes. Nuclear reactions can lead to chemical damage, which the body may notice and try to fix.

The nuclear reaction occurring in our bodies is radioactive decay. This is the change of a less stable nucleus to a more stable nucleus. Every atom has either a stable nucleus or an unstable nucleus, depending on how big it is and on the ratio of protons to neutrons. The ratio of neutrons to protons in a stable nucleus is thus around 1:1 for small nuclei ($Z < 20$). Nuclei with too many neutrons, too few neutrons, or that are simply too

big are unstable. They eventually transform to a stable form through radioactive decay. Wherever there are atoms with unstable nuclei (radioactive atoms), there are nuclear reactions occurring naturally. The interesting thing is that there are small amounts of radioactive atoms everywhere: in your chair, in the ground, in the food you eat, and yes, in your body.

The most common natural radioactive isotopes in humans are carbon-14 and potassium-40. Chemically, these isotopes behave exactly like stable carbon and potassium. For this reason, the body uses carbon-14 and potassium-40 just like it does normal carbon and potassium, building them

into the different parts of the cells, without knowing that they are radioactive. In time, carbon-14 atoms decay to stable nitrogen atoms and potassium-40 atoms decay to stable calcium atoms.

Chemicals in the body that relied on having a carbon-14 atom or potassium-40 atom in a certain spot will suddenly have a nitrogen or calcium atom.

Such a change damages the chemical. Normally, such changes are so rare, that the body can repair the damage or filter away the damaged chemicals.

The natural occurrence of carbon-14 decay in the body is the core principle behind carbon dating. As long as a person is alive and still eating, every carbon-14 atom that decays into a nitrogen atom is

replaced on average with a new carbon-14 atom. But once a person dies, he stops replacing the decaying carbon-14 atoms. Slowly the carbon-14 atoms decay to nitrogen without being replaced, so that there is less and less carbon-14 in a dead body. The rate at which carbon-14 decays is constant and follows first order kinetics. It has a half - life of nearly 6000 years, so by measuring the relative amount of carbon-14 in a bone, archeologists can calculate when the person died. All living organisms consume carbon, so carbon dating can be used to date any living organism, and any object made from a living organism. Bones, wood, leather, and even paper can be accurately

dated, as long as they first existed within the last 60,000 years. This is all because of the fact that nuclear reactions naturally occur in living organisms.

(source: The textbook Chemistry: The Practical Science by Paul B. Kelter, Michael D. Mosher and Andrew Scott states)

Researchers have uncovered the youngest known dinosaur bone, dating around 65 million years ago.

How was the age of this fossil estimated?



[Watch Video Solution](#)

3. Read the passage given below and answer the questions that follow.

Are there nuclear reactions going on in our bodies?

There are nuclear reactions constantly occurring in our bodies, but there are very few of them compared to the chemical reactions, and they do not affect our bodies much. All of the physical processes that take place to keep a human body running are chemical processes. Nuclear reactions can lead to chemical damage, which the body may notice and try to fix.

The nuclear reaction occurring in our bodies is radioactive decay. This is the change of a less stable

nucleus to a more stable nucleus. Every atom has either a stable nucleus or an unstable nucleus, depending on how big it is and on the ratio of protons to neutrons. The ratio of neutrons to protons in a stable nucleus is thus around 1:1 for small nuclei ($Z < 20$). Nuclei with too many neutrons, too few neutrons, or that are simply too big are unstable. They eventually transform to a stable form through radioactive decay. Wherever there are atoms with unstable nuclei (radioactive atoms), there are nuclear reactions occurring naturally. The interesting thing is that there are small amounts of radioactive atoms everywhere: in your chair, in the ground, in the food you eat, and

yes, in your body.

The most common natural radioactive isotopes in humans are carbon-14 and potassium-40.

Chemically, these isotopes behave exactly like stable carbon and potassium. For this reason, the body uses carbon-14 and potassium-40 just like it does normal carbon and potassium, building them into the different parts of the cells, without knowing that they are radioactive. In time, carbon-14 atoms decay to stable nitrogen atoms and potassium-40 atoms decay to stable calcium atoms.

Chemicals in the body that relied on having a carbon-14 atom or potassium-40 atom in a certain spot will suddenly have a nitrogen or calcium atom.

Such a change damages the chemical. Normally, such changes are so rare, that the body can repair the damage or filter away the damaged chemicals.

The natural occurrence of carbon-14 decay in the body is the core principle behind carbon dating. As long as a person is alive and still eating, every carbon-14 atom that decays into a nitrogen atom is replaced on average with a new carbon-14 atom. But once a person dies, he stops replacing the decaying carbon-14 atoms. Slowly the carbon-14 atoms decay to nitrogen without being replaced, so that there is less and less carbon-14 in a dead body. The rate at which carbon-14 decays is constant and follows first order kinetics. It has a

half - life of nearly 6000 years, so by measuring the relative amount of carbon-14 in a bone, archeologists can calculate when the person died. All living organisms consume carbon, so carbon dating can be used to date any living organism, and any object made from a living organism. Bones, wood, leather, and even paper can be accurately dated, as long as they first existed within the last 60,000 years. This is all because of the fact that nuclear reactions naturally occur in living organisms.

(source: The textbook Chemistry: The Practical Science by Paul B. Kelter, Michael D. Mosher and Andrew Scott states)

Which are the two most common radioactive decays happening in human body?



Watch Video Solution

4. Read the passage given below and answer the questions that follow.

Are there nuclear reactions going on in our bodies?

There are nuclear reactions constantly occurring in our bodies, but there are very few of them compared to the chemical reactions, and they do not affect our bodies much. All of the physical processes that take place to keep a human body

running are chemical processes. Nuclear reactions can lead to chemical damage, which the body may notice and try to fix.

The nuclear reaction occurring in our bodies is radioactive decay. This is the change of a less stable nucleus to a more stable nucleus. Every atom has either a stable nucleus or an unstable nucleus, depending on how big it is and on the ratio of protons to neutrons. The ratio of neutrons to protons in a stable nucleus is thus around 1:1 for small nuclei ($Z < 20$). Nuclei with too many neutrons, too few neutrons, or that are simply too big are unstable. They eventually transform to a stable form through radioactive decay. Wherever

there are atoms with unstable nuclei (radioactive atoms), there are nuclear reactions occurring naturally. The interesting thing is that there are small amounts of radioactive atoms everywhere: in your chair, in the ground, in the food you eat, and yes, in your body.

The most common natural radioactive isotopes in humans are carbon-14 and potassium-40. Chemically, these isotopes behave exactly like stable carbon and potassium. For this reason, the body uses carbon-14 and potassium-40 just like it does normal carbon and potassium, building them into the different parts of the cells, without knowing that they are radioactive. In time, carbon-

^{14}C atoms decay to stable nitrogen atoms and potassium-40 atoms decay to stable calcium atoms.

Chemicals in the body that relied on having a carbon-14 atom or potassium-40 atom in a certain spot will suddenly have a nitrogen or calcium atom.

Such a change damages the chemical. Normally, such changes are so rare, that the body can repair the damage or filter away the damaged chemicals.

The natural occurrence of carbon-14 decay in the body is the core principle behind carbon dating. As long as a person is alive and still eating, every carbon-14 atom that decays into a nitrogen atom is replaced on average with a new carbon-14 atom.

But once a person dies, he stops replacing the

decaying carbon-14 atoms. Slowly the carbon-14 atoms decay to nitrogen without being replaced, so that there is less and less carbon-14 in a dead body. The rate at which carbon-14 decays is constant and follows first order kinetics. It has a half - life of nearly 6000 years, so by measuring the relative amount of carbon-14 in a bone, archeologists can calculate when the person died. All living organisms consume carbon, so carbon dating can be used to date any living organism, and any object made from a living organism. Bones, wood, leather, and even paper can be accurately dated, as long as they first existed within the last 60,000 years. This is all because of the fact that

nuclear reactions naturally occur in living organisms.

(source: The textbook Chemistry: The Practical Science by Paul B. Kelter, Michael D. Mosher and Andrew Scott states)

Suppose an organism has 20 g of Carbon -14 at its time of death. Approximately how much Carbon -14 remains after 10,320 years? (Given $\text{antilog } 0.517 = 3.289$)



[Watch Video Solution](#)

5. Read the passage given below and answer the questions that follow.

Are there nuclear reactions going on in our bodies?

There are nuclear reactions constantly occurring in our bodies, but there are very few of them compared to the chemical reactions, and they do not affect our bodies much. All of the physical processes that take place to keep a human body running are chemical processes. Nuclear reactions can lead to chemical damage, which the body may notice and try to fix.

The nuclear reaction occurring in our bodies is radioactive decay. This is the change of a less stable

nucleus to a more stable nucleus. Every atom has either a stable nucleus or an unstable nucleus, depending on how big it is and on the ratio of protons to neutrons. The ratio of neutrons to protons in a stable nucleus is thus around 1:1 for small nuclei ($Z < 20$). Nuclei with too many neutrons, too few neutrons, or that are simply too big are unstable. They eventually transform to a stable form through radioactive decay. Wherever there are atoms with unstable nuclei (radioactive atoms), there are nuclear reactions occurring naturally. The interesting thing is that there are small amounts of radioactive atoms everywhere: in your chair, in the ground, in the food you eat, and

yes, in your body.

The most common natural radioactive isotopes in humans are carbon-14 and potassium-40.

Chemically, these isotopes behave exactly like stable carbon and potassium. For this reason, the body uses carbon-14 and potassium-40 just like it does normal carbon and potassium, building them into the different parts of the cells, without knowing that they are radioactive. In time, carbon-14 atoms decay to stable nitrogen atoms and potassium-40 atoms decay to stable calcium atoms.

Chemicals in the body that relied on having a carbon-14 atom or potassium-40 atom in a certain spot will suddenly have a nitrogen or calcium atom.

Such a change damages the chemical. Normally, such changes are so rare, that the body can repair the damage or filter away the damaged chemicals.

The natural occurrence of carbon-14 decay in the body is the core principle behind carbon dating. As long as a person is alive and still eating, every carbon-14 atom that decays into a nitrogen atom is replaced on average with a new carbon-14 atom. But once a person dies, he stops replacing the decaying carbon-14 atoms. Slowly the carbon-14 atoms decay to nitrogen without being replaced, so that there is less and less carbon-14 in a dead body. The rate at which carbon-14 decays is constant and follows first order kinetics. It has a

half - life of nearly 6000 years, so by measuring the relative amount of carbon-14 in a bone, archeologists can calculate when the person died. All living organisms consume carbon, so carbon dating can be used to date any living organism, and any object made from a living organism. Bones, wood, leather, and even paper can be accurately dated, as long as they first existed within the last 60,000 years. This is all because of the fact that nuclear reactions naturally occur in living organisms.

(source: The textbook Chemistry: The Practical Science by Paul B. Kelter, Michael D. Mosher and Andrew Scott states)

Approximately how old is a fossil with 12 g of Carbon -14 if it initially possessed 32 g of Carbon -14? (Given $\log 2.667 = 0.4260$) (1+1+1+2)



Watch Video Solution