




## CHEMISTRY

### BOOKS - MS CHOUHAN

### GENERAL ORGANIC CHEMISTRY

#### Level 1

1. How many  $2^\circ$  Hydrogen atoms are present in the given following compound ?



A. 2

B. 5


C. 7

D. 8

**Answer: C**

 [Watch Video Solution](#)

2. Identify which functional group is Not present in the given following compound ?



A. Ketone

B. Ester


C. Amide

D. Ether

Answer: D


 Watch Video Solution

3. Correct energy profile for amine inversion and hybridization of nitrogen in transition state is:




A.


B.



C.



D.



**Answer: D**

 [Watch Video Solution](#)



(i)



(ii)



(iii)

**4.**

Correct order of the heats of combustion of above compounds is:

A. (i) > (ii) > (iii)

B. (i) > (iii) > (ii)


C. (ii) > (i) > (iii)

D. (ii) > (iii) > (i)


Answer: A

 Watch Video Solution


5. Which of the following is not a resonance structure of the other?




A.



B.



C.




D.

**Answer: D**



**Watch Video Solution**

6. Rank the hydrogen atoms ( $H_a$ ,  $H_b$ ,  $H_c$ ) present in the following molecule in decreasing order of their acidic strength.



A.  $a > b > c$


B.  $b > a > c$

C.  $b > c > a$

D.  $c > b > a$

Answer: D

 Watch Video Solution



The correct relation between the bond lengths a and b is:

A.  $a = b$

B.  $b > a$

C.  $b < a$


D. Impossible to predict

**Answer: B**

 [Watch Video Solution](#)

8. The number of  $sp^2 - sp^2$  sigma bonds in the compound given below is

:



A. 1



B. 3


C. 4

D. 5

**Answer: C**

 [Watch Video Solution](#)

9. The total number of lone pair of electrons in the given molecule is :



A. 2

B. 3

C. 4

D. 5


Answer: B

 Watch Video Solution


10. Which of the following rings is highly strained ?



A.  $\delta$ -lactone




B.  $\gamma$ -lactone



$\beta$ -lactone

C.




D.

Answer: C

 [Watch Video Solution](#)

11. The functional groups in cortisone are:



- A. ether, alkene, alcohol
- B. alcohol, ketone, alkene, ether
- C. alcohol, ketone, amine


D. ether, amine, ketone

Answer: B


 Watch Video Solution

12. Select the acid with the highest  $K_a$  (i.e., lowest  $pK_a$ )


A.




B.



C.




D.



Answer: B

 Watch Video Solution


13. Most stable carbocation among the following is :



Answer: A

 Watch Video Solution

14. Arrange the following in increasing order of their  $pK_a$  values.



A.  $y < x < z$

B.  $x < y < z$


C.  $y < z < x$





D.  $x < z < y$

Answer: B

 Watch Video Solution

15. Which is the major product of the following reaction ?






**Answer: B**

 [Watch Video Solution](#)

16. In the given pair identify most acidic compound in (A) and (B). Most basic in (C) and (D).



A.  $A - I, B - II, C - I, D - II$

B.  $A - II, B - I, C - I, D - II$

C.  $A - II, B - II, C - II, D - II$


D.  $A - I, B - II, C - I, D - I$

**Answer: B**

 [Watch Video Solution](#)

17. Several factors (steric, electronic, orbital interactions etc.) can affect the inversion barrier of an amine. In the given pair which data is correctly placed ?





$$\Delta G^\ddagger = 7.9 \text{ kcal/mol} \quad \Delta G^\ddagger = 0.2 \text{ kcal/mol}$$



$$\Delta G^\ddagger = 20.5 \text{ kcal/mol} \quad \Delta G^\ddagger = 7.0 \text{ kcal/mol}$$



C. BOTH A AND B



D. NONE

**Answer: D**

 [Watch Video Solution](#)

18. Select the response that correctly identifies the number of carbon atoms of each type of hybridization in the compound given below







Answer: C

 Watch Video Solution


19. Circle represents most basic atoms in these molecule. Which of the following is correct representation ?



A.



B.




C.

D. All of these


Answer: D

 Watch Video Solution


20. Circle represent most acidic hydrogens in these molecules. Which of the following is correct representation ?



A.



B.







C.

D. All of these

Answer: D

 Watch Video Solution

21. Arrange the following in decreasing order of their acidic strengths.



A.  $A > C > B > D$

B.  $A > D > B > C$

C.  $A > D > C > B$

D.  $D > A > C > B$

Answer: C

 Watch Video Solution



Cyclopropane

(I)



Cyclobutane

(II)



Cyclopentane

(III)

22.

The correct order of heats of combustion of above compounds is :

A.  $I > II > III$




B.  $II > I > III$

C.  $III > II > I$

D.  $III > I > II$





Answer: C

 [Watch Video Solution](#)



23.



Compare carbon-carbon bond rotation across A, B, and C



Answer: C

 Watch Video Solution

24. Which of the following acids would have a STRONGER CONJUGATE BASE ?



A. 2,4,6


B. 1,3,5

C. 2,3,5

D. 1,3,6

Answer: A

 Watch Video Solution



25.

, Major

products of the reaction is (are):

A.



B.



C.




D. both (b) & (c)

**Answer: D**


 [Watch Video Solution](#)

26. Which of the following compound is most stable ?


A.








B.



C.




D.

**Answer: D**

[▶ Watch Video Solution](#)

27. Which statement about the following equilibrium is true ?



A. The equilibrium favours the products

B. *t*-Butoxide is the dominant anionic species in the equilibrium


C. Water is the weaker acid

D. t-Butoxide is stabilized by resonance

Answer: A

 Watch Video Solution

28. Consider the following reaction involving two acids shown below :  
formic acid and HF.



Which of the following statements about this reaction are true ?

- (A) Formic acid is the strongest Bronsted acid in the reaction
- (B) HF is the strongest Bronsted acid in the reaction
- (C) KF is the strongest Bronsted base in the reaction
- (D)  $\text{KO}_2\text{CH}$  is the strongest Bronsted base in the reaction
- (E) The equilibrium favours the reactants
- (F) The equilibrium favours the products

(G) Formic acid has a weaker conjugate base

(H) HF has a weaker conjugate base

A. A, D and F

B. B, D, and H


C. A, C, and H



D. B, D, E and H

**Answer: D**

 [Watch Video Solution](#)

29. Which one of the following compounds has non zero dipole moment?









Answer: A

 [Watch Video Solution](#)

30. Which one of the following has the smallest heat of combustion ?












Answer: C

Watch Video Solution

31. Rank the following substances in order of decreasing heat of combustion (maximum  $\rightarrow$  minimum).









Answer: C

 Watch Video Solution

32. Which of the following has lowest  $pK_a$  value ?





D.


Answer: D

 Watch Video Solution


33. Arrange the following (w, x, y, z) in decreasing order of their boiling points:



(w)



(x)



(y)



(z)

A.  $w > x > z > y$

B.  $w > x > y > z$





C.  $w > z > y > x$

D.  $w > z > x > y$

Answer: D

 Watch Video Solution

34. Arrange the following in increasing order of their acidic strength.



A.  $III < I < IV < II$

B.  $II < I < IV < III$

C.  $I < III < IV < II$


D.  $II < III < I < IV$

Answer: D

 Watch Video Solution



35. How many degrees of unsaturation are there the following compound?



A. 6

B. 7

C. 10

D. 11

**Answer: D**



[Watch Video Solution](#)

36. The heat of hydrogenation for 3-methylbutene and 2-pentene are  $-30$  kcal/mol and  $-28$  kcal/mol respectively. The heats of combustion of 2-methylbutane and pentane are  $-784$  kcal/mol and  $-782$  kcal/mol respectively. All the values are given under standard conditions. Taking into account that combustion of both alkanes give the same products, what is  $\Delta H$  (in kcal/mol) for the following reaction under same conditions ?




- A. 0
- B.  $-4$
- C.  $-2$
- D. 2

**Answer: B**

 [Watch Video Solution](#)

37. Which of the following  $\sigma$ -bonds participate in hyperconjugation ?



A. I and II


B. I and IV

C. II and V

D. III and IV

**Answer: B**

 [Watch Video Solution](#)



38.

Decreasing order of acidic strength of different (-OH) groups is :

A.  $w > x > y > z$

B.  $w > z > x > y$




C.  $z > w > x > y$

D.  $z > x > w > y$

Answer: A

 Watch Video Solution

39. Arrange the following alcohols in decreasing order of the ease of ionization under acidic conditions.



A.  $I > III > II$

B.  $I > II > III$


C.  $II > III > I$

D.  $II > I > III$


Answer: C

 [View Text Solution](#)


40. Among the isomeric amines select the one with the lowest boiling point.



A.



B.



C.




D.


**Answer: C**

 [Watch Video Solution](#)


41. Which one of the compounds shown below, is not an isomer of the others ?




A.



B.



C.



D.

Answer: D



Watch Video Solution

42. Arrange the anions (p)  $\overline{C}H_3$ , (q)  $\overline{N}H_2$ , (r)  $OH^-$ , (s)  $F^-$ , in decreasing order of their basic strength.

A.  $p > q > r > s$

B.  $q > p > r > s$



C.  $r > q > p > s$

D.  $r > p > q > s$

Answer: A

 Watch Video Solution

43. One among the following compounds will not give effervescence with sodium carbonate:



B.



C.  $C_6H_5OH$

D. NONE

**Answer: C**

 [Watch Video Solution](#)

**44.** The carboxylic acid which has maximum solubility in water is:

A. phthalic acid

B. succinic acid


C. malonic acid

D. salicylic acid

**Answer: C**

 [Watch Video Solution](#)

45. Among the following compounds, the most basic compound is :



A.



B.



C.




D.

Answer: D



Watch Video Solution



46.

Arrange the (C-H) bonds  $x$ ,  $y$  and  $z$  in decreasing order of their bond dissociation energies in homolysis.

A.  $y > x > z$

B.  $z > x > y$

C.  $z > y > x$

D.  $y > z > x$

**Answer: B**



**Watch Video Solution**

47. 23 g of sodium will react with methyl alcohol to give :

- A. one mole of oxygen
- B.  $22.4\text{dm}^3$  of hydrogen gas at NTP
- C. 1 mole of  $H_2$
- D. 11.2 L of hydrogen gas at NTP


Answer: D

 [Watch Video Solution](#)

48. Which of the following is most polar?




A.



B.



C.




D.

**Answer: B**



**Watch Video Solution**



49. \_\_\_\_\_

The correct order of decreasing basic strengths of x,y and z is :

A.  $x > y > z$

B.  $x > z > y$



C.  $y > x > z$

D.  $y > z > x$

**Answer: B**

 [Watch Video Solution](#)

50. Which of the following is the strongest Bronsted acid ?




Answer: D




Watch Video Solution


51. Which of the following is the strongest Bronsted base ?



A.




B.



C.





D.

**Answer: D**

 [Watch Video Solution](#)

52. Which of the following is /are aprotic solvents

A. DMSO

B. Crown ether

C. DMG

D. All of these





**Answer: D**





Watch Video Solution


53. Some pairs of acids are given below. Select the pair in which second acid is stronger than first



Answer: A



Watch Video Solution



Compare the bond lengths a and b:

A.  $a = b$

B.  $a > b$

C.  $b > a$

D.  $a > > > b$

**Answer: C**



**Watch Video Solution**

55. Which (isomeric) amine has lowest boiling point ?

A.  $1^\circ$  amine

B.  $2^\circ$  amine


C.  $3^\circ$  amine

D. cannot predict

**Answer: C**



**Watch Video Solution**



56.

, P will be :

A.



B.



C.





D. mixture of (a) and (b)

**Answer: B**

[▶ Watch Video Solution](#)

57. Which of the following substances is not an isomer of 3-ethyl 2-methyl pentane ?




D. all are isomers

**Answer: B**

 [Watch Video Solution](#)

58. Which of the following is an isomer of compound 1 ?



A. 2

B. 4


C. 2 and 3

D. all are isomers

**Answer: D**



**Watch Video Solution**



59.





Which statement is incorrect in respect of the above reaction ?

- A. Product is aromatic
- B. Product has high dipole moment
- C. Product has less resonance energy
- D. Product is soluble in polar solvent

Answer: C

 [Watch Video Solution](#)


60. Some pairs of ions are given below. In which pair, first ion is more stable than second?




**Answer: B**

 [Watch Video Solution](#)

61. Among the given pairs in which pair, first compound has higher boiling point than second ?



C.





D.  $CH_3 - CH_2 - CH_2 - CH_3$  and  $CH_3 - CH_2 - CH_2 - Cl$

**Answer: B**



[Watch Video Solution](#)

62. Which of the following alcohols is the least soluble in water ?

A. Ethanol

B. 1-Propanol

C. 1-Butanol

D. 1-Pentanol

**Answer: D**



[Watch Video Solution](#)

63. Which of the following alcohols is expected to have the lowest  $pK_a$  value ?

- A. Ethanol
- B. 1-propanol
- C. 2, 2, 2-trifluoroethanol .
- D. 2-chloroethanol


Answer: C

 [Watch Video Solution](#)

64. Which of the following alkenes is the most stable ?



A.



B.



C.




D.

Answer: D

 Watch Video Solution

65. Bond X is made by the overlap of which type of hybridized orbitals ?



A.  $sp$  and  $sp^3$

B.  $sp$  and  $sp^2$





C.  $sp^2$  and  $sp^3$

D. none of these

Answer: C

 Watch Video Solution

66. Increasing order of acidic strength of given compounds is :



A.  $III < I < IV < II$


B.  $II < I < IV < III$

C.  $I < III < IV < II$


D.  $I < III < II < IV$

Answer: A

 Watch Video Solution

67.  is with the product :

A.  $CO_2$

B. 



C. both

D. none of these

Answer: A

 Watch Video Solution

68. Rank in the order of increasing acidity.



A.  $III < I < II$

B.  $I < III < II$

C.  $III < II < I$

D.  $II < I < III$

Answer: D


 Watch Video Solution

69. Which compound has the highest value of  $pK_a$  ?

A.  $Cl - CH_2 - CH_2 - COOH$

B.  $CH_3 - CH_2 - COOH$

C.  $CH_3 - \underset{\substack{| \\ Cl}}{CH} - COOH$




Answer: B

[▶ Watch Video Solution](#)

70. Consider the hydrogen atoms attached to three different carbon atoms (labeled 1, 2 & 3).

Rank the attached hydrogen atoms in order from most acidic to least acidic.



A.  $2 > 1 > 3$

B.  $1 > 2 > 3$




$$C. 2 > 3 > 1$$

$$D. 3 > 2 > 1$$

**Answer: A**

 [Watch Video Solution](#)

71. Decreasing order of acidic strengths of following compounds is :



A.  $x > y > z$

B.  $y > x > z$

C.  $z > y > x$





D.  $z > x > y$

**Answer: D**

 [Watch Video Solution](#)



72. Among the given pairs, in which pair second compound is more acidic than first ?



Answer: D

 [Watch Video Solution](#)

73. Which of the underlined atoms in the molecules shown below have  $sp$  hybridization ?

(u)  $\underline{C}H_2CHCH_3$  (v)  $CH_2C\underline{C}HCl$  (w)  $CH_3\underline{C}H_2^+$  (x)  $H - C \equiv C - H$

(y)  $CH_3\underline{C}N$  (z)  $(CH_3)_2C\underline{N}NH_2$

A. x and z

B. x, y and z



C. u, w and x


D. v, x and y

Answer: D


 Watch Video Solution

74. Which of the following, is the product of the reaction between  $AlCl_3$  and  $CH_3OCH_3$  ?





C.




D.

Answer: A

 Watch Video Solution

75. Which of the following compounds contain at least one secondary alcohol ?



A. I, II, IV, VI

B. I, III


C. I, II, III, V

D. I, III, V


Answer: D

 Watch Video Solution


76. Which of the following has the most negative heat of hydrogenation ?




A.



B.



C.




D.

Answer: A


 Watch Video Solution

77. Which of the following options is the correct order of relative stabilities of cations I, II and III as written below (most stable first) ?



(I)

(II)



A.  $I > II > III$

B.  $II > III > I$






C.  $III > I > II$



Answer: A

 Watch Video Solution

78. What is the decreasing order of stability (most stable  $\rightarrow$  least stable) of the following carbocations ?



Answer: B

 Watch Video Solution




79. \_\_\_\_\_ the  
hydrogen indicated by arrow will be easily removed as :

- A.  $H^+$
- B.  $H^\ominus$
- C.  $H^\cdot$
- D.  $H^{-2}$

**Answer: A**

80. Rank the bond dissociation energies of the bonds indicated with the arrows. (from smallest to largest).



A.  $1 < 2 < 3$

B.  $3 < 2 < 1$


C.  $2 < 3 < 1$

D.  $3 < 1 < 2$

Answer: D



81. Rank the following compounds in order of decreasing acid strength (most acidic  $\rightarrow$  least acidic).



A.  $2 > 4 > 1 > 3$

B.  $1 > 3 > 4 > 2$




C.  $3 > 1 > 2 > 4$

D.  $3 > 1 > 4 > 2$

Answer: D

 [Watch Video Solution](#)

82. Rank the following compounds in order of increasing acidity (weakest acid first).



A.  $2 < 3 < 1$

B.  $3 < 1 < 2$


C.  $1 < 2 < 3$


D.  $2 < 1 < 3$

Answer: D

 Watch Video Solution

83. Which of the following phenols has the largest pKa value (i.e., is least acidic) ?









Answer: C

 Watch Video Solution

84. Among the given sets, which represents the resonating structures ?




Answer: B

 Watch Video Solution

85. Identify each species in the following equilibrium according to the code:

SA = stronger acid , SB = stronger base , WA = weaker acid , WB = weaker base.

The  $pK_a$  of  $(CH_3)_2NH$  is 36, the  $pK_a$  of  $CH_3OH$  is 15.2.



A. 1      2  
WA   WB

B. 1      2  
WB   WA

C. 1      2  
SA   SB

D. 1      2  
SB   SA

Answer: A



Watch Video Solution

86. The hydrogen bonding is strongest in which one of the following set ?

A.  $F - H - - - F$

B.  $O - H - - - S$

C.  $S - H - - - F$

D.  $F - H - - - O$

**Answer: A**

 [Watch Video Solution](#)

**87.** Intermolecular hydrogenbonding is strongest in

A. methylamine


B. phenol

C. formaldehyde

D. methanol

**Answer: D**

 [Watch Video Solution](#)



88.

Identify most acidic hydrogen in given compound.

A. a

B. b

C. c

D. d

**Answer: A**




[Watch Video Solution](#)


89. Which of the following compounds would you expect to be strongest carbon acid ?



A.





B.




**Answer: D**

 [Watch Video Solution](#)


90. 5-Bromo-2-cyclopropyl cyclohex-2-enol have correct structure is:



C.



D.



**Answer: B**

 [Watch Video Solution](#)

91. Rearrange the following in the increasing order of acidic strength.

(i) benzoic acid (ii) p-methoxybenzoic acid (iii) o-methoxybenzoic acid

A.  $i < ii < iii$

B.  $iii < i < ii$

C.  $ii < i < iii$



D.  $iii < ii < i$




Answer: C

 Watch Video Solution

92. In the following acid-base reaction, in which can backward reaction is favoured?



D.



Answer: D

 Watch Video Solution

93. Which compound possesses highest dipole moment?

A. naphthalene


B. phenanthrene

C. anthracene

D. azulene

Answer: D

 Watch Video Solution



94.

(E = activation energy)

Relation between activation energies of above reactions is :

A.  $E_2 > E_1 > E_3$

B.  $E_3 > E_1 > E_2$


C.  $E_3 > E_2 > E_1$

D.  $E_1 > E_2 > E_3$

Answer: D

 Watch Video Solution


95. Rank the following solvents in decreasing order of ability to dissolve given compound.



- A.  $\text{Et}_2\text{O} > \text{H}_2\text{O} > \text{EtOH}$
- B.  $\text{H}_2\text{O} > \text{EtOH} > \text{Et}_2\text{O}$
- C.  $\text{H}_2\text{O} > \text{Et}_2\text{O} > \text{EtOH}$
- D.  $\text{Et}_2\text{O} > \text{EtOH} > \text{H}_2\text{O}$

Answer: D





1, 8-Bis (dimethylamino)  
naphthalene is after referred  
so as (Proton sponge)

96.




Its basic strength is  $10^{10}$  more than 1-dimethyl amino naphthalene.

Reason for high basic strength is :

- A. resonance
- B. steric inhibition of resonance
- C. ortho effect
- D. hyperconjugation



**Answer:**

97. In the given pair of compounds, in which pair second compound has higher boiling point than first compound ?



Answer: D

 [Watch Video Solution](#)



98.

Dipole

moments of given compound will be :





- A. (A) = 6.87D, (B) = 4.11D
- B. (A) = 4.11 D, (B) = 6.87 D
- C. (A) = 4.11 D, (B) = 4.11 D
- D. (A) = 6.87 D, (B) = 6.87 D

**Answer: A**



[Watch Video Solution](#)

99. Order of decreasing basic strengths of halides is :





Answer:



Watch Video Solution

100. Among the xylenes, which is thermodynamically most stable ?





C.

D. All are equally stable

**Answer:**

 [Watch Video Solution](#)

**101.** Heat of combustion of two isomer x and y are 17 kJ/mol and 12 kJ/mol respectively. From this information it may be concluded that :

- A. isomer x is 5 kJ/mol more stable
- B. isomer y is 5 kJ/mol less stable
- C. isomer y has 5 kJ/mol more potential energy
- D. isomer x is 5 kJ/mol less stable


**Answer: D**






Watch Video Solution


102. Rank the following substances in decreasing order of heat of combustion (most exothermic  $\rightarrow$  least exothermic)



(A)



(B)



(C)

A.  $B > A > C$

B.  $A > B > C$





C.  $C > A > B$

D.  $C > B > A$

Answer: A



Watch Video Solution



103.


Choose the statement that best describes given compounds.

- A. 1, 3, 4 represent same compound
- B. 1 and 3 are isomer of 2 and 4
- C. 1,4 are isomer of 2 and 3
- D. All the structure represent the same compound




Answer: A

 Watch Video Solution

104. Decreasing order of acid strengths is :








A.  $B > A > C > D$



**Answer: C**


 [Watch Video Solution](#)

**105.** Rank the following in decreasing order of basic strength is :



**Answer: C**


106. Among the given compound choose the two that yield same carbocation on ionization.




(A)



(B)



(C)



(D)

A. A,C

B. B,D

C. A,B

D. B,C

Answer: C

- Oxalic acid  $pK_1$   
 107. Malonic acid  $pK_2$   
 Heptanedioic acid  $pK_3$

where  $pK_1, pK_2, pK_3$  are first ionization constants. Correct order is :

A.  $pK_1 > pK_2 > pK_3$

B.  $pK_1 < pK_2 < pK_3$



C.  $pK_3 > pK_2 = pK_q$



D.  $pK_3 > pK_1 > pK_2$

**Answer: B**

 **Watch Video Solution**

108. Which of the following is/are correct regarding acidic strength.






Answer: C

 Watch Video Solution


109. Dipole moment of which ketone is maximum ?



C.




D.



Answer: C

 [Watch Video Solution](#)

110. Correct order of basic strengths of given amines is :





D. All are correct

Answer: D

 Watch Video Solution



111. Order of basic strength



A.  $A > B > C > D$

B.  $B > A > C > D$









**Answer: C**

 [Watch Video Solution](#)

112. All carbon-carbon bond length is same in molecule




**Answer: C**

 [Watch Video Solution](#)

113. Which has maximum dipole moment ?




A.



B.



C.



D.

Answer: C



Watch Video Solution

114. (i)  $ET_3N$



Compare the basic strengths of compounds given:

A. (i) > (ii) > (iii)

B. (ii) > (i) > (iii)

C. (ii) > (iii) > (i)



D. (iii) > (ii) > (i)

Answer: C



Watch Video Solution


115. For the following two reactions, which statement is true ?



- A. Reaction A is faster and less exergonic than B
- B. Reaction B is faster and more exergonic than A
- C. Reaction A is faster and less endergonic than B
- D. Reaction B is faster and more endergonic than A

**Answer: A**

 [Watch Video Solution](#)



116.




Identify the site, where attack of  $H^+$  is most favourable.

- A. a
- B. b
- C. c
- D. d

**Answer: A**

 [Watch Video Solution](#)

117. Rank the following alkenes on order of increasing  $\lambda_{\max}$



A.  $1 < 2 < 3$

B.  $1 < 3 < 2$



C.  $2 < 1 < 3$


D.  $2 < 3 < 1$

Answer: D

 [Watch Video Solution](#)

118. Which of the following cyclic amine has lowest  $\Delta G^*$  for inversion ?







Answer: C

 Watch Video Solution


119. Rank in the order of increasing acidic strength:



(A)



(B)



(C)

A.  $A < B < C$

B.  $A < C < B$



C.  $B < A < C$

D.  $B < C < A$

Answer: C

 Watch Video Solution

120. Which one of the following dienes would you expect to be the most stable ?



A.

B.

C.





D.



**Answer: C**




 [Watch Video Solution](#)

**121.** Which metal catalyzed reaction would release the maximum amount of heat per  $CH_2$  unit ?







**Answer: A**

 [Watch Video Solution](#)



122.

Compare basic strengths of the above compounds:



Answer: C




Watch Video Solution

123. On reaction with acid, 4-pyrone gives a very stable cationic product.


Which of the following structures shows the protonation site in that

product ?




4-Pyrone

↳




A.



B.



C.




D.


**Answer: C**

 [Watch Video Solution](#)


**124.** Which of the following is the most stabilized carbocation ?




A.



B.



C.



D.


Answer: D

 Watch Video Solution


125. Which carbocation is the most stable ?

A. 


B.



C.



D.



**Answer: B**

 [Watch Video Solution](#)

**126.** Consider a positively charged  $C_2H_3$  species in which the positively charged carbon is  $sp$  - hybridized, the uncharged carbon is  $sp^2$  - hybridized and an empty p-orbital is perpendicular to the  $\pi$  system. What is the best description of this cation ?

A. vinyl

B. allenyl


C. alkyl

D. allyl



Answer: A

 Watch Video Solution

127. Which of the following reactions is correct.




C.



Answer: D

 Watch Video Solution

128. List the following carbocations in order of decreasing stabilization energies.



A. II, III, I, IV

B. III, IV, II, I



C. III, IV, I, II

D. I, II, IV, III

**Answer: B**

 [Watch Video Solution](#)

**129.** Following is the list of four halides. Select correct sequence of decreasing order of reactivity for  $S_N1$  reaction using the codes given below



A. I is favoured to the right, II is favoured to the left



B. I is favoured to the left, II is favoured to the right


C. I is favoured to the right, II is favoured to the right

D. I is favoured to the left, II is favoured to the left

**Answer: A**

 [Watch Video Solution](#)

**130.** Rank the hydrogen atoms ( $H_a$ ,  $H_b$ ,  $H_c$ ) in the following molecules according to their acidic strengths



A.  $a > b > c$

B.  $b > a > c$

C.  $b > c > a$

D.  $a > c > b$

Answer: C


 Watch Video Solution

131. In which of the following reactions, backward reaction is favoured ?


A.




B.



C.




D.




Answer: D

 Watch Video Solution


132. Which carbocation is the most stable ?




A.



B.



C.




D.

Answer: C

 Watch Video Solution

133. Taking into account of hybridization and resonance effects, rank the following bonds in order of decreasing bond length.



A.  $I > II = III$

B.  $II > III > I$


C.  $I > III > II$

D.  $II = III = I$


Answer: D




134. Which one among the following carbocations has the longest half-life ?




A.



B.



C.






Answer: A



Watch Video Solution

135. Rank the following alkenes in order of decreasing heats of hydrogenation (largest first)



A.  $2 > 3 > 4 > 1$

B.  $2 > 4 > 3 > 1$



C.  $1 > 3 > 4 > 2$


D.  $1 > 4 > 3 > 2$

Answer: D

 Watch Video Solution

136. Which of the following reactions is most exothermic ?








Answer: C

 Watch Video Solution


137. Which energy diagram best represents the given reaction ?




A.



B.



C.




D.

Answer: D




[▶ Watch Video Solution](#)

138. Which one of the following is most stable?



A.








Answer: C



Watch Video Solution

139. Which of the following is the strongest acid ?



C.




D.

Answer: C



Watch Video Solution

140. Compare relative stability of the following resonating structure.



A. (i) > (ii) > (iii)

B. (ii) > (i) > (iii)


C. (i) > (iii) > (ii)

D. (ii) > (iii) > (i)

Answer: A

 Watch Video Solution

141. Compare relative stability of the following resonating structure.



A.  $p > q > r$

B.  $q > p > r$


C.  $q > r > p$

D.  $p > r > q$


Answer: D

 Watch Video Solution


142. Which of the following hydrocarbons is the most reactive towards addition of  $H_2SO_4$ ?




A.



B.



C.




D.

**Answer: B**

 [Watch Video Solution](#)


143. Which of the following has lowest bond angle?



A.




B.



Answer: C

 Watch Video Solution

144. Use the following data to answer the question below.



Calculate the resonance energy of anthracene:

- A. 84 kcal/mol
- B. 100 kcal/mol
- C. 110 kcal/mol

D. 116 kcal/mol

**Answer: A**



[Watch Video Solution](#)

**145.** How many double bond equivalents does a compound of molecular formula  $C_6H_{12}O_6$  possess?

A. 0

B. 1

C. 2


D. 3

**Answer: B**



[Watch Video Solution](#)

146. How many double bond equivalents does amoxicillin (shown below) possess ?



A. 5

B. 6

C. 7

D. 9


Answer: D



Watch Video Solution



147. What is the oxidation state of osmium in 7B and 7C, respectively?



A. 6,8

B. 8,6


C. 6,6

D. 8,8

**Answer: B**



[Watch Video Solution](#)



148.





Identify most acidic hydrogen present in the above compound:

- A. a
- B. b
- C. c
- D. d

**Answer: A**

 [Watch Video Solution](#)

149. Which one of the following compounds is most acidic?



Answer: B

 [Watch Video Solution](#)

150. Acetic acid, ( $CH_3COOH$ ), has a  $pK_a$  of 4.8. Ethanol ( $CH_3CH_2OH$ ), has a  $pK_a$  of 16.0. What are the major species present, when acetic acid and ethanol are added to water and the pH is adjusted to 7.0 ?

A.  $CH_3CO_2H$  and  $CH_3CO_2OH$

B.  $CH_3CH_2O^-$  and  $CH_3CO_2OH$

C.  $CH_3CO_2H$  and  $CH_3CH_2O^-$

D.  $CH_3CO_2^-$  and  $CH_3CH_2OH$

**Answer: D**




**Watch Video Solution**




151.

The most stable canonical structure of given molecule is:



A.



B.



C.




D.

Answer: B

 [Watch Video Solution](#)

152. In the potential energy diagram to the right, the point X represents :



A. a transition state

B. a reaction intermediate


C. a resonance hybrid

D. a reactant

**Answer: A**

 [Watch Video Solution](#)

153.



Which of the following orders is correct for heat of hydrogenation of these compounds ?

A.  $I > III > II$

B.  $III > II > I$




C.  $III > I > II$

D.  $II > I > III$



Answer: A

 Watch Video Solution



154.

Which of the following orders is correct for heat of hydrogenation of these compounds ?

A.  $I > II > III$


B.  $III > II > I$

C.  $II > III > I$

D.  $III > I > II$

Answer: C

 Watch Video Solution



Which of these structures is practically not a valid canonical structure for formaldehyde ?

A. I

B. II

C. III



D. None of these

**Answer: C**



**Watch Video Solution**

**156.**



Which of these structures is not a valid canonical structure ?

A. I


B. II

C. III

D. none of these

Answer: C

 Watch Video Solution



157.

The correct order of stability for the given canonical structures is :

A.  $I > III > II$


B.  $III > I > II$

C.  $II > III > I$

D.  $II > I > III$

Answer: B

 Watch Video Solution



158.

The most stable canonical structure among the given structure is :

A. I


B. II

C. III




D. all are equally stable

Answer: C

 Watch Video Solution




For the given compounds the correct order of resonance energy is :




Answer: C

 Watch Video Solution



The correct stability order of the given canonical structures is :



C.  $I > III > II$

D.  $II > III > I$

**Answer: B**



**Watch Video Solution**



161.

In the above compound, how many sites are available for the attack of  $CH_3O^-$  ?

A. 1


B. 2

C. 3

D. 4

Answer: C

 Watch Video Solution



Which of the following orders of rotation barrier about the C = C bond, as indicated, is correct?

A.  $I > II > III$

B.  $III > II > I$


C.  $III > I > II$

D.  $II > I > III$

Answer: A

 Watch Video Solution





163.

Which of the following orders of rotation barrier about the C=C bond, as indicated, is correct?

A.  $I > II > III$

B.  $III > II > I$

C.  $III > I > II$


D.  $II > I > III$

Answer: A

 Watch Video Solution

164. Which of the following compound is not resonance stabilized ?


A.




B.



C.



D.



**Answer: C**



**Watch Video Solution**

**165.** Homologous compound have same:

A. General formula

B. Empirical formula


C. Structural formula


D. Molecular formula

**Answer: A**


 [Watch Video Solution](#)

**166.** Most acidic is:





C.



D.



**Answer: D**

 [Watch Video Solution](#)

167. Which of the following substituents will decrease the acidic strength of phenol?

A.  $-NO_2$





B.  $-CN$



Answer: C

 Watch Video Solution


168. Which of the following structures possesses a cross-conjugated system?





Answer: D

 Watch Video Solution

169. Examine the following resonating structures of formic acid for their individual stability and then answer the question given below.



Which of the following arrangements gives the correct order of decreasing stability of the above-mentioned resonance contributors?





Answer: B



Watch Video Solution

170. Which of the following is not resonating structure of each other?





**Answer: A**



**Watch Video Solution**

171. In the molecule  $CH_3C \equiv CCH = CH_2$ , the maximum number of carbon atoms arranged linearly is

A. 2

B. 3

C. 4


D. 5

**Answer: C**



**Watch Video Solution**

172. The stability order of the following carbocations is:



A.  $II > IV > III > I$

B.  $IV > II > III > I$

C.  $II > III > I > IV$

D.  $I > III > II > IV$

Answer: C



Watch Video Solution



173. Total number of  $\alpha$ -hydrogen in given compound is:



A. 4

B. 5

C. 6



D. 7

**Answer: C**



**Watch Video Solution**

174. In which pair second ion is more stable than first?




- A. (i) and (ii)
- B. (ii) and (iii)
- C. (ii) and (iv)
- D. (iii) and (iv)

Answer: B

 [Watch Video Solution](#)

175. Which one is the most stable cation in the following ?






B.



C.






D.

Answer: B



Watch Video Solution

176. The most reactive amine towards dilute hydrochloric acid is \_\_\_\_\_




Answer: C



Watch Video Solution

177. How many resonance structures are there for anthracene



A. 6

B. 5



C. 4

D. 2

**Answer: C**

 [Watch Video Solution](#)

178. Which base is strong enough to convert  $(CH_3)_3COH$  into  $(CH_3)_3CO^-$  in a reaction that goes to completion ?








D. More than one of the above

Answer: D

 Watch Video Solution

179. Based upon an understanding of product stability, predict the product formed when the following dianion reacts with one equivalent of acid






Answer: D

Watch Video Solution

180. Rank the following alkyl radicals in order of increasing stability (least <<< most).



A.  $4 < 2 < 1 < 3$

B.  $3 < 1 < 2 < 4$

C.  $1 < 3 < 4 < 2$

D.  $2 < 4 < 3 < 1$

**Answer: C**

 [Watch Video Solution](#)

**181.** Among the given cations, the most stable carbonium ion is?

A. sec-butyl

B. tert-butyl

C. n-butyl

D. None of these

**Answer: B**

 [Watch Video Solution](#)



182. Cyclohexadiene contains \_\_\_ vinylic and \_\_\_ allylic hydrogen atoms ?



A. 2 and 2 respectively

B. 4 and 4 respectively

C. 2 and 4 respectively





D. 4 and 2 respectively

**Answer: B**



[Watch Video Solution](#)

183. The dipole moments of halo compounds are in the order



Answer: C



Watch Video Solution

184. The pka value in  $H_2O$  of picric acid, acetic acid and phenol are in the order :

A. Picric acid 0.4, acetic acid 4.75, phenol 10.0

B. Acetic acid 0.4, picric acid 4.75, phenol 10.0


C. Picric acid 0.4 phenol 4.75, acetic acid 10.0

D. Phenol 0.4, acetic acid 4.75 picric acid 10.0

Answer: A

 Watch Video Solution

185. The preferred sites of protonation in the following compounds are:



(i)



(ii)

A. 1 and 3

B. 2 and 4


C. 1 and 4

D. 2 and 3


Answer: A

 Watch Video Solution

186. Among i-iii



(i)



(ii)



(iii)

the boiling point follows the order

A.  $(ii) < (i) < (iii)$

B.  $(iii) < (ii) < (i)$

C.  $(i) < (ii) < (iii)$


D.  $(ii) < (iii) < (i)$

**Answer: A**



**Watch Video Solution**

187. The number of C-sigma bonds in the compound



A. 16

B. 14


C. 18

D. 11

Answer: B

 Watch Video Solution

188. The correct order of dipole moment for the following molecules is



A.  $IV > I > III > II$

B.  $I > IV > III > II$

C.  $III > I > II > IV$





D.  $II > III > IV > I$

Answer: B

 [Watch Video Solution](#)

189. Curved arrows are used in Organic Chemistry to show the movement of electrons in the mechanism of a reaction. The correct product of the following reaction is








Answer: C

 [Watch Video Solution](#)

190. Which of the following will form carbocation most readily ?





Answer: C

 [Watch Video Solution](#)

191. Observed heat of hydrogenation for cyclohexa-1,4-diene and cyclohexa-1,3-diene is  $x$  &  $y$  kcal/mol respectively, calculate the resonance energy of cyclohexa-1,3-diene :

A.  $\frac{3x}{2} - y$

B.  $\frac{2x}{2} - y$

C.  $\frac{3y}{2} - y$




D.  $\frac{2y}{2} - x$

Answer: B

 Watch Video Solution

Level 2

1. Rank in order of radical stability (1 = most stable).



A.  $a > b > c > d$

B.  $d > c > a > b$


C.  $a > d > b > c$

D.  $d > c > b > a$


Answer: a - 4 ; b - 3 ; c - 2 ; d - 1

2. Predict the acidity order for the three phenols shown below :

Acidity order : 1 (most) to 3 (least)



Acidity order: .....









3.

Which of the phenol derivatives above is the strongest acid ?

- Compound A       Compound B       Compound C  
 Compound D       Compound E       Compound F

 Watch Video Solution









4.

Which of the phenol derivatives above is the weakest acid ?

Compound A       Compound B       Compound C

Compound D       Compound E       Compound F

 Watch Video Solution









5.

Which of the mono-nitrophenol derivatives above is the strongest acid ?

- Compound A       Compound D

 [Watch Video Solution](#)




6.

Which of the carbon-substituted phenol derivatives above is the strongest acid ?

 [Watch Video Solution](#)

7. The following questions refer to the twelve compounds given below.

You may enter as many as six choices in each answer box.




Which compound may serve only as H-bond donors ?



[Watch Video Solution](#)

8. The following questions refer to the twelve compounds given below.

You may enter as many as six choices in each answer box.




Which may serve both as H-bond donors and acceptors?

 [Watch Video Solution](#)

9. The following questions refer to the twelve compounds given below.


You may enter as many as six choices in each answer box.



Which compounds will not participate in H-bonding ?

 [Watch Video Solution](#)

10. Consider the following compounds and answer A and B.



Which of the compounds is the strongest Bronsted acid ?

- A. I
- B. II
- C. III
- D. IV

Answer: D

 [Watch Video Solution](#)

11.



Which of the compounds is the strongest Lewis base ?

A. I

B. II


C. III

D. IV

Answer: A

[▶ Watch Video Solution](#)

















12. Rank the non-bonding electrons indicated by the arrows in order of increasing energy.



[▶ Watch Video Solution](#)




13. In each of the following sections four nitrogen containing compounds are listed. In the box under each formula write a number (1 to 4) indicating the order of base strength.

(a)				
(b)				
(c)				
(d)				


 [Watch Video Solution](#)

14. For the two sets of acids shown below, rank their acidity most acidic to least acidic.



[▶ Watch Video Solution](#)









15. rank their acidity most acidic to least acidic.



[▶ Watch Video Solution](#)

16. In each of the following sections four compounds are listed. In the box under each formula enter a number (1 to 4) indicating the order of acid









strength (1 is strongest & 4 is weakest).

(a)	<chem>CH3CH2CH2CO2H</chem>	<chem>CH3CH2CHBrCO2H</chem>	<chem>ClCH2CH2CH2CO2H</chem>	<chem>CH3CCl2CO2H</chem>
(b)	<chem>C6H5CH2OH</chem>	<chem>C6H5CO2H</chem>	<chem>C6H5OCH3</chem>	<chem>C6H5OH</chem>
(c)				
(d)				

 Watch Video Solution









17. In the two questions below, you are asked to rank the relative strengths of illustrated acids and bases. Use your knowledge of resonance and inductive to answer this.

For the series of bases shown below, rank the set from strongest to weakest.

					Strongest
(a)	(b)	(c)	(d)		Weakest
					Strongest
(a)	(b)	(c)	(d)		Weakest





18. In the two questions below, you are asked to rank the relative strengths of illustrated acids and bases. Use your knowledge of resonance and inductive to answer this.

For the series of acids shown below, rank the set from strongest to weakest.

(i)					Strongest
	(a)	(b)	(c)	(d)	Weakest
(ii)					Strongest
	(a)	(b)	(c)	(d)	Weakest


19. In each of the following sections four compounds are listed. (Decreasing order of acidic strength, 1 is strongest & 4 is weakest).

(a)	$\text{CH}_2(\text{CO}_2\text{C}_2\text{H}_5)_2$	$\text{CH}_3\text{COCH}_2\text{CO}_2\text{C}_2\text{H}_5$	$(\text{CH}_3\text{CO})_2\text{CH}_2$	$\text{RC} \equiv \text{CH}$
(b)	$\text{RCH}_2\text{NO}_2$	$\text{RSO}_2\text{CH}_3$	$(\text{C}_6\text{H}_5)_3\text{CH}$	$\text{RCOCH}_3$
(c)	$\text{CH}_2(\text{C} \equiv \text{N})_2$	$\text{CH}_2(\text{NO}_2)_2$	$\text{HC} \equiv \text{N}$	$\text{RCH}_2\text{CO}_2\text{C}_2\text{H}_5$

(d)				
-----	---	---	---	---







 Watch Video Solution














20. Rank in the order of increasing basic strength.



 Watch Video Solution

21. Compare acidic strength of the following (Write your answer in box).


A.				
	(a)	(b)	(c)	
B.				
	(a)	(b)	(c)	

C.				
	(a)	(b)	(c)	
D.				
	(a)	(b)	(c)	(d)
E.				
	(a)	(b)	(c)	
F.				
	(a)	(b)	(c)	




Watch Video Solution

22. Arrange the hydrogens in increasing order of their acidic strengths.



 [Watch Video Solution](#)

23. The compounds whose structures are shown below, incorporate a variety of functional groups. The question on the right ask you to identify which compounds have a specific functional group. For each compound that has the designed group, enter the appropriate number. The aromatic rings should not be counted as double bonds.




Which have carbon-carbon double bonds ?

 [Watch Video Solution](#)

**24.** The compounds whose structures are shown below, incorporate a variety of functional groups. The question on the right ask you to identify which compounds have a specific functional group. For each compound that has the designed group, enter the appropriate number. The aromatic rings should not be counted as double bonds.






Which have a ketone carbonyl group ?

[▶ Watch Video Solution](#)


25. The compounds whose structures are shown below, incorporate a variety of functional groups. The question on the right ask you to identify which compounds have a specific functional group. For each compound that has the designed group, enter the appropriate number. The aromatic rings should not be counted as double bonds.



Which have an aldehyde carbonyl group?

[▶ Watch Video Solution](#)



26. The compounds whose structures are shown below, incorporate a variety of functional groups. The question on the right ask you to identify which compounds have a specific functional group. For each compound that has the designed group, enter the appropriate number. The aromatic rings should not be counted as double bonds.



Which have aromatic rings ?

[▶ Watch Video Solution](#)


27. The compounds whose structures are shown below, incorporate a variety of functional groups. The question on the right ask you to identify which compounds have a specific functional group. For each compound that has the designed group, enter the appropriate number. The aromatic rings should not be counted as double bonds.



Which have a hydroxy group ?

 Watch Video Solution


**28.** The compounds whose structures are shown below, incorporate a variety of functional groups. The question on the right ask you to identify which compounds have a specific functional group. For each compound that has the designed group, enter the appropriate number. The aromatic rings should not be counted as double bonds.



Which have ether groups ?

[▶ Watch Video Solution](#)


29. The compounds whose structures are shown below, incorporate a variety of functional groups. The question on the right ask you to identify which compounds have a specific functional group. For each compound that has the designed group, enter the appropriate number. The aromatic rings should not be counted as double bonds.



Which have an ester group?

 [Watch Video Solution](#)


**30.** The compounds whose structures are shown below, incorporate a variety of functional groups. The question on the right ask you to identify which compounds have a specific functional group. For each compound that has the designed group, enter the appropriate number. The aromatic rings should not be counted as double bonds.



Which have an amide group?

 [Watch Video Solution](#)

**31.** The compounds whose structures are shown below, incorporate a variety of functional groups. The question on the right ask you to identify which compounds have a specific functional group. For each compound that has the designed group, enter the appropriate number. The aromatic rings should not be counted as double bonds.



Which have a carboxylic acid group ?

 Watch Video Solution

Problem	A	B	C	D
1				
2				
3				
4				

32.

Which is the strongest acid in 1?



A. A

















B. B

C. C

D. D

Answer: B

 Watch Video Solution

Problem	A	B	C	D
1				
2				
3				
4				

33. ...

Which is weakest acid in 1 ?

A. A

















B. B

C. C

D. D

Answer: A

 Watch Video Solution

Problem	A	B	C	D
1				
2				
3				
4				

34.

Which is the strongest acid in 2 ?

A. A

















B. B

C. C

D. D

Answer: D

 Watch Video Solution

Problem	A	B	C	D
1				
2				
3				
4				

35. ...

Which is weakest acid in 2 ?

A. A

















B. B

C. C

D. D

Answer: B

 Watch Video Solution

Problem	A	B	C	D
1				
2				
3				
4				

36.

Which is the strongest acid in 3 ?

A. A

















B. B

C. C

D. D

Answer: A

 Watch Video Solution

Problem	A	B	C	D
1				
2				
3				
4				

37. ....

Which is weakest acid in 3 ?

A. A

















B. B

C. C

D. D

Answer: D

 Watch Video Solution

Problem	A	B	C	D
1				
2				
3				
4				

38.

Which is the strongest acid in 4 ?

A. A

















B. B

C. C

D. D

Answer: D

 Watch Video Solution

Problem	A	B	C	D
1				
2				
3				
4				

39. . . . .

Which is weakest acid in 4 ?

A. A

B. B


C. C

D. D

Answer: A

 Watch Video Solution

40. For each of the six structural formulae (A through F), shown below, five questions are posed. The answer to each is a number that should be entered in the appropriate answer box.









- |   |   |           |
|---|---|-----------|
| <p>A (i) Number of <math>sp^3</math> carbons:<br/>.....</p> <p>(ii) Number of <math>sp^2</math> carbons:<br/>.....</p> <p>(iii) Number of sp carbons:<br/>.....</p> <p>(iv) Number of carbon - carbon<br/><math>\sigma</math> - bonds:.....</p> <p>(v) Number of <math>\pi</math> - bonds to<br/>carbon:.....</p> | <p>B. Number of <math>sp^3</math><br/>carbons:.....</p> <p>Number of <math>sp^2</math> carbons:<br/>.....</p> <p>Number of sp carbons:<br/>.....</p> <p>Number of carbon - carbon<br/><math>\sigma</math> - bonds:.....</p> <p>Number of <math>\pi</math> - bonds to<br/>carbon:.....</p>         | <p>C.</p> |
| <p>D (i) Number of <math>sp^3</math> carbons:<br/>.....</p> <p>(ii) Number of <math>sp^2</math> carbons:<br/>.....</p> <p>(iii) Number of sp carbons:<br/>.....</p> <p>(iv) Number of carbon - carbon<br/><math>\sigma</math> - bonds:.....</p> <p>(v) Number of <math>\pi</math> - bonds to<br/>carbon:.....</p> | <p>E. Number of <math>sp^3</math><br/>carbons:.....</p> <p>Number of <math>sp^2</math> carbons:<br/>carbons:.....</p> <p>Number of sp carbons:<br/>.....</p> <p>Number of carbon - carbon<br/><math>\sigma</math> - bonds:.....</p> <p>Number of <math>\pi</math> - bonds to<br/>carbon:.....</p> | <p>F.</p> |



**Watch Video Solution**





41. Match the column (I) and (II). (Matrix)

Column (I)		Column (II)	
	Molecule		Property
(a)		(p)	cis-compound
(b)		(q)	trans-compound
(c)		(r)	Highest heat of combustion
(d)		(s)	lowest heat of combustion



Watch Video Solution


42. Match the column (I) and (II).

	Column (I)		Column (II)
	Molecule		$pK_a$ of Conjugate acid
(a)		(p)	0.8
(b)		(q)	5.33
(c)		(r)	10.65
(d)		(s)	10.95



Watch Video Solution

43. The junctions centered on atoms A, B and C on the given structure.



Which junctions has the greatest deviation from planarity ?

A. A

B. B


C. C

D. Cannot be predicted

**Answer: C**

 [Watch Video Solution](#)

44. The junctures centred on atoms A, B and C on the given structure.



Of the carbon-carbon bonds, (shown above) numbered from 1 to 4, which represent the most favourable site for  $H_2$  addition ?

A. 1


B. 2

C. 3

Answer: D


 [Watch Video Solution](#)

45. Select the most stable structure in each of the following



 [Watch Video Solution](#)


46. Select the most stable structure in each of the following



 [Watch Video Solution](#)

47. Select the most stable structure in each of the following

(a) $H_2C = CH - CH = CH - CH_3$	(b) $H_2C = C = CH - CH_2 - CH_3$
(c) $H_3C - CH = C = CH - CH_3$	(d) $H_2C = CH - CH_2 - CH = CH_2$



Answer: A

 [Watch Video Solution](#)

48. Match the column I and II. (Matrix)

Column (I)		Column (II)	
(a)	$-\text{NO}_2$	(p)	$-m$ effect
(b)	$-\text{O}^-$	(q)	$+m$ effect
(c)	$-\text{O} - \text{CH}_3$	(r)	$+I$ effect
(d)	$-\text{C} \equiv \text{N}$	(s)	$-I$ effect

 [Watch Video Solution](#)

49. Match the column I and II. (Matrix)

Column (I)		Column (II)	
(a)	$\text{H}_3\text{C}-\text{CH}=\text{CH}-\text{CH}_3$	(p)	Dipole ( <i>cis</i> > <i>trans</i> )
(b)	$\text{H}_3\text{C}-\text{CH}=\text{CH}-\text{CN}$	(q)	Dipole ( <i>trans</i> > <i>cis</i> )
(c)	$\text{H}_3\text{C}-\text{CH}=\text{CH}-\text{Cl}$	(r)	Melting point ( <i>trans</i> > <i>cis</i> )
(d)	$\text{Cl}-\text{CH}=\text{CH}-\text{Cl}$	(s)	Boiling point ( <i>cis</i> > <i>trans</i> )



Watch Video Solution

50. Identify the most stable structure in each of the following:













Part (A)			
(a)	(b)	(c)	(d)
Part (B)			
(a)	(b)	(c)	(d)
Part (C)			
(a)	(b)	(c)	(d)
Part (D)			
(a)	(b)	(c)	(d)
Part (E)			
(a)	(b)	(c)	(d)
Part (F)			
(a)	(b)	(c)	(d)

Part (G)			
(a)	(b)	(c)	(d)























51. Identify the most basic compound in the following.

Part (A)			
(a) 	(b) 	(c) 	(d) 
Part (B)			
(a) 	(b) 	(c) 	(d) 
Part (C)			
(a) NaOH	(b) NaOOCCH <sub>3</sub>	(c) NaOCH <sub>3</sub>	(d) NaNH <sub>2</sub>
Part (D)			
(a) 	(b) 	(c) 	(d) 



Watch Video Solution


52. Identify the most acidic hydrogen containing compound from the following.

**Part (A)****Part (B)****Part (C)****Part (D)****Part (E)**

Part (F)			
(a) $\text{CH}_3\text{CH}_2\text{OH}$	(b) $\text{CH}_3\text{CH}_2\text{NH}_2$	(c) $\text{CH}_3 - \text{C} \equiv \text{CH}$	(d) $\text{CH}_3 - \text{CH} = \text{CH}_2$
Part (G)			
(a) $\text{CH}_3 - \text{CO}_2\text{H}$	(b) $\begin{array}{c} \text{CH}_2 - \text{CO}_2\text{H} \\   \\ \text{NH}_3^{\oplus} \end{array}$	(c) $\begin{array}{c} + \\ \text{NH}_3 \\   \\ \text{C}_6\text{H}_5 \end{array}$	(d) $\begin{array}{c} + \\ \text{NH}_3 \\   \\ \text{C}_6\text{H}_{11} \end{array}$
Part (H)			
(a)	(b)	(c)	(d)
Part (I)			
(a)	(b)	(c)	(d)

 **Watch Video Solution**

53.




Give the type of hybridization present at each atom.

(i)  $\text{C}_1$  - ..... (ii)  $\text{C}_2$  - (iii)  $\text{O}$  - .....

..... (iv)  $\text{CH}_2$  - ..... (v)  $\text{C}_3$  - .....





 Watch Video Solution

54. Predict the direction of the following equilibrium. Write your answer in the box given below.



 Watch Video Solution





55. Match the column I and II. (Matrix)


Column (I)		Column (II)	
(a)	NaHCO <sub>3</sub> will react with	(p)	 Squaric acid
(b)	Na will react with	(q)	
(c)	NaOH will react with	(r)	
(d)	NaNH <sub>2</sub> will react with	(s)	

56. Match the column I and II.

Column (I)		Column (II)	
Acid		$pK_a$	
(a)	$\text{CH}_3 - \text{CO}_2\text{H}$	(p)	5.69
(b)	$(\text{CH}_3)_3\text{N}^+\text{CH}_2\text{CO}_2\text{H}$	(q)	4.27
(c)	$(\text{CH}_3)_3\text{N}^+(\text{CH}_2)_4\text{CO}_2\text{H}$	(r)	1.83
(d)	$\text{O}_2\text{C}^- - \text{CH}_2 - \text{CO}_2\text{H}$	(s)	4.80

57. Match the column I and II.

Column (I)		Column (II)	
(a)		(p)	$\text{NH}_3$
(b)		(q)	$^{14}\text{CO}_2$
(c)		(r)	$\text{CO}_2$
(d)		(s)	$\text{H}_2$






Sum of molecular mass of gas (A + C) is :

- A. 88
- B. 90
- C. 92
- D. 108

Answer: B

 Watch Video Solution







Sum of molecular mass of gas (A + C) is :



[Watch Video Solution](#)

60. Match the column I and II.


Column (I)		Column (II)	
	Molecule		Rotational free energy barrier
(a)		(p)	180 kJ/mol
(b)		(q)	88.3 kJ/mol
(c)		(r)	21 kJ/mol
(d)		(s)	Negative barrier



Watch Video Solution



61. Consider the following reaction of boron trifluoride ( $BF_3$ ) and acetone:




What is the critical HOMO (nucleophile) of this reaction ?

- A. non-bonding orbital on boron
- B.  $\sigma$  -orbital of acetone
- C.  $\pi$  -orbital of acetone
- D. non-bonding electron pair orbital on oxygen

**Answer: D**

 [Watch Video Solution](#)

62. Consider the following reaction of boron trifluoride ( $BF_3$ ) and acetone:




What is the critical LUMO (electrophile) of the reaction ?

- A. p-orbital of  $\text{BF}_3$
- B.  $\sigma$ -orbital of  $\text{BF}_3$
- C.  $\pi^*$  orbital of acetone
- D. non-bonding electron pair orbital on oxygen

**Answer: A**


 [Watch Video Solution](#)

**63.** Consider the following reaction of boron trifluoride ( $\text{BF}_3$ ) and acetone:




Which of the following is the correct product of this reaction ?


(Lone electron pairs are not shown explicitly).




A.



B.



C.




D.

Answer: A



Watch Video Solution


64. Rank the following carbocations according to stability (1 = most stable, 5 = least stable).



Put the answer in the boxes.

[▶ Watch Video Solution](#)

65. Consider the following reaction of boron trifluoride ( $BF_3$ ) and acetone:



what is the critical HOMO (nucleophile) of this reaction?

 [Watch Video Solution](#)

66. Among the given pairs, which is more reactive towards  $\text{AgNO}_3$  (or) toward hydrolysis.









	Compound (A)	Compound (B)	Put the Answer here
1.			
2.			
3.			
4.			
5.			
6.	$\text{CH}_3 - \text{O} - \text{CH}_2 - \text{Cl}$	$\text{CH}_3 - \text{CH}_2 - \text{CH}_2 - \text{Cl}$	
7.			
8.			
9.			

10.			
-----	--	--	--




Watch Video Solution

67. Put the answer in boxes given as directed.

S.No.	Property	Molecules	Correct Answer	Name of force responsible for the property
A.	highest boiling point	$\text{NCl}_3$ $\text{ClNH}_2$ $\text{NH}_4\text{Cl}$ $\text{NH}_3$		
B.	highest boiling point	  		
C.	most soluble in water	  		
D.	highest solubility in benzene	 		

[▶ Watch Video Solution](#)


68. Circle any conjugated portions of these molecules.



[▶ Watch Video Solution](#)

69. Arrange in the order as directed -


The given alkenes in the order of their stability (1- most stable, 3-least stable).



[▶ Watch Video Solution](#)

70. Arrange in the order as directed -

Arrange the following in the order of their acidic strength (1-most acidic, 4-least acidic)




[▶ Watch Video Solution](#)



71. Arrange in the order as directed -

Arrange the following molecules in order of expected boiling point.


(1=highest bpt , 4=lowest bpt.)



[▶ Watch Video Solution](#)





72. Arrange in the order as directed -

Arrange the following alkenes in order of their stability. (1 = most stable, 5 = least stable).



[▶ Watch Video Solution](#)



73. Match the column. (Matrix)








Column (I)		Column (II)	
Compounds		Number of Benzylic hydrogen	
(a)		(p)	2
(b)		(q)	3
(c)		(r)	4
(d)		(s)	5



Watch Video Solution

74. Identify (+M) mesomeric & (-M) group of following.


	+M	-M	-I	+I
				
				




Watch Video Solution

75. Identify the following solvents as polar protic (PP), polar aprotic (PA), non-polar protic (NPP) or non-polar aprotic (NPA).



[▶ Watch Video Solution](#)

76. Identify the stronger nucleophile in each pair.



[▶ Watch Video Solution](#)


77. Among the hydrides of halogens

Which has lowest boiling point ?

[▶ Watch Video Solution](#)

78. Encircle the molecule as directed :

Which has a higher boiling point :  $CH_3 - CH_2 - CH_2 - CH_2 - CH_3$




 [Watch Video Solution](#)

79. Encircle the molecule as directed :

Which is more miscible with methanol

( $CH_3OH$ ) :  $CH_3 - CH_2 - CH_2 - CH_2 - CH_3$  or



 [Watch Video Solution](#)


80. Encircle the molecule as directed :

higher melting point :  $CH_4$  or  $CH_3 - CH_2 - CH_3$

 [Watch Video Solution](#)

81. Encircle the molecule as directed :

Which has a higher boiling point :  $CH_3 - CH_2 - CH_2 - CH_2 - CH_3$



 [Watch Video Solution](#)

82. Encircle the molecule as directed :

Which is more stable :  $BH_3$  or  $BF_3$

 [Watch Video Solution](#)

83. Encircle the molecule as directed :

Which is a stronger base :  $HO^-$  or  $H_2O$

 [Watch Video Solution](#)

84. Encircle the molecule as directed :

Which is a stronger base :  $HO^-$  or  $HS^-$

 [Watch Video Solution](#)

85. HF is a weak acid but HCl is a strong acid because


 [Watch Video Solution](#)

86. Encircle the molecule as directed :

Which is a stronger acid : HOCl or HCl


 [Watch Video Solution](#)

87. Explain why A has lower boiling point than B ?



[▶ Watch Video Solution](#)


88. Arrange the protons shown in the decreasing order of their approximate bond energies.



[▶ Watch Video Solution](#)




89. Consider the H-atoms in the molecule given below and answer the following.



Identify the type ( $1^\circ$ ,  $2^\circ$  or  $3^\circ$  alkyl, vinyl, allyl etc.) of these H-atoms.

[▶ Watch Video Solution](#)


90. Consider the H-atoms in the molecule given below and answer the following.



Arrange them in the decreasing order of their ease of abstraction (easiest first)

[▶ Watch Video Solution](#)


91. Consider the molecule shown below and answer with respect to  $H_a \rightarrow H_e$




Identify the type of H-atom ( $1^\circ$ ,  $2^\circ$ ,  $3^\circ$  alkyl, vinyl or allyl)

[▶ Watch Video Solution](#)

92. Consider the molecule shown below and answer with respect to






Arrange them in decreasing order of their bond energy.


[▶ Watch Video Solution](#)

93. Rank the following carbocations in order of stability (1 = most stable).







[▶ Watch Video Solution](#)

94. Rank the following alkenes according to energy (1 = lowest energy).



Watch Video Solution

95. Match the column:


Column (I)		Column (II)	
(Compounds)		(Double bond equivalent value)	
(a)		(p)	11
(b)		(q)	12
(c)		(r)	13
(d)		(s)	14
		(t)	15



Watch Video Solution


Level 2 Subjective Problems

1. How many  $2^\circ$  carbon in the following ?




[▶ Watch Video Solution](#)

2. Find out the double bond equivalent (DBE) value of the given following compound:



[▶ Watch Video Solution](#)


3. Total number of functional groups present in the given following compound :



[▶ Watch Video Solution](#)




4. Total number of  $\alpha$ -hydrogen in the given following compound is:




[Watch Video Solution](#)

5. How many carbon atom present in the parent chain in the given following compound?



[▶ Watch Video Solution](#)

6. Total number of DBE value in :




[▶ Watch Video Solution](#)

7. How many isomers of  $C_4H_{10}O$  reacts with Na metal to evolve  $H_2$  gas ?  
(excluding stereoisomer)

 Watch Video Solution

8. Match the following columns







[x]-crown-[y]-ether.

value of  $\frac{x+y}{3} = ?$

---





 Watch Video Solution

9. Which of the given following compound will react with  $\text{NaHCO}_3$  or soluble in  $\text{NaHCO}_3$  ?



 [Watch Video Solution](#)


10. How many compound are stable after deprotonation ?



 [Watch Video Solution](#)


11. Sum of types of functional group and DBE value for given compound is

X so the value of X is :




 Watch Video Solution

12. P = Number of anti-aromatic compound, so the value of x is :



Q = Total number of resonating structures of carbonate ion  $[CO_3^{2-}]$


R = Number of  $\alpha$ -hydrogen in given carbocation



S = Total number of geometrical isomers of











T = Number of compound more acidic than  $CH_3CH_2OH$



Sum of (P+Q+R+S+T) - 15 is :

 [Watch Video Solution](#)

13.  $X$  = number of (+M) group attached with phenyl ring, so the value of  $x$  is.



Watch Video Solution