



PHYSICS

BOOKS - HC VERMA

ELECTROMAGNETIC WAVES

Examples

1. A parallel - plate capacitor is being charged. Show that the displacement current across an area in the region between the plates and parallel to it is equal to the conduction current in the connecting wires.



[Watch Video Solution](#)

2. The maximum electric field in a plane electromagnetic wave is 600NC^{-1} . The wave is going in the x-direction and the electric field is in

the y - direction. Find the maximum magnetic field in the wave and its direction.

 [Watch Video Solution](#)

3. The electric field in an electromagnetic wave is given by $E(50N(C^{-1}))\sin\omega\left(t - \frac{x}{c}\right)$. Find the energy contained in a cylinder of cross section 10 cm^2 and length 50 cm along the x - axis.

 [Watch Video Solution](#)

4. Find the intensity of the wave discussed in example .

 [Watch Video Solution](#)

Worked Out Examples

1. A parallel-plate capacitor with plate area A and separation between the plates d , is charged by a constant current i . Consider a plane surface of area $A/2$ parallel to the plates and drawn symmetrically between the plates. Find the displacement current through this area.



[Watch Video Solution](#)

2. A plane electromagnetic wave propagating in the x -direction has a wavelength of 5.0 mm . The electric field is in the y -direction and its maximum magnitude is $30 \text{ V}(m^{-1})$. Write suitable equations for the electric and magnetic fields as a function of x and t .



[Watch Video Solution](#)

3. A light beam travelling in the x -direction is described by the electric field

$$E_y(300 \text{ V}(m^{-1}) \sin \omega(t - (x/c))). \text{ Ane } \leq \text{ctronisconstra } \in \text{ed } \rightarrow \text{movealco}$$

$(2.0 \times 10^7) \text{ m (s}^{-1}\text{)}$). Find the maximum electric force and the maximum magnetic force on the electron.

 [Watch Video Solution](#)

4. Find the energy stored in a 60 cm length of a laser beam operating at 4 m W.

 [Watch Video Solution](#)

5. Find the amplitude of the electric field in a parallel beam of light of intensity 2.0 W m^{-2} .

 [Watch Video Solution](#)

Short Answer

1. In a microwave oven, the food is kept in a plastic container and the microwave is directed towards the food. The food is cooked without melting or igniting the plastic container. Explain.

 [Watch Video Solution](#)

2. A metal rod is placed along the axis of a solenoid carrying a high-frequency alternating current. It is found that the rod gets heated. Explain why the rod gets heated .

 [Watch Video Solution](#)

3. Can an electromagnetic wave be deflected by an electric field? By a magnetic field ?

 [Watch Video Solution](#)

4. A wire carries an alternating current $i = i_0 \sin \omega t$. In there an electric field in the vicinity of the wire?



[Watch Video Solution](#)

5. A capacitor is connected to an alternating- current source. Is there a magnetic field between the plates ?



[Watch Video Solution](#)

6. Can an electromagnetic wave be polarized?



[Watch Video Solution](#)

7. A plane electromagnetic wave is passing through a region. Consider the quantities (a) electric field, (b) magnetic field , (c) electrical energy in a small volume and (d) magnetic energy in a small volume. Construct pairs of the quantities that oscillate with equal frequencies.



[Watch Video Solution](#)

Objective 1

1. A magnetic field can be produced by _____ .

- A. a moving charge
- B. a changing electric field
- C. none of them
- D. both of them.

Answer: D



[Watch Video Solution](#)

2. A compass needle is placed in the gap of a parallel plate capacitor. The capacitor is connected to a battery through a resistance. The compass needle

A. does not deflect

B. deflects for a very short time and then comes back to the original position

C. deflects and remains deflected as long as the battery is connected

D. deflects and gradually comes to the original position in a time which is large compared to the time constant.

Answer: D

 [Watch Video Solution](#)

3. Dimension of $\left(\frac{1}{\mu_0}(\epsilon_0)\right)$ is

 [Watch Video Solution](#)

4. Electromagnetic waves are produced by

- A. a static charge
- B. a moving charge
- C. an accelerating charge
- D. chargeless particles.

Answer: C

 [Watch Video Solution](#)

5. An electromagnetic wave going through vacuum is described by

$$E = E_0 \sin(kx - \omega t), B = B_0 \sin(kx - \omega t).$$

Then

- A. $(E_0)k = (B_0)\omega$
- B. $(E_0)(B_0) = \omega k$
- C. $(E_0)\omega = B_0 k$
- D. none of these .

Answer: A



[Watch Video Solution](#)

6. An electric field \vec{E} and a magnetic field \vec{B} exist in a region. The fields are not perpendicular to each other.

- A. This is not possible
- B. No electromagnetic wave is passing through the region.
- C. An electromagnetic wave may be passing through the region
- D. An electromagnetic wave is certainly passing through the region.

Answer: C



[Watch Video Solution](#)

7. Consider the following two statements regarding a linearly polarized, plane electromagnetic wave:

The electric field and the magnetic field have equal average values.

The electric energy and the magnetic energy have equal average values.

A. Both A and B are true.

B. A is false but B is true.

C. B is false but A is true.

D. Both A and B are false.

Answer: A



[Watch Video Solution](#)

8. A free electrons is placed in the path of a plane electromagnetic wave.

The electron will start moving

A. along the electric field

B. along the magnetic field

C. along the direction of propagation of the waves

D. in a plane containing the magnetic field and the direction of propagation.

Answer: A

 [Watch Video Solution](#)

9. A plane electromagnetic wave is incident on a material surface. The wave delivers momentum p and energy E .

A. $p = 0, E \neq 0$.

B. $p \neq 0, E = 0$.

C. $p \neq 0, E \neq 0$.

D. $p = 0, E = 0$.

Answer: A

 [Watch Video Solution](#)

Objective 2

1. An electromagnetic wave going through vacuum is described by $E = E_0 \sin(kx - \omega t)$. Which of the following is/are independent of the wavelength?

A. k

B. ω

C. $\frac{k}{\omega}$

D. $k\omega$

Answer: C



[Watch Video Solution](#)

2. Displacement current goes through the gap between the plates of a capacitor when the charge of the capacitor

A. increase

B. decrease

C. does not change

D. is zero.

Answer: A::B



Watch Video Solution

3. Speed of electromagnetic waves is the same

A. for all wavelengths

B. in all media

C. for all intensities

D. for all frequencies .

Answer: C



Watch Video Solution

4. Which of the following have zero average value in a plane electromagnetic wave?

- A. electric field
- B. magnetic field
- C. electric energy
- D. magnetic energy.

Answer: A::B



[Watch Video Solution](#)

5. The energy contained in a small volume through which an electromagnetic wave is passing oscillates with

- A. zero frequency
- B. the frequency of the wave
- C. half the frequency of the wave

D. double the frequency of the waves.

Answer: D



[Watch Video Solution](#)

Exercises


1. Show that the dimensions of the displacement current $\left(\epsilon_0 \frac{d\Phi_E}{dt}\right)$ are that of an electric current.



[Watch Video Solution](#)

2. A point charge is moving along a straight line with a constant velocity v . Consider a small area A perpendicular to the direction of motion of the charge. Calculate the displacement current through the area when its distance from the charge is x . The value of x is not large so that the

electric field at any instant is essentially given by Coulomb's law.



[Watch Video Solution](#)

3. A parallel-plate capacitor having plate-area A and plate separation d is joined to a battery of emf ϵ and internal resistance R at $t=0$. Consider a plane surface of area $A/2$, parallel to the plates and situated symmetrically between them. Find the displacement current through this surface as a function of time.

[Watch Video Solution](#)

4. Consider the situation of the previous problem. Define displacement resistance $\left(R_d = \frac{V}{i_d}\right)$ of the space between the plates where V is the potential difference between the plates and i_d is the displacement current. Show that R_d varies with time as $(R_d) = (R(e^{t/\tau}-1))$.

A.

B.

C.

D.

Answer:



[Watch Video Solution](#)

5. Using $B = (\mu_0)Hf \in dtheration\left(\frac{E_0}{H_0}\right)$ for a plane electromagnetic wave propagating through vacuum. Show that it has the dimensions of electric resistance. This ratio is a universal constant called the impedance of free space.



[Watch Video Solution](#)

6. The sunlight reaching the earth has maximum electric field of $810V(m^{-1})$. What is the maximum magnetic field in this light?



[Watch Video Solution](#)

7. The magnetic field in a plane electromagnetic wave is given by

$$B = (200(\mu)T)\sin\left[\left(4.0 \times (10^{15})(s^{-1})\left(t - \left(\frac{x}{c}\right)\right)\right)\right]. \quad \text{Find the}$$

maximum electric field and the average energy density corresponding to the electric field .



[Watch Video Solution](#)

8. A laser beam has intensity $2.5 \times (10^{14})W(m^{-2})$. Find the amplitudes of electric and magnetic fields in the beam.



[Watch Video Solution](#)

9. The intensity of the sunlight reaching the earth is $1380W(m^{-2})$.

Assume this light to be a plane, monochromatic wave. Find the amplitudes of electric and magnetic field in this wave.



[Watch Video Solution](#)



Watch Video Solution