



# BIOLOGY

## BOOKS - AAKASH SERIES

### BREATHING AND EXCHANGE OF GASES

#### Exercise I Respiratory Organs

1. The figure shows a diagrammatic view of human respiratory system with labels A, B, C and D. Select the option which gives correct

identification and main function and/ or  
characteristic



A. Thyroid - the cartilage that has the

Adam's apple

B. C: Trachea - supported by incomplete

cartilaginous rings

C. B: Epiglottis - prevents the entry of food

into the larynx

D. D: Bronchi - gas exchange between the air and the blood takes place in them

**Answer: B**



**Watch Video Solution**

2. Identify correct sequence.

A. Breathing Pulmonary gas exchange →

Transport of gases systemic gas

exchange → cellular respiration

B. Breathing → systemic gas exchange

→ Transport of gases pulmonary gas

exchange → cellular respiration

C. Cellular respiration → pulmonary gas

exchange → transport of systemic gas

exchange → breathing

D. Cellular respiration → breathing →

pulmonary gas exchange - transport of

gases → systemic gas exchange

**Answer: A**



Watch Video Solution

3. Which of the following is a part of both digestive tract as well as respiratory tract?

A. Trachea

B. Larynx

C. Nose

D. Pharynx

**Answer: D**



4. Flow of water and blood to the respiratory organs is countercurrent in these animals

A. Sponges, coelenterates, flatworms

B. Pisces

C. Mammals

D. Aquatic arthropods & molluscs

**Answer: B**



5. Find the odd one out with respect to the respiratory organ.

A. Pisces

B. Mammals

C. Reptiles

D. Aves

**Answer: A**



**Watch Video Solution**

6. Choose incorrect statement about respiration.

A. Insects have a network of tubes.

B. Earthworms use their vascularised parapodia as respiratory structures.

C. Amphibians like frogs can respire through moist skin also.

D. Coelenterates exchange  $O_2$  with  $CO_2$  by simple diffusion over their entire body



surface.

**Answer: B**



**Watch Video Solution**

7. Identify the parts of respiratory tract without 'C' shaped cartilages.

A. Trachea

B. Primary bronchi

C. Secondary bronchi

D. Terminal bronchioles

**Answer: D**



**Watch Video Solution**

**8. Lungs do not enclose**

A. Bronchi

B. Trachea

C. Bronchioles

D. Alveoli

**Answer: B**



**Watch Video Solution**

**9. Identify the incorrect match.**

<b>Organism</b>	<b>Respiratory organs</b>
1) <i>Laccifer</i>	Gills
2) <i>Lepisma</i>	Tracheae
3) <i>Araneu</i>	Book lungs
4) <i>Pila</i>	Ctenidia



**Watch Video Solution**

10. Set of respiratory organs used for exchange of gases in terrestrial habitat is

- A. skin and gills
- B. gills and trachea
- C. trachea and lungs
- D. lungs and ctenidia

**Answer: C**



**Watch Video Solution**

11. Pharynx opens into trachea through

A. gullet

B. glottis

C. syrinx

D. alveoli

**Answer: B**



**Watch Video Solution**

12. Trachea divides into bronchi at the level of

A. atlas

B. axis

C. 3<sup>rd</sup> cervical vertebra

D. 5<sup>th</sup> thoracic vertebra

**Answer: D**



**Watch Video Solution**

**13.** Open circulatory system which does not participate in the transport of  $O_2$  occurs in

A. Echinodermata

B. Annelida

C. Arthropoda

D. Vertebrata

**Answer: C**



**Watch Video Solution**

**14.** Which of the following is a part of conducting zone in respiratory system?

A. Terminal bronchioles

B. Respiratory bronchioles

C. Alveolar ducts

D. Alveoli

**Answer: A**



**Watch Video Solution**

**15. Lungs are enclosed in**

A. periosteum



B. perichondrium

C. pericardium

D. pleural membranes

**Answer: D**



**Watch Video Solution**

**16.** Skin is an accessory organ of respiration in

A. humans

B. frog

C. rabbit

D. lizard

**Answer: B**



**Watch Video Solution**

**17.** Respiration in insects is called direct because

A. The cells exchange  $O_2/CO_2$  directly with the air in the tubes

B. The tissues exchange  $O_2/CO_2$  directly with coelomic fluid

C. The tissue exchange  $O_2/CO_2$  directly with the air outside through body surface

D. Tracheal tubes exchange  $O_2/CO_2$  directly with the haemocoel which then exchange with tissues

**Answer: A**



**Watch Video Solution**

**18.** Match the following and mark the correct options

<b>Animal</b>	<b>Respiratory Organ</b>
A) Earthworm	(i) Moist cuticle
B) Aquatic Arthropods	(ii) Gills
C) Fishes	(iii) Lungs
D) Birds/Reptiles	(iv) Trachea

A. A-(ii), B-(i), C-(iv), D-(iii)

B. A-(i), B-(iv), C-(ii), D-(iii)

C. A-(i), B-(iii), C-(ii), D-(iv)

D. A-(i), B-(ii), C-(iv), D (iii)

**Answer: B**



**Watch Video Solution**

## Exercise I Mechanism Of Breathing

1. The amount of air which one can inhale/exhale with maximum effort is called

A. vital capacity

B. tidal volume

C. IRV


D. ERV

**Answer: A**



**Watch Video Solution**

2. The movement of air observed in the following diagram is caused by the



A. contraction of external intercostal muscles

B. relaxation of external intercostal muscles

C. contraction of internal intercostal muscles

D. relaxation of the phrenic muscles

**Answer: A**



**Watch Video Solution**

**3. Mark the correct order of lung volumes**

A.  $TV < ERV < RV < IRV$

B.  $TV < RV < ERV < IRV$



C.  $IRV < RV < TV < ERV$

D.  $ERV < TV < RV < IRV$

**Answer: A**



**Watch Video Solution**

**4. Mark the correct order of lung capacities**

A.  $EC < FRC < IC < VC$

B.  $EC < IC < FRC < VC$

C.  $VC < IC < EC < FRC$

D.  $FRC < EC < IC < VC$

**Answer: A**



**Watch Video Solution**

**5. Inspiration can take place only when:**

A. Intrapulmonary pressure is more than the atmospheric pressure

B. Intrapulmonary pressure is less than the intrapleural pressure

C. There is a negative pressure in the atmosphere with respect to the lungs

D. There is a negative pressure in the lungs with respect to atmospheric pressure

**Answer: D**



**Watch Video Solution**

6. The volume of thoracic chamber increases in dorso-ventral axis due to the contraction of

A. Phrenic muscles

B. External intercostal muscles

C. Abdominal muscles

D. Internal intercostal muscles

**Answer: B**



**Watch Video Solution**

7. The volume of the air involved in breathing movements can be estimated by using

A. Spherometer

B. Sphygmomanometer

C. Spirometer

D. Voltmeter

**Answer: C**



**Watch Video Solution**

**8.** Which of the following happens during expiration?

- A. Increase in the pulmonary volume  
decreases the intrapulmonary pressure
- B. Increase in the pulmonary volume  
increases the intrapulmonary pressure
- C. Decrease in the thoracic volume  
decreases the intrapulmonary pressure
- D. Decrease in the thoracic volume slightly  
increases the intrapulmonary pressure

**Answer: D**



**Watch Video Solution**

9. In a normal healthy individual, the volume of air remaining in the lungs even after forcible expiration is about

A. 1200 ml

B. 500 ml

C. 3000ml

D. 2000ml

**Answer: A**



**Watch Video Solution**

10. When diaphragm contracts,

A. the volume of the thoracic cavity

increases

B. intrapulmonary pressure increases

C. the volume of the thoracic cavity

decreases

D. the intrapleural pressure increases

**Answer: A**





Watch Video Solution

11. Which of the following does not give the correct definition of a respiratory volume?

A. Residual volume = Volume of air remaining in the lungs after normal expiration

B. Inspiratory reserve volume = Additional volume of air a person can inspire by forcible inspiration

C. Tidal volume = Volume of air inspired or expired during normal respiration.

D. Expiratory reserve volume = Additional volume of air a person can expire by forcible expiration

**Answer: A**



**Watch Video Solution**

12. Which of the following statements is not correct?

A. An increase in pulmonary volume decreases the intra-pulmonary pressure to less than the atmospheric pressure

B. Relaxation of the diaphragm and the intercostal muscles increases the thoracic volume and thereby the pulmonary volume.

C. Intrapleural pressure is always less than intrapulmonary pressure

D. We have the ability to increase the strength of inspiration and expiration with the help of additional muscles in the abdomen.

**Answer: B**



**Watch Video Solution**

**13. Vital capacity does not include**

A. Tidal volume

B. Inspiratory reserve volume

C. Residual volume

D. Expiratory reserve volume

**Answer: C**



**Watch Video Solution**

## 14. Contraction of diaphragm

A. Increases      intra-alveolar      pressure

resulting in exhalation

B. Decreases      intra-alveolar      pressure

resulting in exhalation

C. Increases      intra-alveolar      pressure

resulting in inhalation

D. Decreases      intra-alveolar      pressure

resulting in inhalation

**Answer: D**



**Watch Video Solution**

**15. Which one of the following is incorrect?**

A. Expiratory capacity = ERV + TV

B. Vital capacity = TLC - RV

C. Inspiratory capacity = TV + IRV

D. Total lung capacity = IRV + ERV + RV

**Answer: D**



**Watch Video Solution**

**16.** The total volume of air accommodated in the lungs at the end of a forced inspiration is called -

- A. Residual volume
- B. Expiratory reserve volume
- C. Vital capacity
- D. Functional residual capacity

**Answer: D**





Watch Video Solution

17. Inspiration occurs when

A. Intrapulmonary pressure  $>$

Atmospheric pressure

B. Intrapulmonary pressure  $<$

Atmospheric pressure

C. Intrapulmonary pressure = Atmospheric pressure

D. Atmospheric pressure

> =

Intrapulmonary pressure

**Answer: B**



**Watch Video Solution**

**18.**  $O_2$  enters the lungs when

A. Positive pressure in the lungs

B. Positive pressure in the lungs

C. Negative pressure in the cells

D. Negative pressure in the lungs

**Answer: D**



**Watch Video Solution**

**19. Expiration occurs when**

A. Intrapulmonary pressure  $>$

Atmospheric pressure

B. Intrapulmonary pressure  $<$

Atmospheric pressure

C. Intrapulmonary pressure = Atmospheric pressure

D. Intrapulmonary pressure  $>$  = Atmospheric pressure

**Answer: A**



**Watch Video Solution**

**20.** Which of the following events is related to expiration?

A. decrease in the volume of the thoracic cavity

B. Increase in the volume of the thoracic cavity

C. Contraction of internal intercostal muscles

D. Contraction of external intercostal muscles

**Answer: B**



**Watch Video Solution**

21. Negative pressure inside lungs is created due to

A. The contraction of muscles of diaphragm & relaxation of external intercostal muscles

B. The relaxation of muscles of diaphragm & contraction of external intercostal muscles

C. The contraction of muscles of diaphragm & contraction of external intercostal muscles

D. The relaxation of muscles of diaphragm & relaxation of external intercostal muscles

**Answer: C**



**Watch Video Solution**

22. Which of the following events is not related to inspiration?

A. Increase in the volume of the thoracic cavity

B. Relaxation of external intercostal muscles

C. Contraction of external intercostal muscles

D. Contraction of the diaphragm



**Answer: B**



**Watch Video Solution**

**23.** Humans can increase the strength of both inspiration & expiration with the help of

- A. Internal intercostal muscles
- B. External intercostal muscles
- C. Muscles of diaphragm
- D. Additional muscles of abdomen

**Answer: D**



**Watch Video Solution**

**24.** On an average a healthy human breaths  
\_\_\_\_\_ times per minute

A. 12 – 20

B. 720-960

C. 4 – 5

D. 120-160

**Answer: B**



**Watch Video Solution**

**25.** The instrument that helps in clinical assessment of pulmonary functions is

- A. Spirometer
- B. Sphygmomanometer
- C. Voltmeter
- D. Ammeter

**Answer: A**



**Watch Video Solution**

**26.** Amount of air expelled from the lungs during the quiet breathing per one minute is

- A. 500 mL
- B. 6000-8000 mL
- C. 2,500 mL to 3000 mL
- D. 1000 - 1100 mL

**Answer: B**



**Watch Video Solution**

**27.** Volume of air remaining in the lungs even after a forcible expiration is

A. EC

B. RV

C. ERV

D. IRV

**Answer: B**



**Watch Video Solution**

**28.** Volume of air that will remain in the lungs after normal expiration is equal to

A.  $TV + ERV$

B.  $TV + IRV$

C.  $VC + ERV$

D.  $ERV + RV$

**Answer: D**



**Watch Video Solution**

**29.  $RV + VC =$**

A. EC

B. TLC

C. IC

D. RV

**Answer: B**



Watch Video Solution

30. The following diagram explains





A. Contraction of external intercostal muscles

B. Relaxation of external intercostal muscles

C. Volume of thoracic cavity is decreased


D. Diaphragm is relaxed

**Answer: A**



**Watch Video Solution**

31. The following diagram explains that



A. Volume of thoracic cavity is increased

B. Diaphragm is relaxed

C. Ribs and sternum are raised

D. Inspiration

**Answer: B**



**Watch Video Solution**

**32.** Identify the incorrect match about lung volumes.

A. TV-500 ml

B. IRV-3000 ml

C. RV-2000 ml

D. ERV- 1100 ml

**Answer: C**



**Watch Video Solution**

**33.** For the occurrence of inspiration intra pulmonary pressure should be

A. equal to atmospheric pressure

B. more than atmospheric pressure

C. less than atmospheric pressure

D. all of these

**Answer: C**



**Watch Video Solution**

**34.** The volume of thoracic chamber increases in dorso-ventral axis due to the contraction of

A. contraction of external inter-costal muscles

B. relaxation of external inter-costal muscles

C. relaxation of diaphragm

D. contraction of diaphragm

**Answer: D**



**Watch Video Solution**

**35.** Volume of air either inspired or expired during normal respiration is

A. Inspiratory reserve volume

B. Tidal volume

C. Inspiratory capacity

D. Vital capacity

**Answer: B**



**Watch Video Solution**

**36.** Choose the correct one of the following regarding respiratory capacities is

A.  $FRC = ERV + RV$

B.  $VC = IC - ERV$

C.  $IC = ERV + VC$

D.  $EC = IC - ERV$

**Answer: A**



**Watch Video Solution**

**37.** The maximum volume of air a person can breathe in after a forced expiration is



A. inspiratory capacity

B. vital capacity

C. expiratory capacity

D. total lung capacity

**Answer: B**



**Watch Video Solution**

**38.** Expiratory reserve volume of a healthy person is

A. 1000mL to 1100mL

B. 6000mL to 8000mL

C. 2500mL to 3000mL

D. 2100mL to 2200mL

**Answer: A**



**Watch Video Solution**

**39.** During inhalation diaphragm

A. becomes dome shaped

B. becomes flat

C. remain unchanged

D. expands

**Answer: B**



**Watch Video Solution**

**40.** A person suffer punctures in his chest cavity in an accident without any damages to the lungs its effect could be

- A. Reduced breathing rate
- B. Rapid increase in breathing rate
- C. No change in respiration
- D. Cessation of breathing

**Answer: D**



**Watch Video Solution**

**41.** Mark the true statement among the following with reference to normal breathing.

A. Inspiration is a passive process where as expiration is active

B. Inspiration is an active process where asb expiration is a passive process

C. Inspiration and expiration are active processes

D. Inspiration and expiration are passive processes

**Answer: B**



**Watch Video Solution**

**42.** Mark the correct pair of muscles involved in the normal breathing in humans.

A. External and internal intercostals muscles

B. Diaphragm and abdominal muscles

C. Diaphragm and external intercostals muscles

D. Diaphragm and intercostal muscles

**Answer: C**



**Watch Video Solution**

**43.** In breathing movements, air volume can be estimated by

- A. Stethoscope
- B. hygrometer
- C. Sphygmomanometer
- D. Spirometer

**Answer: D**



**Watch Video Solution**

**44.** A person breathes in some volume of air by forced inspiration after having a forced expiration this quantity of air taken in is

- A. Total lung capacity
- B. Tidal volume
- C. Vital capacity
- D. Inspiratory capacity



**Answer: C**



**Watch Video Solution**

**45.** Identify the correct and incorrect statements about respiratory volume and capacities and mark the correct answer

Inspiratory capacity (IC) = Tidal Volume + Residual Volume

Vital Capacity (VC) = Tidal Volume (TV) + Inspiratory Reserve Volume (IRV) + Expiratory Reserve Volume (ERV)

Tidal Volume (TV) = Inspiratory Capacity (IP) --

Inspiratory Reserve Volume (IRV)

A. (i) Incorrect, (ii) Incorrect, (iii) Incorrect,

(iv) Correct

B. (i) Incorrect, (ii) Correct, (iii) Incorrect,

(iv) Correct

C. (i) Correct, (ii) Correct, (iii) Incorrect, (iv)

Correct

D. (i) Correct, (ii) Incorrect, (ii) Correct, (iv)

Incorrect


**Answer: B**



**Watch Video Solution**

## Exercise I Exchange Of Gases

1. Study the following diagram and select the option that correctly identifies the partial pressure of oxygen at A, B and C.




	<b>A</b>	<b>B</b>	<b>C</b>
1)	40 mm Hg	104 mm Hg	95 mm Hg
2)	95 mm Hg	104 mm Hg	40 mm Hg
3)	40 mm Hg	95 mm Hg	104 mm Hg
4)	40 mm Hg	45 mm Hg	95 mm Hg



**Watch Video Solution**

2. Study the following diagram and choose the option that correctly identifies the parts labeled A, B, C and D.



	A	B	C	D
1)	pulmonary vein	systemic artery	pulmonary artery	systemic vein
2)	systemic artery	pulmonary vein	systemic vein	pulmonary artery
3)	pulmonary artery	pulmonary vein	systemic vein	systemic artery
4)	pulmonary artery	systemic vein	pulmonary vein	systemic artery



Watch Video Solution

3. Choose the correct statement regarding the partial pressures of respiratory gases.

A.  $pCO_2$  is more than that of  $O_2$  in atmosphere.

B.  $pCO_2$  in oxygenated blood is equal to partial pressure of  $O_2$  in deoxygenated blood

C. Solubility of  $CO_2$  is 20-25 time lesser than  $O_2$

D.  $pCO_2$  in tissues is equal to  $O_2$  partial pressure in oxygenated blood.

**Answer: B**



**Watch Video Solution**


**4. Identify correct one.**

Location	$pO_2$ (mm Hg)
1) Atmosphere	0.3
2) Deoxygenated blood	95
3) Tissue cells	40
4) Alveoli	105



**Watch Video Solution**

5.  $O_2$  in the blood passing through 'A' in the following diagram is



A. 95 mm Hg

B. 40 mm Hg



C. 104 mm Hg


D. 45 mm Hg

**Answer: B**



**Watch Video Solution**

6. Identify simple squamous epithelium of alveolus from the following diagram.



A. A

B. B

C. C

D. D

**Answer: C**



Watch Video Solution

7. The difference in the partial pressures of carbon dioxide is very less at the alveoli of lungs (about 5 mm Hg). Still higher amount of carbon dioxide can diffuse through the diffusion membrane compared to that of Oxygen. The reason is

A. Difference in the partial pressures of oxygen is low at the alveoli of lungs when compared to  $CO_2$

- B. Solubility of carbon dioxide is 20-25 times higher than that of oxygen.
- C. The alveolar membrane is with a single layer of thin squamous epithelium
- D. Thin diffusion membrane is favourable for diffusion of gases

**Answer: B**



**Watch Video Solution**

8. The rate of diffusion of respiratory gases is affected by:

A. Pressure gradient of the gases

B. Solubility of the gas

C. Diffusion distance

D. All the above

**Answer: D**



**Watch Video Solution**

9. Identify the correct match.

A. Atmospheric air :  $pO_2$ - 159 mm Hg,  $pCO_2$

- 3 mm Hg

B. Pulmonary artery :  $PO_2$  – 95 mm Hg ,

$pCO_2$  -40 mm Hg

C. Alveolar air :  $pO_2$  – 104 mm Hg,  $pCO_2$ -

40 mm Hg

D. Pulmonary vein :  $pO_2$  – 40mm Hg ,  $pCO_2$

- 45 mm Hg

**Answer: C**



**Watch Video Solution**

**10. Primary site of pulmonary gas exchange is**

A. Trachea

B. Alveoli

C. Larynx

D. Bronchi

**Answer: B**



Watch Video Solution

11. Rate of diffusion of gases is not influenced by

- A. Pressure gradient
- B. Solubility of gases
- C. Thickness of olfactory membrane
- D. Distance of diffusion

**Answer: C**





12. The partial pressure of  $O_2$  in atmospheric air, alveoli, deoxygenated blood, oxygenated blood and tissues respectively (in mm Hg) is

A. 159, 104, 40, 95, 40

B. 0.3, 40, 45, 40, 45

C. 104, 40, 95, 40, 40

D. 159, 40, 95, 40, 45, 76.

**Answer: A**



13. Choose the correct statement.

A. Partial pressure of  $CO_2$  is more than that of  $O_2$  in atmosphere.

B. Partial pressure of  $CO_2$  in oxygenated blood is equal to partial pressure of  $O_2$  in deoxygenated blood.

C. Solubility of  $CO_2$  is 20-25 times lesser than  $O_2$

D. Partial pressure of  $CO_2$  in tissues is equal to  $O_2$  partial pressure in oxygenated blood.

**Answer: B**



**Watch Video Solution**

**14.** Partial pressure of  $O_2$  in alveoli is

A. 45 mm Hg

B. 104 mm Hg

C. 159 mm Hg

D. 50 mm Hg

**Answer: B**



**Watch Video Solution**

**15.** The diffusion membrane is made up of:

(A) Thick columnar epithelium of alveoli

(B) Endothelium of alveolar capillaries

(C) Basement substances in between capillaries and alveoli

A. Thin squamous epithelium of alveoli

B. Endothelium of alveolar capillaries

C. Basement membrane

D. All the above

**Answer: D**



**Watch Video Solution**

**16.** Partial pressure of  $CO_2$  in alveoli, oxygenated blood, deoxygenated blood, tissue respectively (in mm Hg) are

A. 40, 40, 40, 40

B. 45, 45, 40, 40

C. 40, 40, 45, 45

D. 45, 45, 45, 45

**Answer: C**



**Watch Video Solution**

**17.** After taking a long breath, we can hold the breath as long as

A.  $CO_2$  in the blood is more

B.  $H^+$  in the blood is more

C.  $CO_2$  in the blood is less

D.  $O_2$  in the blood less

**Answer: C**



**Watch Video Solution**

**18.** In lungs, air is separated from venous blood by

A. 1. Squamous epithelium + Tunica externa  
of blood vessel

B. 2. Squamous epithelium + endothelium  
of blood vessel

C. 3. Columnar epithelium + 3 layered wall  
of blood vessel

D. 4. Transitional epithelium + Tunica media  
of blood vessel

**Answer: A**



**Watch Video Solution**



**19.** Correct one of the following regarding partial pressure (mm in Hg) of  $O_2$  and  $CO_2$  in systemic veins respectively is

A. 40 and 45

B. 95 and 40

C. 104 and 40

D. 100 and 140

**Answer: A**



**Watch Video Solution**

20. The  $CO_2$  content by volume, in the atmospheric air is about

A. 3.34 %

B. 4 %

C. 0.0314 %

D. 0.34 %

**Answer: C**



**Watch Video Solution**

21. Which one of the following vertebrate organs receives the oxygenated blood only ?

A. Spleen

B. Liver

C. Gill

D. Lung

**Answer: A**



**Watch Video Solution**

## Exercise I Transport Of Gases

1. Every 100 mL of deoxygenated blood delivers approximately

- A. 5 mL of  $O_2$  to the tissues
- B. 5 mL of  $CO_2$  to the tissues
- C. 4 mL of  $CO_2$  to the alveoli
- D. 4 mL of  $O_2$  to the alveoli

**Answer: C**



**Watch Video Solution**

2. Carbon dioxide (CO) diffuses into blood from tissue site and passes to alveolar site in the form of

A. bicarbonate: 70%

B. bicarbonate: 20-25%

C. carbamino haemoglobin: 60-70%

D. carbamino haemoglobin: 7%

**Answer: A**



**Watch Video Solution**

3. Oxygen binding to haemoglobin in blood is

A. directly proportional to the concentration of  $CO_2$  in the medium

B. inversely proportional to the concentration of  $CO_2$  in the medium

C. directly proportional to the concentration of CO in the medium

D. independent of the concentration of CO  
in the medium

**Answer: B**



**Watch Video Solution**

4. Carbon dioxide is considered a harmful by-product of cellular respiration because it

A. lowers the hydrogen ion concentration  
in the blood

B. combines with haemoglobin to form  
carboxyhaemoglobin

C. has more affinity for haemoglobin

D. lowers the pH of the blood

**Answer: D**



**Watch Video Solution**

5. About seven percent of carbon dioxide is  
transported to the lungs



- A. as carbamino compounds through RBC
- B. in a dissolved state through the plasma
- C. as bicarbonate ions through RBC
- D. as bicarbonate ions through the plasma

**Answer: B**



**Watch Video Solution**

6. Right-shift of oxygen-haemoglobin dissociation curve can occur due to

A. High pH

B. Low temperature

C. High  $H^+$  concentration

D. Low  $pCO_2$

**Answer: C**



**Watch Video Solution**

7. The affinity of haemoglobin for oxygen increases due to

- A. Increase of carbon dioxide in the blood and decrease in the pH
- B. Increase of temperature and decrease in the partial pressure of carbon dioxide
- C. Decrease in the partial pressure of carbon dioxide and rise in pH
- D. Decrease of temperature and increase in partial pressure of carbon dioxide

**Answer: C**



**Watch Video Solution**

8. The following are the two statements regarding carbon dioxide:

(a) Carbon dioxide produced during cellular respiration must be eliminated from the body.

(b) Carbon dioxide reacts with water to form carbonic acid and thus increases pH.

Of the above statements, which one of the following options is correct

A. (b) is correct but (a) is false

B. Both (a) and (b) are correct

C. (a) is correct but (b) is false

D. Both (a) and (b) are false

**Answer: C**



**Watch Video Solution**

9. Which of the following is the most important factor that determines whether oxygen binds to or dissociates from haemoglobin?

A. Partial pressure of carbon dioxide

B. pH

C. Body temperature

D. Partial pressure of oxygen

**Answer: D**



**Watch Video Solution**

**10.** Formation of carbonic acid from carbon dioxide and water is catalysed by

A. Carbonic anhydrase

B. Adenylate cyclase

C. Restriction endonuclease

D. Phenylalanine hydroxylase

**Answer: A**



**Watch Video Solution**

**11.** Every 100 mL of oxygenated blood delivers approximately

- A. 5 ml of  $O_2$  to the tissues
- B. 5 ml. of  $CO_2$  to the tissues
- C. 4 mL of  $CO_2$  to the alveoli
- D. 4 ml of  $O_2$  to the alveoli

**Answer: A**



**Watch Video Solution**

**12.** The chemical bond between oxygen and haemoglobin is



- A. Stable and reversible
- B. Unstable and reversible
- C. Stable and irreversible
- D. Unstable and irreversible

**Answer: B**



**Watch Video Solution**

**13.** Percentage of  $O_2$  transported from lungs to the tissues through RBC is

A. 3

B. 67

C. 97

D. 75

**Answer: C**



**Watch Video Solution**

**14.** Percentage of  $O_2$  &  $CO_2$  transported in a dissolved state through plasma respectively

A. 3 and 7

B. 7 and 3

C. 20 and 7

D. 7 and 20

**Answer: A**



**Watch Video Solution**

**15.** The curve obtained when percentage saturation of Hb with  $O_2$  is plotted against  $pO_2$  is

A. J shaped

B. Rectangular hyperbola

C. Linear curve

D. Sigmoid curve

**Answer: D**



**Watch Video Solution**

**16.** Which of the following factors is not favourable for the formation of oxyhaemoglobin ?

A. High pH

B. Low temperature

C. High  $pO_2$

D. High  $H^+$  concentration

**Answer: D**



**Watch Video Solution**

**17.** The major factor which could affect the binding of  $CO_2$  to Hb is

A. Low temperature

B.  $pO_2$

C. High pH

D. High temperature

**Answer: B**



**Watch Video Solution**

**18.** Amount of  $CO_2$  transported as bicarbonates, carbamino compounds and dissolved condition respectively is

A. 70%, 23%, 7%

B. 23%, 7%, 70%

C. 70%, 7%, 23%

D. 7%, 23%, 70%

**Answer: A**



**Watch Video Solution**

**19.** Although much  $CO_2$  is carried in blood, yet blood does not become acidic, because

A.  $H^+$  ions do not bind with haemoglobin

B.  $O_2$  does not bind with haemoglobin

C. Acid base buffers

D. Carbonic anhydrase in RBC

**Answer: C**



**Watch Video Solution**

**20.** In lungs there is definite exchange of ions between RBC and plasma. Removal of  $CO_2$  from blood involves



A. Influx of  $HCO_3^-$  ions into RBC

B. Influx of  $Cl^-$  into RBC

C. Efflux of  $H^+$  ions from RBC

D. Efflux of  $HCO_3^-$  ions from RBC

**Answer: A**



**Watch Video Solution**

**21.** Much of  $CO_2$  is transported by the blood

as

A. Dissolved in plasma

B. Bicarbonate

C. Attached to haemoglobin

D. Carbonate

**Answer: B**



**Watch Video Solution**

**22.** Factor that helps in formation of oxyhaemoglobin in the alveoli is

A. high  $pCO_2$

B. high  $pO_2$

C. higher  $H^+$  concentration

D. all of these

**Answer: B**



**Watch Video Solution**

**23.** Carbonic anhydrase is present in very high concentration in

A. plasma

B. epithelial tissue

C. RBC

D. muscular tissue

**Answer: C**



**Watch Video Solution**

**24.** Carbonic anhydrase helps in the formation  
of

A. carbamino-haemoglobin

B. oxyhaemoglobin

C. carbonic acid

D. All of the above

**Answer: C**



**Watch Video Solution**

**25. Haemoglobin has greater affinity for**

A.  $O_2$

B. CO

C.  $CO_2$

D.  $O_3$

**Answer: B**



**Watch Video Solution**

**26.** Which of the following favours dissociation of  $HbO_2$  ?

A. higher pH

B. low temperature

C. lower  $pCO_2$

D. high  $H^+$

**Answer: D**



**Watch Video Solution**

27.  $CO_2$  dissociates from carbamino haemoglobin when

A.  $pCO_2$  is high and  $pO_2$  is low

B.  $pO_2$  is high and  $pCO_2$  is low

C.  $pCO_2$  and  $pO_2$  are equal

D. none of these

**Answer: B**



**Watch Video Solution**

**28.** It is known that exposure to carbon monoxide is harmful to animals because

A. It reduces  $CO_2$  transport



B. It reduces  $O_2$  transport

C. It increases  $CO_2$  transport

D. It increases  $O_2$  transport

**Answer: B**



**Watch Video Solution**

**29.** Mark the incorrect statement in context to

$O_2$  binding to Hb

A. Lower pH

B. Lower temperature

C. lower  $pCO_2$

D. Higher  $pO_2$

**Answer: A**



**Watch Video Solution**

**30.**  $CO_2$  dissociates from carbamino haemoglobin when

A.  $pCO_2$  is high and  $pO_2$  is low

B.  $pO_2$  is high and  $pCO_2$  is low

C.  $pCO_2$  and  $pO_2$  are equal

D. None of above

**Answer: B**



**Watch Video Solution**

**31.** Right-shift of oxygen-haemoglobin dissociation curve can occur due to

A. high  $pCO_2$

B. high  $pO_2$

C. Low  $pCO_2$

D. Less  $H^+$  concentration

**Answer: A**



**Watch Video Solution**

## Exercise I Regulation Of Respiration

1. Pneumotaxic centre is associated with

A. breathing

B. excretion

C. digestion

D. sleeping

**Answer: A**



**Watch Video Solution**

**2. Carotid bodies are stimulated by**

A.  $CO_2$  concentration in venous blood

B.  $O_2$  concentration in arterial blood

C.  $CO_2$  concentration in arterial blood

D.  $O_2$  concentration in venous blood

**Answer: C**



**Watch Video Solution**

**3. Respiration is controlled by:**

A. medulla oblongata

B. cerebellum

C. hypothalamus

D. cerebrum

**Answer: A**



**Watch Video Solution**

**4.** Chemosensitive area of respiratory centre in medulla is affected by

A. less  $CO_2$  and  $H^+$  ions

B. less  $O_2$  and  $H^+$  ions

C. excess  $CO_2$  and  $H^+$  ions

D. excess  $O_2$  and  $H^+$  ions

**Answer: C**



**Watch Video Solution**

5. Choose the incorrect statement.

A. Receptors associated with aortic arch  
can recognize changes in  $H^+$   
concentration



B. A chemosensitive area is located adjacent to respiratory rhythm centre.

C. Chemosensitive area is highly sensitive to  $CO_2$

D. The role of oxygen in the regulation of respiratory rhythm is quite significant .

**Answer: D**



**Watch Video Solution**

6. The centres that regulate respiratory rhythm are located in:

A. Cerebrum and cerebellum

B. Pons and midbrain

C. Midbrain and medulla

D. Medulla and pons

**Answer: D**



**Watch Video Solution**

7. Pick out the correct statements:

a) Pneumotaxic centre moderates the functioning of respiratory rhythm centre.

b) Pneumotaxic centre is primarily responsible for regulation of respiratory movements.

c) Decrease in pH of cerebrospinal fluid is detected by medulla.

d) The role of carbon dioxide in the regulation of respiratory rhythm is quite insignificant.

A. (a) and (c) are correct

B. (b) and (d) are correct

C. (a), (c) and (d) are correct

D. (a), (b) and (c) are correct

**Answer: A**



**Watch Video Solution**

**8.** The basic rhythm of respiration is controlled  
by

A. Medullary rhythmicity centre

B. Apneustic centre

C. Pneumotaxic centre

D. Cardiovascular centre

**Answer: A**



**Watch Video Solution**

9. When you hold your breath, which of the following gas changes in blood would first lead to the urge to breathe?

A. Falling carbon dioxide

B. Rising oxygen

C. Rising carbon dioxide

D. Falling oxygen

**Answer: C**



**Watch Video Solution**

**10.** Respiratory rhythm centre is present in

: —

A. Medulla

B. Cerebellum

C. Cerebrum

D. Pons

**Answer: A**



**Watch Video Solution**

**11.** The respiratory rhythm centre is present in  
the

A. Medulla

B. Cerebellum

C. Cesebium

D. Pons

**Answer: D**



**Watch Video Solution**

**12. Medulla oblongata has**

A. Respiratory rhythm centre

B. Chemosensitive area



C. Pneumotaxic centre

D. (1) & (2)

**Answer: D**



**Watch Video Solution**

**13.** Choose the incorrect statement.

A. The role of oxygen in the regulation of respiratory rhythm is quite significant.

- B. Receptors associated with aortic arch can recognize changes in  $CO_2$  &  $H^+$  concentration.
- C. Decrease in concentration of  $O_2$  cannot activate chemosensitive area.
- D. Chemosensitive area is located nearer to respiratory rhythm centre.

**Answer: A**



**Watch Video Solution**

14. Identify correct match.

A. Pneumotaxic centre - Pons

B. Respiratory rhythm centre - Cerebellum

C. Chemosensitive area - Pulmonary aorta

D. Carotid receptors - Medulla

**Answer: A**



**Watch Video Solution**

15. Respiratory process is regulated by 'certain specialised centres in the brain. One of the following listed centres can reduce the inspiratory duration upon stimulation.

A. Medullary inspiratory centre

B. Pneumotaxic centre

C. Apneustic centre

D. Chemosensitive centre

**Answer: B**



Watch Video Solution

## Exercise I Disorders Of Respiratory System

1. Which of the following match is correct?

A. Emphysema : reduction of surface area  
of alveoli

B. Pneumonia : occupational disease with  
asbestos

C. Silicosis : inflammation of alveoli

D. Asthma : excessive secretion of bronchial  
mucus

**Answer: A**



**Watch Video Solution**

2. Cigarette smoking increases the risk of

A. jaundice

B. emphysema

C. SARS

D. pneumonia

**Answer: B**



**Watch Video Solution**

**3.** Which one of the following gives the correct description of a health disorder?

A. Asthma- Inflammation of pleural membranes of the lung

B. Jaundice - Bilirubin is not produced in the body

C. Emphysema- Alveolar walls are damaged

D. Constipation- Increased frequency of bowel movement

**Answer: C**



**Watch Video Solution**



4. Difficulty in breathing causes wheezing due to constriction of bronchi and bronchioles in case of

A. Asthma

B. Emphysema

C. Bronchitis

D. Pneumonia

**Answer: A**



**Watch Video Solution**

5. Major cause for the respiratory disorder, characterized by decreased respiratory surface area is

A. Tobacco chewing

B. Hypersensitivity

C. Bacteria

D. Tobacco smoking

**Answer: D**



**Watch Video Solution**

6. Long exposure to dust can give rise to:

A. Fibrosis

B. Decreasing respiratory surface area

C. Accumulation of mucus

D. Inflammation of bronchi

**Answer: A**



**Watch Video Solution**

7. Which of the following is a respiratory disease?

A. Polio

B. Cancer

C. Emphysema

D. Arthritis

**Answer: C**



**Watch Video Solution**

8. Which of the following is not a COPD?

A. Pneumonia

B. Asthma

C. Bronchitis

D. Emphysema

**Answer: A**



**Watch Video Solution**

9. Incidence of emphysema a respiratory disorder is high in cigarette smokers. In such cases

A. The bronchioles are found damaged

B. The alveolar walls are found damaged

C. The plasma membrane is found damaged

D. The respiratory muscles are found damaged


**Answer: B**



**Watch Video Solution**

## Exercise II Respiratory Organs

1. The part labeled as 'C' in the following diagram is internally lined by



A. Simple squamous epithelium

B. Pseudostratified ciliated epithelium

C. Pseudostratified nonciliated epithelium

D. Stratified squamous epithelium

**Answer: B**



**Watch Video Solution**

2. Ciliated epithelium lining the trachea and bronchi is advantageous because



A. Cilia act as sensory hairs

B. Cilia increase the surface area of absorption

C. Cilia kill foreign microbes

D. Ciliary movement propels the mucus and foreign particle towards the larynx

**Answer: D**



**Watch Video Solution**

3. Which type of epithelium correctly matches with its location?

<b>Epithelium</b>	<b>Location</b>
1) Simple columnar	Pleura
2) Stratified squamous	Bronchioles
3) Simple cuboidal	Bronchi
4) Pseudostratified ciliated	Trachea



**Watch Video Solution**

4. Which of the following pairs of parts are formed by the same type of epithelium?

A. Trachea - Bronchiole

B. Pharynx- stomach

C. Pleura -Alveoli

D. Alveoli-intestinal villi

**Answer: C**



**Watch Video Solution**

5. Common passage for food and air in humans is

A. Oesophagus

B. Nasopharynx

C. Laryngopharynx

D. Larynx

**Answer: C**



**Watch Video Solution**

**6. Trachea divides into bronchi at the level of**

A. 5<sup>th</sup> vertebra

B. 12<sup>th</sup> vertebra

C. 10<sup>th</sup> vertebra

D. 17<sup>th</sup> vertebra

**Answer: B**



**Watch Video Solution**

7. Choose correct statement about anatomical arrangement of lungs.

A. They are surrounded by axial skeletal and appendicular skeletal bones

B. They are surrounded by appendicular skeleton only

C. They are surrounded by axial skeleton only

D. They are surrounded by axial skeleton and diaphragm

**Answer: D**



**Watch Video Solution**

8. Twisted bones of nasal chambers are

A. Choanae

B. Conchae

C. Rima glottidis

D. Mediastinum

**Answer: B**



**Watch Video Solution**

9. In alcohol fermentation

A. carbon dioxide is taken in

B. oxygen is taken in

C. oxygen is given out

D. carbon dioxide is given out

**Answer: D**



**Watch Video Solution**



10. Rima glottidis is the opening in between

A. external nares

B. internal nares

C. conchae

D. vocal folds

**Answer: D**



**Watch Video Solution**

11. Schneiderian epithelium is found in

A. loop of Henle

B. trachea

C. bowman's capsule

D. nasal mucosa

**Answer: D**



**Watch Video Solution**

12. The metal in haemocyanin is

A. Fe

B. Cu

C. Co

D. Ni

**Answer: B**



**Watch Video Solution**

13. Number of laryngeal cartilages, primary bronchi, vocal cords (true plus false), lobes of the lungs (right plus left) respectively in man are

A. 9, 2, 4, 5

B. 2, 2, 2, 2

C. 6, 4, 2, 9

D. 2, 4, 4, 2

**Answer: A**



Watch Video Solution

**14.** The following are the two statements regarding alveolar fluid:

(a) It contains a surfactant that reduces the tendency of alveoli to collapse.

(b) Surfactant in the alveolar fluid lowers the surface tension.

Of the above statements, which one of the following options is correct?

A. (b) is correct but (a) is false

B. Both (a) and (b) are correct

C. (a) is correct but (b) is false

D. Both (a) and (b) are false

**Answer: B**



**Watch Video Solution**

**15.** Which of the following respiratory organs are not supplied with blood vessels?

A. The gills of a shark

B. The tracheae of a locust

C. The lungs of a rabbit

D. The skin of an earthworm

**Answer: B**



**Watch Video Solution**

**16.** Double ventilation occurs in the lungs of

A. Amphibians

B. Birds

C. Reptiles

D. Mammals

**Answer: B**



**Watch Video Solution**

**17. Haemocyanin pigment is found in**

A. Insecta

B. Annelida

C. Nematoda

D. Crustacea



**Answer: D**



**Watch Video Solution**

**18.** The total number of alveoli present in both the lungs of man is

- A. 30 lakh
- B. 30 million
- C. 400 million
- D. 300 million

**Answer: D**



**Watch Video Solution**

**19.** The number of lobes in the right and left lung of man respectively are

A. 2 & 3

B. 3 & 2

C. 4 & 2

D. 2 & 4

**Answer: B**



**Watch Video Solution**

20. Two friends are eating together on a dining table. One of them suddenly starts coughing while swallowing some food. This coughing would have been due to improper movement of

A. Neck

B. Tongue

C. Epiglottis

D. Diaphragm

**Answer: C**



**Watch Video Solution**

**21.** Mammalian RBC doesn't utilize the received oxygen and completely transfer it to tissue cells because of

A. Biconcave shape

B. Enucleate

C. absence of mitochondria

D. absence of haemoglobin

**Answer: C**



**Watch Video Solution**

**22. Gland associated with olfactory epithelium are**

A. Bartholin's glands

B. Bowman's glands

C. Cowper's glands

D. Brunner's glands

**Answer: B**



**Watch Video Solution**

**23.** The region of lung through which blood vessels, nerves enter/exit the lung is

A. hilum

B. cardiac notch

C. mediastinum

D. alveoli

**Answer: A**



**Watch Video Solution**

**24. Vertebrate lungs arise from**

A. pharynx

B. alveoli

C. skin

D. ribs

**Answer: A**



**Watch Video Solution**

**25.** Nasal cavity and oral cavity are separated  
by

A. nasal septum

B. diaphragm



C. hard palate

D. mediastinum

**Answer: C**



**Watch Video Solution**

**26. Nasopharynx receives these openings**

A. Conchae

B. Choanae

C. Columella auris

D. Larynx

**Answer: B**



**Watch Video Solution**

**27.** Cardiac notch is present in

A. atria

B. cardiac stomach

C. left lung

D. right lung

**Answer: C**



**Watch Video Solution**

**28.** Which one of the following statements is incorrect?

A. The principle of countercurrent flow facilitates efficient respiration in gills of fishes

B. The residual air in lungs slightly decreases the efficiency of respiration in mammals

C. The presence of non-respiratory air sacs, increases the efficiency of respiration in birds

D. In insects, circulating body fluids serve to distribute oxygen to tissues

**Answer: D**




**Watch Video Solution**

## Exercise II Mechanism Of Breathing

1. Which of the following does not occur during the stage of ventilation depicted in the

following diagram?



A. Intrapleural pressure is more than  
alveolar pressure

B. Alveolar pressure is less than atmospheric pressure

C. External intercostal muscles and diaphragm relax

D. Alveolar pressure is more than atmospheric pressure

**Answer: B**



**Watch Video Solution**

2. Which of the following pulmonary volume can't be measured by spirometer directly ?

- A. Tidal volume
- B. Inspiratory reserve volume
- C. Expiratory reserve volume
- D. Residual volume

**Answer: D**



**Watch Video Solution**



3. Total lung capacity is : —

A. Tidal Volume + Inspiratory Reserve

Volume + Expiratory Reserve Volume

B. Inspiratory Capacity + Functional

Residual Capacity

C. Vital Capacity - Residual Volume

D. Residual Volume + Inspiratory Reserve

Volume + Expiratory Reserve Volume

**Answer: B**



**Watch Video Solution**

4. The function of conducting part in respiratory system of human is : —

A. clearing dust particles from inhaled air

B. humidifying inhaled air

C. bringing inhaled air to body temperature

D. all of these

**Answer: D**



Watch Video Solution

5. Between breaths, the intrapleural pressure is approximately \_\_\_\_\_ mmHg less than atmospheric pressure.

A. 1

B. 4

C. 8

D. 10


**Answer: B**



**Watch Video Solution**

**6.** Study the following spirogram and select the option that correctly identifies the lung

volumes labeled A, B, C and D.



	A	B	C	D
1)	tidal volume	inspiratory reserve volume	expiratory reserve volume	residual volume
2)	inspiratory reserve volume	expiratory reserve volume	tidal volume	residual volume
3)	tidal volume	residual volume	expiratory reserve volume	inspiratory reserve volume
4)	expiratory reserve volume	inspiratory reserve volume	tidal volume	residual volume



Watch Video Solution

7. Hiccups can be best described as

A. forceful sudden expiration

B. forceful contraction of intercostal muscles during deep breathing

C. vibration of soft palate during breathing while sleeping

D. jerky incomplete inspiration

**Answer: D**



**Watch Video Solution**

**8.** Anatomic dead space in the respiratory tract of man is about

A. 1.5 L

B. 500 mL

C. 250 mL

D. 150 ml

**Answer: D**



**Watch Video Solution**

9. A person suffer punctures in his chest cavity in an accident without any damages to the lungs its effect could be

- A. reduced breathing rate
- B. rapid increase in breathing rate
- C. no change in respiration
- D. cessation in breathing

**Answer: D**



**Watch Video Solution**



## Exercise II Exchange Of Gases

1. Difficulty in breathing on high mountains is due to

A. Decrease in  $pO_2$

B. Increase in  $CO_2$  concentration

C. Decrease in amount of  $O_2$

D. All of these

**Answer: A**



**Watch Video Solution**

2. People living at sea level have around 5 million RBC per cubic millimeter of their blood whereas those living at an altitude of 5400 metres have around 8 million this is because at high altitude

A. People eat more nutritive food, therefore more RBC are formed

B. People get pollution free air to breathe and more oxygen is available

C. Atmospheric  $O_2$  level is less and more

RBC are needed to absorb the required

amount of  $O_2$  to survive

D. There is more UV radiation which

enhances RBCs production

**Answer: C**



**Watch Video Solution**

3. The exchange of gases in the alveoli of the lungs takes place by

A. passive transport

B. active transport

C. osmosis

D. simple diffusion

**Answer: D**



**Watch Video Solution**

4. Which two of the following changes (1-4) usually tend to occur in the plain dwellers when they move to high altitudes?

(a) Increase in RBC size

(b) Increase in RBC production

(c) Increase in breathing rate

(d) Increased oxygen-binding capacity of haemoglobin

A. b&c

B. c&d

C. a & d

D. b&d

**Answer: A**



**Watch Video Solution**

## Exercise II Transport Of Gases

1. Hamburger's phenomenon is also known as

A. chloride shift mechanism

B. sodium - potassium pump

C. carbonic acid shift mechanism

D. hydrogen shift mechanism

**Answer: A**



**Watch Video Solution**

**2. Bohr effect is related with**

A. reduced carbon level in lymph

B. reduced oxygen level in haemoglobin

C. oxidised phosphorus level in blood

D. reduced carbon level in blood

**Answer: B**




**Watch Video Solution**

**3.** The following oxygen-haemoglobin dissociation curves explain the effect of pH on oxygen-affinity of haemoglobin. Find out option that gives the correct descending



order of pH for X, Y and Z.



A.  $Z > Y > X$

B.  $X > Z > Y$

C.  $Y > X > Z$

D.  $X > Y > Z$

**Answer: D**



**Watch Video Solution**

4. Conditions responsible for shifting of  $O_2$  dissociation curve away from Y-axis (Right side) are

A. Low  $pO_2$

B. High  $pCO_2$

C. High temperature

D. All

**Answer: D**



**Watch Video Solution**

5. Which of the following is an amphoteric molecule in man?

A. Carbonic anhydrase

B. Haemocyanin

C. Haemoglobin

D. Albumin

**Answer: C**



**Watch Video Solution**

**6. Reverse chloride shift begins at the**

A. Venular end of pulmonary capillary

B. Arteriolar end of systemic capillary

C. Venular end of systemic capillary

D. Arteriolar end of pulmonary capillary

**Answer: D**



Watch Video Solution

7. Unloading of oxygen is relatively more at which of the following areas

A. Lungs

B. Smooth muscles

C. Skeletal muscles

D. Gills

**Answer: C**



8. Compound soluble in water which does not impede oxygen transpiration is

A.  $\text{NO}$

B.  $\text{SO}_2$

C.  $\text{CO}$

D.  $\text{SO}_3$

**Answer: A**



9. How much amount of oxygen can bind to one gram of haemoglobin?

A. 20 ml

B. 1.34 ml

C. 40 ml

D. 13.4 ml

**Answer: B**



**Watch Video Solution**

10. When man inhales air containing normal concentration of  $O_2$  but also carbon monoxide he suffers from suffocation because

A. CO reacts with  $O_2$  reducing its percentage in air

B. Haemoglobin combines with CO instead of  $O_2$  and forms carboxyhaemoglobin

C. CO affects diaphragm and intercostal muscles

D. CO affects the nerves of the lungs



**Answer: B**



**Watch Video Solution**

**11.** What is the oxidation state of iron in haemoglobin ?



**Answer: B**



**Watch Video Solution**

**12.** Which of the following is not true about foetal haemoglobin?

- A. It is a tetramer and consists of two alpha subunits and two beta subunits
- B. Its oxygen-affinity is more than that of adult haemoglobin

- C. Its oxygen-haemoglobin dissociation curve is to the left of the maternal oxygen haemoglobin dissociation curve.
- D. It binds BPG less strongly than does adult haemoglobin

**Answer: A**



**Watch Video Solution**

**13.** Haemoglobin acts as a buffer due to the presence of

A. Lysine

B. Histidine

C. Glutamine

D. Aspartic acid

**Answer: B**



**Watch Video Solution**

14. With increase in concentration of 2,3 bisphosphoglycerate

A. increases affinity of Hb for  $CO_2$

B. increases affinity of Hb for  $CO$

C. increases affinity of Hb for  $O_2$

D. decreases affinity of Hb for  $O_2$

**Answer: D**



**Watch Video Solution**

## Exercise II Regulation Of Respiration

1. The state, during which the respiratory centre is inhibited, is termed as

- A. anoxia
- B. asphyxia
- C. suffocation
- D. choking

**Answer: A**



**Watch Video Solution**

2. Select the option that correctly describes the location and function of a respiratory centre.

A. Pneumotaxic centre - Pons - Reduces the duration of inhalation

B. Respiratory rhythm centre - Cerebellum - Establishes the basic respiratory rhythm

C. Apneustic centre - Midbrain - Sends stimulatory impulses to the inspiratory

centre

D. Expiratory centre - Medulla - Stimulates  
contraction of diaphragm

**Answer: A**



**Watch Video Solution**

**3.** The duration of inhalation is shortened by  
signals from

A. pneumotaxic area



B. apneustic area

C. inspiratory area

D. expiratory area

**Answer: A**



**Watch Video Solution**

4. When  $CO_2$  concentration in blood increases breathing becomes

A. shallower and slow

B. there is no effect on breathing

C. slow and deep

D. faster and deeper

**Answer: D**



**Watch Video Solution**

## **Exercise II Disorders Of Respiratory System**

1. Which one of the following diseases does not affect the lower respiratory tract?

A. Common cold

B. Emphysema

C. Bronchitis

D. Asthma

**Answer: A**



**Watch Video Solution**

2. Which of the following disorders results in increased residual volume?

A. Emphysema

B. Pneumonia

C. Coryza

D. Tuberculosis

**Answer: A**



**Watch Video Solution**

**3. Which of the following has been declared a killer disease under Factory Act?**

A. Tuberculosis

B. Asbestosis

C. Shigellosis

D. Asthma

**Answer: B**



**Watch Video Solution**

**4. Severe Acute Respiratory Syndrome (SARS)**

A. is caused by a variant of Pneumococcal pneumonia

B. is caused by a variant of the common cold virus (corona virus)

C. is an acute form of asthma

D. affects non-vegetarians much faster than the vegetarians

**Answer: B**



**Watch Video Solution**

5. Many visitors to the hills suffer from skin and allergy problems because

A. Percentage of oxygen is low at high altitudes

B. Partial pressure of oxygen is low at high altitudes

C. They exhibit physiological polycythemia

D. Conifer trees produce a large quantity of wind - borne pollen grains

**Answer: D**



**Watch Video Solution**

6. An asthmatic patient has difficulty in breathing. Which of the following would you administer to the patient? Why?

A. Histamine to cause vasodilation in the alveoli

B. Norepinephrine, to contract smooth muscles in the bronchioles



C. Antihistamine, to counteract the  
broncho-constriction caused by  
histamine

D. Acetylcholine, to cause  
bronchoconstriction

**Answer: C**



**Watch Video Solution**

7. The "blue baby" syndrome results from

A. Methaemoglobin

B. Excess of chlorides

C. Excess of dissolved oxygen

D. Excess of TDS

**Answer: A**



**Watch Video Solution**

**8.** Increased asthmatic attacks in certain seasons are related to

A. Low temperature

B. Inhalation of seasonal pollen

C. Hot and humid environment

D. Eating fruits preserved in tin containers

**Answer: B**



**Watch Video Solution**

**Exercise Ii Miscellaneous**

1. When proteins are respiratory substrate, RQ will be

A. 20

B. 1.0

C. 0.8

D. 1.5

**Answer: C**



**Watch Video Solution**

2. Osmoresiology is the study of sense of

A. Taste

B. Pain

C. Vision

D. Smell

**Answer: D**



**Watch Video Solution**

3. RQ means

A. ratio of  $CO_2$  produced to  $O_2$  utilized

B. consumption of  $CO_2$  per minute

C. consumption of  $O_2$  per minute

D. ratio of heat and  $O_2$  consumption

**Answer: A**



**Watch Video Solution**

4. Blood analysis of a patient reveals an unusually

high quantity of carboxyhaemoglobin content.

The

patient has been inhaling polluted air containing

unusually high content of

A. carbon disulphide

B. chloroform

C. carbon dioxide

D. carbon monoxide

**Answer: D**



**Watch Video Solution**

## Exercise Iii Previous Aipmt Neet Questions

1. Lungs are made up of air filled sacs the alveoli they do not collapse even after forceful expiration because of

- A. Residual volume
- B. Inspiratory reserve volume
- C. Tidal volume
- D. Expiratory reserve volume



**Answer: A**



**Watch Video Solution**

2. Which of the following cannot be measured by spirometry?

- A. Tidal volume
- B. Inspiratory reserve volume
- C. Residual volume
- D. Vital capacity

**Answer: C**



**Watch Video Solution**

**3.** A pollution can result in Emphysema, which is

A. Chronic damage to air sacs or alveoli leading to abnormal reduction in respiratory surface area

B. Persistent inflammation and damage to the cells lining the bronchi and bronchioles

C. An allergic reaction causing muscle spasms in the bronchial walls

D. Damage to any Lung tissue causing increase in elasticity of the air sacs

**Answer: A**



**Watch Video Solution**

4. Name the chronic respiratory disorder caused mainly by cigarette smoking

A. Emphysema

B. Asthma

C. Respiratory acidosis

D. Respiratory alkalosis

**Answer: A**



**Watch Video Solution**

5. Reducing in pH of blood will

A. Reduce the rate of heart beat

B. Reduce the blood supply to the brain

C. Decrease the affinity of haemoglobin  
with oxygen

D. Release bicarbonate ions by the liver

**Answer: C**



**Watch Video Solution**

6. The partial pressure of oxygen in the alveoli of the lungs is

- A. equal to that in the blood
- B. more than that in the blood
- C. less than that in the blood
- D. less than that of carbon dioxide

**Answer: B**



**Watch Video Solution**

7. Lungs do not collapse between breaths and some air always remains in the lungs which can never be expelled because

A. there is a negative pressure in the lungs

B. there is a negative intrapleural pressure  
pulling at the lung walls

C. there is a positive intrapleural pressure

D. pressure in the lungs is higher than the  
atmospheric pressure

**Answer: B**



**Watch Video Solution**

8. In which disease due to narrowing of tracheal passages alveoli are deprived of oxygen ?

A. Pneumonia

B. Asthma

C. Pleurisy

D. Emphysema



**Answer: D**



**Watch Video Solution**

9. When you hold your breath, which of the following gas changes in blood would first lead to the urge to breathe?

- A. Falling  $CO_2$  concentration
- B. Rising  $CO_2$  and falling  $O_2$  concentration
- C. Falling  $O_2$  concentration
- D. Rising  $CO_2$  concentration

**Answer: D**



**Watch Video Solution**

**10.** Approximately seventy percent of carbon dioxide absorbed by the blood will be transported to the lungs

- A. As bicarbonate ions
- B. In the form of dissolved gas molecules
- C. By binding to R.B.C.
- D. As carbamino - haemoglobin

**Answer: A**



**Watch Video Solution**

**11.** The figure shows a diagrammatic view of human respiratory system with labels A, B, C and D. Select the option which gives correct identification and main function and/ or characteristic



A. C - Alveoli . Thin walled vascular bag like structures for exchange of gases

B. D - Lower end of lungs - Diaphragm pulls it down during inspiration

C. A - Trachea - Long tube supported by complete cartilaginous rings for conducting inspired air.

D. B Pleural membrane - Surround ribs on both sides to provide cushion against rubbing.

**Answer: A**



**Watch Video Solution**

**12.** Which one of the following is the correct statement for respiration in humans?

A. Cigarette smoking may lead to

inflammation of bronchi

B. Neural signals from pneumotaxic centre

in pons region of brain can increase the

duration of inspiration

C. Workers in grinding and stone-breaking

industries may suffer from lung fibrosis

D. About 90% of carbon dioxide ( $CO_2$ ) is

carried by haemoglobin as carbamino

haemoglobin

**Answer: C**



**Watch Video Solution**

**13.** Why people migrate from place to place? Is there any families migrate from your village for employment? What about the position of remaining family members?

A.

B.

C.

D.

**Answer: A**



**Watch Video Solution**

14. A large proportion of oxygen remain unused in the human blood even after its uptake by the body tissues. This  $O_2$

A. Acts as a reserve during muscular exercise

B. Raises the  $pCO_2$  of blood to 75 mm of Hg.

C. Is enough to keep oxyhaemoglobin saturation at 96%



D. Helps in releasing more  $O_2$  to the epithelial tissues

**Answer: A**



**Watch Video Solution**

**15.** The figure given below shows a small part of human lung where exchange of gas takes place. In which one of the options given below, the one part A, B , C or D is correctly identified

along with its function.



A. C: arterial capillary - passes oxygen to  
tissues

B. A : alveolar cavity - main site of exchange  
of respiratory gases

C. D: capillary wall - exchange of  $O_2$  and  
 $CO_2$  takes place here

D. B: red blood cells - transport of  $CO_2$   
mainly

**Answer: B**



**Watch Video Solution**

**16.** Bulk of carbon dioxide ( $CO_2$ ) released from body tissues into the blood is present as

A. Bicarbonate in blood plasma and RBCs

B. Free  $CO_2$  in blood plasma

C. 70% as carbamino-haemoglobin and  
30% as bicarbonate

## D. Carbamino-haemoglobin in RBCs

**Answer: A**



**Watch Video Solution**

**17.** Which one of the following is a possibility for most of us in regard to breathing by making a conscious effort ?

A. One can breathe out air totally without oxygen

B. One can breathe out air through Eustachian tube by closing both nose and mouth

C. One can consciously breathe in and breathe out by moving the diaphragm alone, without moving the ribs at all

D. The lungs can be made fully empty by forcefully breathing out all air from them

**Answer: C**



Watch Video Solution

18. Which of the following statement is true about RBCs in humans?

A. They carry about 20-25 per cent of  $CO_2$

B. They transport 99.5 per cent of  $O_2$

C. They transport about 80 per cent oxygen

only and the rest 20 per cent of it is

transported in dissolved state in blood

plasma

D. They do not carry  $CO_2$  at all

**Answer: A**



**Watch Video Solution**

**19.** Listed below are four respiratory capacities (i-iv) and four jumbled respiratory volumes of a normal human adult

---

<i>Respiratory capacities</i>	<i>Respiratory volumes</i>
(i) Residual volume	2500 mL
(ii) Vital capacity	3500 mL
(iii) Inspiratory reserve volume	1200 mL
(iv) Inspiratory capacity	4500 mL

A. (ii) 2500 mL, (iii) 4500 ml

B. (iii) 1200 mL,(iv) 2500 mL

C. (iv) 3500 mL , (i)1200 mL

D. (i) 4500 mL, (ii) 3500 mL

**Answer: C**



**Watch Video Solution**

**20. What is vital capacity of our lungs ?**



A. Inspiratory reserve volume plus  
expiratory reserve volume

B. Total lung capacity minus residual  
volume

C. Inspiratory reserve volume plus tidal  
volume

D. Total lung capacity minus expiratory  
reserve volume

**Answer: B**



**Watch Video Solution**

21. The haemoglobin of human foetus

- A. Has only 2 protein subunits instead of 4
- B. Has a higher affinity for oxygen than that of an adult
- C. Has a lower affinity for oxygen than that of an adult
- D. Its affinity for oxygen is the same as that of an adult

**Answer: B**



**Watch Video Solution**