

India's Number 1 Education App

## **BIOLOGY**

## **BOOKS - AAKASH SERIES**

## PHOTOSYNTHESIS IN HIGHER PLANTS

#### Exercise I

## 1. Correct equation for photosynthesis is

A. 
$$6CO_2+6H_2O \xrightarrow[ ext{Chlorophylls}]{ ext{Light}} C_6H_{12}O_6+6O_2+6H_2O$$

B. 
$$6CO_2+6O_2 \xrightarrow[ ext{Chlorophylls}]{ ext{Light}} C_6H_{12}O_6+6O_2+6H_2O$$

C. 
$$6CO_2+12H_2O \xrightarrow{ ext{Light}} C_6H_{12}O_6+6O_2+6H_2O$$

D. 
$$6CO_2+12H_2O \xrightarrow{ ext{Light}} C_6H_{12}O_6+6O_2+6H_2O$$

## Answer: C

watch video Solution

**2.** It serves as both reactant and a product in the photosynthetic process of higher plants

A.  $CO_2$ 

B.  $O_2$ 

 $\mathsf{C}.\,H_2O$ 

D. glucose

### **Answer: C**



**Watch Video Solution** 

3. In higher plants the by product of photo-synthesis is

A.  $O_2$ 

 $\operatorname{B.}H_2O$ 

D. ATP
Answer: A
Watch Video Solution
<b>4.</b> Photosynthesis is
A. Physico biochemical process
B. Anabolic process
C. Endergonic reaction
D. all the above
Answer: D
Watch Video Solution

C. Carbohydrates

5. Oxygenic photosynthesis occurs in
A. Chromatium
B. Chlorella
C. Rhodospirillum
D. Chlorobium
Answer: B
Watch Video Solution
6. In photosynthesis, oxygen is liberated during
A. Reduction of carbon dioxide
B. Hydrolysis of carbohydrate
C. Photolysis of water
D. Breakdown of chlorophyll

## Answer: C



**Watch Video Solution** 

- 7. The first step in photosynthesis is the
  - A. Synthesis of ATP
  - B. Photoexcitation of chlorophyll
  - C. Photolysis of water
  - D. Release of oxygen

#### **Answer: B**



**Watch Video Solution** 

**8.** Ultimate source of hydrogen atoms for the synthesis of glucose is

A.  $H_2O$ 

B. NADPH
C. FADH
D. $n(CH_2O)$
Answer: A
Watch Video Solution
<b>9.</b> Plants stone glucose as
A. Monosaccharides
B. Cellulose
C. Starch
D. Glycogen
Answer: C
Watch Video Solution

**10.** Plants do not store carbohydrate as glucose but do so as starch because glucose

- A. Dissolves an water, thereby altering the osmotic balance
- B. Attracts insects herbivores
- C. Is an unstable molecule
- D. Would replace ribose in DNA synthesis

#### **Answer: A**



- **11.** Which one of the following statements about photosynthesis is not true?
  - A. All green plants photosynthesize
  - B. Only green plants photosynthesize
  - C. Carbon dioxide is reduced during photosynthesis

D. Some bacteria also photosynthesize
Answer: B
Watch Video Solution
12. Which one of the following categories of organism does not evolve
oxygen during photosynthesis?
A. Anabaena
B. Funaria

C. Pisum

**Answer: D** 

D. Rhodospirillum

13. Anoxygenic photosynthesis do not involved
A. Photosystems
B. ATP synthesis
$C.CO_2$ fixation
D. Photolysis of water
Answer: D
Watch Video Solution
<b>14.</b> Photosynthesis first occurred in
A. Cyanobacteria
B. Green plants
C. Mycoplasma
D. Green algae

#### **Answer: A**



**Watch Video Solution** 

- 15. A specific function of light in the process of photosynthesis is
  - A. Splitting of  $CO_2$
  - B. Production of ATP and reducing power (NADPH)
  - C. Combining  $CO_2$  and  $H_2O$
  - D. Releasing energy from glucose

#### **Answer: B**



- **16.** The oxygen in  $H_2{\cal O}$  produced during ETC comes from
  - A.  $CO_2$

B.  $H_2O$ C. Both (1) & (2) D.  $O_2$  in air Answer: A Watch Video Solution 17. A fish thrives better in an aquarium if green plants are growing in it. This is because A.  $CO_2$  $B.O_2$ C. Fish food D. None of these **Answer: B Watch Video Solution** 

18. Which statement about photosynthesis is incorrect?

A. The electron carriers involved in phosphorylation are located on the thylakoid membranes

B. Photosynthesis is a redox process, in which water is oxidised and carbondioxide is reduced

C. The enzymes required for carbon fixation are located on grana of chloroplast

D. In green plants, both PS - I and PS = II are required for the formation  $\mbox{ of } NADPH \, + \, H^{\, +}$ 

#### **Answer: C**



A. Water gets oxidised B. Carbondioxide get reduced C. Oxygen is evolved as byproduct D. All the above Answer: D **Watch Video Solution** 20. Which of the following statements is true for photosynthesis? A. It takes place during day time B. It takes place in all green cells C. It is redox process D. All the above Answer: D **Watch Video Solution** 

21. Bacterial photosynthesis conta	ins
------------------------------------	-----

- A.  $H_2S$  gets oxidised
- B. Carbondioxide get reduced
- C. Sulphur is evolved as a by product
- D. All the above

#### **Answer: D**



- **22.** Maximum photosynthesis takes place by :
  - A. Diatoms
  - B. Dinoflagellates
  - C. Euglenoids

D. Prozoans

#### Answer: A



**Watch Video Solution** 

- 23. Engleman's experiments with green algae demonstrated that
  - A. The full spectrum of sunlight is needed for photosynthesis
  - B. Only red wavelength is effective in causing photosynthesis
  - C. Only blue wavelength is effective
  - D. Both blue and red wavelength are effective in causing photosynthesis

#### **Answer: D**



**24.** First of all who demosntrate that sunlight is essential for photosynthesis in plants.

A. Joseph Priestley

B. Jan Ingenhousz

C. FF Blackman

D. T W Englman

#### **Answer: B**



Watch Video Solution

**25.** First action spectrum of photosynthesis based on study of Cladophora was given by -

A. Julius von Sachs

B. Jan Ingenhousz

C. T.W Englemann

Π.	D.Arnon	
IJ.	DALIOIL	

#### Answer: C



**Watch Video Solution** 

**26.** Where is NADP reductase enzyme located in the chloroplast ? What is the role of this enzyme in proton gradient development ?

- A. in stroma of chloroplast
- B. in lumen
- C. on the surface of thylakoid membrane towards stroma
- D. in periplastidial space

## Answer: C



## 27. Moll's half leaf experiment shows

- A. Light for Photosynthesis
- B.  $CO_2$  for Photosynthesis
- C. Chlorophyll for Photosynthesis
- D.  $H_2$  for Photosynthesis

#### **Answer: B**



**Watch Video Solution** 

## 28. Choose the incorrect match

- A. Plants take  $CO_2$  and release oxygen Joseph Priestley
- B. The empirical equation of an oxygenic photo-synthesis -Van Neil
- C. First action spectrum of Photosynthesis Engelmann
- D. Evidence for production of glucose in chloroplast Ingenhouz


# **Watch Video Solution** 29. The First scientist to find out the role of light in photosynthesis was A. Sachs **B.** Priestly C. Senebier D. Ingen Housz **Answer: D Watch Video Solution 30.** The process of photophosphorylation was discovered by A. Priestley

Answer: D

- B. Warburg C. Arnon D. Calvin Answer: C **Watch Video Solution** 31. Variegated leaf experiment demonstrates that A. Water is necessary for Photosynthesis
- - B. Carbon dioxide is necessary for Photosynthesis
  - C. Oxygen is necessary for Photosynthesis
  - D. Chlorophyll necessary for Photosynthesis


## Answer: D





C. Hill

Answer: C	
Watch Video Solution	



A. Photorespiration

D. Ruben and Kamen

- B. Photophosphorylation
- C. Light and dark reaction in Photosynthesis
- D. Two distinct photochemical reactions or processes

#### **Answer: D**



**35.** A photosynthesising plant is releasing  $.^{18}$  O more than the normal.

The plant must have been supplied with

- A.  $O_3$
- B.  $H_2O$  with  $^{18}O$
- C.  $CO_2$  with  $^{18}O$
- D.  $C_6H_{12}O_6$  with  $^{18}O$

#### **Answer: B**



**Watch Video Solution** 

**36.** For demonstration of Photosynthesis experiments , usually aquatic plant Hydrilla is used not any terrestrial plant, why?

- A. It carries out faster Photosynthesis
- B.  $\mathcal{O}_2$  released throughout and can accumulate over the water
- C. It respires slowly

D. None of the above

#### **Answer: B**



- **37.** Identify the correct match regard to Photosynthesis experiments
- List-I
- A) Variegated leaf experiment
- B) Half-leaf experiment
- C) Light screen experiment (Leaf that was covered partially with black
- paper)
- D) Engelmann's experiment
- List = II
- I) Action spectrum
- II) Synthesis of starch
- III) Chlorophyll is necessary
- IV) Light is necessary
- V)  $CO_2$  is necessary

B. A - III, B - V, C - IV, D - I C. A - IV, B - III, C - I, D - V D. A - III , B -V , C - IV , D - II **Answer: B Watch Video Solution** 38. Which metal ion is a constituent of chloro-phyll A. Iron B. Copper C. Magnesium D. Zinc **Answer: C Watch Video Solution** 

A. A - V , B -I , C - II , D - IV

**39.** Which pigment acts directly to convert light energy to chemical energy?

A. Chlorophyll a

B. Chlorophyll b

C. Xanthophyll

D. Carotenoid

## **Answer: A**



**Watch Video Solution** 

**40.** Which range of wavelength (in nm) is called photosynthetically active radiation (PAR)?

A. 100 - 390

B. 390 - 430

D. 760 - 100, 00
Answer: C
Watch Video Solution
<b>11.</b> Which light range is least effective in phosynthesis?
A. Blue
B. Green
C. Red
D. Violet
Answer: B
Watch Video Solution


C. 400 - 700

- **42.** During high light intensity, the chloroplasts align themselves
  - A. Scattered in the cell sap
  - B. Aligned around the nucleus
  - C. Aligned along the walls
  - D. Clustered in the cell

## **Answer: C**



## 43. Identify the labelled parts of following diagram




A.  $\frac{X}{\text{Dark reaction}}$   $\frac{Y}{\text{Eight reaction}}$   $\frac{Z}{\text{Cytoplasmic inheritance}}$ 

В.

 $\begin{array}{cccc} X & Y & Z \\ \\ \text{Light reaction} & \text{Carbohydrate synthesis} & \text{Carbohydrate storage} \end{array}$ 

C.



<b>45.</b> Pigments which are not found in higher plants are
A. Chlorophyll -a
B. Chlorophyll - b
C. Carotenoids
D. Phycobilins
Answer: D
Watch Video Solution
Watch video solution
Watch video solution
46. Photooxidation of chlorophyll is prevented by
46. Photooxidation of chlorophyll is prevented by
46. Photooxidation of chlorophyll is prevented by  A. Lutein
<b>46.</b> Photooxidation of chlorophyll is prevented by A. Lutein B. $\beta$ caroten

# Watch Video Solution 47. Chlorophylls don't absorb this wave length of light A. Red wave length B. Green wavelength C. Blue wavelength D. Organe wavelength **Answer: B Watch Video Solution** 48. Blue pigment is A. Phycocyanin

Answer: D

C. Plastocyanin
D. $P_{680}$
Answer: D
Watch Video Solution
<b>49.</b> Energy transuding membrane in chloroplast is
A. Outer unit membrane
B. Inner unit membrane
C. Thylakoid membrane
D. Cristae
Answer: C
Watch Video Solution

B. Phycoerythrin

A. Proteins
B. Carbohydrates
C. Lipids
D. Cellulose
Answer: A
Watch Video Solution
<b>51.</b> Porphyrin head in Chlorophyll molecule
A. Consists of four pyrrole rings
B. Pyrrole rings are linked in a cyclic maner
C. Pyrrole rings are linked with magnesium atom
D. All the above

**50.** The chlorophyll pigments are located in the chloroplast in its

## **Answer: D**



Watch Video Solution

- 52. Difference between bone and cartilage is of
  - $\mathsf{A.}\ 3^{rd}$
  - $B. 2^{nd}$
  - $\mathsf{C.}\,4^{th}$
  - D.  $5^{th}$

## Answer: A



- 53. Bond found in between phytol tail and porphyrin head is
  - A. Ester

- B. Hydrogen C. Glycosidic
- D. Phosphodiester

## Answer: A



Watch Video Solution

- 54. Pigments which contain oxygen and nitrogen are
- (A) Phycobilins (B) Carotenes
- (C) Xanthophylls (D) Chlorophylls
  - A. A, D
  - B. B,C
  - C. A, C, D
  - D. D only

**Answer: A** 

55. Stroma in the chlorplasts of higher plant contains

A. light independent reaction enzymes

B. light dependent reaction enzymes

C. Coupling factor

D. Chlorophyll

#### **Answer: A**



Watch Video Solution

56. The correct molecular (chemical ) formula for Chlorophyll 'a' is

A.  $C_{55}H_{70}O_5N_4Mg$ 

B.  $C_{55}H_{70}O_6N_4Mg$ 

C.  $C_{55}H_{72}O_5N_4Mg$ 

D.  $C_{55}H_{77}O_6N_4Mg$ 

Answer: C



Watch Video Solution

# **57.** Chlorophyll b is

A.  $C_{55}H_{72}O_4N_3Mg$ 

B.  $C_{55}H_{70}O_6N_4Mg$ 

C.  $C_{55}H_{70}O_5N_4Mg$ 

D.  $C_{55}H_{77}O_6N_4Mg$ 

### Answer: B



**58.** Total types of chlorophyll pigments associated with PS-I and PS-II in higher plants are

A. One

B. Two

C. Three

D. Four

#### Answer: B



Watch Video Solution

**59.** In a plant cell, which of the following pigments participates participates directly in the conversation of light energy in photosynthesis ?

A. Chlorophyll a

B. Chlorophyll b

C. Chlorophyll d
D. Carotenoids
Answer: A
Watch Video Solution
<b>60.</b> The red, organe and yellow colours of autumn leaves are caused by
ight reflected from
A. Chlorophyll a
B. Chlorophyll b
C. Chlorophyll d
D. Carotenoids

**Answer: D** 

**61.** A solution of Chlorophyll pigments looks red in reflected light because of

A. Diffraction

B. Fluorescence

C. Reflection

D. Refraction

#### **Answer: B**



Watch Video Solution

# **62.** Pigments of PS I occur in

A. Appressed part of grana

B. Stromal thylakoid & non appressed part of outer membrane of granal thylakoids

C. Both (1) and (2) 4)

Answer: B
Watch Video Solution
<b>63.</b> A photosystem contains
A. Pigments , electron acceptor & hydrogen acceptor
B. Photons , Protons, Pigments & hydrogen acceptor
C. $PO_4,ADP\&H^+$
D. Both (1) and (2)
Answer: A
Watch Video Solution
<b>64.</b> In Chlorophyll 'a' $CH_3$ group is attached at

D. None

- A.  $4^{th}$  pyrrole ring
- B.  $2^{nd}$  pyrrole ring
- C.  $3^{rd}$  pyrrole ring
- D.  $1^{st}$  pyrrole ring

# **Answer: C**




**Watch Video Solution** 

- 65. In photosynthesis
  - A. Hydrogen acceptor
  - B. Hydrogen donor

C. Energy convertor

- D. Raw material

Answer: C



D. Xanthophyll	
Amenican B	
Answer: B	
Watch Video Solution	
<b>58.</b> $C_{40}H_{56}O_2$ is an empirical formula of a	
A. Xanthophyll	
B. Anthocyanin	
C. Chlorophyll	
D. Carotene	
D. Carotene	
Answer: A	



A. Cytochrome system B. Flavoproteins C. Porphyrin system D. Plastocyanin **Answer: C Watch Video Solution 70.** Which "photosythetic bacteria" possess both PS I and PS II A. Purple sulphur bacteria B. Cyanobacteria C. Purple non-sulphur bacteria D. Green-sulphur bacteria Answer: B **Watch Video Solution** 

<b>71.</b> The head and tail of chlorophyll are made up of	

- A. Porphyrin and phytin
- B. Pyrrole and tetrapyrrole
- C. Porphyrin and phytol
- D. Tetrapyrrole and pyrrole

#### Answer: C



**Watch Video Solution** 

# 72. Photosynthetic bacteria have

- A. Pigment system I
- B. pigment system II
- C. Both (1) & (2)

D. Some other kind of pigment ,  $P_{890}$ 

#### Answer: A



**Watch Video Solution** 

**73.** Which of the following provides energy to ETS by absorption of sunlight?

A. Chlorophyll


B. Mitochondria

C. ATP

D. Water

#### **Answer: A**





# Answer: A



Watch Video Solution

### 76. PS I is inactive at


- A. 780 nm
- B. 680 nm
- C. 690 nm
- D. 550 nm

#### **Answer: D**



Watch Video Solution

77. Given figure depicts the light harvesting complex (LHC) of Photosystem



Select the correct identification for  ${\tt A}$  ,  ${\tt B}$  ,  ${\tt C}$  and  ${\tt D}$  .

A	B	C	D
A. Core	Antenna	$P_{680}$	${\rm Primary} \;\; e^{-}$
$rac{ ext{molecules}}{A}$	$ \begin{array}{c} \text{molecules} \\ B \end{array}$	C	$ \begin{array}{c} \text{acceptor} \\ D \end{array} $
B. Antenna	Core	$P_{700}$	${\rm Primary} \;\; e^{-}$
$rac{ ext{molecules}}{A}$	$ \begin{array}{c} \text{molecules} \\ B \end{array} $	C	$ \begin{array}{c} \text{acceptor} \\ D \end{array} $
C. Antenna	Core	$P_{700}$	Plastocyanin
$rac{ ext{molecules}}{A}$	$ b \\ B$	C	D
D. Core	Reaction	$P_{680}$	Plastocyanin
molecules	centre		

# Answer: B



<b>78.</b> Chemosynthetic bacteria obtain energy from		
A. Sun		
B. infra red rays		
C. organic substances		
D. inorganic chemical		
Answer: D		
Watch Video Solution		
79. Enery required for ATP synthesis in PS II comes from		
<b>79.</b> Enery required for ATP synthesis in PS II comes from		
79. Enery required for ATP synthesis in PS II comes from  A. proton gradient		

D. oxidation of glucose
answer: A
Watch Video Solution
<b>30.</b> During light reaction in photosynthesis the following are formed:
A. ATP and sugar
B. hydrogen $O_2$ and sugar
C. ATP hydrogen donor and ${\cal O}_2$
D. ATP, hydrogen and ${\cal O}_2$ donor
answer: C
Watch Video Solution

**81.** Splitting of water is associated with

- A. Photosystem B. lumen of thylakoid
  - C. both Photosystem I and II
  - D. inner surface of thylakoid membrane

#### **Answer: B**



**Watch Video Solution** 


- 82. The correct sequence of flow of electrons in the light reaction is

A. PSII, plastoquinone, cytochromes, PSI ferredoxin

- B. PSI, plastoquinone, cytochromes, PSI ferredoxin
- C. PSI, ferredoxin, PSII
- D. PSI, plastoquinone, cytochromes, PSII ferredoxin

#### Answer: A





D. Both (1) & (3)

**Answer: B** 



**Watch Video Solution** 

**85.** The ultimate hydrogen acceptor and hydrogen donor, respectively in the photosynthesis of higher plants

A. Ferredoxin in  $NADP^{\,+}$ 


B.  $NADP^{\,+}$  and water

C. NADPH and OEC

D. PS II PS I

# Answer: B





#### **Answer: D**



**Watch Video Solution** 

**88.** Source of protons necessary for the reduction of  $NADP^{\,+}$  is

- A.  $H_2O$  which undergoes oxidation
- B.  $PQH_2$  which undergoes oxidation
- C.  $H^{\,+}$  picked up by  $PQ^{\,-}$
- D.  $H^{\,+}$  pool of stroma

#### **Answer: A**



**Watch Video Solution** 

**89.** Stroma of chloroplast is associated with

A. OEC

- B. Dark phase C. Non-cyclie electron transport D. Cyclic electron transport **Answer: B Watch Video Solution** A. Plastosemiquinone and  $P_{700}$
- 90. The mobile carriers during non-cyclic electron transport are

  - B. Plastosemiquinone and Phycocyanin
  - C. Plastosemiquinone and Plastocyanin
  - D.  $P_{680}$  and  $P_{700}$

#### Answer: C



91. In both cyclic and non cyclic Photophosphorylation/electron transport
A. ATP is produced
B. $P_{700}$ is involved
C. quinone cycle operates
D. All the above
Answer: D  Watch Video Solution
<b>92.</b> Proton translocation is observed through a membrane complex present on thylakoid membranes namely
A. PS-II complex

B. PS-I complex

C. Cytochrome  $b_6$  f complex

D.  $CF_0-CF_1$  complex

# Answer: D



Watch Video Solution

**93.** Mineral elements involved in photolysis of water during Photosynthesis are

- A. Mn and Mo
- B. Ca and S
- C. Mn and CI
- D. Ca and Mg

#### Answer: C



Watch Video Solution

**94.** According to modern scheme of photosynthetic electron transport the correct sequence of electron transfer from excited 9700 to NADP + is

A.  $A_1 
ightarrow A_0 
ightarrow F_x 
ightarrow F_A/F_B 
ightarrow Fd 
ightarrow NADP^+$ 

B.  $A_1 
ightarrow A_0 
ightarrow F_A/F_B 
ightarrow Fx 
ightarrow FNR 
ightarrow NADP^+$ 

 $\mathsf{C}.\,A_0 o A_1 o F_A/F_B o Fx o NADP$ 

D.  $A_0 
ightarrow A_1 
ightarrow Fx 
ightarrow F_A/F_B 
ightarrow Fd 
ightarrow NADP^+$ 

#### **Answer: D**



# 95. The primary electron acceptor in PSII is

A. Ferredoxin


B. PQ

C. Plastocyanin

D. Pheophytin

# Answer: D





- A. A polynucleotide with iron and sulfur
- B. Chlorophyll without Mg
- C. A polypeptide with iron and sulfur
- D. A copper contain protein

#### **Answer: C**



**Watch Video Solution** 

**97.** In photosynthetic ' Quinone cycle' the number of electrons transferred from  $PQH_2$  to Cytochrome  $b_6$  is

- A. One
- B. Two
- C. Three

D. Four
Answer: A
Watch Video Solution
<b>98.</b> Mobile electron carriers attached loosely to the thylakoid membrane cowards lumen side
A. OEC

B. PQ

C. PC

D. Fd

**Answer: C** 

**99.** In Hill's experiment on Photosynthesis, potassium ferric oxalate is used as an acceptor of

A. Oxygen

B. Hydrogen

C. Carbon

D. Nitrogen

#### **Answer: B**



Watch Video Solution

**100.** Photosynthetically active radiation (PAR) represents the following range of wavelength

A. 390 - 760 nm

B. 390 - 810 nm

C. 535 - 647 nm


D. 647 - 760 nm

#### Answer: A




**Watch Video Solution** 

# 101. In Hill reaction potassium ferric oxalate is



A. Source of oxygen evolution

B. Reductant



# 102. Photophosphorylation is the process in which

- A. Light energy is converted into chemical energy in the from of ATP
- B. NADP is formed
- C. Chemical energy is used to produce ATP
- D.  $CO_2$  is reduced to a carbohydrate

#### Answer: A



<b>103.</b> The primary electron acceptor in cyclic photo phosphorylation is
A. A protein that contains iron and sulphur
B. Carbon dioxide
C. FAD
D. NADP
Answer: A
Watch Video Solution
104. Cyclic Photophosphorylation produces
A. ATP
B. ATP + NADPH
C. NADPH
D. ATP, NADPH & ${\cal O}_2$

# Answer: A



Watch Video Solution

105. The photosynthetic unit to trap the light energy is known as

- A. Quantasome
- B. Mesosome
- C. Nucleosome
- D. Oxysome

#### **Answer: A**



Watch Video Solution

**106.** Which of the following statements about absorption spectrum is correct?

A. In blue region peak of Chl-b forms at lower wavelength than peak of

Chl-1

B. In red region height of peak of Chl-a is more than that of Chl-b

C. In blue region of peak of Chl-a is more than that of Chl-b

D. In red region peak of Chl-a forms at lower wavelength than that Chl-

b

#### **Answer: B**



**Watch Video Solution** 

**107.** Enhancement Effect for the rate of Photosynthesis, observed by

Emerson is possible in the presence of

A. shorter wavelength of light

B. shorter wavelength of light

C. infrared wavelength

D. a combination of longer and shorter wavelength of light

#### **Answer: D**




**Watch Video Solution** 

**108.** Which of the following constitutes assimilatory power of Photosynthesis

- A. Glucose and fructose
- B. NAD and FAD
- C. ATP and  $NADPH_2$
- D. PSI and PS II

# Answer: C





#### Answer: B



**Watch Video Solution** 

#### 111. DCMN kills the herbs by

- A. inhibiting photoreactionII of Photosynthesis
- B. checking electron transport system in photo-synthesis from is PS-II

to is PS-I


- C. inhibiting photoreaction-I of Photosynthesis
- D. all of the above

#### **Answer: B**



**Watch Video Solution** 

112. Which of the following electron carrier constrains copper?



114. Photo centres in higher plants are

A.  $P_{700}$ 

B.  $P_{680}$ 

C. Both (1) & (2)

D. Chlorophyll - a

#### **Answer: C**



Watch Video Solution

**115.** The graph showing rate of Photosynthesis at different wavelengths of light is called

A. Absorption spectrum

B. Action spectrum

C. Both (1) and (2)

D. None of these
Answer: B
Watch Video Solution
<b>116.</b> Red drop occurs in wavelength of
A. 495 nm
B. 680 nm
C. 560 nm
D. 586 nm
Answer: B
Watch Video Solution

**117.** The number of oxygen molecules produced per-quantum of light absorbed is

- A. Oxygen yield
- B. Photosynthesis yield
- C. Quantum yield
- D. Organic yield

#### **Answer: C**




**118.** What will be the direction of energy flow between PS-I and PS-II when two pigment system absorb light ?

- A. PS-II o PS-I
- B. PS-I o PS-II
- $\mathsf{C.}\,PS-II\Leftrightarrow PS-I$

D. None of these
Answer: A
Watch Video Solution
<b>19.</b> The normal state of an atom or molecule is known as
A. Ground state
B. Singlet state
C. Both (1) & (2)
D. Excited state
Answer: C
Watch Video Solution

**120.** Cyclic Photophosphorylation links to



**122.** Which of the following statements is true with regard to the light reaction of Photosynthesis?

A. In PS-II the reaction centre Chlorophyll-a has an absorption peak at

700 nm hence , is called  $P_{
m 700}$ 

- B. In PS-II the reaction centre Chlorophyll-a has an absorption maxima at 680 nm and is called  $P_{680}$
- C. The splitting of water molecule is associated with PS-I
- D. Photosystem-I and II are involved in Z scheme

#### **Answer: D**



- 123. Photolysis of water during Photosynthesis occurs with the help of
  - A. PS- II

- B. PS I
- C. Ferredoxin
- D. Cytochrome


#### **Answer: A**




Watch Video Solution

 $\textbf{124.} \ \textbf{Photosynthesis} \ \ \textbf{cannot} \ \ \textbf{continue} \ \ \textbf{for} \ \ \textbf{long} \ \ \textbf{if} \ \ \textbf{during} \ \ \textbf{light} \ \ \textbf{reaction} \ \ .$ 

Only cyclic Photophosphorylation takes place. This is because





A. Only ATP is formed  $NADPH^{\,+}\,+H^{\,+}$  is not formed

B. Photosystem I-stops getting excited at a wavelength of light beyond 680 nm

- C. There is unidirectional cyclic movement of the electrons
- D. There is no evolution of oxygen

#### **Answer: A**



**Watch Video Solution** 

### 125. What is true regarding PS-II?

- A. It takes longer wavelength of light and electrons from  ${\cal H}_2{\cal O}$
- B. It takes shorter wavelength of light and electrons from  $H_2{\cal O}$
- $\ensuremath{\mathsf{C}}.$  It takes longer wavelength of light and electrons from NADP
- D. It takes shorter wavelength of light and electrons from NADP

#### **Answer: B**



126. Match the following and choose the correct combination from the

given option

Column - I Column - II

- (A) Visible light (1)0.1 to 1nm
- (B) Ultra violet (2)400 to 700nm
- (C)X rays (3)Longer than 740 nm
- (D) Infra red (4)100 to 400nm
  - (5) < 0.1nm

  - $\mathsf{c.} \, \, \begin{matrix} A & B & C & D \\ 4 & 3 & 2 & 1 \end{matrix}$

Answer: D



Watch Video Solution

**127.** Primary electron acceptor in noncyclic transport is A located towards

B donates its electrons to C, respectively are

A. Pheophytin, outside of membrane,  $Q_A$ B.  $A_0$  , innerside of membrane ,  $NADP^{\,+}$ C. Pheophytin, innerside of membrane, PC D.  $A_0$ , innerside of membrane, PC Answer: A



**Watch Video Solution** 

**128.** Protons & electrons acceptors (  $H_2$  acceptors) in the Z , scheme are

A. Cytochromes, PC

B. PQ, NADP  $^{+}$ 

C. Pheophytin

 $D.H_2O$ 

# Answer: B



129. Refer to the given reaction.

$$2H_2O
ightarrow4H^++O_2+4e^-$$


Where does this reaction take place in the chloroplasts of plants?

- A. Outer surface of thylakoid membrane
- B. Inner surface of thylakoid membrane
- C. In the matrix (stroma)
- D. Intermembrane space

**Answer: B** 



## **130.** Identify A in the given figure and choose a correct option



A. PC

B. FRS

C. PQ

D. Cyt - b6

#### **Answer: D**



#### 131. Red drop is due to

- A. Decline in quantum yield in separate beams of red light
- B. Non functioning of PS II in free red light
- C. Inhibiting effect of Red light on PS I
- D. Oxidation of chlorophyll

#### **Answer: B**



**Watch Video Solution** 

#### 132. Hill reactions occurs in

- A. High altitude plants
- B. Total darkness
- C. Absence of water
- D. Presence of ferricyanide

#### **Answer: D**



Watch Video Solution

**133.** Consider the following event in the photochemical conversion of light energy into chemical conversion of light energy by chlorophyll during photosynthesis

- I) Energy transformation (light energy  $\,
  ightarrow\, ATP$  )
- II) Absorption of quantum of energy
- III)Ejection of electron from  $P_{680}$
- IV) Transfer of light energy (resource transfer )
  - A. IV, II, I, III
  - B.I, III, IV, II
  - C. II, IV, III, I
  - D. II, I, IV, III

**Answer: C** 



**134.** ATP responsible for fixing  $CO_2$  and synthesis of sugar , is produced in the

- A. Lumen of thylakoid
- B. Inside the thylakoid membrane
- C. stroma of chloroplast
- D. Cytosol of cell


#### **Answer: C**



**Watch Video Solution** 

**135.** Chemiosmotic theory of ATP synthesis in chloroplasts & mitochondria is based on

A. membrane potential




- A. Development of water potential gradient across the membrane.
- B. Development of H., gradient across the membrane
- C. Reduction of PS I by  $NADP^{\,+}$
- D. Oxidation of PS II by  $H_2O$

#### Answer: B



137. Identify the parts marked as A, B and C in the given figure showing

ATP synthesis through chemiosmosis



^	A	B	•	C
A.	(1)Thylakoid lumen	F	0	$F_1$
	$\boldsymbol{A}$	B	•	C
В.	(1)Thylakoid lumen	F	1	$F_0$
	$\boldsymbol{A}$		R	C
C.	(1)Chloroplast lumer	n	$F_0$	$F_1$
	$\boldsymbol{A}$		B	C
υ.	(1)Chloroplast lumer	n	$F_1$	$F_0$

#### Answer: A



**138.** Movement of  $H^{\,+}$  from lumen to stroma through the  $F_0$  portion of

ATPase is

A. According to concentration gradient

B. By simple diffusion

C. By active transport

D. Against conc . gradient

#### **Answer: A**



**Watch Video Solution** 

139. Chemiosmosis requires

I) A membrane II) A proton pump

III) Proton gradient IV) ATPase

A. I and IV only

B. I, II, and III only

C. I, III and IV only

D. I, II, III and IV .

#### Answer: D



Watch Video Solution

**140.** According to the chemiosmotic hypothesis, the photosynthetic ATP formation occurs during the movement of protons from

A. Thylakoid lumen into the stroma through.  $F_0-F_1$  complex ( ATP

synthase complex )

B. stroma into the thylakoid lumen

C. Intermembrane space to mitochondrial matrix through  $F_0-F_1$  complex

D. Both (1) & (3)

Answer: A

141. Proton pump is a m	novement of protons f	from
-------------------------	-----------------------	------

- A. Lumen to stroma
- B. stroma to Lumen
- C. stroma to Cytoplasm
- D. Grana to stroma

#### **Answer: B**



**Watch Video Solution** 

**142.** Number of the protons required to synthesised one ATP during chemiosmosis


- A. 2
- B. 4

C. 6
D. 9
Answer: A
Watch Video Solution
<b>143.</b> Photophosphorylation in chloroplast is most similar to which of the
following mitochondrial reactions ?
A. Oxidative phosphorylation
B. Substrate level phosphorylation
C. Oxidative decarboxylation

D. Hydrolysis

Watch Video Solution

**Answer: A** 



# Answer: D **Watch Video Solution** 146. Chemiosmosis requires A. ATP synthase B. Proton pump C. Proton gradient D. All the above **Answer: D Watch Video Solution**

**147.** Dark reaction in Photosynthesis is called so because

A. it can occur in dark also

B. it does not directly depend on light energy

C. it cannot occur during day light

D. it occurs more rapidly at night

#### **Answer: B**



**Watch Video Solution** 

# **148.** PEP is primary $CO_2$ aceptor in

A.  $C_4$  Plants


B.  $C_3$  Plants

C.  $C_2$  Plants

D. both  $C_3$  and  $C_4$  plants

#### Answer: A





#### **Answer: C**



**Watch Video Solution** 

**151.** When  $CO_2$  is added to PEP, the first stable product synthesized is

- A. pyruvate
- B. glyceraldehdes 3 phosphate
- C. phosphoglycerate
- D. oxaloacetate

#### **Answer: D**



**Watch Video Solution** 

**152.** For every  $CO_2$  molecule entering the kelvin cycle how many ATP and

NADPH are required respectively?

A. 3 and 3 B. 2 and 3 C. 6 and 4 D. 3 and 2 **Answer: D** Watch Video Solution 153. How many full turns of the Calvin cycle are required to make one molecule of glucose A. 1 B. 2 C. 3 D. 6 **Answer: D** 



#### **154.** RuBP is

- A. First stable compound PCR cycle
- B. Substrate for reduction phase
- C. Last compound of carboxylation phase
- D. Primary  $CO_2$  acceptor of RPP cycle

#### **Answer: D**



155. This is the most abundant enzyme in the mesophyll

- A. Hexokinase
- B. RUBISCO
- C. Fructose 6 phosphatase

Answer: B
Watch Video Solution
<b>156.</b> Conversion of PGA to G - 3 - P in PCR cycle involves
A. Oxidative decarboxylation
B. Decarboxylation and deamination
C. Phoshorylation and reduction
D. Reduction and transamination
Answer: C
Watch Video Solution
<b>157.</b> During dark reaction of photosynthesis

D. Sedoheptulose 7 phosphatase

A. 6 - c sugar is broken down into 3 - c sugar

B. Photolysis of water occurs

 $\mathsf{C.}\ CO_2$  is reduced to organic compounds

D.  $NADP^{\,+}$  is reduced

#### **Answer: C**



**Watch Video Solution** 

**158.** Name the enzyme which changes its characteristics with change in concentration of  $\mathcal{O}_2$ 

A. PEP - Carboxylase

B. Hexokinase

C. Rubis - co

D. Pyruvic dehydrogenase

Answer: C

**159.** When  $12CO_2$  molecueles are utilized in  $C_2$  cycle, number of troise phosphates exported out from the chloroplast into the cytosol for the synthesis of hexose will be


- A. 2
- B. 4
- C. 6
- D. 12

#### **Answer: B**



**Watch Video Solution** 

**160.** Number of water molecule (s) required for each  $CO_2$  during carboxylation reaction in  $C_3$  cycle is





162. Both G - 3 and DHAP are

A. Trioses

B. 3 - compounds

C. Isomers

D. All

### Answer: D



**Watch Video Solution** 

**163.** Number of G - 3 - P and DHAP molecules required to regenerate 6 molecules of RuBP in Calvin cycle respectively are

A. 4,6

B. 6,4

C.	6,6
D.	4,4

#### **Answer: B**



**Watch Video Solution** 

**164.** Common product formed due to the activity of transketolase enzyme during  $C_3$  cycle

A. Ribulose - 5 - phosphate

B. Ribose - 5 - phosphate

C. Xylulose - 5 - phosphate

D. Fructose - 5 - phosphate

#### **Answer: C**



**165.** Assimilatory power required to produce one molecule of glucose through  $C_3$  cycle in  $C_3$  plants is

- A. 6 ATP & 9 NADPH
- B. 30 ATP & 18 NADPH
- C. 18 NADPH & 12 ATP
- D. 18 ATP & 12 NADPH

#### **Answer: D**



- **166.** Primary carboxylation occurs in  $C_3$  and  $C_4$  plants with the help of
  - A. RuBP carboxylase and PER carboxylase
  - B. RuBP carboxylase and PER carboxylase
  - C. REP carboxylase and RuBP carboxylase
  - D. REP carboxylase and RuBP carboxylase

#### **Answer: A**



**Watch Video Solution** 

167. In Calvin cycle, G-3-P reacts with

A. DHAP, E-4, P, X-5-P

B. DHAP, Fructose, 1, 6 Bisphosphate, Ribose - 5 - Phosphate

 $\mathsf{C.}\ CO_2\ \mathsf{RuBP}$  ,  $\mathsf{DHAP}$ 

D. DHAP, Fructose - 6 - phosphate, Sedoheptulose - 7 - Phosphate

#### **Answer: D**



**Watch Video Solution** 

**168.** Synthesis of sugars in all photosynthetic plants takes place by

A.  $CO_2$  fixation with PEP case

- B. Calvin cycle reaction
- C. Hatch and Slack reactions
- D. Both  $C_3$  and  $C_4$  cycle reactions

#### **Answer: B**



**Watch Video Solution** 

- **169.** Primary acceptor of  $CO_2$  in  $C_3$  cycle is
  - A. 3 carbon ketose sugar
  - B. 3 carbon aldose sugar
  - C. 5 carbon aldose sugar
  - D. 5 carbon ketose sugar

#### Answer: D



**170.** To produce 4 sucrose molecules the number of ATP and  $NADPH+H^+$  required in  $C_3$  plants is

- A. 144 & 96
- B. 120 & 48
- C. 188, 192
- D. 72,46

#### **Answer: A**



**Watch Video Solution** 

**171.** When 54 molecules of  $CO_2$  fixed by RuBisCO in a  $C_3$  plant , number of  $G_3-P$  participate in regeneration phase respectively

- A. 90,18
- B. 54,54
- C. 60,48

#### **Answer: D**



**Watch Video Solution** 

**172.** The number of ATP required in mosophyll cells of  $C_3$  plants and bundle sheath cells of  $C_4$  plants respectively for net export of 12 G - 3 -P during dark reaction

- A. 108 and 180
- B. 18 and 30
- C. 18 and 18
- D. 108 and 108

#### **Answer: D**



**173.** The immediate product of carboxylation in  $\mathcal{C}_3$  plants

A. RuBP

B. PGA

C. OAA

D. GAP

#### **Answer: B**



**Watch Video Solution** 

**174.** Which of the following isomeric reaction occurs in regeneration phase

- I) Ribose 5 -phosphate  $\ \ \rightarrow \$  Ribulose 5 phosphate
- II) Xylulose 5 phosphate  $\ o$  Ribose 5 phosphate
- III) GAP  $\,
  ightarrow\,$  DHAP
- IV) DHAP  $\,
  ightarrow\,$  GAP
- IV) DHAP rarr GAP

A. I & III **B. II & III** C. III & IV **D. II & IV** Answer: A::B **Watch Video Solution** 175. The four carbon compound formed during the regeneration of RUBP in Calvin cycle A. Sedoheptulose phosphate B. Xylulose phosphate C. Erythrose phosphate D. Ribose phosphate **Answer: C** 

176. The over all reaction of the Calvin cycle is

 $3RUBR + 3CO_2 + 9ATP + 6NADPH + H^+ 
ightarrow 3PGA + 9ADP$  -

B.  $3RUBR + 3CO_2 + 6ATP + 6NADPH + H^+ 
ightarrow 3PGA + 6ADP$  -

C.  $3RUBR + 3CO_2 + 9ATP + 6NADPH + H^+ \rightarrow 6G - 3P + 9ADP$ 

D.  $3RUBR+3CO_2+6ATP+6NADPH+H^+
ightarrow 6G-3P+6ADPH$ 



**Answer: C** 

177. Number of triose molecules from G - 3P pool that enter into cytosol from chloroplast to form the main end product of  $C_3$  cycle which is transported through phloem.

- A. 2
- B. 10
- C. 4
- D. 6

#### **Answer: C**



Watch Video Solution

178. During Calvin cycle , the first step in the regeneration of  $CO_2$  acceptor is

- A. Reduction
- B. Condensation

D. Isomerisation
Answer: D
Watch Video Solution
<b>179.</b> Biochemical phase in photosynthesis was discovered for the first time
by using $C^{14}$
A. Calvin
B. Blackman
C. Hill
D. Arnon
Answer: A
Watch Video Solution

C. Dephosphorylation

<b>180.</b> For formation of 1 glucose molecule , number of Calvin cycle occur
are
A. 8 times
B. 6 times
C. 4 times
D. 2 times
Answer: B
Watch Video Solution
Watch Video Solution
Watch Video Solution  181. How many XMP are formed in calvin cycle for the production of one glucose molecule
181. How many XMP are formed in calvin cycle for the production of one
<b>181.</b> How many XMP are formed in calvin cycle for the production of one glucose molecule
181. How many XMP are formed in calvin cycle for the production of one glucose molecule  A. 2

#### **Answer: C**



**Watch Video Solution** 

182. How many non sugars are present as a intermediate of in calvin cycle

?

A. 2


B. 3

C. 5

D. 6

#### **Answer: A**





#### Answer: B



Watch Video Solution

185. Enzyme with dual nature is


- A. Hexokinase
- B. RuBisCO
- C. RuBP
- D. Pyruvic carboxylase

#### **Answer: B**



Watch Video Solution

**186.** Calvin cycle operates in one type of chloroplasts, whereas Hatch - Slack pathway occurs in



**188.** How many molecules of inorganic phosphate are released in Calvin cycle in formation of one glucose ?

A. 12

B. 16

C. 17

D. 18

#### Answer: B



**Watch Video Solution** 

**189.** Dark reaction of photosynthesis is called so because

A. It can also occur in dark

B. Cannot occur during day

C. Occurs more rapidly at night

nswer: D
Watch Video Solution
90. How many Calvin cycles are required to produce 5 molecules of
ucose ?
A. 60
B. 15
C. 30



D. 90



D. It does not require light

#### **191.** The type of compounds not formed in $C_3$ plants is

- A. 2C compound
- B. 5C compound
- C. 3C compound
- D. 6C compound

#### **Answer: A**



**Watch Video Solution** 

#### **192.** Site of PGA formation in $C_3$ plants & $C_4$ plants respectively

- A. Mesophyll cells & Mesophyll cells
- B. Bundle sheath cells & Mesophyll cells
- C. Mesophyllcells & Bundles sheath cells
- D. Guardcells & Mesophyll cells

#### **Answer: C**



Watch Video Solution

193. Aldolase cateysing steps in regeneration phase of calvin cycle are

A) 
$$2G3P + 2DHAP 
ightarrow 2F16P$$

B) 
$$F6P+G3P
ightarrow XMP$$

C) 
$$SMP + G3P \rightarrow XMP + RiMP$$

D) 
$$EMP + DHAP o SHBP$$

A. All the above

B. AB only

C. BC only

D. AD only

#### **Answer: D**



<b>194.</b> The over all reaction of the Calvin cycle is
A. One $CO_2$ molecule is fixed
B. 2PGA molecules are formed
C. 3 ATP & 2NADPH are utilised
D. All the above
Answer: D
Watch Video Solution
195phase in crucial in Calvin cycle for uninterrupted and continuous
cycle .
A. Carboxylation phase
B. Reduction phase
C. Regeneration phase

## Answer: C



**196.**  $C_4$  plants among the following are

- A. Maize
- B. Sugarcane
- C. Opuntia
- D.1&2

#### **Answer: D**



Watch Video Solution

**197.**  $C_4$  plants among the following are

A. Chlorella

 $NADPH+H^{\,+}$  required in  $C_3$  plants is A. 144 & 96 B. 120 & 48 C. 188, 192 D. 72, 46 Answer: A **Watch Video Solution** 

B. Tomato

D. All

**Answer: D** 

C. Bell pepper

**Watch Video Solution** 

# 198. To produce 4 sucrose molecules the number of ATP and

199. Identify the incorrect one

A. In all plants light phase takes in similar way

B. During dark phase  $CO_2$  assimilation takes place in two ways

C. In all plants PGA is first stable product

D. Dark phase is indirectly dependent on light

#### **Answer: C**



**Watch Video Solution** 

200. How much assimilatory power is required to form one glucose in a

 $C_3$  plant

A. 18 ATP - 12NADPH  $+H^{\,+}$ 

B. 30 ATP - 12NADPH  $+H^{\,+}$ 

C. 24 ATP - 18NADPH  $+\,H^{\,+}$ 

D. 30 ATP - 18NADPH  $+H^{\,+}$ 

**Answer: A** 



**Watch Video Solution** 

- **201.** If  $36CO_2$  molecules are fixed in  $C_3$  plant what will be :
  - A. The number of G 3P and
  - B. Erythrose 4- Phosphate formed during the dark reaction

C. a = 144, b = 24

D. a = 72, b = 12

#### Answer: D



**202.** Given table shows the  $^{14}CO_2$  in which molecule would the radioactively appear first in these plants ?

- Wheat Sugarcane
- 3 Phosphoglycerate Oxaloacetate
- Wheat Sugarcane
- 3 Phosphoglycerate 3 Phosphoglycerate
- C. Wheat Sugarcane
  Oxaloacetate Oxaloacetate
- $\begin{array}{ccc} {
  m Wheat} & {
  m Sugarcane} \\ {
  m D.} & {
  m Malate} & 3 {
  m Phosphoglycerate} \end{array}$

#### **Answer: A**



**203.** During Hatch - Slack pathway of  $CO_2$  reduction ,  $C_4$  - acids are broken down to release  $CO_2$  and a - 3 carbon molecule in

- A. Mesophyll chloroplast
- B. Bundle sheath chloroplast
- C. Bundle sheath cytosol

D. Mesophyll cytosol
Answer: B
Watch Video Solution
204. Kranz' anatomy is found in
A. Sugar cane
B. Maize
C. Sorghum
D. All the above
Answer: D
Watch Video Solution
<b>205.</b> Acceptor of $CO_2$ in $C_4$ and $C_3$ plants respectively

A. PEP case and RUBISCO B. OAA and PGA C. PEP and RUDP D. PGAL and malic acid **Answer: C Watch Video Solution 206.** In  $C_4$  plants ,  $CO_2$  is first fixed in A. Bundle sheath B. Mesophyll C. Guard cells D. All epidermal cells **Answer: B** Watch Video Solution

#### **207.** Which of the following feature is associated with $C_4$ plant

- A. High photorespiration
- B. All green cells posses calvin cycle enzymes
- C. Ability to tolerate high temperature
- D. O.A.A. is the initial product of  $CO_2$  fixation in bundle sheath cells

#### **Answer: C**



**Watch Video Solution** 

#### 208. The term 'kranz' anatomy refers to

- A. Presence of large size chloroplasts in bundle sheath cells
- B. Presence of thick walls in bundle sheath cells

C. Appearance of wreath of cells surrounding the vascular bundles in

 $C_4$  leaf

D. Presence of three type of cells in leaves (palisade, spongy and bundle sheath ) in  $C_4$  leaf

#### Answer: C



Watch Video Solution

**209.** The first step of  $CO_2$  fixation in Hatch and Slack's pathway in plants is

A. Formation of O.A.A by carboxylation of PEP in bundle sheath cells

B. Formation of O.A.A by the carboxylation of RUBP in mesophyll cells

C. Formation of PGA in mesophyll cells

D. Formation of O.A.A by carboxylation of PEP in mesophyll cells.

Answer: D

#### **210.** In $C_4$ plants bundle sheath shows

- A. Large inter cellular spaces and thick walled cells
- B. Large inter cellular spaces and thin walled cells
- C. Thick walled cells having many chloroplasts and no inter cellular spaces
- D. Thin walled cells with granal chloroplasts

#### **Answer: C**



- **211.**  $C_4$  plants have higher net photosynthesis rate as they have
  - A. They have no photorespiration
  - B. They have PEP as  ${\cal C}{\cal O}_2$  acceptor

- C. They can photosynthesize in low light intensity
- D. They have kranz type of anatomy

#### **Answer: A**



**Watch Video Solution** 

**212.** In leaves of  $C_4$  plants sugars are synthesized in

Grana of chloroplast of mesophyll cells

Stroma of chloroplast of mesophyll cells

Sieve tube elements of phloem

Bundle sheath cells

- A. Stroma of chloroplast of mesophyll cells
- B. Grana of chloroplast of mesophyll cells
- C. Sieve tube elements of phloem
- D. Bundle sheath cells

#### Answer: D



### **213.** In $C_4$ pathway regeneration of PEP occurs in

- A. Epidermal cells of leaves
- B. Cytososl of bundle sheath cells
- C. Chloroplast of mesophyll cells
- D. Chloroplast of bundle sheath cells .

#### **Answer: C**



**Watch Video Solution** 

**214.** Which of the following statement is not a special feature $C_4$  plants

They have special type of leaf anatomy

They tolerate higher temperature

They show photorespiration

They show response to high ligh intensity

- A. They have special type of leaf anatomy
- B. They tolerate higher temperature
- C. They show photorespiration
- D. They show response to high ligh intensity

#### **Answer: C**



**Watch Video Solution** 

- 215. The form of carbon used for carboxylation of phosphoenol pyruvate in  $C_4$  plants is
  - A.  $CH_4$
  - B.  $HCO_3^-$
  - $\mathsf{C}.\,H_2CO_3$
  - D.  $C_2H_4$

#### **Answer: B**

**216.** The net requirement of assimilatory power for the formation of 6 hexose molecules in maize plant is

- A. 72ATP, 48NADPH
- B. 90ATP, 60NADPH
- C. 108ATP, 72NADPH
- D. 180ATP, 72NADPH

#### **Answer: D**



**Watch Video Solution** 

**217.** What is the ratio of ATP requirement for the fixation of 6 molecules of  $CO_2$  in sugarcane and 5 molecules of  $N_2$  in bean ?

A.9:40

B. 3:16

C.5:8

D. 3:8

#### **Answer: B**



**Watch Video Solution** 

218. What type of reaction occurs when Malic acid is converted into

Pyruvic acid in the bundle sheath cells of  $C_4$  plants

- A. Decarboxylation
- B. Dehydrogenation
- C. Oxidative decarboxylation
- D. Transamination

#### Answer: C



# **219.** $C_4$ cycle was discovered in

- A. Saccharum
- B. Sorghum
- C. Maize
- D. Finger millet

## **Answer: A**



**Watch Video Solution** 

# 220. Referthe given reaction

 $RuBP + O_2 \xrightarrow[ ext{Oxygenase}]{ ext{RuBP}} ext{Phosphoglyceric acid} + ext{Phosphoglycolic and}$ 

In is the first reaction of

- A.  $C_3$  path way
- B.  $C_4$  pathway

C. $C_2$ pathway
D. Glycolysis

#### **Answer: A**



**Watch Video Solution** 

**221.** Which of the following statement is not correct with reference of  $C_4$  plants

- A. Kranz anatomy
- B. Dimorphic nature of Chloroplasts
- C. Agranal chloroplasts in bundlesheath cells
- D. Chloroplasts of mesophyll cells store starch

## **Answer: D**



# **222.** $C_4$ plants are different from $C_3$ plants with reference to

- A. The substrate that accepts  $CO_2$  in carbon assimilation
- B. Type of end products of photosynthesis
- C. Number of ATP consumed in the synthesis of sugar
- D. The type of pigments involved in Photosynthesis

#### **Answer: A**



**Watch Video Solution** 

# 223. Dicarboxylic acids pathway is seen in

- A. Leaves of Dolichos
- B. Roots of Maize
- C. Stems of Opuntia
- D. Leaves of Saccharum

## Answer: D



**Watch Video Solution** 

**224.** In which cells of leaf, pyruvate is converted to PEP in  $C_4$  pathway?

- A. Epidermal cells
- B. Mesophyll cells
- C. Bundle sheath cells
- D. Guard cells

## **Answer: B**



Watch Video Solution

**225.** Choose wrong combination with respect to the location of enzymes in  $\mathcal{C}_4$  plants

- A. PEPcarboxylase stroma of mesophyll cell chloroplast
- B. RUBISCO stroma of bundle sheath cell chloroplast
- C. Malic enzyme stroma of bundle sheath cell chloroplast
- D. Pyruvate dikinase stroma of mesophyll cell chloroplast

#### Answer: A



**Watch Video Solution** 

**226.** The following is not relate to  $C_4$  plant

Water use efficiency is more

Photorespiration is not detectable

 $CO_2$  compensation points is high

The primary acceptor of  $CO_2$  is a 3C compound

- A. Water use efficiency is more
- B. Photorespiration is not detectable
- C.  $CO_2$  compensation points is high

D. The primary acceptor of  ${\cal C}{\cal O}_2$  is a 3C compound

**Answer: C** 



**Watch Video Solution** 

- **227.** Agranal chloroplast occur is
  - A. Succulents
  - B.  $C_4$  plants
  - C. Hydrophytes
  - D.  $C_3$  plants

Answer: B



Watch Video Solution

**228.** Explain: Asexual Reproduction.

C. Bundle sheath cells D. Guard cells **Answer: C Watch Video Solution 229.** In  $C_4$  cycle, first  $CO_2$  acceptor is A. 3C compound B. 4C compound C. 5C compound D. 6C compound Answer: A **Watch Video Solution** 

A. palisade tissue

B. spongy parenchyma

230. In an experiment that carbondioxide available to a  $C_4$  plant was labelled with a radioactive isotope and the amount of radioactivity in the chloroplast was measured . As photosynthesis proceeded , in which of the following molecules did the radioactivity first appear

Oxaloacetic acid

**PEP** 

Malic acid

RuBP

A. Oxaloacetic and

B. PEP

C. Malic acid

D. RuBP

## Answer: A



# 231. PEP carboxylase is associated with

- A. CAM plants
- B.  $C_3$  plants
- C.  $C_4$  plants
- D. (1) & (3)

#### **Answer: D**



**Watch Video Solution** 

# 232. which pair is wrong?

- A.  $C_3$  Maize
- B.  $C_4$  Kranz anatomy
- C. Calvin cycle PGA
- D. Hatch & Slack cycle OAA

## **Answer: A**



**Watch Video Solution** 

**233.** Choose the correct statement for the fixation of one  $CO_2$  molecule

- A. 3ATP & 2 NADPH are required through calvin cycle
- B. 5 ATP & 2 NADPH are required through Hatch & slack cycle
- C. Photochemical reactions are involved in photolysis of water & phosphorylation of ADP into ATP
- D. all of the above

## **Answer: D**



**Watch Video Solution** 

**234.** Number of carboxylation in  $C_4$  cycle is

A. four
B. three
C. two
D. one
Answer: C
Watch Video Solution
<b>235.</b> In case of $C_4$ - plants , which enzyme fixes the $CO_2$ released during
decarboxylation of malate
A. RuBisCO
A. Rubisco
B. MDH
C. PEPase
D. None of these
Answer: A

**236.** In the  $C_4$  - plants ,  $C_4$  cycle occurs in the mesophyll cells and  $C_3$  -cycle occurs in bundle sheath cells, whereas in CAM plants .

A.  $C_4 \; {
m and} \; C_3$  - cycles occur in the mesophyll cells only

B.  $C_4$  - cycle occurs in bundle sheath cells and  $C_3$  - cycle in mesophyll cells

C.  $C_4$  - cycle very rarely

D.  $C_4 \; {
m and} \; C_3$  - cycles occur in bundle sheath cells

## **Answer: A**



**Watch Video Solution** 

**237.** Which of the following plants is not  $C_4$  - plant ?

A. Saccharum munja

B. Triticum vulgare C. Zea mays D. Euphorbia splendens **Answer: D Watch Video Solution 238.**  $C_4$  plants are found among A. Dicots only

B. Monocots only

C. Both (1) and (2)

**Answer: C** 

D. In family - Poaceae (Graminae ) only

239. Which of the following plants is a better photosynthesiser?
A. Mango
B. Sugacane
C. Wheat
D. Rice
Answer: B
Watch Video Solution
<b>240.</b> $ATP$ molecules required to synthesise one molecule of glucose by
<b>240.</b> $ATP$ molecules required to synthesise one molecule of glucose by $C_4$ pathway are
$C_4$ pathway are
$C_4$ pathway are A. 12

# **Answer: D**



**Watch Video Solution** 

**241.** In which cells of leaf, pyruvate is converted to PEP in  $\mathcal{C}_4$  pathway ?

- A. Epidermal cells
- B. Mesophyll cells
- C. Bundle sheath cells
- D. Guard cells

#### **Answer: B**



**Watch Video Solution** 

**242.** Which of the following is a 4-carbon compound?

A. Oxaloacetic acid

- B. Phosphoglyceric acidC. Ribulose bisphosphate
- D. Phosphoenol pyruvate

#### **Answer: A**




**Watch Video Solution** 

- 243. Which of the following is wrongly matched
  - A. Sorghum Kranz anatomy
  - B. PEP carboxylase Mesophyll cells
  - C. Blackman Law of minimum
  - D. Photosystem II  $P_{700}$

# **Answer: C**





#### **Answer: D**



**Watch Video Solution** 

**246.** In which of the following  $CO_2$  fixation and Calvin cycle are separated in time

- A.  $C_4$  plants
- B.  $C_3$  plants
- C. CAM plants
- D. All the above

# **Answer: C**



Watch Video Solution

247. In CAM pathway the first dicarboxylic acid is formed as resultant of

- A. Night  $CO_2$  fixation
  - B. Decarboxylation of malic acid
  - C. Second  $CO_2$  fixation
- D. Phosphorylation of pyruvic acid

# Answer: A



**Watch Video Solution** 

photosynthesis from

248. During day time, CAM plants procure carbon dioxide for

- A. Pyruvic Acid
- B. Oxaloacetic Acid
- C. Oxalic Acid
- D. Malic Acid

# Answer: D

**249.** The number of ATP required in excess to assimilate atmospheric  $CO_2$  to four molecules of triose phosphates in  $C_2$  plants as compared to  $C_3$  plants is

A. 60

B. 24

C. 30


D. 12

**Answer: B** 



**Watch Video Solution** 

**250.** Which of the following kinds of plant fixes carbon dioxide by way of crassulacean acid metabolism (CAM)



**252.** Which of the given the following equation holds true for acidification reactions of CAM pathway?

A. 
$$PEP + CO_2 + H_2O \xrightarrow{ ext{PEPcase}} ext{OAA} + H_3PO_4$$

B. 
$$\mathrm{OAA} + NADH \xrightarrow{\mathrm{Dehydrogenase}} \mathsf{Malic} \ \mathsf{acid} + NAD^+$$

C. Malic acid 
$$+NADP^+ \xrightarrow[\mathrm{enzyme}]{\mathrm{Malic}}$$
 Pyruvic + CO + NADPH

D. Both (1) and (2)

#### **Answer: D**



**Watch Video Solution** 

253. The organic acid concentration in CAM plants

A. Decreases during day

B. Increases at night

C. Both (1) and (2)

D. Remains same always
Answer: C
Watch Video Solution
<b>254.</b> Sunken stomata are usually found in
A. $C_3$ plants
B. CAM plants
C. Insectivorous
D. Phanerogams
Answer: B
Watch Video Solution
255. CAM pathway is observed in

A. Pineapple B. Maize C. Sunflower D. Sugarcane Answer: A **Watch Video Solution** 256. In CAM - plants, carbon dioxide required for photosysnthesis enters the plant body during A. Day time through the lenticels B. Night through the stomata, which are kept open C. Day time when the stomata are open D. Night when the hydathodes are open Answer: B



**257.** During day time , CAM plants procure carbon dioxide for photosynthesis from

- A. Pyruvic Acid
- B. Oxaloacetic Acid
- C. Oxalic Acid
- D. Malic Acid

## **Answer: D**



**Watch Video Solution** 

**258.** During photorespiration RuBisCO acts as

- A. Oxygenase
- B. Carboxylase

C. Transaminase
D. Reductase
Answer: A
Watch Video Solution
<b>259.</b> Which of the following statements are true for photorespiration?
A. No synthesis of ATP
B. No synthesis of NADPH
C. Release of $CO_2$
D. All the above
Answer: D

# Answer: B



**Watch Video Solution** 

262. The substrate of photorespiration is formed in

- A. Peroxisome
- B. Mitochondrion
- C. Chloroplast
- D. Glyoxysome

## Answer: C



**Watch Video Solution** 

**263.** In which type of reactions related to plant photosynthesis peroxisomes are involved ?

A. Glycolate cycle B. Calvin cycle C. Bacterial photosynthesis D. Glyoxylate cycle Answer: A **Watch Video Solution** 264. The enzymes acting as both carboxylase at one time & oxygenase at another time A. PEP carboxylase **B. RUBISCO** C. Carbonic anhydrase D. ATP ase **Answer: B** 

265.	The	following	compounds	are	intermediates	in	the	pathway	of
phot	ores	piration							

I) Phosphoglycolate II) Serine

III) glyoxylate IV) glycine

The correct sequence of their appearance in the pathway is

A. I,II, III, IV

B. I,III, IV,II

C. II,I,III,IV

D. II,I,IV,III

### **Answer: B**



**266.** Inhibition photosynthesis in high concentration of oxygen is mainly due to

A. distribution of RuBP carboxylase

B. inactivation of RuBP carboxylase

C. non-synthesis of RubP carboxylase

D. RuBP carboxylase acting as oxygenase

#### **Answer: B**



**Watch Video Solution** 

**267.** The substrate of photorespiration is

A. Malic acid

B. Oxaloacetic Acid

C. Glycolic acid

D. PGA

#### **Answer: C**



**Watch Video Solution** 

268. During photorespiration, the oxygen consuming reaction(s) occur in


- A. Stroma of chloroplasts and mitochondria
- B. Stroma of chloroplasts and peroxisomes
- C. Grana of chloroplasts and peroxisomes
- D. Stroma of chloroplasts

# **Answer: B**



**Watch Video Solution** 

**269.** How many molecules of glycine are required to release one molecule of  $CO_2$  in photorespiration



# **271.** Organelles associated with photorespiration are

- A. Chloroplast, mitochondria, Peroxisome
- B. Chloroplast mitochondria, lysosome
- C. Mitochondria, peroxisome, centrosome
- D. Nucleus, centrosome peroxisome

#### **Answer: A**



**Watch Video Solution** 

# 272. Which of the following is formed during photorespiration?

- A. Sugar cane
- B. Phosphoglycolate
- C. NADPH

_	
D.	ATP

**Answer: B** 




**Watch Video Solution** 

**273.** The ratio between 2-carbon and 3-carbon intermediates having-  $NH_2$  group formed in photosynthetic oxidation cycle is

- A. 1:1
- B.2:1
- C. 3: 2
- D.3:4

Answer: B





#### **Answer: D**



**Watch Video Solution** 

**276.** Light is rarely a limiting factor for photosynthesis in all the following plants but is oftenly a limiting factor in


- A. Sciophytes
- B. Heliophytes
- C. Normal  $C_3$  plants
- D. Normal  $C_4$  plants


## Answer: A



**Watch Video Solution** 

277. The major limiting factor for photosynthesis is





D. four time to full sunlight

#### **Answer: A**



**Watch Video Solution** 

# 281. Photosynthesis

- A. Affected by the simultaneous interaction of several factors
- B. Its rate determined by the factor available at optimum level
- C. Influenced more by the the external factor than internal factors
- D. At one particular time more than one factors functions as limiting factor

## **Answer: A**



# **282.** In $C_3$ and $C_4$ plants , the $CO_2$ saturation respectively is

- A. At about  $360\mu1L^{-1}$  beyond  $450\mu1L^{-1}$
- B. Less than  $360\mu1L^{-1}$  , less than  $450\mu1L^{-1}$
- C. More than  $360\mu1L^{-1}$  , less than  $450\mu1L^{-1}$
- D. Beyond  $450\mu1L^{-1}$  , at about  $360\mu1L^{-1}$

#### **Answer: D**



**Watch Video Solution** 

# 283. Quality of light refers to

- A. intensity of light
- B. frequency of light
- C. wavelength of light
- D. duration of light

#### **Answer: C**



Watch Video Solution

**284.** A point at which illuminated plant parts stop absorbing  $CO_2$  from their environment , is known is

- A.  $CO_2$  compensation point
- B.  $CO_2$  saturation point
- C.  $CO_2$  optimum point
- $\mathsf{D}.\,CO_2$  limiting point

#### Answer: A



**Watch Video Solution** 

**285.** Excessive elongation of plants and poor development of leaves when they were grown in darkness is called

A. Foolish seedling disease B. Bolting C. Embolism D. Ftiolation **Answer: D Watch Video Solution** 286. Which of the following influences feed back inhibition of Photosynthesis A. Chlorophyll degration B. Hight lightintensity C. Low  $CO_2$  concentration D. Carbohydrate accumulation Answer: D



**287.** Law of minimum was proposed by

A. Warburg

B. F.F. Blackman

C. Liebig

D. Emerson

## **Answer: C**



288. Warburg effect is

A. The enhancement effect of light on Photosynthesis

B. The feed back inhibition in Photosynthesis

C. The inhibitory effect of high  $CO_2$  on Photosysnthesis

D. The inhibitory effect of high  ${\cal O}_2$  on Photosynthesis

## **Answer: D**



**Watch Video Solution** 

- 289. Warburg effect has not been observed in
  - A. Maize
  - B. Sugarcane
  - C. Sorghum
  - D. All of these

# Answer: D



**290.** Which of the following colours of light work(s) best for photosynthesis?

A. Green

B. Yellow

C. Blue and red

D. violet and yellow

# Answer: C



**291.** For the process of photosynthesis, which one of the following is not essential?

A. Light and chlorophyll

B.  $CO_2$  and light

C. Oxygen and glucose

**Answer: C Watch Video Solution** 292. The limiting step in photosynthesis is the rate of A.  $O_2$  evolution B. light reaction C. dark reaction D.  $CO_2$  diffusion to photosynthetic site **Answer: B Watch Video Solution** 

**293.** High  $CO_2$  compensation point is found in

D. Water and minerals

A.  $C_3$  - plants B.  $C_4$  - plants C. CAM plants D. Algae **Answer: A** Watch Video Solution 294. Dry weight of leaf is maximum during A. Morning B. Afternoon C. Noon D. Night **Answer: B Watch Video Solution** 

**295.** Rate of photosynthesis is independent of

A. Duration of light

B. Intensity of light

C. Temperature

D. Respiration

#### **Answer: D**



Watch Video Solution

**296.** What will happen to the rate of photosynthesis if rate of translocation of food is slow the photosynthesis rate ?

A. 1)Becomes double

B. 2)Decreases

C. 3)Increases

D.	4)R	ema	ins	same	•
	.,				

#### **Answer: B**



**Watch Video Solution** 

**297.** Which one of the following would not limit photosynthesis or not be a limiting factor photosynthesis ?

- A. 1)Light
- B. 2) $CO_2$
- C. 3)Chlorophyll
- D. 4)Oxygen

# Answer: D



<b>298.</b> Maximum $O_2$ evolution occurs from				
A. Forests				
B. Marine phytoplankton				
C. Crops				
D. Land mass				
Answer: B				
Watch Video Solution				
<b>299.</b> Wavelength of light that carries out photosynthesis in bacteria is				
A. Blue				
B. Red				
C. Ultraviolet				
D. Near infra red or far red				

#### **Answer: D**



**Watch Video Solution** 

**300.** It is difficult for most plants to carryout photosynthesis in very hot, dry environments why?

- A. Very intense light over powers pigment molecules
- B. The closing of somata keeps away  $CO_2$  from entering and  $O_2$  from leaving plants
- $\operatorname{C.}{CO_2}$  build up in the leaves , blocking carbon fixation
- D. None of the above

## **Answer: B**



**301.** Very strong light has a direct inhibiting effect on photosynthesis, which is known as

WITCH IS KITOWIT A.

A. Solarisation

B. Etiolation

C. Chlorosis

D. Defoliation

# Answer: A



Watch Video Solution

**302.** Potted plants are not allowed to remain in room of a patient during night as

A. They consume  $\mathcal{O}_2$  at night

B. Produe  $CO_2$  at night

C. They release  $\mathcal{O}_2$  only during day

D. They are unable to photosynthesise and deplete  $CO_2$  of he room at night

#### **Answer: B**



**Watch Video Solution** 


**303.** A reduction in the quantity of oxygen evolution during photosynthesis may be observed at

- A. Light having wavelength more than 680 nm
- B. Light having wavelength less than 680 nm
- C. Light having wavelength 560 nm
- D. Light having wavelength less than 360 nm

## **Answer: A**



**304.** When two plants L and M were exposed to different light intensities and temperature they showed changes in their rates of photosynthesis. Which have been represented in the following graph.



The graph indicates that

- A. Plant L is a  $C_3$  plant for which the light saturation point is 100% of full sunlight .
- B. Plant M is a  $C_4$  plant for which the optimum temperature is around  $20^{\circ}\,C$
- C. Plant M is a  ${\cal C}_3$  plant which is more affected at higher temperature and higher light intensity as compared to plant L
- D. Plant L is a  ${\cal C}_4$  plant and cannot function at light intensities above the saturation point

#### Answer: C



**Watch Video Solution** 

# Exercise li

- **1.** In an experiment demonstrating the evolution of oxygen in Hydrilla , sodium bicarbonate is added to water in the experiment set-up . What would happen if all other conditions are favourable ?
  - A. Amount of oxygen evolved decreases as the availability of carbondioxide increases
  - B. Amount of oxygen evolved increases as carbondioxide in water is absorbed by sodium bicarbonate
  - C. Amount of oxygen evolved decreases as carbondioxide in water is absorbed by sodium bicarbonate

D. Amount of oxygen evolved increases as the availability of carbon dioxide increase

#### **Answer: D**



# 2. In which following example chlorophyll a/b ratio is minimum

A. LHC

B. ETS

C. PSI

D. PS II

# Answer: D



<b>3.</b> The oxygen liberated during the photosynthesis given by Engelmann using all, except					
A. Filamentous green alga Cladophora					
B. Unicellular green alga Chlorella					
C. Supension of aerobic bacteria					
D. Prism to split the light in the its components					
Answer: B					
Watch Video Solution					
Watch Video Solution					
Watch Video Solution  4. Read the following statements. How many of the given statements is (are) correct?					
4. Read the following statements. How many of the given statements					
4. Read the following statements. How many of the given statements is (are) correct?					

#### **Answer: D**



**Watch Video Solution** 

5. How many componens listed below are part of cyclic ETS?

P<sub>700</sub>, P<sub>680</sub>, NADP reductase, Hydrogen carrier, PS I, Water Splitting Complex, PS II

A. Two

B. three

C. Five

D. Four


## **Answer: B**



<b>6.</b> Regeneration of four molecules of RuBP in $C_3$ cycle requires the
expenditure of ATP.
A. 1
B. 4
C. 3
D. 2
Answer: B




7. Choose the correct labelling for given figure



- A. D- Saturation point, E Maximum photosynthesis
- B. A Achieved at high light intensity
- C. D 10% of total sunlight, E Compensation point
- D. A Light saturation at 10% of total sunlight

## Answer: A





D. Stroma

## Answer: B



**Watch Video Solution** 

- 10. Sorghum and sugarcane plants show saturation at about
  - A. 50% of full sunlight
  - B. 10% of full sunlight
  - C. 360 ppm of  $CO_2$
  - D. 500 ppm of  $CO_2$

# **Answer: C**



- **11.**  $C_4$  Plants can tolerate saline conditions due to
  - A. Occurrence of organic acids

B. Absence of Photorespiraition C. Presenc rod PEP carboxylase enzyme D. presence of PEP Carboxylase enzyme Answer: A **Watch Video Solution 12.** Electron flow in thylakoid membrane from PS-II 
ightarrow PSI is

prevented by

A. 2,4,-D

B. Urea

C. DCMU

D. Paraquat

# Answer: C



<b>13.</b> Explain: $Chrysophytes$ .					
A. 2,4,-D					
B. Paraquat					
C. Auxin					
D. DCMU					
Answer: B					
Watch Video Solution					
14. During Photosynthesis shuttle system operates between					
A. Cytosol to chloroplast					
B. Lumen of thylakoids to stroma					
C. Mesophyll cells to bundle sheath cells					
D. Inter cellular spaces to mesophyll cells					

#### **Answer: C**



**15.** Plants growing in different strata in a water body manage minimum their photosynthetic efficiency by

- A. Changing source of energy (chemical)
- B. Adjusting pigment composition
- C. Utilising only blue region of PAR
- D. Producing more number of Chlorophyll a molecules

## Answer: B



**Watch Video Solution** 

**16.**  $C_3$  cycle was first studies in a plant of A group in plant kingdom &  $C_4$  cycle was first studied in a plant of B group in plant kingdom A & B

respectively are				
A. Dicot , monocot				
B. Algae, angiosperms				
C. Monocot, dicot				
D. Angiosperms, brown alga				
Answer: B				
Watch Video Solution				
17. Choose the correct statement from the following regarding bacterial				
Photosynthesis				
A. $H_2$ is the source of hydrogen				
B. Dark reaction occurs in all but not light reaction				
C. All produce sulphur as by product				
D. All have pigment in chromatophores				

## **Answer: B**



**Watch Video Solution** 


- 18. Weedicides used in the crop fields kill the weeds by
  - A. Preventing electron transport in respiration
  - B. Preventing dark phase in photosynthesis
  - C. Preventing light absorption by pigment
  - D. Preventing electron transfer in thylakoid membrane (or) in light phase

## **Answer: D**



**Watch Video Solution** 

**19.** Isolated chloroplast cannot synthesize starch through dark phase inspite of possessing stroma and dark phase enzymes It is due to absence



0	Watch Video Solution	
---	----------------------	--

**21.** One of the following gesture of electron is useful to green plants in production of assimilatory power during photochemical reactions

A. Fluorescence

B. Phosphorescence

C. Energy transfer

D. All the above

# Answer: C




Watch Video Solution

22. Starch formation during dark phase is observed in these regions

A. Chloroplasts

B. Amyloplasts



24. Chlorophyll 'C" differ from Chlorophyll 'a' and 'b' in A. Absence of Mg B. Ability to dissolved in water C. Absence of phytol tail D. Absence of porphyring structure **Answer: C Watch Video Solution** 25. Pigment with four pyrrole rings in their structure are A. Chlorophyll

B. Phycoerythrin

C. Phycocyanin

D. All the above

# Answer: D Watch Video Solution **26.** Chlorophyll appears When flouresed and carotene appears (colour) A. Orange, blue B. Red green C. Green, orange D. Blue, red **Answer: B** Watch Video Solution

27. A give dicot family consists of several genera which are

- 28. Leaf anatomy has bundle sheath around the Vascular bundle in A.  $C_3$  plants B.  $C_4$  plants C. all dicot plants D. 1 or 2 **Answer: B Watch Video Solution**
- **Watch Video Solution**

A. Only  $C_3$  plants

B. Only  $C_4$  plants

C.  $C_3$  (or )  $C_4$  plants

D.  $C_3$  &  $C_4$  plants

**Answer: C** 

<b>29.</b> Malic dehydrogenase enzyme is present in	

- A. Mitochondria
- B. Chloroplast
- C. Cytosol
- D.1&2

# **Answer: D**



**Watch Video Solution** 

# **30.** In $C_4$ plants enzymes of PCR cycle are present in

- A. Mesophyll cells
- B. Bundle sheath cells
- C. (1) & 2

# **Answer: B**



**Watch Video Solution** 

31. Common organic acids found in both Chloroplast and mitochondria in

# $C_4$ plants are

A. PGA, PA

B. OAA,MA

C. PEP,MA

D. Aspartic acid, OAA

# Answer: B



32. In the above diagram A & B represent respectively





- A. Mesophyll cells in upper epidemics & lower epidermis
- B. Mesophyll cells in temperature & tropical plant leaves
- C. Chloroplast alignment at high & low light in tensity
- D. Variation in Chloroplast number in different seasons

# **Answer: C**



**33.** Using the second law of motion show that impulse is equal to the change in momentum.

A. After world war I

B. Just before world war II

C. Just after world war II

D. During world war III

# **Answer: C**



# Exercise lii

- **1.** Phosphoenol pyruvate (PEP) is the primary  $CO_2$  acceptor in
  - A.  $C_3$  plants
  - B.  $C_4$  plants

- C.  $C_2$  plants
- D.  $C_3$  and  $C_4$  plants

# **Answer: B**



- **2.** With reference to factors affecting the rate of Photosynthesis, which of the following statements is not correct ?
  - A. Light saturation for  $CO_2$  fixation occurs at 10% full sunlight .
  - B. Increasing atmosphere  $CO_2$  concentration up to 0.05% can enhance  $CO_2$  fixation rate
  - C.  $C_3$  plants respond to higher temperatures with enhanced Photosynthesis while  $C_4$  plants have much lower temperature optimum.

D. Tomato is a . greenhouse crop which can be grown in  ${\cal C}O_2$  enriched atmosphere for higher yield.

# **Answer: C**



**3.** Emerson's enhancement effect and Red drop have been instrumental in the discovery of

- A. Photophosphorylation and non-cyclic electron transport
- B. Two photosystem operating simultaneously
- C. Photophosphorylation and cycling electron transport
- D. Oxidative phosphorylation

# **Answer: B**



A. Oscillatoria
B. Rhodospirillum
C. Chlorobium
D. Chromatium
Answer: A
Watch Video Solution
5. Anoxygenic photosynthesis is characteristic of
A. Rhodospirillum
B. Spirogyra
C. Chlamydomonas
D. Ulva

**4.** Oxygenic photosynthesis occurs in

# Answer: A



**Watch Video Solution** 

- **6.** Transition state structure of the substrate fomed during an enzymatic reaction is
  - A. Transient but stable
  - B. Permanent but unstable
  - C. Transient but unstable Transient but unstable
  - D. Permanent and stable

# **Answer: C**



**Watch Video Solution** 

7. An alga which can be employed as food for human being is

A. Ulothrix B. Chlorella C. Spirogyra D. Polysiphonia **Answer: B Watch Video Solution** 8. Read the following four statements (A-D) -(A) Both, photophosphorylation and oxidative phosphorylation involve uphill transport of protons across the membrane -(B) In dicot stems, a new cambium originates from cells of pericycle at the time of secondary growth -(C) Stamens in flowers of Glorisa and Petunia are polyandrous -(D)Symbiotic nitrogen-fixers occurs in free-living state also in soil-How many of the above statements are right? A. One

B. Two	
C. Three	
D. Four	
Answer: B	



**Watch Video Solution** 

- 9. Which one of the following organisms is correctly matched with its three characteristics?
  - A. Maize :  $C_3$  pathway , Closed vascular bundles , Scutellum
  - B. Pea :  $C_3$  pathway , Endospermic seed, Vexillary aestivation
  - C. Tomato: Twisted aestivation, Axile Placentation, Berry
  - D. Onion: Bulb, Imbricate aestivation, Axile Placentation also in soil

# Answer: A



**10.** A Process that makes important differences between  $C_3$  and  $C_4$  plants is A. Photorespiraition

B. Transportation

C. Glycolysis

D. Photosynthesis

# Answer: A



Watch Video Solution

11. Kranz anatomy is typical of

A.  $C_4$  - plants

B.  $C_3$  - plants

C.  $C_2$  - plants

D. photorespiration	
Answer: A	
Watch Video Solution	
<b>2.</b> A Process that makes important differences between $C_3$ and $C_4$ plants	
A. Photosynthesis	
B. Photorespiraition	

C. Transportation

Watch Video Solution

D. Glycolysis

**Answer: B** 

13. The correct sequence of cell organelles during photorespiration is
A. Chloroplast , mitochondria , peroxisome
B. Chloroplast , vacuole , peroxisome ,
C. Chloroplast, Golgi bodies , mitochondria
D. Chloroplast , Rough endoplasmic reticulum Dictyosomes
Answer: A
Watch Video Solution
Watch Video Solution
Watch Video Solution  14. Of the total incident solar radiation the proportion of PAR is
14. Of the total incident solar radiation the proportion of PAR is

D. about 70%

# Answer: B Watch Video Solution

# **15.** CAM helps the plants in

- A. Conserving water
- B. Secondary growth
- C. Disease resistance
- D. Reproduction

# **Answer: A**



**Watch Video Solution** 

**16.** In kranz anatomy, the bundle sheath cells have

A. thick walk, many intercellular spaces and few chloroplasts.

B. thin walls, many intercellular spaces and no chloroplasts.

C. thick walls , no intercellular spaces and large number-of chloroplasts.

D. thin walls, no intercellular spaces and several chloroplasts.

# Answer: C



17. PGA as the first  $CO_2$ -fixation product was discovered in photosynthesis of:-

A. Bryophyte

B. Gymnosperms

C. Angiosperm

D. Alga


Answer: D

- **18.**  $C_4$  plants are more efficent in photosynthesis than  $C_3$  plants due to
  - A. Higher leaf area
  - B. Presence of large number of chloroplast in the leaf cells
  - C. Presence of thin cuticle
  - D. Lower rate of photorespiraition

**Answer: D** 



# 19. Study the pathway given below:



in which of the following options words for all the three blanks , A, B and

# C are indicated?

A.	A	B		$\epsilon$	7	
	Fixation	${ m Tr} a$	nsaminatio	n F	Regen	eration
В.	$\boldsymbol{A}$	B		(	C	
	Fixation	Dec	carboxylatio	on	Reg	eneration
C.	$\boldsymbol{A}$		B		(	7
	Carboxyla	ation	Decarboxy	latio	on F	Reduction

D.  $\frac{A}{\text{Decarboxylation}}$   $\frac{B}{\text{Reduction}}$   $\frac{C}{\text{Regeneration}}$ 

# Answer: B



- **20.** Read the following four statements, A, B, C and D select the right option having both correct statements. -
- (A) Z scheme of light reaction takes place in presence of PSI -only. -
- (B)Only PSI is functional in cyclic Photophosphorylation results into synthesis of ATP and  $NADPH_2$  -
- (C) Cyclic Photophosphorylation results into synthesis of ATP and  $NADPH_2$ .
- (D)Stroma lamellae lack PS II as well as  $NADP. \label{eq:polyalpha}$ 
  - A. A and B
    - B. B and C
    - C. C and D
      - D. B and D

# Answer: D **Watch Video Solution** 21. Oxygenic photosynthesis occurs in A. Chromatium B. Oscillatoria C. Rhodospirillum D. Chlorobium **Answer: B Watch Video Solution** 22. Stroma in the chlorplasts of higher plant contains A. Light-indepedent reaction enzymes

C. pigments D. Chlorophyll Answer: A **Watch Video Solution** 23. Cyclic Photophosphorylation produces A. NADPH B. ATP and NADPH C. ATP, NADPH and oxygen D. ATP **Answer: D Watch Video Solution** 

B. Light-dependent reaction enzymes

**24.** The  $C_4$  plants are photosynthetically more efficient than  $C_3$  plants because


- A. The carbon dioxide compensation points is more
- B. Carbon dioxide generated during Photorespiraition is trapped and recycled through PEP carboxylase
- C. The carbon dioxide efflux is not Prevented
- D. They have more chloroplasts

# **Answer: B**



**25.** In the leaves of  $C_4$  plants, malic acid formation during  $CO_2$  fixation occurs in the cells of

- A. epidermal cells
- B. mesophyll cells,



<b>27.</b> The first acceptor of electrons from an excited chlorophyll molecule of
photosystem II is

- A. Cytochrome
- B. Iron-sulphur protein
- C. Ferredoxin
- D. Pheophytin

# **Answer: D**

