



BIOLOGY

BOOKS - AAKASH SERIES

PRINCIPLES AND PROCESSES

Exercise I

1. When an alien DNA fragment is linked with the origin of replication, so that this alien piece of DNA can replicate and multiply itself

in the host organism, then this can be called
as

- A. gene transfer
- B. gel electrophoresis
- C. gene cloning
- D. transformation

Answer: C



Watch Video Solution

2. The cutting of DNA by restriction endonucleases results in the fragments of DNA. These fragments can be separated by a technique known as

A. PCR

B. molecular diagnosis

C. isolation of DNA

D. gel electrophoresis

Answer: D



Watch Video Solution

3. Now a days which is the most commonly used matrix of electrophoresis ?

- A. agarose
- B. ethidium bromide
- C. sulphate bromide
- D. sulphite bromide

Answer: A



Watch Video Solution

4. The vector requires a....., which helps in identifying selectively permitting the growth of transformants.

- A. selectable marker
- B. cloning sites
- C. antibiotic resistance genes
- D. bacteriophage

Answer: A



Watch Video Solution

5. Retroviruses in animals have the ability to transform normal cell into

- A. Tumour
- B. RNA containing cell
- C. DNA containing cell
- D. Cancerous cell

Answer: D



Watch Video Solution

6. DNA polymerase is isolated from bacteria

A. E.coli

B. *Thermus aquaticus*

C. *Salmonella typhimurium*

D. *Thermus occus*

Answer: B



Watch Video Solution

7. A stirred-tank reactor is usually cylindrical or with a curved base to

A. give a large surface area

B. facilitate the mixing of the reactor content

C. avoid the mixing of the reactor contents

D. increase the oxygen transfer area

Answer: B



Watch Video Solution

8. The process by which multiple copies of the gene of interest is synthesized in vitro using two sets of primers is known as

A. PCR

B. gel electrophoresis

C. downstream processing

D. genetic printing

Answer: A



Watch Video Solution

9. The cutting of DNA at specific locations became possible with the discovery of

- A. Cloning
- B. restriction endonucleases
- C. restriction exonucleases
- D. vectors

Answer: B



Watch Video Solution

10. The linking of antibiotic resistance gene with the plasmid vector became possible with:

- A. DNA ligase
- B. RNA polymerase
- C. DNA polymerase
- D. All of the above

Answer: A



Watch Video Solution

11. The procedure through which a piece of DNA is introduced in a host bacterium is

A. Transduction

B. Transformation

C. Conjugation

D. rDNA technology

Answer: B



Watch Video Solution

12. When DNA molecule is cut by the same restriction enzyme, the resultant DNA fragments have the same kind of 'sticky-ends' and these can be joined together (end to end) using

A. E.coli

B. DNA ligase

C. DNA polymerases

D. restriction enzymes

Answer: B



[Watch Video Solution](#)

13. The name biological scissors is given to

- A. Enzymes
- B. restriction endonucleases
- C. restriction exonucleases
- D. restriction DNase

Answer: B



[Watch Video Solution](#)

14. Extrachromosomal self replicating double stranded circular DNA in bacterial cell is called

A. plasmid

B. cosmid

C. phagemid

D. all of these

Answer: A



Watch Video Solution

15. Which of the following is a cloning vector?

A. cosmid

B. Phagemid

C. plasmid

D. All of these

Answer: D



Watch Video Solution

16. Indispensable tool of genetic engineering is

A. cloning vector

B. restriction endonuclease enzyme

C. *Pseudomonas putida*

D. plasmids

Answer: B



Watch Video Solution

17. Transgenic plants are produced by using Ti-plasmid from

A. *Agrobacterium tumefaciens*

B. *Pseudomonas putida*

C. *Rhizobium leguminosarum*

D. *E.coli*

Answer: A



Watch Video Solution

18. Ori sequence in plasmid refers to sequence

:

A. that supports high copy number of the

linked DNA

B. from which replication will start in

plasmid

C. for restriction site

D. Both 1 and 2

Answer: D



[Watch Video Solution](#)

19. Which enzyme is used in the polymerase chain reaction?

- A. Restriction enzymes
- B. Reverse transcriptase
- C. Ligase
- D. DNA polymerase

Answer: D



[Watch Video Solution](#)

20. The sticky ends of a fragmented DNA molecule are made of

A. calcium salts

B. endonuclease

C. unpaired bases

D. methyl groups

Answer: C



Watch Video Solution

21. In recombinant DNA technology , a plasmid vector is cleaved by

A. Four separated enzymes

B. Modified DNA ligase

C. A heated alkaline solution

D. the same enzyme that cleaves the donor gene

Answer: D



Watch Video Solution

22. Bacterial resistance to antibiotics is a genetic trait, it is normally carried by the

A. Intron

B. Chromosome

C. Plasmid

D. centromere

Answer: C



Watch Video Solution

23. Which of the given statements is correct in the context of observing DNA separated by agarose gel electrophoresis ?

A. DNA can be seen in visible light

B. DNA can be seen without staining in visible light

C. Ethidium bromide stained DNA can be seen in visible light

D. Ethidium bromide stained DNA can be seen under exposure to UV light.

Answer: D



Watch Video Solution

24. The most important feature in a plasmid to be used as a vector is

A. Origin of replication

B. Presence of a selectable marker

C. Presence of sites for restriction endonuclease

D. Its size

Answer: A



Watch Video Solution

25. The separated DNA fragment can be visualized only after staining the DNA with

A. ethidium sulphide

B. ethidium bromide

C. ethidium sulphite

D. ethidium bromite

Answer: B



Watch Video Solution

26. You can see bright orange-coloured bands of DNA in ethidium bromide stained gel exposed to

A. X-rays

B. sun rays

C. UV rays

D. gamma rays

Answer: C



Watch Video Solution

27. The method in which recombinant DNA is directly injected into the nucleus of an animal cell using microneedle is known as

A. micro-injection

B. biolistics

C. gene gun

D. Both (2) and (3)

Answer: A



Watch Video Solution

28. E.coli cloning vector pBR322 contains restriction sites in the region of *ams*, *tet²* genes that codes for the:

A. antibiotic resistance genes

B. foreign DNA

C. selection of recombinants from
nonrecombinants

D. proteins involved in the replication of
the plasmid

Answer: D



Watch Video Solution

29. In the year 1963, the two enzymes responsible for restricting the growth of bacteriophage in *Escherichia coli* were isolated. They are

- A. restriction endonuclease
- B. restriction exonuclease
- C. Type III restriction enzyme
- D. plasmid

Answer: A



Watch Video Solution

30. DNA is a negatively charged molecule, hence it moves towards the

A. cathode

B. anode

C. equator

D. all of these

Answer: B



Watch Video Solution

31. Which of the following could be a restriction enzyme recognition site ?

A. ATGCAT

B. ATCATC

C. AAAGGA

D. ATCCTA

Answer: A



Watch Video Solution

32. Cleavage style of restriction enzymes includes

A. blunt end style

B. sticky end style

C. no style

D. Both (1) and (2)

Answer: D



Watch Video Solution

33. When cell wall of a bacterial cell is partially and completely removed, protoplasm takes a spherical shape, it is called as

- A. protoplast
- B. spheroplast
- C. bacterioplast
- D. DNA

Answer: B



Watch Video Solution

34. A fragment of DNA, cut by a restriction enzyme, forms bonds with other DNA molecules that have

A. methyl groups attached to them

B. unpaired bases

C. plasmid components

D. been fragmented by the same restriction enzyme

Answer: D



Watch Video Solution

35. Genetic engineering would not have been possible if one of these were absent.

- A. DNA polymerase
- B. Reverse transcriptase
- C. DNA ligase
- D. RNA synthetase

Answer: C



Watch Video Solution

36. cDNA is

- A. copy DNA
- B. coupled DNA
- C. complementary DNA
- D. compound DNA

Answer: C



Watch Video Solution

37. The unique enzyme used in PCR is

A. Taq polymerase

B. gyrase

C. transcriptase

D. hexokinase

Answer: A



Watch Video Solution

38. A plasmid has two antibiotic-resistance genes, one for tetracycline and other for ampicillin. It is treated with a restriction enzyme that cuts in the middle of the ampicillin gene. DNA fragments containing a haemoglobin gene were cut with the same enzyme. The plasmids and fragments are mixed, treated with ligase and used to transform bacterial cells. Clones that have taken up the recombinant DNA are the ones that

A. can grow on plates with both antibiotics

B. can grow on plates with ampicillin but
not with tetracycline

C. can grow on plates with tetracycline but
not with ampicillin

D. cannot grow with any antibiotic

Answer: C



Watch Video Solution

39. If the first three nucleotides in a six-nucleotides-recognition sequence are CTG, what would be the next three nucleotides most likely?

A. AGG

B. GTC

C. CTG

D. CAG

Answer: D



Watch Video Solution

40. Having become an expert on gel electrophoresis, you are asked to examine a gel for a colleague. Where would you find the smallest segments of DNA ?

A. Near the positive electrode, farthest away from the wells

B. Near the negative electrode, close to the wells

C. Near the top, near the negative pole

D. Near the middle, they tend to slow down
after the first few minutes

Answer: A



Watch Video Solution

41. An enzyme catalysing the removal of nucleotides from the ends of DNA is

A. Endonuclease

B. Exonuclease

C. DNA ligase

D. Hind-II

Answer: B



Watch Video Solution

42. Which of the following steps are catalysed by Taq polymerase in a PCR reaction?

A. Denaturation of template DNA

B. Annealing of primers to template DNA

C. Extension of primer on both the
template strands of DNA

D. All the above

Answer: C



Watch Video Solution

43. This figure shows the restriction site of Eco RI. This restriction enzyme recognition site is palindromic and have specified base base pairs. This means that the recognition sites

have

5'.....G↓ AATT C.....3'

3'.....CTTAA ↑G.....5'

- A. base sequence identical to one another
- B. base sequence that consist of only four bases
- C. the base sequence in one DNA strand reading from one end the same as the sequence in the complementary strand reading from the opposite end.

D. base sequences in which a single letter, representing the base may be present at either location in the recognition site for cutting to occur.

Answer: C



Watch Video Solution

Exercise I More Than One Options Correct

1. A good vector must have

A. ability to replicate anautonomously

B. Single sites for a large number of restriction enzymes

C. easy transformation to the host cells

D. high molecular weight for enhanced stability

Answer: A



Watch Video Solution

2. Match each term column-I with the definition in column-II,

Column - I

A) Bacterial enzymes used to cut DNA at defined sequences

B) Sequences cut by restriction enzymes

C) Ends left on DNA segments cut by DNA restriction enzymes

D) Circular pieces of DNA found in bacteria

E) Bacterial viruses

F) Process by which bacteria take up pieces of

DNA from the environment

G) Plasmid DNA that has incorporated human DNA

H) Term used to describe any vehicle that moves DNA from the organism to another

Column - II

I) Transformation

II) Cloning vector

III) Recombinant

IV) Recognition sequences

V) Plasmids

VI) Sticky ends

VII) Restriction enzymes

VIII) Bacteriophages

A. A-VII,B-IV,C-VI,DI-V,E-VIII,F-I,G-III,H-II`

B. A-IV,B-VI,C-I,D-III,E-V,F-VII,G-VIII,H-II

C. A-III,B-V,C-VII,D-VIII,E-II,F-IV,G-VI,H-I

D. A-IV,B-III,C-V,D-VI,E-VII,F-I,G-VIII,H-II

Answer: A



Watch Video Solution

3. Which of the following steps are involved in recombinant DNA technology?

A. The cells having desired DNA molecule are separated and cultured to increase their number

B. A suitable vector and donor DNA both are treated with similar restriction endonucleases

C. self ligation is increased with alkaline phosphate

D. The host cell cannot be a bacterium

Answer: B



Watch Video Solution

4. The polymerase chain reaction

A. quickly amplifies the small samples of DNA

B. is involved in the production of transgenic organisms

C. is used to make literally billions of copies in only a few hours

D. starts with one gene sized piece of RNA

Answer: D



Watch Video Solution

5. Match the following terms in Column-I with their descriptions by writing the appropriate letters from Column-II.

Column-I

A) A molecule used to carry foreign

B) A rapid way to amplify DNA

C) A way to separate DNA fragments

D) Molecular scissors

E) A gene sequence from more than one origin

Column - II

I) Restriction enzymes genes into bacteria

II) Recombinant DNA in the laboratory

III) PCR based on their size

IV) Vector

V) Gel electrophoresis

A.

<i>A</i>	<i>B</i>	<i>C</i>	<i>D</i>	<i>E</i>
<i>IV</i>	<i>III</i>	<i>V</i>	<i>I</i>	<i>II</i>

B.

<i>A</i>	<i>B</i>	<i>C</i>	<i>D</i>	<i>E</i>
<i>V</i>	<i>I</i>	<i>III</i>	<i>II</i>	<i>IV</i>

C.

<i>A</i>	<i>B</i>	<i>C</i>	<i>D</i>	<i>E</i>
<i>V</i>	<i>I</i>	<i>III</i>	<i>II</i>	<i>IV</i>

D.

<i>A</i>	<i>B</i>	<i>C</i>	<i>D</i>	<i>E</i>
<i>II</i>	<i>V</i>	<i>IV</i>	<i>I</i>	<i>III</i>

Answer: A



Watch Video Solution

6. The reverse order of nucleotide sequence found in the opposite DNA strands recognized by RE's are called

A. Plasmids

B. Cosmids

C. Vectors

D. Palindromes

Answer: D



Watch Video Solution

7. Plasmids are found in

A. Bacteria

B. Yeast

C. Viruses

D. (1) and (2)

Answer: D



Watch Video Solution

8. P^{BR322} cloning vector has the genes for resistance against

- A. Chloramphenicol and Ampicillin
- B. Chloramphenicol and Tetracycline
- C. Ampicillin and Tetracycline
- D. Streptomycin and Penicillin

Answer: C



Watch Video Solution

9. DNA finger printing involves the use of

A. DNA

B. mRNA

C. r-RNA

D. t-RNA

Answer: A



Watch Video Solution

10. Restriction endonucleases are commonly called as

A. Molecular scissors

B. Molecular knives

C. Nature's scalpels

D. All

Answer: D



Watch Video Solution

11. Generally the palindromic sequence in dsDNA at which restriction enzymes act and cut into small segments contain

A. Always 4 base pairs only

B. Always 6 base pairs only

C. Always 5 pairs only

D. 4 to 6 base pairs

Answer: D



Watch Video Solution

12. DNA ligase is also called

- A. Genetic scissors
- B. Biotechnological knife
- C. Nature's scalpel
- D. Molecular stitches

Answer: D



Watch Video Solution

13. Computer based study and designing of genome is called

A. Proteomics

B. Genomics

C. Fermentor

D. Bioreactor

Answer: B



Watch Video Solution

14. Golden rice variety produced by incorporating three genes in Taipei variety of rice to produce which of the vitamin

A. Vitamin 'D'

B. Vitamin 'A'

C. Vitamin 'B'

D. Vitamin 'C'

Answer: B



Watch Video Solution

15. In 1963 the two enzymes responsible for restricting the growth of bacteriophage in *E. coli* were isolated and one of these is used

A. to remove methyl groups to DNA

B. to cut DNA

C. to join DNA fragments

D. to add ethyl enzyme is

Answer: B



Watch Video Solution

16. The first restriction endonuclease enzyme is

- A. Hind-II
- B. Hind-III
- C. EcoRI
- D. Bam H_1

Answer: A



Watch Video Solution

17. More than 900 restriction enzymes have been isolated from

- A. More than 230 strains of viruses
- B. 230 strains of prokaryotes
- C. 230 strains of Bacteria
- D. More than 230 strains of Bacteria

Answer: D



Watch Video Solution

18. In EcoRI the letter R is derived from the name of

A. Genus

B. Species

C. Both genus and species

D. Strain

Answer: D



Watch Video Solution

19. Identify the true statement regarding genetic engineering

A. A gene can be synthesized artificially

B. A gene from eukaryotic cell can be made to function in a prokaryote

C. A gene from animal cell can be made to function in a plant cell

D. All

Answer: D



Watch Video Solution

20. During the construction of the first rDNA, plasmid of which bacterium is used

- A. Haemophilus influenzae
- B. Escherichia coli
- C. Bacillus amyloliquifaciens
- D. Salmonella typhimurium

Answer: D



Watch Video Solution

21. The first r-DNA constructed by gene encoding the following character

- A. Frost resistance
- B. Drought resistance
- C. Pest resistance
- D. Antibiotic resistance

Answer: D



Watch Video Solution

22. An enzyme used to replicate and produce multiple copies of r-DNA in the suitable host is

A. DNA ligase

B. DNA polymerase

C. DNase

D. Nuclease

Answer: B



Watch Video Solution

23. Identify the tools of r-DNA technology

- A. Restriction enzymes, polymerase enzymes and ligases
- B. Vectors
- C. Host organisms
- D. All

Answer: D



Watch Video Solution

Exercise II

1. In which of the process the electric current of high voltage is applied to transfer foreign DNA

- A. Shot gun method
- B. Micro injection method
- C. Electroporation
- D. biolistic method

Answer: C



Watch Video Solution

2. F.Boliver and R. Rodriguez constructed first artificial vector plasmid was

A. pUC19

B. pUC 101

C. pBR 322

D. Ti plasmid

Answer: C



Watch Video Solution

3. cDNA is synthesized from mRNA by the following enzyme

A. DNA dependent DNA polymerase

B. RNA polymerase

C. Reverse transcriptase

D. DNA dependent RNA polymerase

Answer: C



Watch Video Solution

4. Gene transfer between unrelated organisms i.e., (i.e., prokaryote and eukaryote) is possible by

- A. r-DNA technology
- B. Hybridization
- C. Polyploid breeding
- D. Mutation breeding

Answer: A



Watch Video Solution

5. During the production on r-DNA the use of DNA ligase forms

A. Peptide bonds

B. Phosphodiester bonds

C. Ionic bonds

D. Hydrogen bonds

Answer: B



Watch Video Solution

6. The technology used to clean environment by removing toxic substance from soil and water is called

A. Bioaccumulation

B. Biotechnology

C. Bioinformatics

D. Bioremediation

Answer: D



Watch Video Solution

7. Enzyme used in PCR is

A. Cellulase

B. RNA polymerase

C. Taq DNA polymerase

D. Helicase

Answer: C



Watch Video Solution

8. Who produced first recombinant DNA molecule?

A. Arber, Smith and Nathans

B. Watson and Crick

C. Kornberg and H.G. Khorana

D. Boyer and Cohen

Answer: D



Watch Video Solution

9. A small fragment of radio labelled DNA molecule complementary to the foreign DNA is called

A. Palindromic DNA

B. Z DNA

C. B DNA

D. DNA probe

Answer: D



Watch Video Solution

10. Which of the following chemical substance acts as molecular sieve?

A. DNA ligase

B. Endonuclease

C. Agarose

D. DNA polymerase

Answer: C



Watch Video Solution

11. Identify the the mismatch from the following

A. Precipitation of DNA-Chilled ethanol

B. Separation of DNA fragments -Gel electro-phoresis

C. Staining of DNA-Ethidium bromide

D. Multiple copies of DNA fragments-ultra centrifugation

Answer: D



Watch Video Solution

12. Artificial restructured plasmids are

A. P^{BR322}

B. P^{UC19}

C. P^{UC101}

D. All

Answer: D



Watch Video Solution

13. The features that are required to facilitate cloning into a vector

A. Origin of replication

B. Selectable markers

C. Cloning sites

D. All

Answer: D



Watch Video Solution

14. The separated DNA fragment can be visualized only after staining the DNA with

A. Iodine

B. Crystal violet

C. Janus green B

D. Ethidium bromide

Answer: D



Watch Video Solution

15. The bacterial cell made competent to absorb the plasmid DNA by treating with a specific concentration of

A. Calcium

B. Chloride

C. Zinc

D. Ethidium bromide

Answer: A



Watch Video Solution

16. Now a days which is the most commonly used matrix of electrophoresis ?

A. Agarose

B. Proteins

C. Lipids

D. Organic acids

Answer: A



Watch Video Solution

17. The process by extraction of the separated bands of DNA from agarose gel is known as

- A. Spooling
- B. Down streaming
- C. Elution
- D. Emasculation

Answer: C



Watch Video Solution

18. To which class restriction nucleases belong?

A. Lyases

B. Ligases

C. Nucleases

D. Oxidoreductases

Answer: C



Watch Video Solution

19. Exonucleases remove

A. Nitrogen bases from the ends of DNA

B. Phosphates from the ends of DNA

C. Nucleosides from the ends of DNA

D. Nucleotides from the ends of DNA

Answer: D



Watch Video Solution

20. RE's are isolated from

A. Bacteria

B. Viruses

C. Plants

D. Animals

Answer: A



Watch Video Solution

21. A pair of bacteria used during the construction of first artificial recombinant DNA molecules

A. Haemophilus and Salmonella

B. Salmonella and Bacillus

C. Escherichia and Haemophilus

D. Salmonella and Escherichia

Answer: D



Watch Video Solution

22. The correct sequential steps that are involved in PCR are

A. Annealing, Denaturation and Extension

B. Denaturation, Extension and Annealing

C. Extension, Denaturation and Annealing

D. Denaturation, Annealing and Extension

Answer: D



Watch Video Solution

23. Enzyme used in gene cloning is

A. RNA dependent RNA polymerase

B. RNA dependent DNA polymerase

C. DNA dependent DNA polymerase

D. DNA dependent RNA polymerase

Answer: C



Watch Video Solution

24. Identify the mismatch from the following with regard to cell wall digesting enzymes

A. Bacterial cell wall - Lysozyme

B. Plant cell wall - Cellulose

C. Fungus cell wall - Pectinase

D. Prokaryotic cell wall-Lysozyme

Answer: C



Watch Video Solution

25. Select the incorrect statement from the following

- A. Plasmid DNA + COS sites of DNA of λ
phage = Cosmid
- B. M_{13} phage DNA + Ecoli plasmid DNA =
Phagemid
- C. Cosmid is a modified circular, ds vector
DNA
- D. Cosmid carry selectively very small
foreign DNA fragments into the host
cells

Answer: D



Watch Video Solution

26. The transfer of chimeric DNA gene into host cells can be done by

- A. Transformation
- B. Transduction
- C. Transfection
- D. All

Answer: D



27. Taq DNA polymerase was isolated from the hot springs bacterium called

- A. Tetrahymena thermophila
- B. Thermophilus aquaticus
- C. Clostridium botulinum
- D. Bacillus licheniformis

Answer: B



28. The core techniques that enabled birth of modern biotechnology are

- A. Genetic engineering
- B. Tissue culture
- C. No participation of living organisms
- D. Both (1) and (2)

Answer: D



Watch Video Solution

29. Which of the following is a true for sexual reproduction?

- A. It provides opportunities for variations
- B. It maintain uniform genetic purity of organisms for successive generations
- C. It preserves genetic information for several generations
- D. It permits multiplication of desired genes only

Answer: A



Watch Video Solution

30. The techniques of genetic engineering include

- A. Creation of r-DNA
- B. Use of gene cloning
- C. Gene transfer
- D. All

Answer: D



Watch Video Solution

31. All transformed cells contain

A. cDNA

B. Z DNA

C. r-DNA

D. t-DNA

Answer: C



[Watch Video Solution](#)

32. Thermocycler is a method that helps in

- A. Gene transfer
- B. Splicing of DNA
- C. Gene cloning
- D. Gene isolation

Answer: C



[Watch Video Solution](#)

33. Which of the following are used as vectors

- A. Bacterial plasmids
- B. Yeast plasmids
- C. Some bacteriophages
- D. All

Answer: D



Watch Video Solution

34. Enzymes which bring about lysis of DNA/RNA are

A. Ligases

B. Lyases

C. Peptidases

D. Nucleases

Answer: D



Watch Video Solution

35. Identify the correct statement(s) in relation to RE's

A. RE's show extreme specificity towards the base sequence in DNA strands

B. Each RE's recognises specific base sequence in DNA strands

C. No two different RE's will act on DNA at the same specific base sequence site

D. All

Answer: D



Watch Video Solution

36. Which of the following bacterial plasmids are commonly used as vectors for gene transfer in higher plants?

- A. Ti plasmid of *Agrobacterium tumefaciens*
- B. Ri plasmid of *Agrobacterium rhizogenes*
- C. Yeast integrative plasmid
- D. Both (1) and (2)

Answer: D



Watch Video Solution

37. Most common method of gene transfer in plants is

- A. Southern blotting
- B. Northern blotting
- C. Electrophoresis
- D. Infection by Agrobacterium

Answer: D



Watch Video Solution

38. Select a palindrome sequence from the following

A. AC GC

TC CG

B. TA AC

AT TC

C. AT CT

AT GA

D. AA TT

TT AA

Answer: D



Watch Video Solution

39. Transformation is due to

A. Transfer of chimeric DNA into host cell

B. Synthesis of cDNA from RNA

C. Synthesis of Polypeptide chain from mRNA

D. Insertion of gene into suitable vector

Answer: A



Watch Video Solution

40. Probes are employed in

A. Electrophoresis

B. Southern blotting

C. Colony hybridization

D. (2) and (3)

Answer: D



Watch Video Solution

41. The technique of extraction of DNA fragments from the gel is called:

A. Detergent lysis

B. Gradient centrifugation

C. Elution

D. Electrophoresis

Answer: D



Watch Video Solution

42. In staggered cutting the fragment of DNA contain

A. Sticky, identical ends

B. Non sticky identical ends

C. Sticky complimentary ends


D. Non sticky, Non complimentary ends




Answer: C



Watch Video Solution

43. The restriction enzyme EcoRI recognize following palindrome sequence.





Answer: C



Watch Video Solution

44. Primers are chemically synthesised

A. Oligosaccharides

B. Oligonucleotides

C. Oligopeptides

D. Polypeptides

Answer: B



Watch Video Solution

45. The method in which recombinant DNA is directly injected into the nucleus of an animal cell using microneedle is known as

- A. Gene gun method
- B. Biolistic method
- C. Micro injection method
- D. Both (1) and (2)

Answer: C



Watch Video Solution

46. Production of large quantities of proteins and enzymes requires the use of

A. Selectable markers

B. Bioreactors

C. Disarmed pathogens

D. None

Answer: B



Watch Video Solution

47. Application of DNA finger printing includes

A. Determination of the disputed paternity

B. To identify suspect of criminals

C. Used in immigration cases

D. All

Answer: D



Watch Video Solution

48. *Bacillus thuringiensis* is a

A. Biofertilizer

B. Biopesticide

C. Bioherbicide

D. Biofungicide

Answer: B



Watch Video Solution

49. Biopiracy refers to

A. Patenting without compensation

B. Authorized extraction of biological sources

C. Government bank giving an individual or an organization sole right to make use or sell

D. None

Answer: A



Watch Video Solution

50. Which of the following is a wrong statement

A. RE's recognize and cut DNA at specific locations

B. Plasmids are linear dsDNA

C. molecules

D. Hybrid DNA formed by both plasmid DNA and desired DNA fragment is called recombinant DNA

Answer: B



Watch Video Solution

51. If any protein encoding gene is expressed in a heterologous host, is called a

- A. recombinant protein
- B. primary protein
- C. secondary protein
- D. tertiary protein

Answer: A



Watch Video Solution

52. Who discovered PCR (i.e., Polymerase Chain Reaction)?

A. Wilmut

B. A Jeffreys

C. Eithoven

D. Kary Mullis

Answer: D



Watch Video Solution

53. A 'genomic library' is the term used to describe a

A. collection of books about genes in DNA technology

B. collection of known DNA sequence

C. collection of genes that code for specific protein sequences

D. culture of bacteria that contain DNA fragments representing the genome of

an organism

Answer: D



Watch Video Solution

54. The procedure in which DNA fragments are separated by gel electrophoresis and then transferred onto a filter from radioactive probing is known as

A. Gene mapping

B. Gene cloning

C. Polymerase chain reaction

D. Southern blotting technique

Answer: D



Watch Video Solution

55. A molecular probe might be used to

A. find a nucleotide sequence

B. Insert gene into a host cell

C. make DNA for gene cloning

D. cut down pieces of DNA to manageable size

Answer: A



Watch Video Solution

56. Which of the following is common in sticky ends and molecular probes?

A. They both are parts of RNA molecules

B. They both involve in complementary pairing

C. They, both are important aspects of bacterial conjugation

D. They both are used as gene vectors in genetic engineering

Answer: B



Watch Video Solution

57. Type - II restriction enzymes

- A. recognize the specific sequence and cleave DNA at that specific sequence
- B. do not recognize or cleave the specific sequence
- C. recognize specific sequence but cleave non-specific sequence.
- D. None of the above

Answer: A



Watch Video Solution

58. Which of the following terms can be translated from the Greek as "to be carried"?

A. Polymerase

B. Phoresis

C. Euphorbia

D. Electra

Answer: B



Watch Video Solution

59. The technique helps to isolate desired gene/ DNA fragment for the construction of rDNA is

- A. Eastern blotting technique
- B. Western blotting technique
- C. Southern blotting technique
- D. Northern blotting technique

Answer: C



Watch Video Solution

Exercise Iii Previous Aipmt Neet Questions

1. DNA fragments are

- A. Either positively or negatively charged depending on their size
- B. Positively charged
- C. Negatively charged
- D. Neutral

Answer: C



Watch Video Solution

2. The process of separation and purification of expressed protein before marketing is called :

A. Postproduction processing

B. Upstream processing

C. Downstream processing

D. Bioprocessing

Answer: C



Watch Video Solution

3. The DNA fragments separated on an agarose gel can be visualised after staining with:

A. Ethidium bromide

B. Bromophenol blue

C. Acetocarmine

D. Aniline blue

Answer: A



Watch Video Solution

4. Stirred - tank bioreactors have been designed for

A. Availability of oxygen throughout the process

B. Ensuring anaerobic conditions in the culture vessels

C. Purification of product

D. Addition of preservatives to the product

Answer: A



Watch Video Solution

5. A foreign DNA and plasmid cut by the same restriction endonuclease can be joined to form a recombinant plasmid using

A. Polymerase III

B. Ligase

C. Eco RI

D. Taq polymerase

Answer: B



Watch Video Solution

6. Which of the following is not component of downstream processing?

A. Preservation

B. Expression

C. Separation

D. Purification

Answer: B



Watch Video Solution

7. Which of the following restriction enzymes produces blunt ends?

A. Xho I

B. Hind III

C. Sal I

D. Eco RV

Answer: D



Watch Video Solution

8. The taq polymerase enzyme is obtained from

A. *Thermus aquaticus*

B. *Thiobacillus ferrooxidans*

C. *Bacillus subtilis*

D. *Pseudomonas putida*

Answer: A



Watch Video Solution

9. Which of the following is not required for any of the techniques of DNA fingerprinting available at present

A. Polymerase chain reaction

B. Zinc finger analysis

C. Restriction enzymes

D. DNA-DNA hybridization

Answer: B



Watch Video Solution

10. Which of the following is a restriction endonucleases?

A. Hind II

B. Protease

C. DNase I

D. RNase

Answer: A



Watch Video Solution

11. Golden rice is a genetically modified crop plant where the incorporated gene is meant for biosynthesis of

A. Vitamin A

B. Vitamin B

C. Vitamin C

D. Omega 3

Answer: A



Watch Video Solution

12. An analysis of chromosomal DNA using Southern hybridization technique does not use

A. Electrophoresis

B. Blotting

C. Autoradiography

D. PCR

Answer: D



Watch Video Solution

13. In vitro clonal propagation in plants is characterised by

A. PCR and RAPD

B. Northern blotting

C. Electrophoresis and HPLC

D. Microscopy

Answer: A



Watch Video Solution

14. Which vector can clone only a small fragment of DNA ?

A. Bacterial artificial chromosome

B. Yeast artificial chromosome

C. Plasmid

D. Cosmid

Answer: C



Watch Video Solution

15. DNA fragments generated by the restriction endonucleases in a chemical reaction can be separated by

A. Centrifugation

B. Polymerase chain reaction

C. Electrophoresis

D. Restriction mapping

Answer: C



Watch Video Solution

16. The colonies of recombinant bacteria appear white in contrast to blue colonies of non-recombinant bacteria because of

- A. Non - recombinant bacteria containing
beta - galactosidase
- B. Insertional inactivation of alpha -
galactosidase in non - recombinant
bacteria
- C. Insertional inactivation of alpha -
galactosidase in recombinant bacteria
- D. Inactivation of glycosidase enzyme in
recombinant

Answer: A



Watch Video Solution

17. For transformation, micro- particles coated with DNA to be bombarded with gene gun are made up of

A. Silicon or platinum

B. Gold or tungsten

C. Silver or platinum

D. Platinum or zinc

Answer: B



Watch Video Solution

18. There is a restriction endonuclease called Eco RI. What does 'co' part in it stand for ?

A. coli

B. colon

C. coelom

D. coenzyme

Answer: A



19. Agarose extracted from sea weeds finds use in

- A. Gel electrophoresis
- B. Spectrophotometry
- C. Tissue culture
- D. PCR

Answer: A



20. Which one of the following is used as vector for cloning genes into higher organisms ?

A. Baculovirus

B. *Salmonella typhimurium*

C. *Rhizopus nigricans*

D. Retrovirus

Answer: D



Watch Video Solution

21. Which one of the following palindromic base sequences in DNA can be easily cut at about the middle by some particular restriction enzyme?

A. 5' _____CGTTCG_____ 3'

3' _____ATGGTA_____ 5'

B. 5' _____GATATG_____ 3'

3' _____CTACTA_____ 5'

C. 5' _____ GAATTC _____ 3'

3' _____ CTTAAG _____ 5'

D. 5' _____ CACGTA _____ 3'

3' _____ CTCAGT _____ 5'

Answer: C



Watch Video Solution

22. DNA or RNA segment tagged with a radioactive molecule is called

A. Vector

B. Probe

C. Clone

D. Plasmid

Answer: B



Watch Video Solution

23. Restriction endonucleases are enzymes which

A. make cuts at specific positions within
the DNA molecule

B. recognize a specific nucleotide
sequence for binding of DNA ligase

C. restrict the action of the enzyme DNA
polymerase

D. remove nucleotides from the ends of the
DNA molecule

Answer: A



Watch Video Solution

24. Polyethylene glycol method is used for :

A. Energy production from sewage

B. Gene transfer without a vector

C. Biodiesel production

D. Seedless fruit production

Answer: B



Watch Video Solution

25. Gel electrophoresis is used for

- A. construction of recombinant DNA by joining with cloning vectors
- B. isolation of DNA molecule
- C. cutting of DNA into fragments
- D. separation of DNA fragments according to their size

Answer: D



Watch Video Solution

26. The linking of antibiotic resistance gene with the plasmid vector became possible with:

A. DNA polymerase

B. Exonucleases

C. DNA ligase

D. Endonucleases

Answer: C



Watch Video Solution