



India's Number 1 Education App

MATHS

NCERT - NCERT MATHS (KANNADA ENGLISH)

POLYNOMIALS AND FACTORISATION

Example

1. $p(x) = x + 2$. Find $p(1)$, $p(2)$, $p(-1)$ and $p(-2)$. Which among $1, 2, -1$ and -2 becomes the 0 of $p(x)$?



Watch Video Solution

2. Find zero of the polynomial $p(x) = 3x + 1$



Watch Video Solution

3. Find zero of the polynomial $2x - 1$.



Watch Video Solution

4. Verify whether 2 and 1 are zeros of the polynomial $x^2 - 3x + 2$ or not ?



Watch Video Solution

5. If 3 is a zero of the polynomial $x^2 + 2x - a$, then find a.



Watch Video Solution

6. Divide $3x^2 + x - 1$ by $x + 1$



Watch Video Solution

7. Divide the polynomial $2x^4 - 4x^3 - 3x - 1$ by $(x-1)$



Watch Video Solution

8. Find the remainder when $x^3 + 1$ devided by $(x + 1)$



Watch Video Solution

9. Check whether $(x - 2)$ is a factor of $x^3 - 2x^2 - 5x + 4$



Watch Video Solution

10. Check whether the polynomial $p(y) = 4y^3 + 4y^2 - y - 1$ is a multiple of $(2y + 1)$.



Watch Video Solution

11. If the polynomials $ax^3 + 3x^2 - 13$ and $2x^3 - 5x + a$ are divided by $(x - 2)$ leave the same remainder, find the value of a.



[Watch Video Solution](#)

12. Examine whether $x + 2$ is a factor of $x^3 + 2x^2 + 3x + 6$



[Watch Video Solution](#)

13. Find the Factor Theorem, $x + 2$ is a factor of $x^3 + 2x^2 + 3x + 6$.



[Watch Video Solution](#)

14. Show that $(x - 1)$ is a factor of $x^{10} - 1$ and also of $x^{11} - 1$.



[Watch Video Solution](#)

15. Factorise $3x^2 + 11x + 6$



Watch Video Solution

16. Verify whether $2x^4 - 6x^3 + 3x^2 + 3x - 2$ is divisible by $x^2 - 3x + 2$ or not ?

How can you verify using Factor Theorem ?



Watch Video Solution

17. Factorise $x^3 - 23x^2 + 142x - 120$



Watch Video Solution

18. Find $(2a + 3b + 5)^2$ using identity.



Watch Video Solution

19. Find the product of $(5x - y + z)(5x - y + z)$



Watch Video Solution

20. Factorise $4x^2 + 9y^2 + 25z^2 - 12xy - 30yz + 20zx$



Watch Video Solution

21. Write the following cubes in the expended form

(i) $(2a + 3b)^3$

(ii) $(2p - 5)^3$



Watch Video Solution

22. Evaluate each of the following using suitable identities

(i) $(103)^3$

(ii) $(99)^3$



Watch Video Solution

23. Factorise $8x^3 + 36x^2y + 54xy^2 + 27y^3$.



Watch Video Solution

24. Find the product

$$(2a + b + c)(4a^2 + b^2 + c^2 - 2ab - bc - 2ca)$$



Watch Video Solution

25. Factorise $a^3 - 8b^3 - 64c^3 - 24abc$



Watch Video Solution

26. Give possible values for length and breadth of the rectangle whose area is $2x^2 + 9x - 5$.



Watch Video Solution

Exercise 2 1

1. Find the degree of each of the polynomials given below

(i) $x^5 - x^4 + 3$

(ii) $x^2 + x - 5$

(iii) 5

(iv) $3x^6 + 6y^3 - 7$

(v) $4 - y^2$

(vi) $5t - \sqrt{3}$



View Text Solution

2. Which of the following expressions are polynomials in one variable and which are not ? Give reasons for your answer.

(i) $3x^2 - 2x + 5$

(ii) $x^2 + \sqrt{2}$

(iii) $p^2 - 3p + q$

(iv) $y + \frac{2}{y} (y \neq 0)$

(v) $5\sqrt{x} + x\sqrt{5}$

(vi) $x^{100} + y^{100}$



View Text Solution

3. Write the coefficient of x^3 in each of the following

(i) $x^3 + x + 1$

(ii) $2 - x^3 + x^2$

(iii) $\sqrt{2}x^3 + 5$

(iv) $2x^3 + 5$

(v) $\frac{\pi}{2}x^3 + x$

(vi) $-\frac{2}{3}x^3$

(vii) $2x^2 + 5$

(viii) 4



View Text Solution

4. Classify the following as linear, quadratic and cubic polynomials

(i) $5x^2 + x - 7$

(ii) $x - x^3$

(iii) $x^2 + x + 4$

(iv) $x - 1$

(v) 3p

(vi) πr^2



View Text Solution

5. Write whether the following statements are True or False. Justify your answer

- (i) A binomial has two terms
- (ii) Every polynomial is a binomial
- (iii) A binomial may have degree 3
- (iv) Degree of zero polynomial is zero
- (v) The degree of $x^2 + 2xy + y^2$ is 2
- (vi) πr^2 is a monomial.



[View Text Solution](#)

6. Give one example each of a monomial and trinomial of degree 10.



[Watch Video Solution](#)

Exercise 2 2

1. Find the value of the polynomial $4x^2 - 5x + 3$, at
- (i) $x = 0$
 - (ii) $x = -1$

(iii) $x = 2$

(iv) $x = \frac{1}{2}$



Watch Video Solution

2. Find $p(0)$, $p(1)$ and $p(2)$ for each of the following polynomials.

(i) $p(x) = x^2 - x + 1$

(ii) $p(z) = z^3$

(iii) $p(y) = 2 + y + 2y^2 - y^3$

(iv) $p(z) = z^3$

(v) $p(t) = (t - 1)(t + 1)$

(vi) $p(x) = x^2 - 3x + 2$



View Text Solution

3. Verify whether the values of x given in each case are the zeroes of the polynomial or not ?

(i) $p(x) = 2x + 1, x = -\frac{1}{2}$

(ii) $p(x) = 5x - \pi$, $x = \frac{-3}{2}$

(iii) $p(x) = x^2 - 1$, $x = \pm 1$

(iv) $p(x) = (x - 1)(x + 2)$, $x = -1, k - 2$

(v) $p(y) = y^2$, $y = 0$

(vi) $p(x) = ax + b$, $x = -\frac{b}{a}$

(vii) $f(x) = 3x^2 - 1$, $x = -\frac{1}{\sqrt{3}}, \frac{2}{\sqrt{3}}$

(viii) $f(x) = 2x - 1$, $x = \frac{1}{2}, \frac{-1}{2}$



View Text Solution

4. Find the zero of the polynomial in each of the following cases.

(i) $f(x) = x + 2$

(ii) $f(x) = x - 2$

(iii) $f(x) = 2x + 3$

(iv) $f(x) = 2x - 3$

(v) $f(x) = x^2$

(vi) $f(x) = px$, $p \neq 0$

(vii) $f(x) = px + q$, $p \neq 0$ p, q are real numbers.



[View Text Solution](#)

5. If 2 is a zero of the polynomial $p(x) = 2x^2 - 3x + 7a$, then find the value of a.



[Watch Video Solution](#)

6. If 0 and 1 are the zeroes of the polynomial $f(x) = 2x^3 - 3x^2 + ax + b$, then find the values of a and b.



[Watch Video Solution](#)

Exercise 2 3

- Find the remainder when $x^3 + 3x^2 + 3x + 1$ is divided by the following Linear polynomials:
 - $x + 1$

(ii) $x - \frac{1}{2}$

(iii) x

(iv) $x + \pi$

(v) $5 + 2x$



View Text Solution

2. Find the remainder when $x^3 - px^2 + 6x - p$ is divided by $x - p$.



Watch Video Solution

3. Find the remainder when $2x^2 - 3x + 5$ is divided $2x - 3$. Does it exactly divide the polynomial? State reason.



Watch Video Solution

4. Find the remainder when $9x^3 - 3x^2 + x - 5$ is divided by $x - \frac{2}{3}$



[View Text Solution](#)



Watch Video Solution

5. When Polynomial $(2x^3 + ax^2 + 3x - 5)$ and $(x^3 + x^2 - 4x - a)$ are divisible by $x-1$ leaves the same remainder find the value of a.



Watch Video Solution

6. If the polynomials $x^3 + ax^2 + 5$ and $x^3 - 2x^2 + a$ are divided by $(x + 2)$ leave the same remainder. Find the value of a.



Watch Video Solution

7. Find the remainder when $f(x) = x^4 - 3x^2 + 4$ is divided by $g(x) = x - 2$ and verify the result by actual division .



Watch Video Solution

8. Find the remainder when $p(x) = x^3 - 6x^2 + 14x - 3$ is divided by $g(x) = 1 - 2x$ and verify the result by long division.



[View Text Solution](#)

9. When a polynomial $2x^3 + 3x^2 + ax + b$ is divided by $(x - 2)$ leaves remainder 2, and $(x + 2)$ leaves remainder -2. Find a and b.



[View Text Solution](#)

Exercise 2 4

1. Determine which of the following polynomials has $(x + 1)$ as a factor.

- (i) $x^3 - x^2 - x + 1$
- (ii) $x^4 - x^3 + x^2 - x + 1$

(iii) $x^4 + 2x^3 + 2x^2 + x + 1$

(iv) $x^3 - x^2 - (3 - \sqrt{3})x + \sqrt{3}$



View Text Solution

2. Use the Factor Theorem to determine whether $g(x)$ is factor of $f(x)$ in each of the following cases:

(i) $f(x) = 5x^3 + x^2 - 5x - 1, g(x) = x + 1$

(ii) $f(x) = x^3 + 3x^2 + 3x + 1, g(x) = x + 1$

(iii) $f(x) = x^3 - 4x^2 + x + 6, g(x) = x - 2$

(iv) $f(x) = 3x^3 - 20x + 12, g(x) = 3x - 2$

(v) $f(x) = 4x^3 + 20x^2 + 33x + 18, g(x) = 2x + 3$



View Text Solution

3. Show that $(x - 2)$, $(x + 3)$ and $(x - 4)$ are factors of $x^3 - 3x^2 - 10x + 24$.



Watch Video Solution

4. Show that $(x + 4)$, $(x - 3)$ and $(x - 7)$ are factors of $x^3 - 6x^2 - 19x + 84$.



Watch Video Solution

5. If both $(x - 2)$ and $\left(x - \frac{1}{2}\right)$ are factors of $px^2 - 5x + r$, then show that $p=r$.



Watch Video Solution

6. Factorise (i) $x^2 - 2x^2 - x + 2$

(ii) $x^3 - 3x^2 - 9x - 5$

(iii) $x^3 + 13x^2 + 32x + 20$

(iv) $y^3 + y^2 - y - 1$



View Text Solution

7. If $x^2 - x - 6$ and $x^2 + 3x - 18$ have a common factor $(x - a)$ then find the value of a.



Watch Video Solution

8. If $(y - 3)$ is a factor of $y^3 - 2y^2 - 9y + 18$ then find the other two factors.



View Text Solution

Exercise 2 5

1. Use suitable identities to find the following products

(i) $(x + 5)(x + 2)$

(ii) $(x - 5)(x - 5)$

(iii) $(3x + 3)(3x - 2)$

$$\text{(iv)} \left(x^2 + \frac{1}{x^2}\right) \left(x^2 - \frac{1}{x^2}\right)$$

$$\text{(v)} (1+x)(1+x)$$



[View Text Solution](#)

2. Evaluate the following products without actual multiplication.

$$\text{(i)} 101 \times 99$$

$$\text{(ii)} 999 \times 99$$

$$\text{(iii)} 50\frac{1}{2} \times 49\frac{1}{2}$$

$$\text{(iii)} 501 \times 501$$

$$\text{(iv)} 30.5 \times 29.5$$



[View Text Solution](#)

3. Factorise the following using appropriate identities.

$$\text{(i)} 16x^2 + 24y + 9y^2$$

$$\text{(ii)} 4y^2 - 4y + 1$$

$$\text{(iii)} 4x^2 - \frac{y^2}{25}$$

(iv) $18a^2 - 50$

(v) $x^2 + 5x + 6$

(vi) $3p^2 - 24p + 36$



View Text Solution

4. Expand each of the following, using suitable identities

(i) $(x + 2y + 4z)^2$

(ii) $(2a - 3b)^3$

(iii) $(- 2a + 5b - 3c)^2$

(iv) $\left(\frac{a}{4} - \frac{b}{2} + 1\right)^2$

(v) $(p + 1)^3$

(vi) $\left(x - \frac{2}{3}y\right)^3$



View Text Solution

5. Factories

(i) $25x^2 + 16y^2 + 4z^2 - 40xy + 16yz - 20xz$

(ii) $9a^2 + 4b^2 + 16c^2 + 12ab - 16bc - 24ca$



Watch Video Solution

6. If $a + b + c = 9$ and $ab + bc + ca = 26$, then find $a^2 + b^2 + c^2$.



Watch Video Solution

7. Evaluate the following using suitable identities.

(i) $(99)^3$ (ii) $(102)^3$ (iii) $(998)^3$ (iv) $(1001)^3$



View Text Solution

8. Factorise each of the following

(i) $8a^3 + b^3 + 12a^2 + 6ab^2$

(ii) $8a^3 - b^3 - 12a^2b + 6ab^2$

(iii) $1 - 64a^3 - 12a + 48a^2$

(iv) $8p^3 - \frac{12}{5}p^2 + \frac{6}{25}p - \frac{1}{125}$



View Text Solution

9. Faactorise

(i) $27a^3 + 64b^3$

(ii) $343y^3 - 1000$ using the above results.



View Text Solution

10. Factorise $27x^3 + y^3 + z^3 - 9xyz$ using identitiiy.



Watch Video Solution

11.

Verify

that

$$x^3 + y^3 + z^3 - 3xyz = \frac{1}{2}(x + y + z)[(x - y)^2 + (y - z)^2 + (z - x)^2]$$



Watch Video Solution

12. Without actual calculating the cubes, find the value of each of the following

(i) $(-10)^3 + (7)^3 + (3)^3$

(ii) $(28)^3 + (-15)^3 + (-13)^3$

(iii) $\left(\frac{1}{2}\right)^3 + \left(\frac{1}{3}\right)^3 - \left(\frac{5}{6}\right)^3$

(iv) $(0.2)^3 - (0.3)^3 + (0.1)^3$



View Text Solution

13. Given possible expressions for the length and breadth of the rectangle whose area is given by

(i) $4a^2 + 4a - 3$

(ii) $25a^2 - 35a + 12$



View Text Solution

14. What are the possible polynomial expressions for the dimensions of the cuboids whose volumes are given below ?

(i) $3x^3 - 12x$

(ii) $12y^2 + 8y - 20$.



View Text Solution

15. If $2(a^2 + b^2) = (a + b)^2$, then show that $a = b$



Watch Video Solution

Think Discuss And Write

1. How many terms a cubic (degree 3) polynomial with one variable can have ? Give examples.



Watch Video Solution

2. $x^2 + 1$ has no real zeroes. Why ?



Watch Video Solution

3. Can you tell the number of zeroes of a polynomials of n^{th} degree ?



Watch Video Solution

Do These

1. Write two polynomials with variable 'x'



Watch Video Solution

2. Write three polynomials with variable 'y'



Watch Video Solution

3. Is the polynomial $2x^2 + 3xy + 5y^2$ in one variable ?



Watch Video Solution

4. Write the formulae of area and volume of different solid shapes.

Find out the variables and constants in them.



Watch Video Solution

5. Write the degree of each of the following polynomials

(i) $7x^3 + 5x^2 + 2x - 6$

(ii) $7 - x + 3x^2$

(iii) $5p - \sqrt{3}$

(iv) 2

(v) $-5xy^2$



Watch Video Solution

6. Write the coefficient of x^2 in each of the following

(i) $15 - 3x + 2x^2$

(ii) $1 - x^2$

(iii) $\pi x^2 - 3x + 5$

(iv) $\sqrt{2}x^2 + 5x - 1$



Watch Video Solution

7. Find the value of each of the following polynomials for the

indicated value of variables:

(i) $p(x) = 4x^2 - 3x + 7$ at $x = 1$

$$\text{(ii)} \ q(y) = 2y^3 - 4y + \sqrt{11}aty = 1$$

$$\text{(iii)} \ r(t) = 4t^4 + 3t^3 - t^2 + 6att = p, t \in R$$

$$\text{(iv)} \ s(z) = z^3 - 1atz = 1$$

$$\text{(v)} \ p(x) = 3x^2 + 5x - 7atx = 1$$

$$\text{(vii)} \ q(z) = 5z^3 - 4z + \sqrt{2}atz = 2$$



Watch Video Solution

8. Find the blanks:

Linear Polynomial	Zero of the polynomial
$x + a$	$-a$
$x - a$	-----
$ax + b$	-----
$ax - b$	$\frac{b}{a}$



Watch Video Solution

9. Divide $3y^3 + 2y^2 + y$ by 'y' and write division face



Watch Video Solution

10. Divide $4p^2 + 2p + 2$ by '2p' and write division fact.



Watch Video Solution

11. Fractorise the following

(i) $6x^2 + 19x + 15$



Watch Video Solution

12. Fractorise the following $10m^2 - 31m - 132$



Watch Video Solution

13. Fractorise the following $12x^2 + 11x + 2$



Watch Video Solution

14. Factorise the following using appropriate identities

(i) $49a^2 + 70ab + 25b^2$

(ii) $\frac{9}{16}x^2 - \frac{y^2}{9}$

(iii) $t^2 - 2t + 1$

(iv) $x^2 + 3x + 2$



Watch Video Solution

15. Write $(p + 2q + r)^2$ in expanded from.



Watch Video Solution

16. Expand $(4x - 2y - 3z)^2$ using identity



Watch Video Solution

17. Factorise $4a^2 + b^2 + c^2 - 4ab + 2bc - 4ca$ using suitable identity.



Watch Video Solution

18. Expand $(x + 1)^3$ using an identity



Watch Video Solution

19. Compute $(3m - 2n)^3$



Watch Video Solution

20. Factorise $a^3 - 3a^2b + 3ab^2 - b^3$



Watch Video Solution

21. Find the product $(a - b - c)(a^2 + b^2 + c^2 - ab + bc - ca)$ without actual multiplication.



Watch Video Solution

22. Factorise $27a^3 + b^3 + 8c^3 - 18 - 18abc$ using identity.



Watch Video Solution

Try These

1. Write a polynomial with 2 terms in variable x.



Watch Video Solution

2. How can you write a polynomial with 15 terms in variable p ?



Watch Video Solution

3. Find zeroes of the following polynomials

(i) $2x - 3$

(ii) $x^2 - 5x + 6$

(iii) $x + 5$



Watch Video Solution

4. Show that $(x - 1)$ is a factor of $x^n - 1$.



Watch Video Solution

5. How can you find $(x - y)^3$ without actual multiplication?

Verify with actual multiplication.



Watch Video Solution

