



# MATHS

# **BOOKS - CENGAGE**

# **HIGHT AND DISTANCE**



1. From te top of a tower, 60 meters high, the

angles of depression of the top and bottom of

a pole are  $\alpha$  and  $\beta$  respectively .Find the

height of the pole.



**2.** The angle of elevation of the top of a tower a point A due south of it is  $30^{\circ}$  and from a point B due west of it is  $45^{\circ}$  .If the height of the tower is 100 meters ,then find the distance AB.

#### A. 400

B. 50

C. 100

D. 200

# Answer: D

Watch Video Solution

**3.** ABC is a triangular park with AB = AC = 100 m. A block tower is situated at the midpoint of BC.The angles of elevation of the top of the tower at A and B are  $\cot^{-1}(3.2)$  and

 $\cos ec^{-1}(2.6)$  respectively. The height of the

tower is:



**4.** The angle of elevation of a stationary cloud from a point 2500 feet above a lake is  $30^{\circ}$  and the angle of depression of its reflection in the lake is  $45^{\circ}$ .Find the height of cloud above the lake water surface .



5. Some portion of a 20 meters long tree is broken by the wind and its top struck the ground at an angle of  $30^{\circ}$ .Find the height of

the point where the tree is broken.



6. An observer on the top of a tree ,finds the angle of depression of a car moving towards the tree to be  $30^{\circ}$  .After 3 minutes this angle becomes  $60^{\circ}$ .After how much more time , the car will reach the tree ?

7. A man observes when he has climbed up  $\frac{1}{3}$ of the length of an inclined ladder, placed against a wall, the angular depression of an object on the floor is  $\alpha$ . When he climbs the ladder completely, the angleof depression is  $\beta$ . If the inclination of the ladder to the floor is  $heta, ext{ then prove that } \cot heta = rac{3 \cot eta - \cot lpha}{2 \cot eta - \cot lpha}$ 

# Watch Video Solution

8. A vertical pole with height more than 100 m consists of two parts, the lower being one-third of the whole. At a point on a horizontal plane through the foot and 40 m from it,the upper part subtends an angle whose tangent is  $\frac{1}{2}$  What is the height of the pole

View Text Solution

**9.** A circular ring of radius 3cm hangs horizontally form a point 4cm vertically above the centre by 4 strings attached at equal intervals to its circumference. If the angle between two consecutive strings be  $\theta$ , then  $\cos \theta$  is equal to  $\frac{4}{5}$  (b)  $\frac{4}{25}$  (d)  $\frac{16}{25}$  (d) none of these

View Text Solution

**10.** A balloon is observed simultaneously from three points A, B and C on a straight road directly under it. The angular elevation at B is twice and at C is thrice that at A. If the distance between A and B is 200 metres and the distance between B and C is 100 metres, then find the height of balloon above the road.

Watch Video Solution

**11.** A balloon of radius r subtends an angle $\alpha$  at the eyes of an observer and the center of balloon from the eye is  $\beta$ . Find the height of the center of the balloon from the eye of observer. **12.** A vertical tower PQ subtends the same anlgle of  $30^{\circ}$  at each of two points A and B ,60 m apart on the ground .If AB subtends an angle of  $120^{\circ}$  at p the foot of the tower ,then find the height of the tower .



**13.** From a point on a hillside of constant inclination , the angle of elevation of the top a flagstaff on its summit is observed to be  $\alpha$  and

a meters nears the top of the hill, it is  $\beta$  .If h is

the height of the flagstaff ,find the inclination

of the hill to the horizon .

Watch Video Solution

**14.** PQ is a vertical tower having P as the foot. A,B,C are three points in the horizontal plane through P. The angles of elevation of Q from A,B,C are equal and each is equal to  $\theta$ . The sides of the triangle ABC are a,b,c, and area of





**1.** The tops of two poles of height 20 m and 14 m are connected by a wire. If the wire makes an angle of 30*o* with horizontal, then the length of the wire is (a) 12 m (b) 10 m (c) 8 m (d) 6 m

A. 8 m

B. 12 m

C. 10 m

D. 3 m

#### **Answer:**



2. The angle of elevation of the top of an unfinished tower at a distance of 120 m from its base is  $30^{\circ}$ . How much higher must the

tower be raised so that the angle of elevation

of its top at the same point may be  $60^\circ$  ?

A. 
$$120ig(\sqrt{3}+1ig)m$$

B. 
$$120(\sqrt{3}-1)m$$

C. 
$$120\sqrt{3}m$$

# D. 120m



**3.** A tower of height b subtends an angle at a point 0 on the ground level through the foot of the tower and at a distance a from the foot of the tower. A pole mounted on the top of the tower also subtends an equal angle at 0. The height of the pole is

A. 
$$a\left(\frac{a^2 - b^2}{a^2 + b^2}\right)$$
  
B.  $a\left(\frac{a^2 + b^2}{a^2 - b^2}\right)$   
C.  $b\left(\frac{a^2 - b^2}{a^2 + b^2}\right)$   
D.  $b\left(\frac{a^2 + b^2}{a^2 - b^2}\right)$ 

# Answer: option 4



**4.** A ladder rest against a wall making an angle  $\alpha$  with the horizontal. The foot of the ladder is pulled away from the wall through a distance x, so that it slides a distance y down the wall making an angle  $\beta$  with the horizontal. Prove that  $x = y \frac{\tan(\alpha + \beta)}{2}$ .

A. 
$$y = x an rac{lpha + eta}{2}$$

$$\texttt{B.}\, x = y \tan \frac{\alpha + \beta}{2}$$

$$\mathsf{C}.\, x = y \tan{(\alpha + \beta)}$$

D. 
$$y = x an (lpha + eta)$$

#### Answer:

Watch Video Solution

**5.** Two hagstaffs stand on a horizontal plane. A and B are two points on the line joining their feet and between them. The angles of elevation of the tops of the flagstaffs as seen from A are  $30^{\circ}$  and  $60^{\circ}$  and as seen from B are  $60^{\circ}$  and  $45^{\circ}$ . If AB is 30 m, then the distance between the flagstaffs is

- A.  $30+15\sqrt{3}$
- $\mathsf{B.}\,45+15\sqrt{3}$
- C.  $60-15\sqrt{3}$
- D.  $60+15\sqrt{3}$

# Answer: D

Watch Video Solution

**6.** A snake observes an eagle perching on the top of a pole 20 m high. Its elevation from snake s eye is  $45^{\circ}$  before it hies off horizontally straight away from the snake and after one second the elevation of the eagle reduces to  $30^{\circ}$ . The speed of the eagle is

A. 14.64m//s

B. 17.71m//s

C. 12m//s

D. None of these

# Answer: A



7. For a man , the angle of elevation of the highest point of a tower situated west to him is  $60^{\circ}$  . On walking 240 meters to north , the angle of elevation reduces to  $30^{\circ}$  . The height of the tower is

A.  $50\sqrt{3}m$ 

B.  $30\sqrt{6}m$ 

 $C.60\sqrt{6}m$ 

D. 60m

### Answer:

Watch Video Solution

8. A flagstaff stands in the centre of a rectangular field whose diagonal is 120 m. It subtends angles of  $15^{\circ}$  and  $45^{\circ}$  at the midpoints of the sides of the field. The height of the flagstaff is

A. 20m

B. 
$$30\sqrt{2+\sqrt{3}}m$$
  
C.  $30\sqrt{2-\sqrt{3}}m$ 

D. 40m

#### Answer:



**9.** AB is a vertical pole resting at the end A on the level ground. P is a point on the level ground such that AP = 3AB and C Is the midpoint of AB. If AC and CB subtend angles lpha and eta, respectively, at P, then the value of aneta

is

A. 
$$\frac{18}{19}$$
  
B.  $\frac{3}{19}$   
C.  $\frac{1}{6}$   
D.  $\frac{1}{3}$ 

#### Answer:

Watch Video Solution

**10.** From the bottom of a pole of height h, the angle of elevation of the top of a tower is  $\alpha$ . The pole subtends an angle  $\beta$  at the top of the tower. find the height of the tower.

A. 
$$\frac{h \cot(\alpha - \beta)}{\cot(\alpha - \beta) - \cot \alpha}$$
B. 
$$\frac{h \tan(\alpha - \beta)}{\tan(\alpha - \beta) - \tan \alpha}$$
C. 
$$\frac{\cot(\alpha - \beta)}{\cot(\alpha - \beta) - \cot \alpha}$$

D. None of these



**11.** A tower of height b subtends an angle  $\alpha$  at a point on the same level as the food of the tower .At a second point , b meters above the first , the angle of depression of the foot pole and the finds that the elevation is now  $2\theta$  .The value of cot  $\theta$  is

A. b cot  $\alpha$  tan  $\beta$ 

**B**.  $b \tan \alpha \tan \beta$ 

 $\mathsf{C}.\,b\tan\alpha\cot\beta$ 

D.  $b \cot \alpha \cot \beta$ 

# Answer:



**12.** A man standing on a level plane observes the elevation of the top of a pole to be  $\theta$ . He then walks a distance equal to double the height of the pole and then finds that the elevation is now  $2\theta$ . The value of  $\cot \theta$  is

A. 
$$\sqrt{2}+1$$
  
B.  $2-\frac{\sqrt{3}}{2}$ 

C.  $\sqrt{2-1}$ 

D.  $2 + \sqrt{3}$ 

#### **Answer:**



**13.** 5 m high pole stands on a building of height 25 m. The pole and the building subtend equal angles at an antenna placed at a height of 30 m. The distanceo f the antenna from the top of the pole is



## **Answer:**



**14.** A vertical tower stands on a declivity which isinclined at  $15^{\circ}$  to the horizon. From the foot of the tower a man ascends the declivity from

80 feet and then finds that the tower subtends an angle of  $30^{\circ}$ . The height of the tower is

A.  $40(\sqrt{6}+\sqrt{2})$ B.  $20(\sqrt{6}-\sqrt{2})$ C.  $40(\sqrt{6}-\sqrt{2})$ D.  $80(\sqrt{6}-\sqrt{2})$ 



**15.** The length of the shadow of a pole inclined at  $10^{\circ}$  to the vertical towards the sun is 2.05 metres, when theelevation of the sun is  $38^{\circ}$ . Then, find the length of the pole.

A. 
$$\frac{2.05 \sin 42^{\circ}}{\sin 38^{\circ}}$$
B. 
$$\frac{2.05 \sin 42^{\circ}}{\cos 42^{\circ}}$$
C. 
$$\frac{2.05 \sin 38^{\circ}}{\sin 42^{\circ}}$$
D. 
$$\frac{2.05 \sin 42^{\circ}}{\sin 38^{\circ}}$$

**16.** A tower subtends angles  $\alpha$ ,  $2\alpha$ ,  $3\alpha$ respectively, at point A, B, and C all lying on a horizontal line through the foot of the tower. Prove that  $rac{AB}{RC} = 1 + 2\cos 2lpha \cdot$ A.  $\frac{3\sin\alpha}{\sin 2\alpha}$  $\mathsf{B}.\,1+2\cos^2\alpha$  $C.2 + \cos^3 lpha$ D.  $\frac{\sin 2\alpha}{\sin \alpha}$ 



**17.** A harbour lies in a direction 60° south west from a fort and at a distance 30 km from it .A ship sets from the habour at noon and sails due east at 10 km / hour .The ship will be 70 km from the fort at

A. 7 p.m

B. 8 p.m

C. 5 p.m

# D. 10 p.m

#### Answer:

# View Text Solution

**18.** A tower AB leans towards west making an angle  $\alpha$  with the vertical . The anlgular elevation of B , the topmost point of the tower is  $\beta$  as obsreved from a point C due east of A at distance d from A.If the angular elevation of

B from a pont D at a distance 2d due east of C

is  $\gamma$  , then prove that 2 tan lpha = cot  $\gamma$  -cot eta

A. 
$$2 anlpha=2\coteta-\cot\gamma$$

- B.  $2 \tan \alpha = 3 \cot \beta \cot \gamma$
- C.  $an lpha = \cot eta \cot \gamma$
- D. None of these

#### Answer:



Jee Previous Year

1. A bird is sitting on the top of a vertical pole 20 m high and its elevation from a point O on the ground is 45o . It flies off horizontally straight away from the point O. After one second, the elevation of the bird from O is reduced to 30o. Then the speed (in m/s) of the bird is (1)  $40(\sqrt{2}-1)$  (2)  $40(\sqrt{3}-2)$  (3)  $20\sqrt{2}$  (4)  $20(\sqrt{3}-1)$ 

A. 
$$40ig(\sqrt{2}-1ig)$$
  
B.  $40\sqrt{(3)-\sqrt{2}}$ 



# Answer:



**2.** If the angles of elevation of the top of a tower from three collinear points A, B and C, on a line leading to the foot of the tower, are  $30^0$ ,  $45^0$  and  $60^0$  respectively, then the ratio,

AB : BC, is : (1)  $\sqrt{3}$ : 1 (2)  $\sqrt{3}$ :  $\sqrt{2}$  (3)  $1:\sqrt{3}$  (4)

2:3

A.  $\sqrt{3}:1$ 

$$\mathsf{B}.\sqrt{3}:\sqrt{2}$$

- C. 1:  $\sqrt{3}$
- D. 2:3



**3.** PQR is a triangular park with PQ = PR = 200 m. A TV tower stands at the mid-point of QR. If the angles of elevation of the top of the tower at P, Q and R are respectively  $45^{\circ}$ ,  $30^{\circ}$  and  $30^{\circ}$ , then the height of the tower (in m) is

A.  $50\sqrt{2}$ 

B. 100

C. 50

D.  $100\sqrt{3}$ 

Answer: B

