





MATHS

BOOKS - KC SINHA ENGLISH

CARTESIAN SYSTEMS OF RECTANGULAR COORDINATES -FOR BOARDS

Solved Examples

1. In which quadrant do the points lie: $(5,\ -4)$

Watch Video Solution

2. In which quadrant do the points lie: (-3, -2)











9. Where does a point having y-coordinate -2 lie?



10. If three vertices of a rectangle or (0, 0), (2,0) and (0, 3), find the

coordinates of the fourth vertex.

11. The base of an equilateral triangle with side 20cm lies along x-axis such that the mid-point of the base is at the origin. Find the vertices of the triangle

Watch	Video	Solution

12. Prove that the distance of the point $(a \sin \alpha, a \sin \alpha)$ from the origin

is independent of α .

> Watch Video Solution

13. Let A(6, -1), B(1, 3) and C(x, 8) be three points such that AB = BC,

then the vlue of x are

14. Using distance formula, show that the points (1,5), (2,4) and (3,3) are

collinear.



17. Find the circumcentre of the triangle whose vertices are (-2, -3), (-1, 0)

and (7, -6). Also find the radius of the circumircle.

18. The opposite vertices of a square are (2, 6) and (0, -2). Find the coordinates of the other vertices.



21. Using distance formula, prove the apollonius' theorem that is in $\Delta ABC, AB^2 + AC^2 = 2(AD^2 + BD^{20})$, where D is the middle point of BC.



22. Find the coordinates of the point which divides the line segment joining the points (5, -2) and (9, 6) internally in the ratio3 : 1

Watch Video Solution

23. The coordinates of one end of a diameter of a circle are (5, -7). If

the coordinates of the centre be (7,3) find the coordinates of the other

end of the diameter.



24. A(1, 1) and B(2, -3) are two points and D is a point on AB produced towards B such that AD = 3AB. Find the coordinates of D.



25. Find the coordinates of points which trisect the line segment joining

 $(1,\ -2) and (\ -3,4) \cdot$

Watch Video Solution

26. P, Q and R are three collinear points. P and Q are (3, 4) and (7, 7)

respectively, and PR =10 units. Find the coordinates of R.



27. Find the ratio in which the point (2, y) divides the line segment joining

(4, 3) and (6, 3) and hence find the value of y.



28. Find the ratio in which the line segment joining (2, -3) and (5, 6) is

divided by the y-axis. Also find the point of division.

Watch Video Solution

29. Determine the ratio in which the straight line x - y - 2 = 0 divides

the line segment joining (3, -1) and (8, 9).

Watch Video Solution

30. If (-3,2), (1, -2) and (5,6) are the mid-points of the sides of a

triangle, find the coordinates of the vertices of the triangle.

31. Find the centroid of the trianlge whose vertices are (-1, 4), (5, 2)

and (-1,3)



32. Find the coordinates of the centreof the circle inscribed in the triangle whose vertices are (7, -36), (7, 20) and (-8, 0)

Watch Video Solution

33. Prove that the centroid of any triangle is the same as the centroid of

the triangle formed by joining the middle points of its sides



35. If x coordinates of two points B and C are the roots of equation $x^2 + 4x + 3 = 0$ and their y coordinates are the roots of equation $x^2 - x - 6 = 0$. If x coordinate of B is less than x coordinate of C and y coordinate of B is greater than the y coordinate of C and coordinates of a third point A be (3, -5), find the length of the bisector of the interior angle at A.

Watch Video Solution

36. If the points $(x_1, y_1), (x_2, y_2)$ and (x_3, y_3) be the three consecutive vertices of a parallelogram, find the coordinates of the fourth vertex.

Watch Video Solution

37. about to only mathematics

38. Find the area of the triangle whose vertices A, B, C are respectively, (3, 4), (-4, 3) and (8, 6).



39. Find the area of the quadrilateral whose vertices are
$$(-3, 2), (5, 4), (7, -6)$$
 and $(-5, -4)$

Watch Video Solution

40. Find the area of the pentagon whose vertices are (4, 3), (-5, 6), (0, -7), (3, -6), (-7, -2)

41. Show that the points (3, 3), (h, 0) and (0, k) are collinear if $\frac{1}{h} + \frac{1}{k} = \frac{1}{3}$



42. If (1, 4) is the centroid of a triangle and the coordinates of its any two vertices are (4, -8) and (-9, 7), find the area of the triangle.

Watch Video Solution

43. The area of a triangle is 5. Two of its vertices are (2, 1) and (3, -2).

The third vertex lies on y = x + 3 . Find the third vertex.



44. The coordinates of points A, B, C and P are (6, 3), (-3, 5), (4, -2) and (x, y) respectively, prove that



45. The vertices of a triangle ABC are A(-7, 8), B(5, 2) and C(11, 0). If D, E, F are the mid-points of the sides BC, CA and AB respectively,

show that $\Delta ABC = 4\Delta DEF$.



46. The coordinates of points P, Q, R and S are (-3, 5), (4, -2), (p, 3p) and (6, 3) respectively, and the ares of ΔPQR and ΔQRS are in ratio 2:3. Find p.

Watch Video Solution

47. The coordinates of two poitns A and B are (3, 4) and (5, -2), respectively. Find the coordintes of points P if PA = PB and area of

 ΔPAB is 10 sq.unit.



Watch Video Solution

49. If the vertices of a triangle having integral coordinates . Prove that

triangle can't be equileteral.



50. prove that the area of a triangle is four times the area of the triangle

formed by joining the mid-points of its sides.

51. Find the locus of a point at which the angle subtended by the line segment joining (1, 2) and (-1, 3) is a right angle.

O Watch Video Solution	
	_

52. Find the locus of a point such that the sum of its distances from the

points (0, 2) and (0, -2) is 6.

Watch Video Solution

53. Find the equation of the locus of a point which moves so that its

distance from the x-axis is double of its distance from the y-axis.



54. If the coordinates of a variable point P are $(a \cos \theta, b \sin \theta)$, where θ is a variable quantity, then find the locus of P.



55. AB is a variable line sliding between the coordinate axes in such a way that A lies on the x-axis and B lies on the y-axis. If P is a variable point on AB such that PA = b, Pb = a, and AB = a + b, find the equation of the locus of P.

Watch Video Solution

56. If O be origin and A is a point on the locus $y^2 = 8x$.find the locus of the middle point of OA

57. A and B are two fixed points. Draw the locus of a point P such that angle $APB = 90^{\circ}$.



58. A straight line segment of length/moves with its ends on two mutually perpendicular lines. Find the locus of the point which divides the line segment in the ratio 1:2

Watch Video Solution

59. Describe the locus of the point (x, y) satisfying the equation

$$\left(x-2
ight)^{2}+\left(y-3
ight)^{2}=25$$



2. In which quadrant do the following points lies: $(\,-4,\,-6)$







triangle.

15. Let ABCD be a rectangle such that AB = 10 units and BC = 8 units. Taking AB and AD as x and y axis respectively, find the coordinates of A, B, C and D. Watch Video Solution **16.** Find the distance between the pair of points: (0, 0), (-5, 12)Watch Video Solution 17. Find the distance between the pair of points: (4, 5), (-3, 2)Watch Video Solution

18. Examine whether the points (1, -1), (-5, 7) and (2, 5) are equidistant from the point (-2, 3)?





22. Find the distance between the points : $(at_1^2, 2at_1)$ and $(at_2^2, 2at_2)$





26. The point on the y-axis which is equidistant from the points (3,2) and

$$(\,-5,\,-2)$$
 is



28. Find a point on y-axis which is equidistant from the points (5, -2)

and (-3, 2).

Watch Video Solution

29. Using distance formula, examine whether the sets of points are collinear: (3, 5), (1, 1), (-2, -5)

30. Using distance formula, examine whether the sets of points are collinear : (5, 1), (1, -1), (11, 4)



31. Using distance formula, examine whether the sets of points are collinear : (0, 0), (9, 6), (3, 2)

Watch Video Solution

32. Using distance formula, examine whether the sets of points are collinear : (-1, 2), (5, 0), (2, 1)

Watch Video Solution

33. If $A \equiv (6, 1), B \equiv (1, 3), C \equiv (x, 8)$, find the value of x such that

AB = BC





36. If the point (x, y) is equidistant from the points (2, 3) and (6, -1),

find the relation between x and y.



37. If the point P(x, y) be equidistant from the points (a + b, b - a) and (a - b, a + b), prove that $\frac{a - b}{a + b} = \frac{x - y}{x + y}$.

Watch Video Solution

38. Show that the points (3, 4), (8, -6) and (13, 9) are the vertices of a right angled triangle.

Watch Video Solution

39. Determine the type (isosceles, right-angled, right-angled isosceles, equilateral, scalence) of the triangles whose vertices are: $(1, 1), (-\sqrt{3}, \sqrt{3}), (-1, -1)$

40. Determine the type (isosceles, right-angled, right-angled isosceles, equilateral, scalene) of the triangles whose vertices are: (0, 2), (7, 0), (2, 5)



41. Determine the type (isosceles, right-angled, right-angled isosceles, equilateral, scalence) of the triangles whose vertices are: (-2, 5), (7, 10), (3, -4)

Watch Video Solution

42. Determine the type (isosceles, right-angled, right-angled isosceles, equilateral, scalene) of the triangles whose vertices are: (4, 4), (3, 5), (-1, -1)

43. Determine the type (isosceles, right-angled, right-angled isosceles, equilateral, scalence) of the triangles whose vertices are: $(1, 2\sqrt{3}), (3, 0), (-1, 0)$

Watch Video Solution

44. Determine the type (isosceles, right-angled, right-angled isosceles, equilateral, scalence) of the triangles whose vertices are: (0, 6), (-5, 3), (3, 1)

Watch Video Solution

45. If
$$A(at^2, 2at), B(\frac{a}{t^2}, -\frac{2a}{t})$$
 and $C(a, 0)$ be any three points, show that $\frac{1}{AC} + \frac{1}{BC}$ is independent of t .

46. If the two vertices of an equilateral triangle be $(0, 0), (3, \sqrt{3}), \text{ find}$

the third vertex.



47. Find the circumcentre and circumradius of the triangle whose vertices

are (-2, 3), (2, -1) and (4, 0).

Watch Video Solution

48. The vertices of a triangle ABC are A(0, 0), B(2, -1) and C(9, 2),

find $\cos B$.



49. The centre of a circle is (2x - 1, 3x + + 1) and radius is 10 units.

Find the value of x if the circle passes through the point (-3, -1).



50. Prove that the point (4, 3), (6, 4), (5, 6) and (3, 5) as the vertices

of a square.

Watch Video Solution

51. Prove that the points (3, 2), (6, 3), (7, 6) and (4, 5) are the vertices

of a parallelogram. Is it a rectangle?

Watch Video Solution

52. Prove that the points (6, 8), (3, 7), (-2, -2), (1, -1) are the vertices of a parallelogram.

53. Prove that the points (4, 8), (0, 2)(3, 0) and (7, 6) are the vertices of

a rectangle.



54. Show that the points A(1, 0), B(5, 3), C(2, 7) and D(-2, 4) are the vertices of a rhombus.

Watch Video Solution

55. A(-4, 0) and B(-1, 4) are two given points C and D are poinsts which are symmetric to the given points A and B respectively with respect to y-axis. Calculate the perimeter of the trapezium ABCD.

56. A line segement AB through the point A(2, 0) which makes an angle of 30^0 with the positive direction of x-axis is rotated about A in anticlockwise direction through an angle of 15^0 . If C be the new position of point $B(2 + \sqrt{3}, 1)$, find the coordinates of C.

Watch Video Solution

57. The point (1, -2) is reflected in the *x*-axis and then translated parallel to the positive direction of x-axis through a distance of 3 units, find the coordinates of the point in the new position.

Watch Video Solution

58. The line segment joining A(3, 0) and B(5, 2) is rotated about A in the anticlockwise direction through an angle of 45^0 so that B goes to C. If D is the reflection of C in y-axis, find the coordinates of D. **59.** Let ABCD be a rectangle and P be any point in its plane. Show that $PA^2 + PC^2 = PB^2 + PD^2$ using coordinate geometry.



60. Prove analytically that the diagonals of a rectangle are equal

Watch Video Solution

61. Prove analytically that the sum of square of the diagonals of a rectangle is equal to the sum of squares of its sides.

Watch Video Solution

62. Find the coordinates of the point which divides the line segment joining (2, 4) and (6, 8) in the ratio 1: 3 internally and externally.

63. Find the coordinates of the points which trisect the line segment joining the points (2, 3) and (6, 5).



64. A(1, 4) and B(4, 8) are two points. P is a point on AB such that AP = AB + BP. If AP = 10, find the coordinates of P.

Watch Video Solution

65. The line segment joining A(2, 3) and B(-3, 5) is extended through each end by a length equal to its original length. Find the coordinates of the new ends.



66. The line segment joining A(6, 3) to B(-1, -4) is doubled in length by having its length added to each end. Find the coordinates of the new ends.

Watch Video Solution

67. The coordinates of two points A and B are (-1, 4) and (5, 1), respectively. Find the coordinates of the point P which lie on extended line AB such that it is three times as far from B as from A.

Watch Video Solution

68. Find the distance of that point from the origin which divides the line segment joining the points (5, -4) and (3, -2) in the ratio 4:3.

69. The coordinates of the middle points of the sides of a triangle are (1, 1), (2, 3) and (4, 1), find the coordinates of its vertices.



Watch Video Solution

71. Find the lengths of the medians of a triangle whose vertices are

 $A(-1, 3), \ B(1, -1) ext{ and } C(5, 1)$.

72. If A(1, 5), B(-2, 1) and C(4, 1) be the vertices of ΔABC and internal bisector of $\angle A$ meets BC at D, find AD.



73. If the mid-point of the line joining (3, 4) and (k, 7) is (x, y) and

2x+2y+1=0 find the value of k .

Watch Video Solution

74. One end of a diameter of a circle is at (2,3) and the centre is (-2,5),

find the coordinates of the other end of the diameter.



75. If the point C(-1,2) divides internally the line segment joining

A(2,5) and B in ratio 3:4, find the coordinates of B.



76. Find the ratio in which (-8, 3) divides the join of points (2, -2) and (-4, 1) Externally.

Watch Video Solution

77. In what ratio does the x-axis divide the line segment joining the points

(2, -3) and (5, 6)?

Watch Video Solution

78. Find the ratio in which the line segment joining of the points (1, 2)

and (-2,3) is divided by the line 3x + 4y = 7

79. Find the centroid and incentre of the triangle whose vertices are (2, 4), (6, 4), (2, 0).



80. The vertices of a triangle are at (2, 2), (0, 6) and (8, 10). Find the coordinates of the trisection point of each median which is nearer the opposite side.

Watch Video Solution

81. Two vertices of a triangle are (1, 4) and (5, 2). If its centroid is

(0, -3), find the third vertex.



82. The coordinates of centroid of a triangle are $(\sqrt{3}, 2)$ and two of its vertices are $(2\sqrt{3}, -1)$ and $(2\sqrt{3}, 5)$. Find the third vertex of the triangle.



83. Find the centroid of the triangle ABC whose vertices are A(9, 2), B(1, 10) and C(-7, -6). Find the coordinates of the middle points of its sides and hence find the centroid of the triangle formed by joining these middle points. Do the two triangles have same centroid?

Watch Video Solution

84. If (1, 2), (0, -1) and (2, -1) are the middle points of the sides of a triangle, find the coordinates of its centroid.



85. Find the incentre of the triangle with vertices $A91, \sqrt{3}$, B(0, 0) and

C(2, 0).



87. Two vertices of a triangle are A(2, 1) and B(3, -2). The third vertex C lies on the line y = x + 9. If the centroid of ΔABC lies on y-axis, find

the coordinates of C and the centroid.

Watch Video Solution

88. Prove that the points (-2, -1), (1, 0), (4, 3) and (1, 2) are the

vertices of a parallelogram.

Watch Video Solution		
89. Show that the points $A(1,0), B(5,3), C(2,7)$ and $D(-2,4)$ are		
the vertices of a rhombus.		
Vatch Video Solution		
90. Prove that the points $(4, 8), (0, 2)(3, 0)$ and $(7, 6)$ are the vertices of		
a rectangle.		
Watch Video Solution		

91. Prove that the points (4, 3), (6, 4), (5, 6) and (3, 5) are the vertices

of a square.

92. If (6, 8), (3, 7) and (-2, -2) be the coordinates of the three consecutive vertices of a parallelogram, find the coordinates of the fourth vertex.



95. about to only mathematics

Watch Video Solution

96. If P, Q, R divide the sides BC, CA and AB of ΔABC in the same ratio,

prove that the centroid of the triangles ABC and PQR coincide.

Watch Video Solution

97. Prove that three times the sum of the squares of the sides of a triangle is equal to four times the sum of the squares of the medians of the triangle.



98. If G be the centroid of a triangle ABC, prove that, \hat{A} AB2+BC2+CA2=3(GA2+GB2+GC2)





102. Find the area of the triangle whose vertices are : $(a \cos \alpha, b \sin \alpha), (a \cos \beta, b \sin \beta), (a \cos \gamma, b \sin \gamma)$



103. Find the area of the quadrilateral whose vertices are : (1, 1), (7, -3), (12, 2) and (7, 21)

Watch Video Solution

104. Find the area of the quadrilateral whose vertices are : (-4, 5), (0, 7), (5, -5) and (-4, -2)

Watch Video Solution

105. Find the area of the pentagon whose vertices are (4, 3), (-5, 6), (0, -7), (3, -6), (-7, -2)



106. Find the area of the hexagon whose vertices taken in order are

(5,0), (4,2), (1,3), (-2,2), (-3, -1) and (0,-4).

Watch Video Solution

107. If A, B, C are the points (-1, 5), (3, 1), (5, 7) respectively and D, E, F are the middle points of BC, CA and AB respectively, prove that Area of $\Delta ABC = 4\Delta DEF$.

Watch Video Solution

108. Three vertices of a triangle are A(1, 2), B(-3, 6) and C(5, 4). If D, E and F are the mid-points of the sides opposite to the vertices A, B and C, respectively, show that the area of triangle ABC is four times the area of triangle DEF. **109.** Find the area of a triangle ABC if the coordinates of the middle points of the sides of the triangle are (-1, -2), (6, 1) and (3, 5)

110. The vertices of a $\triangle ABC$ are A(3, 0), B(0, 6) and C(6, 9). A straight

line DE divides AB and AC in the ration 1:2 at D and E respectively, prove

that
$$rac{\Delta ABC}{\Delta ADE}=9$$

Watch Video Solution

111. Prove that the area of the triangle whose vertices are (t, t-2), (t+2, t+2)and(t+3, t) is independent of t.

112. If A(x, y), B(1, 2) and C(2, 1) are the vertices of a triangle of area 6 square units, show that x + y = 15 or -9.



113. Prove that the points (a, b + c), (b, c + a)and(c, a + b) are collinear.

Watch Video Solution

114. If the points $(x_1, y_1), (x_2, y_2), \text{ and } (x_3, y_3)$ are collinear show that

$$rac{y_2-y_3}{x^2x_3}+rac{y_3-y_1}{x_3x_1}+rac{y_1-y_2}{x_1x_2}=0$$

Watch Video Solution

115. Prove that the points $(a,\ b),\ (a_1,\ b_1)$ and $(a-a_1,\ b-b_1)$ are collinear if $ab_1=a_1b$.

116. Three points $A(x_1, y_1), B(x_2, y_2)$ and C(x, y) are collinear. Prove that: $(x - x_1)(y_2 - y_1) = (x_2 - x_1)(y - y_1).$



117. Show that the points (a, 0), (0, b) and (1, 1) are collinear if $\frac{1}{a} + \frac{1}{b} = 1$

Watch Video Solution

118. Find the values of x if the points (2x, 2x), (3, 2x + 1) and (1, 0) are

collinear.



119. Show that the straight line joining the points A(0, -1) and B(15, 2) divides the line joining the points C(-1, 2) and D(4, -5) internally in the ratio 2:3.

Watch Video Solution

120. Find the area of the triangle whose vertices are (a + 1)(a + 2), (a + 2), (a + 2)(a + 3), (a + 3) and (a + 3)(a + 4), (a + 3)(a + 3)(a + 4)

Watch Video Solution

121. A Point A divides the join of P(-5,1) and Q(3.5) in the ratio k:1. Then the integral value of K for which the area of ΔABC . Where B is (1,5) and C is (7, -2) is equal to 2 units in magnitude is



122. The coordinates of A, B, C, D are (6, 3), (-3, 5), (4, -2) and (x, 3x) respectively. If Area of $\frac{\Delta DBC}{\Delta ABC}$ = 1/2', find x

123. If the area of the quadrilateral whose angular points taken in order are (1, 2), (-5, 6), (7, -4) and (h, -2) be zero, show that h = 3.

Watch Video Solution

124. Find the area of the triangle whose vertices A, B, C are (3, 4), (-4, 3), (8, 6) respectively and hence find the length of perpendicular from A to BC.

125. The coordinates of the centroid of a triangle and those of two of its vertices are respectively $\left(\frac{2}{3}, 2\right)$, (2, 3), (-1, 2). Find the area of the

triangle.



126. The area of a triangle is 3 square units. Two of its vertices are A(3, 1), B(1, -3) and the third vertex of the triangle lies on x-axis. Find the coordinates of the third vertex C.



127. The area of a parallelogram is 12 square units. Two of its vertices are the points A(-1, 3) and B(-2, 4). Find the other two vertices of the parallelogram, if the point of intersection of diagonals lies on x-axis on its positive side.

128. The area of a triangle is $\frac{3}{2}$ square units. Two of its vertices are the points A(2, -3) and B(3, -2), the third vertex of the triangle lies on the line 3x - y - 2 = 0, then third vertex C is



129. Prove that the quadrilateral whose vertices are A(-2, 5), B(4, -1), C(9, 1) and D(3, 7) is a parallelogram and find its area. If E divides AC in the ration 2: 1, prove that D, E and the middle point F of BC are collinear.

Watch Video Solution

130. Prove that points (-3, -1), (2, -1), (1, 1) and (-2, 1) taken

in order are the vertices of a trapezium.

131. Show that the line joining the centroid of a triangle to its vertices

divide it into three triangles of equal area.

Watch Video Solution 132. Find the equation of the set of all points P(x, y) such that the line

OP is coincident with the line joining P and the point (3, 2).

Watch Video Solution

133. The equation of the locus of points equidistant from (-1, -1) and (4, 2)

is



134. Find the equation of the locus of a point P if the sum of squares of

distances of the point P from the axes is p^2 .



135. Find the equation of the set of all points which are equidistant from

the points $(a^2 + b^2, a^2 - b^2)$ and $(a^2 - b^2, a^2 + b^2)$

Watch Video Solution

136. Square of the distance of the point from x-axis is double of its distance from the origin.



137. Write the equation of locus of a point whose distance from y-axis is

always equal to the double of its distance from x-axis.

138. Find the equation of the set of points for which every ordinate is greater than the corresponding abscissa by a given distance d.



139. If a point P moves such that its distance from (a, 0) is always equal

to a + x-coordinate of P, show that the locus of P is $y^2 = 4ax$.

Watch Video Solution

140. Show that the equation of the locus of a point which moves so that the sum of its distance from two given points (k, 0) and (-k, 0) is equal to 2a is: $\frac{x^2}{a^2} + \frac{y^2}{a^2 - k^2} = 1$ Watch Video Solution 141. If the sum of the distances of a moving point from two fixed points (ae, 0) and (-ae, 0) be 2a, prove that the locus of the point is: $\frac{x^2}{a^2} + \frac{y^2}{a^2(1-e^2)} = 1$

Watch Video Solution

142. Find the locus of a variable point $(at^2, 2at)$ where t is the parameter.

Watch Video Solution

143. If the coordinates of a vartiable point P be
$$\left(t+rac{1}{t},t-rac{1}{t}
ight)$$
, where t

is the variable quantity, then the locus of P is



144. If the coordinates of a variable point be $(\cos \theta + \sin \theta, \sin \theta - \cos \theta)$,

where θ is the parameter, then the locus of P is

145. If $A(\cos \theta, \sin \theta), B(\sin \theta, \cos \theta), C(1, 2)$ are the vertices of ΔABC .

Find the locus of its centroid if θ varies.

Watch Video Solution

146. A point moves so that its distance from the point (-2, 3) is always three times its distance from the point (0, 3). Find the equation to its locus.



147. A and B are two given points whose coordinates are (-5, 3) and (2, 4) respectively. A point P moves in such a manner that PA: PB = 3: 2. Find the equation to the locus traced out by P.

148. find the equation of the locus of a points such that sum of its distance from (0,3) and (0,-3) is 8.



149. S is the point (0, 4) and M is the foot of the perpendicular drawn from a point P to the y-axis. If P moves such that the distance PS and PM remain equal find the locus of P.

Watch Video Solution

150. If A(1,1) and B(-2,3) are two fixed points, find the locus of a

point P so that area of ΔPAB is 9 units.



151. Find the locus of a point such that the line segments having end points (2,0) and (-2,0) subtend a right angle at that point.



152. If P is the middle point of the straight line joining a given point A(1, 2) and Q, where Q is a variable point on the curve $x^2 + y^2 + x + y = 0$. Find the locus of P.

Watch Video Solution

153. A(2,3) is a fixed point and $Q(3\cos\theta, 2\sin\theta)$ a variable point. If P divides AQ internally in the ratio 3:1, find the locus of P.



154. From the point A(6, -8), all possible lines are drawn to cut the x-axis. Find the locus of their middle points.



155. A stick of length l slides with its ends on two mutually perpendicular

lines. Find the locus of the middle point of the stick.

Watch Video Solution

156. Prove that the locus of a point equidistant from the extermities of a

line segment is the perpendicular bisector if it.



157. Describe the locus of the point (x,y) satisfying the condition $x^2+y^2=a^2.$





161. If the equation $ax^2 + 2hxy + by^2 = 0$ and $bx^2 - 2hxy + ay^2 = 0$

represent the same curve, then show that a + b = 0.

162. Find the value of k if the point (1, 2) lies on the curve

$$(k-10)x^2 + y^2 - (k-7)x - (3k-27)y + 11 = 0$$