

#### MATHS

### **BOOKS - OBJECTIVE RD SHARMA ENGLISH**

#### **AREAS OF BOUNDED REGIONS**

Section I Solved Mcqs

- **1.** The area bounded by the curves y = |x| 1 and
- y = |x| + 1 is equal to

A. 1

B. 2

 $\mathsf{C}.\,\sqrt{2}$ 

D. 4

#### Answer: B



2. The area bounded by the curve 
$$y = \left[\frac{x^2}{64} + 2\right], y = x - 1, y = x - 1$$
 and  $x = 0$ 

above the x-axis will be-(Where [] represents greatest

integer function) (a) 2 (b) 3 (c) 4 (d) none of these

#### A. 2

C. 4

D. none of these

#### Answer: c



**3.** Find the area bounded by  $y = xe^{|x|}$  and lines |x| = 1, y = 0.

#### A. 4

B. 6

#### C. 1

D. 2

Answer: d
<b>Watch Video Solution</b>
<b>4.</b> The area bounded by the curves y=lnx, y=ln x , y= lnx
and y= ln  x  is
A. 5
R 2
5.2
C. 4
D. none of these

Answer: B



5. Let f(x) be a continuous function such that the area bounded by the curve y = f(x), the x-axis, and the lines x = 0 and  $x = ais1 + \frac{a^2}{2}sin$  a. Then,

A. 
$$\left(rac{\pi}{2}
ight) = 1 + rac{\pi^2}{8}$$
  
B.  $f(a) = 1 + rac{a^2}{2} \sin a$   
C.  $f(a) = a \sin a + rac{1}{2} \cos a$ 

D. none of these

#### Answer: c



**6.** Area bounded by  $|x-1| \leq 2 \; ext{and} \; x^2-y^2=1, \; ext{is}$ 

A. 
$$6\sqrt{2} + rac{1}{2} {
m ln} ig| 3 + 2\sqrt{2} ig|$$
  
B.  $6\sqrt{2} + rac{1}{2} {
m ln} ig| 3 - 2\sqrt{2} ig|$   
C.  $6\sqrt{2} - {
m ln} ig| 3 + 2\sqrt{2} ig|$ 

#### Answer: c



7. Find the area bounded by the curve  $f(x) = x + \sin x$  and its inverse function between the ordinates x = 0 to  $x = 2\pi$ .

A.  $4\pi$ 

 $\mathsf{B.}\,8\pi$ 

C. 4

D. 8

Answer: d

**D** Watch Video Solution

8. Area bounded by 
$$f(x) = \frac{(x-1)(x+1)}{x-2}$$
 x-axis and ordinates  $x = 0$  and  $x = \frac{3}{2}$  is (A)  $\frac{4}{5}$  (B)  $\frac{7}{8}$  (C) 1 (D)

none

A. 
$$\frac{4}{5}$$

 $\mathsf{B}.\,\frac{7}{8}$ 

C. 1

D. none of these

Answer: b

**Watch Video Solution** 

9. If the line x=lpha divides the area of region $R=ig\{(x,y)\in R^2\!:\!x^3\leq y\leq x, 0\leq x\leq 1ig\}$  into two equal parts, then

A. 
$$\frac{3\pi}{8}$$
  
B.  $\frac{5\pi}{8}$ 

C. 
$$\frac{\pi}{2}$$
  
D.  $\frac{\pi}{8}$ 

#### Answer: C

10. Let 
$$f(x) = \max\left\{\sin x, \cos x, \frac{1}{2}\right\}$$
, then determine  
the area of region bounded by the curves  $y = f(x)$ , X-  
axis, Y-axis and  $x = 2\pi$ .

A. 
$$\sqrt{2} - \sqrt{3} + \frac{5\pi}{12}$$
  
B.  $\sqrt{2} + \frac{\sqrt{3}}{2} + \frac{5\pi}{12}$   
C.  $\sqrt{2} + \sqrt{3} + \frac{5\pi}{12}$ 

#### D. none of these

#### Answer: b

#### Watch Video Solution

**11.** The area bounded by the x-axis, the curve y = f(x),

and the lines x=1, x=b is equal to  $\sqrt{b^2+1}-\sqrt{2}$  for all b>1, then f(x) is

A. 
$$\sqrt{x-1}$$
  
B.  $\sqrt{x+1}$   
C.  $\sqrt{x^2-1}$   
D.  $x/\sqrt{x^2+1}$ 

#### Answer: d



12. If  $f(x) \geq 0, \ \forall x \in (0,2)$  and y = f(x) makes positive intercepts of 2 and 1 units on X and Y -axes respectively and encloses an area of  $rac{3}{4}$  unit with axes, then  $\int_{0}^{2} x f'(x) dx$  is A.  $\frac{3}{2}$ B.1  $\mathsf{C}.\,\frac{5}{4}$ D.  $\frac{-3}{\Lambda}$ 

#### Answer: d



13. If a curve  $y = a\sqrt{x} + bx$  passes through point (1, 2) and the area bounded by curve, line x = 4 and x-axis is 8, then : (a) a = 3 (b) b = 3 (c) a = -1 (d) b = -1

A. a = 3, b = -1

B. a = 3, b = 1

C. a = -3, b = 1

D. a = -3, b = -1

#### Answer: A



14. If the area enclosed between the curves  $y = ax^2 andx = ay^2 (a > 0)$  is 1 square unit, then find the value of  $a_1$ 

A. 
$$\frac{1}{\sqrt{3}}$$
  
B.  $\frac{1}{2}$   
C. 1  
D.  $\frac{1}{3}$ 

**Answer: A** 



15. The area of the region bounded by the curuse  $y=|x-2|,\,x=1,\,x=3$  and the x-axis is A. 4

- B. 2
- C. 3
- D. 1

#### Answer: D

Watch Video Solution

16. Sketch the region bounded by the curves  $y = \sqrt{5-x^2}$  and y = |x-1| and find its area.

A. 
$$\frac{5\pi}{4} - 2$$
  
B.  $\frac{5\pi - 2}{4}$   
C.  $\frac{5\pi - 2}{2}$   
D.  $\frac{\pi}{2} - 5$ 

#### Answer: c



y = x and  $y = 2x - x^2$  (in square units), is

A. 
$$\frac{1}{2}$$
  
B.  $\frac{1}{6}$   
C.  $\frac{1}{3}$   
D.  $\frac{1}{4}$ 

#### Answer: B





 $y = \log_e(x+e)$  and the coordinate axes is

#### A. 4

B. 3

C. 2

D. 1

#### Answer: D



19. The parabolas  $y^2 = 4xandx^2 = 4y$  divide the square region bounded by the lines x = 4, y = 4 and the coordinate axes. If  $S_1, S_2, S_3$  are the areas of these parts numbered from top to bottom, respectively, then  $S_1: S_2 \equiv 1:1$  (b)  $S_2: S_3 \equiv 1:2$   $S_1: S_3 \equiv 1:1$  (d)  $S_1: (S_1 + S_2) = 1:2$ 

A. 1:1:1

B. 2:1:2

C. 1:2:3

D. 1:3:2

Answer: a





D. 1

#### Answer: A



**21.** The area of the region bounded by the parabola  $(y-2)^2 = x - 1$ , the tangent to the parabola at the point (2,3) and the X-axis is

A. 3

B. 6

C. 9

# Answer: c Watch Video Solution

22. The area bounded by the curves y=cos x and y= sin x between the ordinates x=0 and  $x=3\pi/2$  is

- A.  $4\sqrt{2}-1$ B.  $4\sqrt{2}+1$ C.  $4\sqrt{2}-2$
- D.  $4\sqrt{2}+2$

#### Answer: C



23. Let  $f:[1,2] \to [0,\infty)$  be a continuous function such that f(x) = f(1-x) for all  $x \in [-1,2]$ . Let  $R_1 = \int_{-1}^2 x f(x) dx$ , and  $R_2$  be the area of the region bounded by y = f(x), x = -1, x = 2 and the x-axis . Then,

A.  $R_1=2R_2$ 

B.  $R_1 = 3R_2$ 

 $\mathsf{C.}\,2R_1=3R_2$ 

D.  $3R_1=R_2$ 

#### Answer: c



24. If  $R_1 = \{(x, y) \mid y = 2x + 7, \text{ where } x \in R \text{ and}$  $-5 \leq x \leq 5\}$  is a relation. Then find the domain and Range of  $R_1$ .

A. 
$$\frac{3}{4}$$
  
B.  $\frac{1}{2}$   
C.  $\frac{1}{3}$   
D.  $\frac{1}{4}$ 

#### Answer: b



25. The area of the region enclosed by the curve  $y = x, x = e, y = \frac{1}{x}$  and the positive X-axis is A.  $\frac{1}{2}$ B. 1

## C. $\frac{3}{2}$ D. $\frac{5}{2}$

#### Answer: C



26. The area of the region bounded by the curve  $y=x^3$  , and the lines , y=8 and x=0, is

A. 16

B. 8

C. 10

D. 12

#### Answer: D



27. Let S be the area of the region enclosed by  $y-e^{-x^2}, y=0, x=0$  and x=1. Then

A. 
$$S \geq rac{1}{e}$$
  
B.  $S \geq -rac{1}{e}$ 

$$\mathsf{C}.\,S \leq rac{1}{4} igg(1+rac{1}{\sqrt{e}}igg)$$
 $\mathsf{D}.\,S \leq rac{1}{\sqrt{2}} + rac{1}{\sqrt{e}} igg(1-rac{1}{\sqrt{2}}igg)$ 

#### Answer: c



28. The area (in square units) bounded by the curves  $y = \sqrt{x}, 2y - x + 3 = 0$ , x-axis, and lying in the first quadrant is

A. 9

B. 36

C. 18

#### D. 27/4

#### Answer: A





#### Answer: b



**30.** Find the ratio in which the area bounded by the curves  $y^2 = 12xandx^2 = 12y$  is divided by the line x = 3.

A. 
$$\frac{245}{4}$$
  
B.  $\frac{147}{4}$   
C.  $\frac{45}{4}$   
D.  $\frac{137}{4}$ 

#### Answer: b



**31.** The area of the region described by  $A = \{(x, y): x^2 + y^2 \le 1 \text{ and } y^2 \le 1 - x\}$  is A.  $\frac{\pi}{2} - \frac{2}{3}$ B.  $\frac{\pi}{2} + \frac{2}{3}$ C.  $\frac{\pi}{2} + \frac{4}{3}$ D.  $\frac{\pi}{2} - \frac{4}{3}$ 

#### Answer: C

Watch Video Solution

**32.** The area (in square units) of the region bounded by

$$y^2=2x \; {
m and} \; y=4x-1$$
 , is

A. 
$$\frac{15}{64}$$
  
B.  $\frac{9}{32}$   
C.  $\frac{7}{32}$   
D.  $\frac{5}{64}$ 

#### **Answer: B**

**33.** Suppose that  $F(\alpha)$  denotes the area of the region

bounded by 
$$x=0, x=2, y^2=4x$$
 and

y=|lpha x-1|+|lpha x-2|+lpha x, where  $lpha\in\{0,1\}.$  Then the value of  $F(lpha)+rac{8\sqrt{2}}{3}$  when lpha=0 is (A) 4 (B) 5 (C) 6 (D) 9

A. 4

B. 5

C. 6

D. 9

#### Answer: c



**34.** Suppose that  $F(\alpha)$  denotes the area of the region

bounded by  $x=0, x=2, y^2=4x$  and y=|lpha x-1|+|lpha x-2|+lpha x, where  $lpha\in\{0,1\}.$ Then the value of  $F(lpha)+rac{8\sqrt{2}}{3}$  when lpha=0 is (A) 4 (B) 5 (C) 6 (D) 9

A. 5

B. 6

C. 7

D. 9

Answer: a



**35.** Let  $F(x) = \int_x^{x^2 + \frac{\pi}{6}} (2\cos^2 t) dt$  for all  $x \in R$  and  $f: \left[0, \frac{1}{2}\right] \to [0, \infty)$  be a continuous function.For  $a \in \left[0, \frac{1}{2}\right]$ , if F'(a)+2 is the area of the region

bounded by x=0,y=0,y=f(x) and x=a, then f(0) is

A. 1

B. 2

C. 3

D. 6

Answer: c

Watch Video Solution

36. The area of the region bounded by the curve C

$$x : y = rac{x+1}{x^2+1}$$
 nad the line y=1 , is

A. ml 
$$-rac{1}{2} ext{In}2+rac{\pi}{4}$$

$$\mathsf{B}.\,\mathrm{In}2-\frac{\pi}{4}+1$$

C. 
$$\frac{1}{2}$$
In2 +  $\frac{\pi}{4}$  - 1

D. In 
$$2 - \frac{\pi}{2} + 1$$

#### Answer: c

#### **Watch Video Solution**

**37.** The graph of  $f(x) = x^2$  and  $g(x) = cx^3$  intersect at two points, If the area of the region over the interval

$$\left[0, rac{1}{c}
ight]$$
 is equal to  $rac{2}{3}$ , then the value of  $\left(rac{1}{c}+rac{1}{c^2}
ight)$  is

A. 20

B. 2

C. 6

D. 12

#### Answer: c

#### **Watch Video Solution**

**38.** Find the area of the region bounded by the curves

 $y=x^2, y=ig|2-x^2ig|, and yl=2, ext{ which lies to the}$ right of the line x=1.

A. 
$$\left(\frac{12 - 20\sqrt{3}}{2}\right)$$
 sq. units  
B.  $\left(\frac{20 - \sqrt{2}}{3}\right)$  sq. units  
C.  $\left(\frac{20 - 12\sqrt{2}}{3}\right)$  sq. units  
D.  $\left(\frac{12 - 20\sqrt{2}}{3}\right)$  sq. units

#### Answer: c



**39.** The area (in sq. units) of the region  $ig\{(x,y): y^2 \geq 2x ext{ and } x^2 + y^2 \leq 4x, x \geq 0, y \geq 0ig\}$  is

A. 
$$\pi-rac{4}{3}$$

$$\begin{array}{l} \mathsf{B.}\,\pi-\frac{8}{3}\\ \mathsf{C.}\,\pi-\frac{4\sqrt{2}}{3}\\ \mathsf{D.}\,\frac{\pi}{2}-\frac{2\sqrt{2}}{3} \end{array}$$

#### Answer: b



#### 40. If the line x=a bisects the area under the curve

$$y=rac{1}{x^2}, 1\leq x\leq 9$$
 , then a is equal to  
A.  $rac{4}{9}$   
B.  $rac{9}{5}$   
C.  $rac{5}{9}$
## Answer: b

# Watch Video Solution

41. The area (in sq. units) of the region described by

$$A = \left\{ (x, y) : y \ge x^2 - 5x + 4, x + y > 1, y \le 0 
ight\}$$
 is  
A.  $rac{7}{2}$   
B.  $rac{13}{6}$   
C.  $rac{17}{6}$   
D.  $rac{19}{6}$ 

## Answer: d



## **42.** Area of the region

$$\left\{(x,y)\in R^2\!:\!y\geq \sqrt{|x+3|},5y\leq x+9\leq 15
ight\}$$
 is

equal to

A. 
$$\frac{1}{6}$$
  
B.  $\frac{4}{3}$   
C.  $\frac{3}{2}$   
D.  $\frac{5}{3}$ 

### Answer: c



**43.** The area (in sq. units) of the region  $ig\{(x,y): x\geq 0, x+y\leq 3, x^2\leq 4yig\}$  and  $ig\{y\leq 1+\sqrt{x}ig\}$  is

A. 
$$\frac{59}{12}$$
  
B.  $\frac{3}{2}$   
C.  $\frac{7}{3}$   
D.  $\frac{5}{2}$ 

## Answer: d

**44.** If the line x=lpha divides the area of region $R=ig\{(x,y)\in R^2\colon x^3\leq y\leq x, 0\leq x\leq 1ig\}$  into two equal parts, then

0

A. 
$$0  
B.  $rac{1}{2}  
C.  $2lpha^4-4lpha^2+1=0$   
D.  $lpha^2+4lpha^2-1=0$$$$

## Answer: b,c

## Watch Video Solution



1. Using integration, find the area bounded by the curves y = |x - 1| and y = 3 - |x|. A. 2

B. 3

C. 4

D. 1



2. The area of the figure bounded by the curves  $y^2=2x+1$  and x-y-1=0 , is A. 2/3B. 4/3C.8/3D. 16/3

#### Answer: D



**3.** Find the area bounded by the curves  $y = 2x - x^2$ and the straight line y = -x.

A. 9/2B. 43/6C. 34/6D.  $\frac{11}{2}$ 

## Answer: A



4. The area of the region bounded by the curve y=ert x-1ert and y=1 is: A. 1 B. 2 C.1/2D. 3/2

#### Answer: A



5. The area bounded by the curve y = x|x|, x-axis and

the ordinates x = -1 & x = 1 is:

A. 0

B. 1/3

C. 2/3

D. 1



6. Area of the region bounded by the curve  

$$y = 2^x, y = 2x - x^2, x = 0$$
 and  $x = 2$  is given by  
A.  $\frac{3}{\log 2} - \frac{4}{3}$   
B.  $\frac{3}{\log 2} + \frac{4}{3}$   
C.  $2\log 2 - \frac{4}{3}$   
D.  $2\log^2 - \frac{4}{3}$ 

## Answer: D



7. Area lying in the first quadrant and bounded by the circle  $x^2+y^2=4$  the line  $x=\sqrt{3}y$  and x-axis , is

A.  $\pi$ 

B.  $\pi/2$ 

C.  $\pi/3$ 

D.  $\pi/4$ 



**8.** AOB is the positive quadrant of the ellipse  $\frac{x^2}{a^2} + \frac{y^2}{b^2} = 1$  in which OA = a, OB = b. Then find the area between the arc AB and the chord AB of the ellipse.

A. 
$$rac{1}{2}ab(\pi+2)$$
  
B.  $rac{1}{4}ab(\pi-4)$   
C.  $rac{1}{4}ab(\pi-2)$ 

D. none of these

#### Answer: C

Watch Video Solution

9. Using integration, find the area of the region bounded by the line x-y+2=0 , the curve  $x=\sqrt{y}$  and  $y-{
m axis}$ 

A. 9

B. 9/2

C. 10/3

D. 5/2



**10.** The area cut off from a parabola by any double ordinate is k time the corresponding rectangle contained by the double ordinate and its distance from the vertex. Find the value of k ?

A. 1/2

B. 1/3

C. 2/3

D. 1



11. Area between the curve  $y = 4 + 3x - x^2$  and x-axis

in square units, is

A. 125/3

B. 125/4

C. 125/6

D. 25

#### Answer: C



12. If A is the area between the curve  $y=\sin x$  and xaxis in the interval  $[0,\pi/4]$  , then in the same interval , area between the curve  $y = \cos x \; ext{ and } \; ext{x-axis, is}$ 

#### **A.** A

- B.  $\pi/2 A$
- C.1 A
- $\mathsf{D}.\,A-1$

#### Answer: C



13. If A is the area lying between the curve  $y = \sin x$  and x-axis between x=0 and  $x = \pi/2$  .

Area of the region between the curve $y = \sin 2x$  and x-axis in the same interval is given by

A. A/2

B.A

 $\mathsf{C.}\,2A$ 

D. 3/2A

**Answer: B** 

Watch Video Solution

14. The area of the loop between the curve  $y = a \sin x$ and x-axis is (A) a (B) 2a (C) 3a (D) none of these A. a

B. 2a

C. 3a

D. 4a

## Answer: B



15. Area (in square units) of the region bounded by the curve  $y^2=4x,$  y-axis and the line y=3 , is

## A. 2

B.9/4

C.  $6\sqrt{3}$ 

D. none of these

#### Answer: B

Watch Video Solution

16. If  $A_1$  is the area of the parabola  $y^2 = 4ax$  lying between vertex and the latusrectum and  $A_2$  is the area between the latusrectum and the double ordinate x = 2a, then  $\frac{A_1}{A_2}$  is equal to A.  $2\sqrt{2} - 1$ 

$$\mathsf{B.}\left(2\sqrt{2}+1\right)/7$$

$$\mathsf{C.}\left(2\sqrt{2}-1\right)/7$$

D. none of these

#### Answer: B



**17.** The area of the figure bounded by  $y = \sin x, y = \cos x$  is the first quardrant is

A. 
$$\sqrt{2}ig(\sqrt{2}-1ig)$$

- $\mathsf{B}.\sqrt{3}+1$
- $\mathsf{C.}\,2\big(\sqrt{3}-1\big)$
- D. none of these

## Answer: A



A. 
$$\frac{2}{e}$$
  
B.  $1 - \frac{2}{e}$   
C.  $\frac{1}{e}$   
D.  $1 - \frac{1}{e}$ 

e

Answer: A

19. The areas of the figure into which the curve  $y^2=6x$  divides the circle  $x^2+y^2=16$  are in the ratio

A. 
$$\frac{2}{3}$$
  
B.  $\frac{4\pi - \sqrt{3}}{8\pi + \sqrt{3}}$   
C.  $\frac{4\pi + \sqrt{3}}{8\pi - \sqrt{3}}$ 

D. none of these



20. Find the area (in sq. unit) bounded by the curves :

 $y = e^x, y = e^{-x}$  and the straight line x =1.



D. none of these



**21.** The area of the region bounded by the Y - axis $y = \cos x$  and  $y = \sin x$  Where  $0 \le x \le \frac{\pi}{2}$ , is

A. 
$$2ig(\sqrt{2}-1ig)$$

$$\mathsf{B.}\,\sqrt{2}-1$$

$$C.\sqrt{2} + 1$$

D. 
$$\sqrt{2}$$

#### Answer: B



22. The positive value of the parmeter 'a' for which the

area of the figure founded by  $y=\sin as,\,y=0,\,x=\pi/a\,\, ext{and}\,\,x=\pi/3a\,\, ext{is}\,\,$ 3, is equal to

B. 1/2

C. 
$$rac{2+\sqrt{3}}{3}$$

D. 3/2

#### Answer: B



23. The vlaue of m for which the area included between th curves  $y^2=4ax\,\,{
m and}\,\,y=mx$  equals,  $a^2/3,\,\,{
m is}$ 

A. 2

 $\mathsf{B.}-2$ 

C.1/2

D. 1

#### **Answer: A**



**24.** Area bounded by the curve  $y = x^3$ , the *x*-axis and

the ordinates x = -2 and x = 1 is:

A. 17/2

B. 15/2

C. 15/4

D. 17/4

## Answer: D



25. The area bounded by 
$$y = x^2, y = [x + 1], 0 \le x \le 2$$
 and the y-axis is where [, ] is greatest integer function.

A. 1/3

B. 2/3

C. 1

D. 7/3

Answer: B

**Vatch Video Solution** 

**26.** Find the area bounded by the x-axis, part of the curve  $y = \left(1 - \frac{8}{x^2}\right)$ , and the ordinates at x = 2andx = 4. If the ordinate at x = a divides the area into two equal parts, then find a.

A. 
$$2\sqrt{2}$$

 ${\rm B.}\pm 2\sqrt{2}$ 

 $C.\pm\sqrt{2}$ 

D.  $\pm 2$ 

**Answer: B** 

Watch Video Solution

27. The area bounded by the curve y = f(x) (where  $f(x) \ge 0$ ), the co-ordinate axes & the line  $x = x_1$  is given by  $x_1.~e^{x_1}.$  Therefore f(x) equals

A.  $e^x$ 

 $C. xe^x - e^x$ 

D.  $xe^x + e^x$ 

### Answer: D

**Watch Video Solution** 

## 28. about to only mathematics

A. 1

B. 1.5

C. 2

D. 3

## Answer: C



**29.** The area of the triangle formed by the positive  $x - a\xi s$  and the normal and tangent to the circle  $x^2 + y^2 = 4$  at  $(1, \sqrt{3})$  is  $2\sqrt{3}square{inits}$  (b)  $3\sqrt{2}square{inits}$   $\sqrt{6}square{inits}$  (d) none of these

A.  $\sqrt{3}$ 

 $\mathrm{B.}\,1/\sqrt{3}$ 

C.  $2\sqrt{3}$ 

D.  $3\sqrt{3}$ 

## Answer: C



**30.** The area of the region for which `0>0` is

A. 
$$\int\limits_{1}^{3} \left(3-2x-x^2
ight) dx$$
  
B.  $\int\limits_{0}^{3} \left(3-2x-x^2
ight) dx$   
C.  $\int\limits_{0}^{1} \left(3-2x-x^2
ight) dx$   
D.  $\int\limits_{-1}^{3} \left(3-2x-x^2
ight) dx$ 



**31.** The area between the curve  $y = 2x^4 - x^2$ , the axis, and the ordinates of the two minima of the curve is 11/60 sq. units (b) 7/120 sq. units 1/30 sq. units (d) 7/90 sq. units

A. 7/120

B.9/120

C. 11/120

D. 13/120

Answer: A



**32.** Find the area bounded by the curve  $x^2 = 4y$  and the straight line x = 4y - 2.

A. 3/8

B. 5/8

C.7/8

D. 9/8

Answer: D



**33.** The area of the region bounded by the curve  $(a^4)(y^2) = (2a - x)(x^5)$  is to that of the circle whose radius is a, is given by the ratio (a) 4:5 (b) 5 8 (c) 2 3 (d) 3:2.

A. 4:5

B. 5:8

C. 2:3

D. 3:2

#### Answer: B



**34.** The area between  $\frac{x^2}{a^2} + \frac{y^2}{b^2} = 1$  and the straight line  $\frac{x}{a} + \frac{y}{b} = 1$  is (A)  $\frac{1}{2}\pi ab$  (B)  $\frac{1}{2}ab$  (C)  $\frac{\pi ab}{4} - \frac{ab}{2}$  (D)  $\frac{1}{4}ab$ 

A. 
$$\frac{1}{2}ab$$
  
B.  $\frac{1}{2}\pi ab$   
C.  $\frac{1}{4}ab$   
D.  $\frac{1}{4}\pi ab - \frac{1}{2}ab$ 

#### Answer: D


**35.** The area induced between the curves  $y = rac{x^2}{4a}$  and

$$y=rac{8a^3}{x^2+4a^2}$$
 is given by   
A.  $a^2\left(2\pi-rac{4}{3}
ight)$   
B.  $a^2\left(\pi-rac{4}{3}
ight)$   
C.  $a^2\left(2\pi+rac{1}{3}
ight)$   
D.  $a^2\left(\pi+rac{4}{3}
ight)$ 



**36.** The area cut off from a parabola by any double ordinate is k time the corresponding rectangle contained by the double ordinate and its distance from the vertex. Find the value of k ?

A. 2/3

B. 3/2

C.1/3

D. 3



37. Find the area of the region bounded by the curve y

= sin x between x = 0 and  $x = 2\pi$ .

A.  $2\pi$ 

 $\mathsf{B.}\,2\pi$ 

C.  $4\pi$ 

D.  $\pi$ 

#### Answer: C



38. about to only mathematics

A. 5/6

B. 6/5

C.1/6

D. 6

## Answer: A

Watch Video Solution

**39.** The area of the ellipse 
$$\displaystyle rac{x^2}{a^2} + \displaystyle rac{y^2}{b^2} = 1$$
 is

A.  $\pi ab$ 

B. 
$$rac{\pi}{4}ig(a^2+b^2ig)$$

 $\mathsf{C}.\,\pi(a+b)$ 

D.  $\pi a^2 b^2$ 

#### Answer: A

Watch Video Solution	

**40.** Smaller area enclosed by the circle  $x^2 + y^2 = 4$ 

and the line x + y = 2 is:

A.  $2(\pi-2)$ 

 $\mathrm{B.}\,\pi-2$ 

 $\mathsf{C.}\,2\pi-1$ 

D.  $\pi-1$ 

## Answer: B



**41.** Find the area enclosed by the parabola  $4y = 3x^2$ and the line 2y = 3x + 12.

A. 16

B. 41

C. 27

D. 36



42. Find the area of the region bounded by the parabola  $x^2=4y\backslash$  and the line x=4y-2

A. 9/8

B. 9/4

C.9/2

D. 9/7



**43.** Find the area lying in the first quadrant and bounded by the curve  $y=x^3$  and the line y=4x.

A. 2

B. 3

C. 4

D. 5



**44.** The area of the region (in square units) bounded by the curve  $x^2 = 4y$  and the line x = 2 and x-axis is:

A. 1

- B. 2/3
- $\mathsf{C.}\,4/3$
- D. 8/3



45. The area bounded by the x-axis and the curve  $y = 4x - y^2 - 3$  id A. 4/3B. 3/4C. 7 D. 3/2



**46.** Find the area of the region enclosed by the parabola  $y^2 = 4ax$  and the line y = mx.

A. 
$$\frac{5a^2}{3}$$
  
B.  $\frac{8a^2}{3m^3}$   
C.  $\frac{7a^2}{4m^2}$   
D.  $\frac{3a^2}{5m}$ 



**47.** The area bounded by  $y = \tan x, y = \cot x$ , X-axis in  $0 \leq x \leq rac{\pi}{2}$  is A. log 2  $\mathsf{B}.\,\frac{1}{2}\!\log 2$ C.2 log  $\left(\frac{1}{\sqrt{2}}\right)$ D.  $\frac{3}{2}\log 2$ 



**48.** Area lying between the curves  $y^2 = 4x$  and y = 2x

is:

A. 2/3

- B. 1/3
- C.1/4
- D. 1/2



**49.** Area common to the circle  $x^2 + y^2 = 64$  and the parabola  $y^2 = 4x$  is

A. 
$$rac{16}{3} \left( 4\pi + \sqrt{3} 
ight)$$
  
B.  $rac{16}{3} \left( 8\pi - \sqrt{3} 
ight)$   
C.  $rac{16}{3} \left( 4\pi - \sqrt{3} 
ight)$ 

D. none of these



**50.** The area of the figure bounded by  $|y| = 1 - x^2$  is in square units,

A. 2/3 B. 4/3 C. 8/3 D. −5/3



51. Find the area of the figure bounded by the parabolas  $x=-2y^2, x=1-3y^2$ . A. 8/3B. 6/3

C.4/3

D. 2/3



52. The area bounded by  $y=x|{\sin x}|$  and x - axis

between  $x=0, x=2\pi$  is

A.  $2\pi$ 

B.  $3\pi$ 

 $\mathsf{C.}\,4\pi$ 

D.  $5\pi$ 



53. Find the area bounded by the curve  $y = 2x - x^2$ , and the line y = x

- A. 1/2
- B. 1/3
- C.1/4
- D. 1/6

## Answer: D



54. Find the area bounded by the curve y = (x - 1)(x - 2)(x - 3) lying between the ordinates x = 0 and x = 3.

A. 9/4

B. 
$$\frac{11}{4}$$

C. 11/2

$$\mathsf{D.}\,7/4$$



55. Area common to the curves  $y = \sqrt{x}$  and  $x = \sqrt{y}$  is (A) 1 (B)  $\frac{2}{3}$  (C)  $\frac{1}{3}$  (D) none of these A. 1 B. 2/3

- C.1/3
- D. 4/3



56. Find the equation of common tangent of  $y^2 = 4ax$  and  $x^2 = 4by$ . A. (8/3) ab B. (16/3) ab C. (4/3) ab D. (5/3) ab



57. Area of the region bounded by  $[x]^2 = [y]^2$ , if  $x \in [1, 5]$ , where [] denotes the greatest integer function is:

A. 4

B. 8

C. 5

D. 10



58. If A denotes the area bounded by  $f(x) = \left| \frac{\sin x + \cos x}{x} \right|$ , X-axis,  $x = \pi$  and  $x = 3\pi$ , then A. 1 < A < 2

 $\mathsf{B.0} < A < 2$ 

 $\mathsf{C.}\, 2 < A < 3$ 

D. none of these

Answer: D



**59.** Find the area of the region bounded by the curve  $y = x^2$  and  $y = \sec^{-1} \left[ -\sin^2 x \right]$ , where [.] denotes the greatest integer function.

A. 
$$rac{1}{3}(4-\pi)^{3/2}$$
  
B.  $\Big(8(4-\pi)^{3/2}$   
C.  $rac{8}{3}(4-\pi)^{3/2}$   
D.  $rac{8}{3}(4-\pi)^{1/2}$ 

#### Answer: C

# Watch Video Solution

60. The area the region included between the region satisfying min  $(\,/x\,/,\,/y\,/\,) \geq 1$  and  $x^2+y^2 \leq 5$  is

$$\begin{aligned} &\mathsf{A}.\,\frac{5}{2} \left( \frac{\sin^{-1}(2)}{\sqrt{5}} - \frac{\sin^{-1}(1)}{\sqrt{5}} \right) - 4 \\ &\mathsf{B}.\,10 \left( \frac{\sin^{-1}(2)}{\sqrt{5}} - \frac{\sin^{-1}(1)}{\sqrt{5}} \right) - 4 \\ &\mathsf{C}.\,\frac{2}{5} \left( \frac{\sin^{-1}(2)}{\sqrt{5}} - \frac{\sin^{-1}(1)}{\sqrt{5}} \right) - 4 \\ &\mathsf{D}.\,15 \left( \frac{\sin^{-1}(2)}{\sqrt{5}} - \frac{\sin^{-1}(1)}{\sqrt{5}} \right) - 4 \end{aligned}$$

Answer: B

# Watch Video Solution

**61.** If  $f(x) \geq 0, \, orall x \in (0,2)$  and y = f(x) makes positive intercepts of 2 and 1 units on X and Y -axes respectively and encloses an area of  $rac{3}{4}$  unit with axes, then  $\int_0^2 x f'(x) dx$  is A.  $\frac{3}{4}$ B. 1  $\mathsf{C}.\,\frac{5}{4}$  $\mathsf{D.}-\frac{3}{4}$ Answer: D

Watch Video Solution

# **Chapter Test**

**1.** Area bounded by the curves y=|x-1|, y=0 and |x|=2

A. 4

B. 5

C. 3

D. 6



2. The area inside the parabola  $5x^2-y=0$  but outside the parabola  $2x^2-y+9=0$  is

A.  $12\sqrt{3}$ B.  $6\sqrt{3}$ C.  $8\sqrt{3}$ 

D.  $4\sqrt{3}$ 



3. The area enclosed between the curve $y^2(2a-x)=x^3$  and the line x=2a above the x-axis is

A. 
$$3\pi a^2$$

B. 
$$\frac{3\pi a^2}{2}$$
  
C.  $\frac{3\pi a^2}{4}$   
D.  $\frac{\pi a^2}{4}$ 



4. Area bounded by the curve  $xy^2 = a^2(a - x)$  and the y-axis is  $\frac{\pi a^2}{2} square inits$  (b)  $\pi a^2 square inits$   $3\pi a^2 square inits$ (d) None of these

A.  $\pi a^2/2$ 

 $\mathsf{B.}\,\pi a^2$ 

C.  $3\pi a^2$ 

D.  $2\pi a^2$ 

Answer: b



5. The area of the loop of the curve  $ay^2 = x^2(a-x)$  is

A. 
$$\frac{4a^2}{15}$$
  
B.  $\frac{8}{15}a^2$   
C.  $\frac{16}{15}a^2$   
D.  $\frac{32}{5}a^2$ 

#### Answer: B



**6.** find the area common to the circle  $x^2y^2 = 16a^2$  and the parabola  $y^2 = 6ax$ . Or Find the area of the region

$$ig\{(x,y)\!:\!y^2\leq 6a\ ig\} andig\{(x,y)\!:\!x^2+y^2\geq 16a^2ig\}$$
 .

A. 
$$rac{4a^2}{3}ig(4\pi-\sqrt{3}ig)$$
  
B.  $rac{4a^2}{3}(8\pi-3)$   
C.  $rac{4a^2}{3}ig(4\pi+\sqrt{3}ig)$ 

D. none of these



7. The line 
$$y=mx$$
 bisects the area enclosed by the

curve 
$$y = 1 + 4x - x^2$$
 and the lines  $x = 0, x = rac{3}{2}$  and  $y = 0$ . Then the value of  $m$  is

A. 13/8

B. 13/32

C. 13/16

D. 13/14

Answer: C

Watch Video Solution

8. The area between the curve  $y = x \sin x$  and x-axis where  $o \leq x \leq 2\pi$  , is

A.  $2\pi$ 

B.  $3\pi$ 

C.  $4\pi$ 

D.  $\pi$ 

#### Answer: C



**9.** The area bounded by the curves  $y = e^x, y = e^{-x}$ and y = 2, is

A. log (16/e)

B. log(4/e)

C. 2log(4/e)

D. log(8/e)

# Answer: C



**10.** The area enclosed by the curves 
$$x = a \sin^3 t$$
 and  $y = a \cos^2 t$  is equal to

A. 
$$\frac{3\pi a^2}{8}$$
  
B.  $\frac{3\pi a^2}{16}$   
C.  $\frac{3\pi a^2}{32}$ 

D. 
$$3\pi a^2$$



11. If  $A_1$  is the area enclosed by the curve xy = 1, xaxis and the ordinates x = 1, x = 2, and  $A_2$  is the area enclosed by the curve xy = 1, x-axis and the ordinates x = 2, x = 4, then

A. 
$$A_1=2A_2$$
  
B.  $A_2=2A_1$   
C.  $A_2=3A_1$ 

$$\mathsf{D}.\,A_1=A_2$$

# Answer: D


12. If area bounded by the curve  $y^2=4ax$  and y=mx

is  $a^2/3$  , then the value of m, is

A. 1

B. 2

C. 3

D.  $\sqrt{3}$ 

## Answer: B



13. The value of a for which the area between the curves  $y^2=4ax$  and  $x^2=4ay$  is 1 unit is A.  $\sqrt{3}$ 

B. 4

C.  $4\sqrt{3}$ 

D. 
$$\sqrt{3}/4$$

## Answer: D



**14.** If the area bounded by the curve y=f(x), x-axis and the ordinates x=1 and x=b is (b-1) sin(3b+4), then find f(x).

A. 
$$(x-1) \cos(3x+4)$$

B. sin(3x + 4)

$$\mathsf{C.}\sin(3x+4)+3(x-1)$$

D. none of these

## Answer: C



15. The area bounded by the curve  $y=\sin 2x,\;$  axis and

y=1, is

A. 1

B.1/4

C.  $\pi / 4$ 

D.  $\pi/4-1/2$ 

**Answer: D** 



16.	The	area	between	the	curve
x = -	$-2y^2$ and	x = 1 - 1	$3y^2,$ is		
<b>A.</b> 4	4/3				
В.	3/4				
С. 3	3/2				
D. 2	2/3				

## Answer: A



17. The area between the curves  $y = \cos x$ , x-axis and

the line y = x + 1, is

A. 1/2

B. 1

C. 3

D. 2

## Answer: A



18. If the area bounded by the curve  $y = x^2 + 1$  and the tangents to it drawn from the origin is A, then the value of 3A is\_-

A. 8/2 sq. units

B. 1/3 sq. units

C. 2/3 sq. units

D. none of these

Answer: C



19. The positive value of the parmeter 'a' for which the area of the figure bounded by  $y = \sin as, y = 0, x = \pi/a$  and  $x = \pi/3a$  is 3, is equal to

B. 1/2

C. 
$$rac{2+\sqrt{3}}{3}$$

D. 
$$\sqrt{3}$$

## Answer: B



20. The area in square units bounded by the curves  $y=x^3, y=x^2$  and the ordinates x=1, x=2 is

A. 17/12

B. 12/13

C. 2/7

D. 7/2

## Answer: A



**21.** The area bounded by the curve  $y^2 = x$  and the ordinate x = 36 is divided in the ratio 1:7 by the

ordinate x=a. Then a=

A. 8

B. 9

C. 7

D. 0

#### **Answer: B**



22. The area contained between the x-axis and one area

of the curve  $y=\cos 3x,\;$  is

A. 1/3

B. 2/3

C. 2/7

D. 2/5

Answer: B



**23.** The area of the figure bounded by  $|y| = 1 - x^2$  is in square units,

A. 4/3

B. 8/3

C. 16/3

## D. 5/3

## Answer: B





D. none of these

## Answer: B



25. The area of the region on place bounded by max  $(|x|,|y|) \leq rac{1}{2}$  is

- A.  $1/2 + \ln 2$
- ${\tt B.3}+\ln 2$
- C. 31/4
- $\mathsf{D.}\,1+2\ln 2$

Answer: B



26. The area of the closed figure bounded by  $y = rac{x^2}{2} - 2x + 2$  and the tangents to it at (1, 1/2) and (4,2) is

A. 9/8

B. 3/8

C. 3/2

D. 9/4

## Answer: A



27. The area of the closed figure bounded by  $y = 1/\cos^2 x, x = 0, y = 0$  and  $x = \pi/4$ , is

A.  $\pi/4$ 

B.  $1 + \pi/4$ 

C. 1

D. 2

## Answer: C



**28.** The area (in square units) of the closed figure bounded by

$$x=\ -1, x=2 ext{ and } y=igg\{rac{-x^2+2, x\leq 1}{2x-1, x>1} ext{ and the}$$

abscissa axis, is

A. 16/3

B. 13/3

C. 13/3

D. 7/3

### Answer: A





A. 
$$rac{4+3\ln 3}{2}$$

B. 2+3ln(3sqrt(3)/4)

C. 
$$\frac{3}{2} \ln 3$$
  
D.  $\frac{1}{2} + \ln 3$ 

#### **Answer: B**



**30.** The area of the region bounded by  $x^2 + y^2 - 2x - 3 = 0$  and y = |x| + 1 is

## A. $\pi$

 $\mathsf{B.}\,2\pi$ 

 $\mathsf{C.}\,4\pi$ 

D.  $\pi/2$ 

#### Answer: A



**31.** The area of the region bounded by y = |x - 1| and y = 3 - |x|, is

## A. 2

B. 3

## C. 4

D. 1

## Answer: C



32. Find the area of the closed figure bounded by the curves  $y = \sqrt{x, y} = \sqrt{4x - 3x}$ , and y = 0. A. 4/9B. 8/9C. 19/9D. 5/9

Answer: B



**33.** The area of the closed figure bounded by the curves  $y = \cos x, y = 1 + \frac{2}{\pi}x$  and  $x = \pi/2$ , is A.  $\frac{\pi + 4}{4}$ B.  $\frac{3\pi - 4}{4}$ 

C. 
$$\frac{3\pi}{4}$$

D. 
$$\frac{\pi}{4}$$

Answer: B

## Watch Video Solution

## **34.** For which of the following values of m is the area of

the regions bounded by the curve  $y=x-x^2$  and the line y=mx equal  $\displaystyle rac{9}{2}\, ?\, -4$  (b) -2 (c) 2 (d) 4

A. - 4.4

- B. -2, 2
- C. 2, 4
- D. -2, 3

Answer: B

# Watch Video Solution

**35.** The area bound by the curve  $y = \sec x$ , then x-axis

and the lines  $x = 0 \, \operatorname{and} \, x = \pi \, / \, 4$ , is

A. 
$$\log(\sqrt{2}+1)$$
  
B.  $\log(\sqrt{2}-1)$   
C.  $\frac{1}{2}\log 2$   
D.  $\sqrt{2}$ 

## Answer: A



**36.** The area bounded by the parabola  $y^2 = 8x$ , the x-axis and the latusrectum is  $\frac{16}{3}$  b.  $\frac{23}{3}$  c.  $\frac{32}{3}$  d.  $\frac{16\sqrt{2}}{3}$ 

A. 
$$\frac{16}{3}$$
  
B.  $\frac{23}{3}$   
C.  $\frac{32}{3}$   
D.  $\frac{16\sqrt{2}}{3}$ 

## Answer: C



37. The area (in square units) bounded by the curve

$$y^2 = 8x$$
 and  $x^2 = 8y$ , is

A. `64(3\*sqrt(2)-1/3)

B. 
$$\frac{3}{16}$$
  
C.  $\frac{14}{3}$   
D.  $\frac{3}{14}$ 

#### **Answer: A**



**38.** If the area bounded by the curve y=f(x), x-axis and the ordinates x=1 and x=b is (b-1) sin(3b+4), then find f(x).

A. 
$$(x-1)\cos(3x+4)$$

B. sin(3x + 4)

C.  $\sin(3x+4) + 3(x-1)\cos(3x+4)$ 

D. none of these

#### Answer: C



**39.** The area in square units of the region bounded by the curve  $x^2 = 4y$ , the line x=2 and the x-axis, is

A. 1

B. 2/3

C.4/3

D. 8/3

Answer: B



40. The area enclosed between the curve 
$$y^2(2a - x) = x^3$$
 and the line  $x = 2$  above the  $x - a\xi s$  is  $\pi a^2 squares$  (b)  $\frac{3\pi a^2}{2}squares$   $2\pi a^2 squares$  (d)  $3\pi a^2 squares$ 

A.  $\pi a^2$ 

B.  $3/2\pi a^2$ 

 $\mathsf{C.}\,2\pi a^2$ 

D.  $3\pi a^2$ 

## **Answer: B**

**Watch Video Solution** 

**41.** The area bounded by the curve  $y = 4x - x^2$  and x-axis is (A)  $\frac{30}{7}$  sq. units (B)  $\frac{31}{7}$  sq. units (C)  $\frac{32}{3}$  sq. units (D)  $\frac{34}{3}$  sq. units

A. 
$$\frac{30}{7}$$
  
B.  $\frac{31}{7}$   
C.  $\frac{32}{3}$   
D.  $\frac{34}{3}$ 

## Answer: C



**42.** Area bounded by the parabola  $y^2 = x$  and the line 2y = x is: A. 4/3B.1 C. 2/3D. 1/3**Answer: A** Watch Video Solution

**43.** Area between the x-axis and the curve  $y = \cos x$ , when  $0 \le x \le 2\pi$  is:

A. 0

B. 2

C. 3

D. 4

Answer: D



- **44.** The ratio of the areas between the curves  $y = \cos x$  and  $y = \cos 2x$  and x-axis from x = 0 to  $x = \frac{\pi}{3}$  is (A) 1:3 (B) 2:1 (C)  $\sqrt{3}$ :1 (D) none of these A. 1:2
  - B.2:1
  - C.  $\sqrt{3}:1$
  - D. none of these

## Answer: B



**45.** Find the area bounded by the parabola  $y=x^2+1$ 

and the straight line x + y = 3.

A. 
$$\frac{45}{7}$$
  
B.  $\frac{3}{2}$   
C.  $\frac{32}{3}$   
D.  $\frac{3}{32}$ 

## Answer: D



46. Prove that the area common to the two parabolas

$$y=2x^2 \ and \ y=x^2+4 \ is rac{32}{3}$$
 sq. units.

A. 
$$\frac{2}{3}$$
  
B.  $\frac{3}{2}$   
C.  $\frac{32}{3}$   
D.  $\frac{3}{32}$ 

## Answer: C



47. Find the area of the region  $\{(x, y): x^2 + y^2 \le 1 \le x + y\}$ A.  $\frac{\pi}{5}$ B.  $\frac{\pi}{4}$ C.  $\frac{\pi^2}{4}$ D.  $\frac{\pi}{4} - \frac{1}{2}$ 

#### Answer: D



**48.** Find the area bounded by the parabola  $y^2 = 4ax$  and its latus rectum.

A. 0

B. 
$$\frac{4}{3}a^{2}$$
  
C.  $\frac{8}{3}a^{2}$   
D.  $\frac{a^{2}}{3}$ 

## Answer: C



49. The area bounded by the curve  $y = x^4 - 2x^3 + x^2 + 3$  with x-axis and ordinates corresponding to the minima of y, is

A. 1

B. 
$$\frac{91}{30}$$
  
C.  $\frac{30}{9}$ 

D. 4

Answer: B


50. Find the area common to two parabolas  $x^2 = 4ay$ and  $y^2 = 4ax$ , using integration.

A. 
$$\frac{8a^3}{3}$$
  
B.  $\frac{16a^2}{3}$   
C.  $\frac{32a^2}{3}$   
D.  $\frac{64a^2}{3}$ 



51. The area (in square units) bounded by curves y=sinx

between the ordinates x=0,  $x=\pi$  and the x-axis , is

A. 2

B. 4

C. 3

D. 1

# Answer: A



52. The area of the region bounded by the parabola  $(y-2)^2 = x - 1$ , the tangent to the parabola at the point (2,3) and the X-axis is

A. 3

B. 6

C. 7

D. none of these

# Answer: C



53. The area enclosed between the curves 
$$y = \log_e(x+e), x = \log_e\left(rac{1}{y}
ight)$$
, and the x-axis is

A. 2

B. 1

C. 4

D. none of these

Answer: A



54. Find the area of the region formed by  $x^2 + y^2 - 6x - 4y + 12 \le 0, y \le x$  and  $2x \le 5$ .



D. none of these

# Answer: C



55. If  $A_n$  be the area bounded by the curve  $y=(\tan x)^n$  and the lines  $x=0,\;y=0,\;x=\pi/4$  , then for n>2.

A. 
$$A_n + A_{n-2} = rac{1}{n-1}$$
  
B.  $A_n + A_{n-2} < rac{1}{n-1}$   
C.  $A_n - A_{n-2} = rac{1}{n-1}$ 

D. none of these

#### Answer: A



**56.** The area bounded by the parabola  $y^2 = x$ , straight

line y = 4 and y-axis is

A. 
$$\frac{3}{32}$$
  
B.  $\frac{64}{3}$   
C.  $\frac{33}{2}$   
D.  $\frac{16}{3}$ 



57. The area (in square units), bounded by  $y=2-x^2$ 

and 
$$x+y=0$$
 , is

A. 
$$\frac{7}{2}$$
 sq. units  
B.  $\frac{9}{2}$  sq. units

D. none of these



**58.** The area bounded by the curve  $y = \log_e x$ , the x-axis and the line x = e is (A) e sq. units (B) 1 sq. unit (C)  $\left(1 - \frac{1}{e}\right)$  sq. units (D)  $\left(1 + \frac{1}{e}\right)$  sq. units

A. e

B. 1

C. 
$$1 - \frac{1}{e}$$
  
D.  $1 + \frac{1}{e}$ 

Answer: B

# Watch Video Solution

**59.** Find the area included between the curves  $x^2 = 4y$ and  $y^2 = 4x$ . A. 4/3B. 1/3C. 16/3 $\mathsf{D.}\,8\,/\,3$ Answer: C



60. If the area above the x-axis, bounded by the curves  $y = 2^{kx}$  and x = 0, and x = 2 is  $\frac{3}{\log_e(2)}$ , then the value

of k is

A. 1/2

B. 1

 $\mathsf{C}.-1$ 

D. 2

