

## **CHEMISTRY**

## **AAKASH INSTITUTE ENGLISH**

## **MOCK TEST 40**

Example

**1.** Which of the following carbohydrate is a monosaccharide?

A. 9	Sucr	ose
------	------	-----

B. Maltose

C. Ribose

D. Glycogen

#### **Answer: C**



**Watch Video Solution** 

**2.** Glucose on prolonged heating with HI, forms

- A. n-Pentane
- B. n-Hexane
- C. lodopentane
- D. lodohexane



**Watch Video Solution** 

**3.** The statement which is incorrect withrespect to glucose is

- A. Reduces Felhing's solution and Tollen's reagent
- B. Reacts with hydroxylamine to form an oxime
- C. Adds a molecule of hydrogen cyanide to give cyanohydrin
- D. Gives yellow ppt with I2 in alkali

#### **Answer: D**



**4.** Acetylation of glucose with acetic anhydride gives

A. Glucose hexaacetate

B. Glucose pentaacetate

C. Glucose butaacetate

D. Glucose diacetate

**Answer: B** 



**5.** Oxidation of glucose with bromine water and nitnic acid yields respectively

A. Gluconic acid and Saccharic acid

B. Saccharic acid and Gluconic acid

C. Gluconic acid and Gluconic acid


D. Saccharic acid and Saccharic acid

**Answer: A** 



## **6.** Two cyclic hemiacetal forms of glucose given

below are called as



- A. Enantiomers
- B. Optical antipodes
- C. Anomers
- D. Tautomers

**Answer: C** 

7. Correct statement with respect to sucrose is

A. It is dextrotatory and gives dextrorotatory glucose and

laevorotatory fructose on hydrolysis

B. It is laevorotatory amd gives

laevorotatory glucose and

dextrorotatory fructose on hydrolysis

C. It is dextrorotatory amd gives levorotatory glucose amd dextrorotatory fructose on hydrolysis

D. It is laevorotatory and gives dextrorotatory glucose and laevorotatory fructose on hydrolysis

## Answer: A



- 8. IUPAC name of serine is
  - A. 2-Aminoethanoic acid
  - B. 2-Aminopripanoic acid
  - C. 2-Amino-3-hydroxypropanoic acid
  - D. 2-Amino-3-mercaptopropanoic

#### **Answer: C**



**9.** Name thea-amino acid which is optically inactive.

**Answer: B** 

**10.** The correct structure of product, D formed in the following sequence of reactions is





Watch Video Solution

**11.** Product obtained by heating 4-Amino butanoic acid



В.





## **Answer: C**



## 12. Bakelite is an example of

- A. Linear polymer
- B. Branched chain polymer
- C. Cross linked polymer
- D. Thermoplastic polymer

### **Answer: C**



## 13. Which among the following is a polyester?

- A. Teflon
- B. PVC
- C. Nylon 6, 6
- D. Terylene

#### **Answer: D**



14. Zeigler Natta catalyst is:

A. Triethylaluminium trichloride B. Triethylaluminium titanium and tetrachloride C. Trymethylaluminium titanium amd tetrachloride D. Trymethylaluminium titanium and trichloride

titanium

and



## **Watch Video Solution**

## 15. Explain the formation of Nylon-6

Α.



**Watch Video Solution** 

**16.** Poly Beta-hydroxybutyrate-co-Beta-hydroxy valerate (PHBV) is obtained by the copolymerisation of

A. 2-hydroxybutanoic acid and 3hydroxypentanoic acid B. 3-hydroxybutanoic acid and 2hydroxypentanoic acid C. 3-hydrocybutanoic acid and 3hudroxypentanoic acid D. 3-aminobutanoic acid and 3hudroxypentanooc acid **Answer: C** Vatch Video Solution

- 17. Incorrect statement among the following is
  - A. PHBV undergoes bacterial degradation in the environment
  - B. Nylon 2-nylon 6 is a copolymer of glycine and amino caproic acid
  - C. Nylon 2-nylon 6 is a non-biodigradable polymer
  - D. PHBV is used in orthopaedic devices

#### **Answer: C**

# 0

## Watch Video Solution

N		Name of polymers		Uses	
	(a)	PVC	(i)	Manufacture of paints and lacquers	
	(b)	Glyptal	(ii)	Making of unbreakable cups and laminated sheets	
	(C)	Bakelite	(iii)	Making of combs. electrical switches	
18.	(d)	Urea-formaldehyde resin ,	(iv)	Manufacture of rain coats, water pipes	The

correct match is

A. a - ii, b - i, c - iii, d - iv

B. a - iv, b - i, c - iii, d - ii

C. a - iv, b - iii, c - i, d - ii

D. a - iv, b - ii, c - iii, d - i

#### **Answer: B**



**Watch Video Solution** 

**19.** Drugs that bind to the receptor site and inhibit its natural function are called

A. Agonists

- B. Antagonists
- C. Co-factors
- D. Allosterics



**Watch Video Solution** 

**20.** Cimetidine (Tegamet) and Ranitidine (Zantac) drugs are

A. Analgesics

- B. Tramquilizers
- C. Antacids
- D. Antidepressants

#### **Answer: C**



**Watch Video Solution** 

**21.** Among the following, indentify the pair of antihistamine drugs

A. Brompheniramine and Terfenadine

- B. Iproniazid and Phenelzine
- C. Chlordiazepoxide and Equanil
- D. Veronal and Valium

#### **Answer: A**



**Watch Video Solution** 

**22.** The class of chemical compounds used for the treatment of stress are called

A. Analgesics

- B. Tramquilizers
- C. Antihistamines
- D. Antibiotics



**Watch Video Solution** 

## 23. Correct structure of Aspirin is

## **Answer: C**



**24.** Commonly used antiseptic 'Dettol' is a mixture of

**Answer: D** 



25. Consider the following statements - (i)
Antiseptics are chemical substances which
prevent the growth of microorganisms, (ii)
Boric acid in dilute aqueous solution bis weak
antiseptic for eyes, (iii) 0.2 percent solution of
phenol is disinfectant, (iv) Iodine is a powerful
antiseptic, The correct statement (s)

- A. (i) and (ii)
- B. (i), (ii) and (iv)
- C. (i), (ii) and (iii)
- D. (iii) and (iv)



**Watch Video Solution** 

## 26. Penicillin is an example of

- A. Analgesic
- B. Antiseptic
- C. Antibiotic
- D. Anaesthetic

**Answer: C** 

**27.** Drugs which produce insensibility to the vital functions bof nervous systen are known as

- A. Antibiotics
- B. Analgesics
- C. Anaesthetics
- D. Antipyretics

Answer: C

**28.** The incorrect statement with respect to saccharin is

A. Artificial sweetening agent

B. About 550 times as sweet as cane sugar

C. Excreted from the body in urine

D. Chemical name is para-sulphobenzimide

**Answer: D** 



Watch Video Solution

**29.** Identify the false characteristic regarding detergents

A. Anionic detergents bare sodium salts of sulphonated long chain hydrocarbons

B. In anionic detergents, the cationic part of detergent is involved in the cleansing action

C. Cationic detergents are quaternary ammonium salts of amines with bromides as onins

D. Liquid dishwashing detergents are nonionic detergents

Answer: B



**30.** Norethindrone is an example of synthetic progesterone derivative which is most widely used as

- A. Antiseptics
- B. Antifertility drugs
- C. Antibiotics
- D. Analgesics

#### **Answer: B**



