



PHYSICS

BOOKS - DC PANDEY ENGLISH

ELECTROMAGNETIC WAVES

Example

1. A parallel - plate capacitor is being charged. Show that the displacement current across an area in the region between the plates and parallel to it is equal to the conduction current in the connecting wires.

[Watch Video Solution](#)

2. A plane electromagnetic wave of frequency 25MHz travels in free space along the x-direction. At a particular point in space and time, $E = (6.3j)\text{V/m}$. What is B at this point?



Watch Video Solution

3. The magnetic field in a plane electromagnetic wave is given by

$$B_y = 2 \times 10^7 T \sin(0.5 \times 10^3 x + 1.5 \times 10^{11} t) T$$

- (a) What is the wavelength and frequency of the wave?
- (b) Write an expression for the electric field.



Watch Video Solution

4. Light with an energy flux of $18Wcm^{-2}$ falls on a non-reflecting surface at normal incidence. If the surface at normal incidence. If the surface has an area of $20cm^2$, find the average force exerted on the surface during a span of 30 min.



[Watch Video Solution](#)

5. In the above example what is the average force if surface is perfectly reflecting?



[Watch Video Solution](#)

6. Calculate the electric and magnetic fields produced by the radiation coming from a 100 W bulb at a distance of 3m. Assume that the efficiency of the bulb is 25 % and it is a point source.



[Watch Video Solution](#)

Solved Example

1. Long distance radio broadcasts use short wave bands.

Explain why?



[Watch Video Solution](#)

2. It is necessary to use satellites for long distance TV transmission. Explain why?



Watch Video Solution

3. The ozone layer on the top of the stratosphere is crucial for human survival. Explain why?



Watch Video Solution

4. optical and radio telescopes are built on ground but X-ray astronomy is possible only from satellites or beyond the earth. Explain why?



Watch Video Solution

[Watch Video Solution](#)

5. If the earth did not have atmosphere, would its average surface temperature be higher or lower than what it is now? Explain

[Watch Video Solution](#)

6. Some scientists have predicted the global nuclear war on the earth would be followed by a serve nuclear winter with a devastating effect on life on earth.What might be the basis of this prediction?

[Watch Video Solution](#)

7. Why is the orientation of the portable radio with respect to broadcasting station important?



Watch Video Solution

8. The equation of a tangent to the parabola $y^2 = 8x$ is $y = x + 2$. The point on this line from which the other tangent to the parabola is perpendicular to the given tangent is (1) $(-1, 1)$ (2) $(0, 2)$ (3) $(2, 4)$ (4) $(-2, 0)$



Watch Video Solution

9. A light beam travelling in the x- direction is described by the electric field $E_y = 300Vm^{-1} \sin \omega(t - (x/c))$. An electron is constrained to move along the y-direction with a speed $2.0 \times 10^7 ms^{-1}$. Find the maximum electric force and the maximum magnetic force on the electron.



Watch Video Solution

10. A parallel- plate capacitor having plate-area A and plate separation d is joined to a battery of emf epsilon and internal resistance R at t=0. Consider a plane surface of area A/2, parallel to the plates and situated symmetrically between them. Find the displacement current through this surface as a function of time.



Watch Video Solution

11. About 5% of the power of a 100W light bulb is converted to visible radiation. What is the average intensity of visible radiation

(a) at a distance of 1m from the bulb?

(b) at a distance of 10m ?

Assume that the radiation is emitted isotropically and neglect reflection.



Watch Video Solution

12. Suppose that the electric field of an electromagnetic wave in vacuum is

$$E = \left\{ (3.0 \text{ N/C}) \cos[1.8 \text{ rad/m})y + (5.4 \times 10^6 \text{ rad/s})t] \right\} \hat{i}$$


- (a) What is the direction of propagation of wave?
- (b) What is the wavelength λ ?
- (c) What is the frequency f ?
- (d) What is the amplitude of the magnetic field of the wave
- (e) write an expression for the magnetic field of the wave.



Watch Video Solution

13. A parallel plate capacitor made of circular plates each of radius $R = 6.0 \text{ cm}$ has a capacitance $c = 100 \text{ pF}$. The capacitor is connected to a 230 V AC supply with a (angular) frequency of 300 rad/s

- (a) What is the rms value of the conduction current ?
- (b) Is the conduction current equal to the displacement current?
- (c) Determine the amplitude of B at a point 3.0cm from the axis between the plates.



Watch Video Solution

Exercise 29 1

1. A parallel- plate capacitor with plate area A and separation between the plates d , is charged by a constant current i . Consider a plane surface of area $A/2$ parallel to the plates and drawn symmetrically between the plates. Find the displacement current through this area.



[Watch Video Solution](#)

Exercise 29 2

1. Show that the unit of $\frac{1}{\sqrt{\epsilon_0 \mu_0}}$ is (m/s) .



[Watch Video Solution](#)

2. A capacitor is connected to an alternating- current source. Is there a magnetic field between the plates ?



Watch Video Solution

3. The sunlight reaching the earth has maximum electric field of $810 \text{ V } (m^{-1})$. What is the maximum magnetic field in this light?



Watch Video Solution

4. The electric field in an electromagnetic wave is given by $E = (50 \text{ NC}^{-1}) \sin \omega \left(t - \frac{x}{c} \right)$. Find the energy

contained in a cylinder of cross section 10cm^2 and length 50 cm along the x- axis.



Watch Video Solution

Exercise Single Correct

1. One requires 11eV of energy to dissociate a carbon monoxide molecule into carbon and oxygen atoms. The minimum frequency of the appropriate electromagnetic radiation to achieve the dissociation lies in.

A. visible region

B. infrared region

C. ultraviolet region

D. microwave region

Answer: C



Watch Video Solution

2. If E and B represent electric and magnetic field vectors of the electromagnetic wave, the direction of propagation of electromagnetic wave is along.

A. E

B. B

C. $B \times E$

D. $E \times B$

Answer: D



Watch Video Solution

3. The ratio of contributions made by the electric field and magnetic field components to the intensity of an EM wave is.

A. $c : 1$

B. $c^2 : 1$

C. $1 : 1$

D. $\sqrt{c} : 1$

Answer: C



Watch Video Solution

4. Light with an energy flux $20W/cm^2$ falls on a non-reflecting surface at normal incidence. If the surface has an area of $30cm^2$. the total momentum delivered (for complete absorption)during 30 minutes is

A. $36 \times 10^5 kg - m / s$

B. $36 \times 10^4 kg - m / s$

C. $1.08 \times 10^4 kg - m / s$

D. $1.08 \times 10^7 kg - m / s$

Answer: B



Watch Video Solution

Exercise More Than One Correct

1. A plane electromagnetic wave propagating along x-direction can have the following pairs of E and B .

A. E_x, B_y

B. E_y, B_z

C. B_x, E_y

D. E_z, B_y

Answer: B::D



Watch Video Solution

2. The source of electromagnetic waves can be a charge.

A. moving with a constant velocity

B. moving in a circular orbit

C. at rest

D. falling in an electric field

Answer: B::D



Watch Video Solution

3. An electromagnetic wave of intensity I falls on a surface kept in vacuum and exerts radiation pressure p on it. Which of the following are true ?

A. Radiation pressure is I/c if the wave is totally absorbed.

B. Radiation pressure is I/c if the wave is totally reflected

C. Radiation pressure is $2I/c$ if the wave is totally reflected

D. Radiation pressure is in the range

$I/c < p < 2I/c$ for real surfaces.

Answer: A::C::D



Watch Video Solution

4. A charged particle oscillates about its mean equilibrium position with a frequency of 10^9 Hz . The electromagnetic waves produced.

- A. will have frequency of 10^9 Hz
- B. will have frequency of $2 \times 10^9 \text{ Hz}$
- C. will have a wavelength of 0.3 m
- D. fall in the region of radio waves.

Answer: A::C::D



[Watch Video Solution](#)

Exercise Subjective

1. Can an electromagnetic wave be deflected by an electric field? By a magnetic field ?



[Watch Video Solution](#)

2. What physical quantity is the same for X- rays of wavelength $10^{-10}m$, red light of wavelength 6800\AA and radio waves of wavelength $500m$?



[Watch Video Solution](#)

3. A plane electromagnetic wave travels in vacuum along z -direction. What can you say about the directions of its electric and magnetic field vectors. If the frequency of the wave is 30MHz , what is its wavelength?



[Watch Video Solution](#)

4. A radio can tune into any station in the 7.5MHz to 12MHz band. What is the corresponding wavelength of band?



[Watch Video Solution](#)

5. The amplitude of the magnetic field part of a harmonic electromagnetic wave in vacuum is $B_0 = 510\text{nT}$. What is the amplitude of the electric field part of the wave?




Watch Video Solution

6. Figure shows a capacitor made of two circular plates each of radius 12cm , and separated by 5.0cm . the capacitor is being charged by an external source (not shown in the figure). The charging current is constant and equal to 0.15A

(a) Calculate the capacitance and the rate of change of potential difference between the plates

(b) Obtain the displacement current across the plates

(c) Is kirchhoff's first rule(junction rule) vaild at each plate of the capacitor ? Explain.



Watch Video Solution

7. Suppose that the electric field amplitude of an electromagnetic wave is $E_0 = 120 \text{ N/C}$ and that its frequency is 50.0 MHz .

(a) Determine B_0 , ω , k and λ ,

(b) find expressions for E and B .



Watch Video Solution

8. A variable frequency AC source is connected to a capacitor. How will the displacement current change with decrease in frequency?



Watch Video Solution

9. A laser beam has intensity $2.5 \times 10^{14} \text{ W m}^{-2}$. Find the amplitudes of electric and magnetic fields in the beam.



Watch Video Solution

10. In a plane electromagnetic wave, the electric field oscillates sinusoidally at a frequency of $2.0 \times 10^{10} \text{ Hz}$ and amplitude 48 V m^{-1}

(a) What is the wavelength of the wave?

(b) What is the amplitude of the oscillating magnetic field.

(c) Show that the average energy density of the field E equals the average energy density of the field B . $[c = 3 \times 10^8 \text{ ms}^{-1}]$.



Watch Video Solution

11. The charge on a parallel plate capacitor varies as $q = q_0 \cos 2\pi ft$. The plates are very large and close

together (area= a , separation= d). Neglecting the edge effects, find the displacement current through the capacitor.



[Watch Video Solution](#)


Examples

1. Figure shows a capacitor made of two circular plates each of radius 12cm , and separated by 5.0cm . the capacitor is being charged by an external source (not shown in the figure). The charging current is constant and equal to 0.15A

(a) Calculate the capacitance and the rate of change of potential difference between the plates

(b) Obtain the displacement current across the plates

(c) Is kirchhoff's first rule(junction rule) valid at each plate of the capacitor ? Explain.



Watch Video Solution

2. A parallel plate capacitor consists of two circular plate of radius $R = 0.1m$. They are separated by a short distance. If electric field between the capacitor plates

changes as $\frac{dE}{dt} = 6 \times 10^{13} \frac{V}{m \times s}$. Find displacement current between the plates.



Watch Video Solution

3. Consider a parallel plate capacitor is charged by a constant current I , with plate area A and separation between the plates d . Consider a plane surface of area $A/4$ parallel to the plates and drawn symmetrically between the plates. Find the displacement current through this area.



Watch Video Solution

4. An L-C resonant circuit contains a $100\mu F$ capacitor and a $400\mu H$ inductor. It is not set into oscillation coupled to an antenna. Find the frequency of the radiated electromagnetic waves.



Watch Video Solution

5. Electromagnetic waves travel in a medium with a speed of $2 \times 10^8 ms^{-1}$. The relative magnetic permeability of the medium is 1. Find the relative electrical permittivity.



Watch Video Solution

6. A plane $E. M.$ wave of frequency $40MHz$ travels along X -axis. At same point at same instant, the electric field E has maximum value of $750N/C$ in Y - direction. The magnitude and direction of magnetic field is



Watch Video Solution

7. Find the amplitude of electric and magnetic fields in parallel beam of light of intensity $4.0Wm^{-2}$



Watch Video Solution

8. The magnetic field in a plane electromagnetic wave is given by

$$B_y = 2 \times 10^7 T \sin(0.5 \times 10^3 x + 1.5 \times 10^{11} t) T$$

(a) What is the wavelength and frequency of the wave?

(b) Write an expression for the electric field.



Watch Video Solution

9. The magnetic field in a plane electromagnetic wave is

given by $B = (200(\mu T) \sin[(4.0$ x

$(10^{15})(s^{-1}) \left(t - \left(\frac{x}{c} \right) \right)]$. Find the maximum electric

field and the average energy density corresponding to

the electric field .



Watch Video Solution

10. The electric field in an electromagnetic wave is given by $E = (50NC^{-1})\sin\omega\left(t - \frac{x}{c}\right)$. Find the energy contained in a cylinder of cross section $10cm^2$ and length 50 cm along the x-axis.



Watch Video Solution

11. In a region of free space, the electric field at some instant of time is, $E = (80\hat{i} + 32\hat{j} - 64\hat{k})Vm^{-1}$ and the magnetic field is $B = (0.2\hat{i} + 0.08\hat{j} + 0.29\hat{k})\mu T$.

(i) Show that these two fields are perpendicular to each other.

(ii) Determine the poynting vector for these fields.



Watch Video Solution

12. (i) Find the energy stored in a 90 cm length of a laser beam operating at $6mW$.

(ii) Find the amplitude of electric field in a parallel beam of light of intensity $17.7W / m^2$.



[Watch Video Solution](#)

13. Light with an energy flux of $18W / cm^2$ falls on a non-reflecting surface at normal incidence. If the surface has an area of $20cm^2$, find the average force exerted on the surface during a 30 minute time span.



[Watch Video Solution](#)

14. Evaluate the amplitude of electric and magnetic field produced by the radiation coming from a 20π W bulb 20 % and it is a point source.



Watch Video Solution

Check Point 8 1

1. According to Maxwell's hypothesis, a changing electric field gives rise to

- A. an emf
- B. electric current
- C. magnetic field

D. pressure radiant

Answer: C



Watch Video Solution

2. Maxwell in his famous equations of electro-magnetism introduced the concept of

A. AC current

B. DC current

C. displacement current

D. impedance

Answer: C



Watch Video Solution

3. Dimensions of $\epsilon_0 \frac{d\phi_E}{dt}$ are same as that of

A. charge

B. potential

C. capacitance

D. current

Answer: D



Watch Video Solution

4. The law which states that the variations of electric field causes magnetic field is

- A. Faraday's law
- B. Biot-Savart law
- C. modified Ampere's law
- D. Lenz's law

Answer: C



Watch Video Solution

5. The conduction current in ideal case through a circuit is zero when charge on capacitor is

- A. zero
- B. maximum
- C. any transient value
- D. depends on capacitor used

Answer: B



Watch Video Solution

6. Write the mathematical equation of Ampere-maxwell law.

A. $\oint E \cdot dS = \frac{q}{\epsilon_0}$

B. $\oint E \cdot dl = - \frac{d\phi_E}{dt}$

C. $\oint B \cdot dS = 0$

D. $\oint B \cdot dl = \mu_0 \left(I_c + \varepsilon_0 \frac{d\phi_E}{dt} \right)$

Answer: D



Watch Video Solution

7. What is the displacement current between the square plate of side 1cm is of a capacitor, if electric field between the plates is changing at the rate of $3 \times 10^6 Vm^{-1}s^{-1}$?

A. $2.7 \times 10^{-9} A$

B. $3.2 \times 10^{-5} A$

C. $4.2 \times 10^{-6} A$

D. $4.0 \times 10^{-5} A$

Answer: A



Watch Video Solution

8. A capacitor has been charged by a DC source. What are the magnitude of conduction and displacement current when it is fully charged?

A. $I_d = I_c = 1$

B. $I_d = I_c = 0$

C. $I_d = 1, I_c = 0$

D. $I_d = 0, I_c = 1$

Answer: B



Watch Video Solution

9. A parallel plate capacitor of plate separation $2mm$ is connected in an electric circuit having source voltage $400V$. If the plate area is $60cm^2$, then the value of displacement current for 10^{-6} sec will be

A. $1.062 \times 10^{-2} A$

B. $2.062 \times 10^{-2} A$

C. $3.062 \times 10^{-2} A$

D. $5.062 \times 10^{-2} A$

Answer: A



Watch Video Solution

10. Maxwell's euqations describe the fundamental laws opf

- A. Only electricity
- B. Only magnetism
- C. Only machanics
- D. Both (a) and (b)

Answer: D



Watch Video Solution

Check Point 8 2

1. A L-C resonant circuit contains a 200 pF capacitor and a $100\mu\text{G}$ inductor. It is set into oscillation coupled to an antenna. The wavelength of the radiated electromagnetic waves is

A. 272cm

B. 0.0272m

C. 377cm

D. 3.77cm

Answer: B



Watch Video Solution

2. The velocity of electromagnetic wave is parallel to

A. $B \times E$

B. $E \times B$

C. E

D. B

Answer: B



Watch Video Solution

3. An electromagnetic wave going through vacuum is described by

$E = E_0 \sin(kx - \omega t)$. Which of the following is/are independent of the wavelength?

A. k

B. ω

C. k/ω

D. $k\omega$

Answer: C



Watch Video Solution

4. Which of the following statement is incorrect about electromagnetic waves?

- A. These are transverse in nature
- B. These are produced by accelerating charges
- C. They travel with the same speed in all media
- D. They travel in free space with the speed of light

Answer: C



Watch Video Solution

5. In electromagnetic wave, the phase difference between electric and magnetic field vectors E and B is

A. zero

B. $\pi / 2$

C. π

D. $\pi / 4$

Answer: A



Watch Video Solution

6. The oscillating electric and magnetic field vectors of electromagnetic wave are oriented along

A. the same direction but differ in phase by 90°

B. the same direction and are in phase

C. mutually perpendicular directions and are in phase

D. mutually perpendicular directions and differ in phase by 90°

Answer: C



Watch Video Solution

7. Which of the following relation is correct?

A. $\sqrt{\epsilon_0} E_0 = \sqrt{\mu_0} B_0$

B. $\sqrt{\mu_0 \epsilon_0} = B_0 / E_0$

C. $E_0 = \sqrt{\mu_0 \epsilon_0} B_0$

D. $\sqrt{\epsilon_0} E_0 = \sqrt{\epsilon_0} B_0$

Answer: B



Watch Video Solution

8. In an apparatus the electric field was found to oscillate with an amplitude of 18 V/m . The magnitude of the oscillating magnetic field will be

A. $4 \times 10^{-6} T$

B. $6 \times 10^{-8} T$

C. $9 \times 10^{-9} T$

D. $11 \times 10^{-11} T$

Answer: B

[Watch Video Solution](#)

9. The rms value of the electric field of the light from the sun is 720N/C The total energy density of the electromagnetic wave is

A. $6.37 \times 10^{-9}\text{Jm}^{-3}$

B. $81.35 \times 10^{-12}\text{Jm}^{-3}$

C. $3.5 \times 10^{-3}\text{Jm}^{-3}$

D. $4.58 \times 10^{-6}\text{Jm}^{-3}$

Answer: D

[Watch Video Solution](#)

10. The electric field of a plane electromagnetic wave varies with time of amplitude $2Vm^{-1}$ propagating along z-axis. The average energy density of the magnetic field is (in Jm^{-3})

A. 13.29×10^{-12}

B. 8.86×10^{-12}

C. 17.72×10^{-12}

D. 4.43×10^{-12}

Answer: B



Watch Video Solution

11. Radiations of intensity $0.5W/m^2$ are striking a metal plate. The pressure on the plate is

A. $0.166 \times 10^{-8} Nm^{-2}$

B. $0.332 \times 10^{-8} Nm^{-2}$

C. $0.111 \times 10^{-8} Nm^{-2}$

D. $0.083 \times 10^{-8} Nm^{-2}$

Answer: B



Watch Video Solution

12. In an electromagnetic wave, the electric and magnetising fields are $100Vm^{-1}$ and $0.265Am^{-1}$. The

maximum energy flow is

A. 26.5 W m^{-2}

B. 36.5 W m^{-2}

C. 46.7 W m^{-2}

D. None of these

Answer: A



Watch Video Solution

13. Which of the following waves have the maximum wavelength?

A. X-rays

B. IR-rays

C. UV-rays

D. Radio waves

Answer: D



Watch Video Solution

14. Which of the following electromagnetic waves are used in weather forecasting?

A. Infrared waves

B. Radio waves

C. Microwaves

D. Visible rays

Answer: A



Watch Video Solution

15. Electromagnetic radiation of highest frequency is

A. infrared radiations

B. visible radiation

C. radio waves

D. γ -rays

Answer: D



Watch Video Solution

Sec A

1. Wave which cannot travel in vacuum is

- A. X-rays
- B. infrasonic
- C. ultraviolet
- D. radio waves

Answer: B



Watch Video Solution

2. Energy of electromagnetic waves is due to their

A. wavelength

B. frequency

C. electric and magnetic fields

D. None of these

Answer: C



Watch Video Solution

3. Which of the following represents an infrared wavelength

A. 10^{-4} cm

B. 10^{-5} cm

C. 10^{-6} cm

D. 10^{-7} cm

Answer: A



Watch Video Solution

4. The shortest wavelength is for

A. X-rays

B. γ -rays

C. Microwaves

D. Radio waves

Answer: B



Watch Video Solution

5. The frequency of visible light is of the order of

A. 10^{14} Hz

B. 10^{10} Hz

C. 10^6 Hz

D. 10^4 Hz

Answer: A



Watch Video Solution

6. The structure of solid crystals is investigated by using

A. cosmic rays

B. X-rays

C. γ -rays

D. infrared radiations

Answer: B



Watch Video Solution

7. Energy stored in electromagnetic oscillations is in the form of

A. electrical energy

B. magnetic energy

C. Both (a) and (b)

D. None of these

Answer: C



Watch Video Solution

8. The wavelength of light visible to eye is of the order of

A. 10\AA to 100\AA

B. 4000\AA to 8000\AA

C. 8000\AA to 10000\AA

D. 10000\AA to 15000\AA

Answer: B



Watch Video Solution

9. Which of the following electromagnetic waves have the longest wavelength ?

A. Heat waves

B. Light waves

C. radio waves

D. Microwaves

Answer: C



[Watch Video Solution](#)

10. Radio waves diffract around building, although light waves do not. The reason is that radio waves

- A. travel with speed larger than c
- B. have energy wavelength tha light
- C. carry news
- D. are not electromagnetic waves

Answer: B



[Watch Video Solution](#)

11. Frequency of a wave is 6×10^{15} Hz. The wave is

A. radiowave

B. microwave

C. X-ray

D. None of these

Answer: D



Watch Video Solution

12. The frequency $1057MHz$ of radiation arising from two close energy levels in hydrogen belong to:

- A. radio waves
- B. infrared waves
- C. microwaves
- D. γ -rays

Answer: A



Watch Video Solution

13. The part of the spectrum of the electromagnetic radiation used to cook food is

- A. ultraviolet rays
- B. cosmic rays

C. X-rays

D. Microwaves

Answer: D



Watch Video Solution

14. What is the cause of "Green house effect"?

(a) Infrared rays (b) Ultraviolet rays (c) X-rays (d) Radio-waves

A. Ultraviolet rays

B. Infrared rays

C. X-rays

D. None of these

Answer: B



Watch Video Solution

15. Which force in nature exists everywhere?

A. Nuclear force

B. Electromagnetic force

C. Weak force

D. Gravitation

Answer: D



Watch Video Solution

16. Why are microwaves considered suitable for radar system used in aircraft navigation?

- A. X-rays
- B. Infrared rays
- C. Ultraviolet rays
- D. Microwaves

Answer: D



Watch Video Solution

17. In an electromagnetic wave, the average energy density associated with electric field is

A. $CV^2 / 2$

B. $Q^2 / 2C$

C. $\varepsilon_0^2 / 2E_0$

D. $\varepsilon_0 E^2 / 2$

Answer: D



Watch Video Solution

18. In an electromagnetic wave, the average energy density associated with magnetic field is:

A. $Li_0^2 / 2$

B. $B^2 / 2\mu_0$

C. $\mu_0 B^2 / 2$

D. $\mu_0 / 2B^2$

Answer: B



Watch Video Solution

19. Total energy of density of electromagnetic waves in vacuum is given by the relation

A. $\frac{1}{2} \cdot \frac{E^2}{\epsilon_0} + \frac{B^2}{2\mu_0}$

B. $\frac{1}{2}\epsilon_0 E^2 + \frac{1}{2}\mu_0 B^2$

C. $\frac{E^2 + B^2}{c}$

D. $\frac{1}{2}\epsilon_0 E^2 + \frac{B^2}{2\mu_0}$

Answer: D



Watch Video Solution

20. In a plane electromagnetic wave, the electric field oscillates sinusoidally at a frequency of $2 \times 10^{10} Hz$ and amplitude $48V/m$. The wavelength of the wave will be-

A. $24 \times 10^{-10}m$

B. $1.5 \times 10^{-2}m$

C. 4.16×10^8m

D. $3 \times 10^8 m$

Answer: B



Watch Video Solution

21. Consider the following statement regarding a beam of LASER.

- (I) It is highly monochromatic.
- (II) It is an electromagnetic radiation from a source.
- (III) It travels with the speed of light.

Which of the statements given above are correct?

A. Both I and II

B. Both II and III

C. Both I and III

D. I, II and III

Answer: D



Watch Video Solution

22. The velocity of electromagnetic radiation in a medium of permittivity ϵ_0 and permeability μ_0 is given by:

A. $\sqrt{\mu / E}$

B. $\sqrt{\mu \epsilon}$

C. $1 / \sqrt{\mu \epsilon}$

D. $\sqrt{\epsilon / \mu}$

Answer: C



Watch Video Solution

23. The speed of electromagnetic wave in vacuum depends upon the source of radiation. It

- A. increases as we move from γ -rays of radio waves
- B. decreases as we move from γ -rays to radio waves
- C. is same for all of them
- D. None of these

Answer: C

[Watch Video Solution](#)

24. The velocity of electromagnetic waves in free space can be given by relation.....

A. $\sqrt{\mu_0 \epsilon_0}$

B. $\sqrt{\frac{\mu_0}{\epsilon_0}}$

C. $\sqrt{\frac{\epsilon_0}{\mu_0}}$

D. $\frac{\sqrt{1}}{\sqrt{\mu_0 \epsilon_0}}$

Answer: D

[Watch Video Solution](#)

25. Which one of the following is the property of a monochromatic, plane electromagnetic wave in free space?

A. Electric and magnetic fields have a phase

difference of $\pi/2$

B. The energy contribution of both electric and

magnetic fields are equal

C. The direction of propagation is in the direction of

$$\mathbf{B} \times \mathbf{E}$$

D. The pressure exerted by the wave is the product of

its speed and energy density

Answer: B



Watch Video Solution

26. Which physical quantity is same for x-rays and γ -rays in vacuum ?

- A. γ -rays have smaller wavelength than X-rays
- B. γ -rays emanate from nucleus while X-rays emanate from outer part of the atom
- C. γ -rays greater ionising power than X-rays
- D. γ -rays are more penetrating than X-rays

Answer: B

27. An EM radiates outwards from a dipole antenna, with E_0 as the amplitude of its electric field vector. The electric field E_0 which transports significant energy from the source falls off as

A. $\frac{1}{r^3}$

B. $\frac{1}{r^2}$

C. $\frac{1}{r}$

D. remain constant

Answer: C

28. The sun delivers 10^4 W/m^2 of electromagnetic flux to earth's surface. The total power that is incident on a rod of dimensions $(10 \times 10) \text{ m}^2$ will be:

A. 10^4 W

B. 10^5 W

C. 10^6 W

D. 10^7 W

Answer: C



Watch Video Solution

29. If E and B represent electric and magnetic field vectors of the electromagnetic wave the direction of propagation of electromagnetic wave is along

A. E

B. B

C. $B \times E$

D. $E \times B$

Answer: D



Watch Video Solution

30. IF E_0 and μ_0 are respectively the electric permittivity and magnetic permeability of free space, ε and μ are the corresponding quantities In a medium, the index of refraction of the medium is

A. $\sqrt{\frac{\mu\varepsilon}{\mu_0\varepsilon_0}}$

B. $\frac{\mu\varepsilon}{\mu_0\varepsilon_0}$

C. $\sqrt{\frac{\mu_0\varepsilon_0}{\mu\varepsilon}}$

D. $\sqrt{\frac{\mu\mu_0}{\varepsilon\varepsilon_0}}$

Answer: A



Watch Video Solution

31. Which is the correct expression of velocity of light?

A. $\frac{1}{\sqrt{\epsilon_0 \mu_0}}$

B. $\frac{E_0}{B_0}$

C. $\frac{c}{\mu}$

D. All of these

Answer: D



Watch Video Solution

32. Which of the following statement is false for the properties of electromagnetic waves?

- A. Both electric and magnetic field vectors attain the maxima and minima at the same place and same time
- B. The energy in electromagnetic wave is divided equally between electric and magnetic vectors
- C. Both electric and magnetic field vector are parallel to each other and perpendicular to the direction of propagation of wave
- D. These waves do not require any material medium for propagation

Answer: C



Watch Video Solution

33. The average electric field of electromagnetic waves in certain region of free space is $9 \times 10^{-4} NC^{-1}$. Then the average magnetic field in the same region is of the order of

A. $27 \times 10^{-4} T$

B. $3 \times 10^{-12} T$

C. $\left(\frac{1}{3}\right) \times 10^{-12} T$

D. $3 \times 10^{12} T$

Answer: B



Watch Video Solution

34. The electric and the magnetic field, associated with a electromagnetic, wave, propagating along the $+z$ - axis, can be represented by

A. (a) $\left[E = E_0 \hat{k}, B = B_0 \hat{i} \right]$

B. (b) $\left[E = E_0 \hat{j}, B = B_0 \hat{j} \right]$

C. (c) $\left[E = E_0 \hat{j}, B = B_0 \hat{k} \right]$

D. (d) $\left[E = E_0 \hat{i}, B = B_0 \hat{j} \right]$

Answer: D



Watch Video Solution

35. The magnetic field amplitude of an electromagnetic wave is $2 \times 10^{-7} T$. Its' electric field amplitude if the wave is traveling in free space is

A. $6V/m$

B. $60V/m$

C. $10/6V/m$

D. None of these

Answer: B



Watch Video Solution

36. A parallel plate capacitor is charged to $60\mu C$. Due to a radioactive source, the plate losses charge at the rate of $1.8 \times 10^{-8} C s^{-1}$. The magnitued of displacement current is

A. $1.8 \times 10^{-8} C s^{-1}$

B. $3.6 \times 10^{-8} C s^{-1}$

C. $4.1 \times 10^{-11} C s^{-1}$

D. $5.7 \times 10^{-12} C s^{-1}$

Answer: A



Watch Video Solution

37. The pressure exerted by an electromagnetic wave of intensity $I(Wm^{-2})$ on a non-reflecting surface is (c is the velocity of light)

A. Ic

B. Ic^2

C. I/c

D. I/c^2

Answer: C



Watch Video Solution

38. An $L - c$ resonant circuit contains a $200pF$ capacitor and a $200\mu H$ inductor. It is into oscillation coupled to an antenna. The wavelength of the radiated electromagnetic waves is

A. $377mm$

B. $377m$

C. $377cm$

D. $3.77cm$

Answer: B



Watch Video Solution

39. Radiation of intensity $1W/m^2$ are striking on a metal plate. The pressure on the plate is

A. $0.66 \times 10^{-8} N/m^2$

B. $0.25 N/m^2$

C. $2 N/m^2$

D. $4 N/m^2$

Answer: A



Watch Video Solution

40. A linearly polarised electromagnetic wave given as

$E = E_0 \hat{i} \cos (kz - \omega t)$ is incident normally on a

perfectly reflecting infinite wall at $z = a$. Assuming that the material of the wall is optically inactive the reflected wave will be given as

A. $E_r = E_0 \hat{i} (kz - \omega t)$

B. $E_r = E_0 \hat{i} \cos(kz + \omega t)$

C. $E_r = -E_0 \hat{i} \cos(kz + \omega t)$

D. $E_r = E_0 \hat{i} \sin(kz - \omega t)$

Answer: B



Watch Video Solution

41. The magnetic field in a plane electromagnetic wave is given by

$$B_y = 2 \times 10^7 T \sin(0.5 \times 10^3 x + 1.5 \times 10^{11} t) T$$

(a) What is the wavelength and frequency of the wave?

(b) Write an expression for the electric field.

A. a visible light

B. an infrared wave

C. a microwave

D. a radio wave

Answer: C



Watch Video Solution

42. An electromagnetic wave going through vacuum is described by

$$E = E_0 \sin(kx - \omega t), B = B_0 \sin(kx - \omega t).$$

Then

A. $E_0 k = B_0 \omega$

B. $E_0 \omega = B_0 k$

C. $E_0 B_0 = \omega k$

D. None of these

Answer: A



Watch Video Solution

43. A plane electromagnetic wave propagating in the x-direction has wavelength of $6.0mm$. The electric field is in the y-direction and its maximum magnitude of

33 V m^{-1} . The equation for the electric field as function of x and t is

A. $11 \sin \pi(t - x/c)$

B. $33 \sin \pi \times 10^{11}(t - x/c)$

C. $33 \sin \pi(t - x/c)$

D. $11 \sin \pi \times 10^{11}(t - x/c)$

Answer: B



Watch Video Solution

44. if $\vec{E} = E_0 \cos(kz) \cos(\omega t) \hat{i}$ then \vec{B} for electromagnetic wave is

A. The associated magnetic field is given as

$$B = \frac{1}{c} (E_1 \hat{i} - E_2 \hat{j}) \cos(kz - \omega t)$$

B. The associated magnetic field is given as

$$B = \frac{1}{c} (E_1 \hat{i} - E_2 \hat{j}) \cos(kz - \omega t)$$

C. The given electromagnetic field is circularly polarised.

D. The given electromagnetic wave is plane polarised.

Answer: D



Watch Video Solution

45. A plane electromagnetic wave is propagating along the direction $(\hat{i} + \hat{j})$, then which of the following is the direction of the magnetic field component.

A. $(-\hat{i} + \hat{j})$

B. $(\hat{i} - \hat{j})$

C. $(-\hat{i} - \hat{j})$

D. $(\hat{i} + \hat{j})$

Answer: A



Watch Video Solution

46. The ratio of contributions made by the electric field and magnetic field components to the intensity of an *EM* wave is.

A. (a) $c : 1$

B. (b) $c^2 : 1$

C. (c) $1 : 1$

D. (d) $\sqrt{c} : 1$

Answer: C



Watch Video Solution

47. A perfectly reflecting mirror has an area of 1cm^2 . Light energy is allowed to fall on it 1 h at the rate of 10Wcm^2 . The force that acts on the mirror is

A. $3.35 \times 10^{-8}\text{N}$

B. $6.7 \times 10^{-8}\text{N}$

C. $1.34 \times 10^{-7}\text{N}$

D. $2.4 \times 10^{-4}\text{N}$

Answer: B



Watch Video Solution

48. One requires 11eV of energy to dissociate a carbon monoxide molecule into carbon and oxygen atoms. The minimum frequency of the appropriate electromagnetic radiation to achieve the dissociation lies in.

- A. visible region
- B. infrared region
- C. ultraviolet region
- D. microwave region

Answer: C



Watch Video Solution

49. The electric field intensity produced by the radiations coming from 100W bulbs at a 3m distance is E . The electric field intensity produced by the radiations coming from 50W bulb at the same distance is

A. $\frac{E}{2}$

B. $2E$

C. $\frac{E}{\sqrt{2}}$

D. $\sqrt{2}E$

Answer: C



Watch Video Solution

50. Light with an energy flux 20 W/cm^2 falls on a non-reflecting surface at normal incidence. If the surface has an area of 30 cm^2 . the total momentum delivered (for complete absorption) during 30 minutes is

A. $36 \times 10^5 \text{ kg} - \text{m/s}$

B. $36 \times 10^{-4} \text{ kg} - \text{m/s}$

C. $108 \times 10^4 \text{ kg} - \text{m/s}$

D. $1.08 \times 10^7 \text{ kg} - \text{m/s}$

Answer: B



Watch Video Solution

51. Manitude of the electric and magnetic field in an electromagnetic wave radiated by a $200W$ bulb at a distance $2m$ from it is assuming efficiency of bulb is 5% and it behaves like a point source.

A. $12.27N/C, 4.09 \times 10^{-8}T$

B. $10N/C, 10^{-5}T$

C. $11.7N/C, 5 \times 10^{-6}T$

D. $5N/C, 10^{-4}T$

Answer: A



Watch Video Solution

1. Assertion Microwaves are used in microwave oven for cooking purpose.

Reason The frequency of microwaves is from 10^{14} to $10^{17} Hz$.

A. If both Assertion and Reason are true and Reason is the correct explanation of Assertion.

B. If both Assertion and Reason are true but Reason is not correct explanation of Assertion.

C. If Assertion is true but Reason is false.

D. If Assertion is false but Reason is true.

Answer: C



Watch Video Solution

2. Assertion In electromagnetic wave, if direction of variations of electric and magnetic field are perpendicular to each other and also perpendicular to the direction of wave propagation.

Reason Electromagnetic waves are transverse in nature.

A. If both Assertion and Reason are true and Reason is the correct explanation of Assertion.

B. If both Assertion and Reason are true but Reason is not correct explanation of Assertion.

C. If Assertion is true but Reason is false.

D. If Assertion is false but Reason is true.

Answer: A



Watch Video Solution

3. Assertion: Ultraviolet radiation are of higher frequency waves are dangerous to human being.

Reason: Ultraviolet radiation are absorbed by the atmosphere

A. If both Assertion and Reason are true and Reason is the correct explanation of Assertion.

- B. If both Assertion and Reason are true but Reason is not correct explanation of Assertion.
- C. If Assertion is true but Reason is false.
- D. If Assertion is false but Reason is true.

Answer: B



Watch Video Solution

4. Assertion The frequency of the electromagnetic wave naturally equals equals the frequency of oscillations of the charge.

Reason The energy associated with the propagating wave comes at the expense of the energy of the source.

- A. If both Assertion and Reason are true and Reason is the correct explanation of Assertion.
- B. If both Assertion and Reason are true but Reason is not correct explanation of Assertion.
- C. If Assertion is true but Reason is false.
- D. If Assertion is false but Reason is true.

Answer: B



Watch Video Solution

5. Assertion: Like light radiation, thermal radiations are also electromagnetic radiation.

Reason: The thermal radiations require no medium for propagation.

A. If both Assertion and Reason are true and Reason is the correct explanation of Assertion.

B. If both Assertion and Reason are true but Reason is not correct explanation of Assertion.

C. If Assertion is true but Reason is false.

D. If Assertion is false but Reason is true.

Answer: B



Watch Video Solution

1. Match column I with Column II and select the correct options from the choices given below the columns.

	Column I	Column II
(A)	$\oint_S \mathbf{E} \cdot d\mathbf{S} = q/\epsilon_0$	(p) Faraday's law of EMI
(B)	$\oint_S \mathbf{B} \cdot d\mathbf{S} = 0$	(q) Gauss's law in magnetism
(C)	$\oint \mathbf{B} \cdot d\mathbf{l} = -\frac{d\phi_B}{dt}$	(r) Maxwell-Ampere's circuital law
(D)	$\oint \mathbf{B} \cdot d\mathbf{l} = \mu_0 \left[I_c + \epsilon_0 \frac{d\phi}{dt} \right]$	(s) Gauss's law in electrostatics



Watch Video Solution

2. Match List-I (Electromagnetic wave type) with List-II (Its association/application) and select the correct option

from the choice given below the lists :

List – I		List – II	
(a)	Infrared waves	(i)	To treat muscular strain
(b)	Radio waves	(ii)	For broadcasting
(c)	X-rays	(iii)	To detect fracture of bones
(d)	Ultraviolet rays	(iv)	Absorbed by the ozone layer of the atmosphere



Watch Video Solution

Sec C

1. Out of the following options which one one can be used to produce a propaagating electromagnetic wave?

- A. A stationary charge
- B. A chargeless particle
- C. An accelerating charge

D. A charge moving at constant velocity

Answer: C



Watch Video Solution

2. The frequency of γ - rays, X-rays and ultraviolet rays are a,b,c and c respectively.

A. $p > q, > r$

B. $p < q, q > r$

C. $p < q, q < r$

D. $p > q, g < r$

Answer: B

[Watch Video Solution](#)

3. The electric vector vibration of an electromagnetic wave is given by $E = (50NC^{-1})\sin\omega\left(t - \frac{x}{c}\right)$, The intensity of the wave is

A. $2.3Wm^{-2}$

B. $4.3Wm^{-2}$

C. $3.3Wm^{-2}$

D. $1.8Wm^{-2}$

Answer: C

[Watch Video Solution](#)

4. Which radiations are used in treatment of muscles ache?

A. Ultraviolet

B. Infrared

C. microwaves

D. X-rays

Answer: B



Watch Video Solution

5. In the case of linearly polarized light, the magnitude of the electric field vector

- A. does not change with time
- B. varies periodically with time
- C. is parallel to the direction of propagation
- D. increases and decreases linearly with time

Answer: B



Watch Video Solution

6. A leaf which contains only green pigments, is illuminated by a laser light of wavelength $0.6328\mu m$. It would appear to be

- A. black

B. green

C. brown

D. red

Answer: A



Watch Video Solution

7. The ratio of amplitude of magnetic field to the amplitude of electric field for an electromagnetic wave propagating in vacuum is equal to

A. the speed of light in vacuum

B. reciprocal of speed of light in vacuum

C. the ratio of magnetic permeability to the electric susceptibility of vacuum

D. unity

Answer: B



Watch Video Solution

8. In electromagnetic wave , according to Maxwell , changing electric field gives

A. stationary magnetic field

B. conduction current

C. eddy current

D. displacement current

Answer: D



Watch Video Solution

9. The speed of light in an isotropic medium depends on

- A. the nature of the source
- B. its direction of propagation
- C. its intensity
- D. None of these

Answer: D



Watch Video Solution

10. The energy of gamma (γ) ray photon is E_γ and that of an X-rays photon is E_X . If the visible light photon has an energy of E_v , then we can say that

A. $E_X > E_\gamma > E_v$

B. $E_\gamma > E_v > E_X$

C. $E_\gamma > E_X > E_v$

D. $E_X > E_v > E_\gamma$

Answer: C



Watch Video Solution

11. The speed of electromagnetic waves in vacuum is equal to

A. $\mu_0 \epsilon_0$

B. $\sqrt{\mu_0 \epsilon_0}$

C. $\frac{1}{\sqrt{\mu_0 \epsilon_0}}$

D. $\frac{1}{\mu_0 \epsilon_0}$

Answer: C



Watch Video Solution

12. A plane electromagnetic wave of frequency $20MHz$ travels through a space along x-direction. If the electric

field vector at a certain point in space is $6V m^{-1}$, then

what is the magnetic field vector at that point?

A. $2 \times 10^{-8} T$

B. $\frac{1}{2} \times 10^{-8} T$

C. $2 T$

D. $\frac{1}{2} T$

Answer: A



Watch Video Solution

13. In electromagnetic spectrum, the frequencies of γ -rays and X – rays and ultraviolet rays are denoted by n_1 , n_2 and n_3 respectively, then

A. $n_1 > n_2 > n_3$

B. $n_1 < n_2 < n_3$

C. $n_1 > n_2 < n_3$

D. $n_1 < n_2 > n_3$

Answer: A



Watch Video Solution

14. The electromagnetic waves detected using a thermopile and used in physical therapy are

A. gamma radiations

B. X-rays

C. ultraviolet radiations

D. infrared radiations

Answer: D



Watch Video Solution

15. The wavelength of X-rays is in the range

A. 0.01\AA to 1\AA

B. 0.01nm to 10nm

C. $0.001\mu\text{m}$ to $1\mu\text{m}$

D. 0.001cm to 1cm

Answer: B



Watch Video Solution

16. The wavelength of the short radio waves, microwaves, ultraviolet waves are λ_1 , λ_2 and λ_3 , respectively, Arrange them in decreasing order.

A. $\lambda_1, \lambda_2, \lambda_3$

B. $\lambda_1, \lambda_3, \lambda_2$

C. $\lambda_3, \lambda_2, \lambda_1$

D. $\lambda_2, \lambda_1, \lambda_3$

Answer: A



[Watch Video Solution](#)

17. The transverse nature of electromagnetic waves is proved by which of the following?

- A. Interference phenomena
- B. Diffraction phenomena
- C. Dispersion phenomena
- D. Polarisation phenomena

Answer: D



[Watch Video Solution](#)

18. Which component of electromagnetic spectrum have maximum wavelength?

- A. radio waves
- B. Visible spectrum
- C. Gamma rays
- D. X-rays

Answer: A



Watch Video Solution

19. The condition under which a microwave oven heats up a food item containing water molecules most

efficiently is:

- A. the frequency of the microwave must match the resonant frequency of the water molecules
- B. the frequency of the microwave has no relation with natural frequency of water molecules
- C. microwave are heat waves, so always produce heating
- D. infrared wave produce heating in a microwave oven

Answer: A



Watch Video Solution

20. If c is the velocity of light in free space, the time taken by light to travel a distance x in a medium refractive index μ is

A. $\frac{x}{c}$

B. $\frac{\mu x}{c}$

C. $\frac{x}{\mu c}$

D. $\frac{c}{\mu x}$

Answer: B



Watch Video Solution

21. The electric field associated with an electromagnetic wave in vacuum is given by

$$\vec{E} = 40 \cos(kz - 6 \times 10^8 t) \hat{i},$$

where E, z and t are in volt per meter, meter and second respectively. The value of wave vector k is

A. 2m^{-1}

B. 0.5m^{-1}

C. 6m^{-1}

D. 3m^{-1}

Answer: A



Watch Video Solution

22. The wave function (in SI unit) for a light wave is given as $\Psi(x, t) = 10^3 \sin \pi(3 \times 10^6 x - 9 \times 10^{14} t)$.

The frequency of the wave is equal to

A. $4.5 \times 10^{14} \text{ Hz}$

B. $3.5 \times 10^{14} \text{ Hz}$

C. $3.5 \times 10^{10} \text{ Hz}$

D. $2.5 \times 10^{10} \text{ Hz}$

Answer: A



Watch Video Solution