







CHEMISTRY

BOOKS - JEE MAINS PREVIOUS YEAR

JEE MAINS 2021





Chemistry Section A

1. According to the valence bond theory the hybridization of central metal atom is dsp^2 for which one of the following compounds?



Answer:

2. The correct structure of Rhumann's Purple, the compound formed in the reaction of ninhydrin with proteins is :



Answer:

3. Green chemistry in day-to-day life is in the use of:

- A. Chlorine for bleaching of paper
- B. Large amount of water alone for washing clothes
- C. Tetrachloroethene for laundry
- D. Liquefied CO_2 for dry cleaning of clothes

Answer:

 [Watch Video Solution](#)

4. The correct order of intensity of colors of the compounds is :

- A. $[Ni(CN)_4]^{2-} > [NiCl_4]^{2-} > [Ni(H_2O)_6]^{2+}$
- B. $[Ni(H_2O)_6]^{2+} > [NiCl_4]^{2-} > [Ni(CN)_4]^{2-}$
- C. $[NiCl_4]^{2-} > [Ni(H_2O)_6]^{2+} > [Ni(CN)_6]^{2-}$
- D. $[NiCl_4]^{2-} > [Ni(CN)_4]^{2-} > [Ni(H_2O)_6]^{2+}$

Answer:



[Watch Video Solution](#)

5. The set in which compounds have different nature is :

- A. $B(OH)_3$ and H_3PO_3
- B. $B(OH)_3$ and $Al(OH)_3$
- C. $NaOH$ and $Ca(OH)_2$
- D. $Be(OH)_2$ and $Al(OH)_3$

Answer:



[Watch Video Solution](#)

6. The species given below that does NOT show disproportionation reaction is :



Answer:

 [Watch Video Solution](#)

7. Assertion A : Sharp glass edge becomes smooth on heating it upto its melting point.

Reason R : The viscosity of glass decreases on melting.

Choose the most appropriate answer from the options given below.

A. A is true but R is false

B. Both A and R are true but R is NOT the correct explanation of A.

C. A is false but R is true.

D. Both A and R are true and R is the correct explanation of A.

Answer:



[Watch Video Solution](#)

8. Orlon fibres are made up of :

A. Polyacrylonitrile

B. Polyesters

C. Polyamide

D. Cellulose

Answer:



[Watch Video Solution](#)

9. Given below are two statements : One is labelled as Assertion A and other is labelled as Reason R.

Assertion A : The dihedral angles in H_2O_2 in gaseous phase is 90.2° and

in solid phase is 111.5° .

Reason R : The change in dihedral angle in solid and gaseous phase is due to the difference in the intermolecular forces.

Choose the most appropriate answer from the options given below for A and R.

- A. A is correct but R is not correct.
- B. Both A and R are correct but R is not the correct explanation of A.
- C. Both A and R are correct and R is the correct explanation of A.
- D. A is not correct but R is correct

Answer:

 [Watch Video Solution](#)

10. Chemical nature of the nitrogen oxide compound obtained from a reaction of concentrated nitric acid and P_4O_{10} (in 4 : 1 ratio) is :

- A. acidic

B. basic

C. amphoteric

D. neutral

Answer:




[Watch Video Solution](#)

11. An inorganic Compound 'X' on treatment with concentrated H_2SO_4 produces brown fumes and gives dark brown ring with $FeSO_4$ in presence of concentrated H_2SO_4 . Also Compound 'X' gives precipitate 'Y', when its solution in dilute HCl is treated with H_2S gas. The precipitate 'Y' on treatment with concentrated HNO_3 followed by excess of NH_4OH further gives deep blue coloured solution, Compound 'X' is

A. $Co(NO_3)_2$


B. $Pb(NO_2)_2$

C. $Cu(NO_3)_2$



Answer:

 Watch Video Solution



Among the given species the Resonance stabilised carbocations are:

- A. (C) and (D) only
- B. (A), (B) and (D) only
- C. (A) and (B) only
- D. (A), (B) and (C) only

Answer:

 [Watch Video Solution](#)

13. A s-block element (M) reacts with oxygen to form an oxide of the formula MO_2 . The oxide is pale yellow in colour and paramagnetic. The element (M) is :

A. Mg

B. Na

C. Ca

D. K

Answer:

 [Watch Video Solution](#)

14. In the given reaction 3-Bromo-2, 2-dimethyl butane

$\xrightarrow{C_2H_5OH}$ 'A' Product A is :
(Major Product)

A. 2-Ethoxy-3, 3-dimethyl butane

B. 1-Ethoxy-3, 3-dimethyl butane

C. 2-Ethoxy-2, 3-dimethyl butane

D. 2-Hydroxy-3, 3-dimethyl butane

Answer:

 [Watch Video Solution](#)

15. The metal that can be purified economically by fractional distillation method is :

A. Fe

B. Zn

C. Cu

D. Ni

Answer:

 [Watch Video Solution](#)

16. Compound A is converted to B on reaction with $CHCl_3$ and KOH. The compound B is toxic and can be decomposed by C. A, B and C respectively are :

- A. primary amine, nitrile compound, conc. HCl
- B. secondary amine, isonitrile compound, conc. NaOH
- C. primary amine, isonitrile compound, conc. HCl
- D. secondary amine, nitrile compound, conc. NaOH

Answer:

 [Watch Video Solution](#)

17. The Tyndall effect is observed only when following conditions are satisfied:

(A) the diameter of the dispersed particles is much smaller than the

wavelength of the light used.

(B) the diameter of the dispersed particle is not much smaller than the wavelength of the light use

(C) the refractive indices of the dispersed phase and dispersion medium are almost similar in magnitude

(D) the refractive indices of the dispersed phase and dispersion medium differ greatly in magnitude.

A. (A) and (E) only

B. (C) and (D) only

C. (A) and (D) only

D. (B) and (E) only

Answer:



[Watch Video Solution](#)

18. Identify the incorrect statement from the following

A. Amylose is a branched chain polymer of glucose


B. Starch is a polymer of α -D glucose

C. β -Glycosidic linkage makes cellulose polymer

D. Glycogen is called as animal starch

Answer:

 [Watch Video Solution](#)



19.

Which among the above compound/s does/do not form Silver mirror when treated with Tollen's reagent?

A. (I), (III) and (IV) only


B. Only (IV)

C. Only (II)

D. (III) and (IV) only

Answer:

 [Watch Video Solution](#)



20.

For above chemical reactions, identify the correct statement from the following:

A. Both compound 'A' and compound 'B' are dicarboxylic acids

B. Both compound 'A' and compound 'B' are diols

C. Compound 'A' is diol and compound 'B' is dicarboxylic acid

D. Compound 'A' is dicarboxylic acid and compound 'B' is diol

Answer:

 [Watch Video Solution](#)

Chemistry Section B

1. The number of lone pairs of electrons on the central I atom in I_3^- is _____.

 [Watch Video Solution](#)

2. 250 mL of 0.5 M NaOH was added to 500 mL of 1 M HCl. The number of unreacted HCl molecules in the solution after complete reaction is _____ $\times 10^{21}$.

(Nearest integer)

($N_A = 6.022 \times 10^{23}$)

 [Watch Video Solution](#)

3. The Azimuthal quantum number for the valence electrons of Ga^+ ion is _____.


(Atomic number of Ga = 31)

 [Watch Video Solution](#)

4. The spin-only magnetic moment value for the complex $[Co(CN)_6]^{4-}$ is _____ BM.

[At. No . Of Co =27]

 [Watch Video Solution](#)



In an equilibrium mixture, the partial pressures are

$P_{SO_3} = 43 \text{ kPa}$, $P_{O_2} = 530 \text{ Pa}$ and $P_{SO_2} = 45 \text{ kPa}$. The equilibrium constant $K_p = \text{_____} \times 10^{-2}$ (nearest integer)



Watch Video Solution

6. The number of nitrogen atoms in a semicarbazone molecule of acetone is _____.



Watch Video Solution

7. To synthesise 1.0 mole of 2-methylpropan-2-ol from Ethylethanoate _____ equivalents of CH_3MgBr reagent will be required. (Integer value)



Watch Video Solution

8. The inactivation rate of a viral preparation is proportional to the amount of virus. In the first minute after preparation, 10% of the virus is inactivated. The rate constant for viral inactivation is _____ $\times 10^{-3} \text{min}^{-1}$. (Nearest integer)

[Use : $\ln 10 = 2.303$, $\log_{10} 3 = 0.477$,

Property of logarithm : $\log x^y = y \log x$]

 [Watch Video Solution](#)


9. An average person needs about 10000 kJ energy per day. The amount of glucose (molar mass = 180.0 g mol^{-1}) needed to meet this energy requirement is _____ g.

(Use : $\Delta_c H$ (glucose) = $-2700 \text{ KJ mol}^{-1}$)

 [Watch Video Solution](#)

10. At 20°C , the vapour pressure of benzene is 70 torr and that of methyl benzene is 20 torr. The mole fraction of benzene in the vapour phase at 20°C above an equimolar mixture of benzene and methyl benzene is _____ $\times 10^{-2}$. (Nearest integer)

 [Watch Video Solution](#)



1.

is a repeating unit for :

A. Novolac

B. Buna-N

C. Acrilan




D. Neoprene

Answer:




[Watch Video Solution](#)

2. Which one of the following species responds to an external magnetic field?







Answer:

 [Watch Video Solution](#)



3.

Consider the above reaction, the major product 'P' is:



Answer: D

 [Watch Video Solution](#)

4. Sodium stearate $CH_3(CH_2)_6COO^-Na^+$ is an anionic surfactant which forms micelles in oil. Choose the correct statement for it from the following :

- A. It forms spherical micelles with $CH_3(CH_2)_{16}$ - group pointing towards the centre of sphere.
- B. It forms non-spherical micelles with $-COO^-$ group pointing outwards on the surface.
- C. It forms spherical micelles with $CH_3(CH_2)_{16}$ - group pointing outwards on the surface of sphere
- D. It forms non-spherical micelles with $CH_3(CH_2)_{16}$ - group pointing towards the centre

Answer:



[Watch Video Solution](#)

5. The water soluble protein is :

- A. Fibrin
- B. Albumin

C. Myosin

D. Collagen

Answer:

 [Watch Video Solution](#)

6. At 298.2 K the relationship between enthalpy of bond dissociation (in kJ mol^{-1}) for hydrogen (E_H) and its isotope, deuterium (E_D), is best described by :

A. $E_H = \frac{1}{2} E_D$


B. $E_H = E_D$

C. $E_H \cong E_D - 7.5$

D. $E_H = 2E_D$


Answer:

 [Watch Video Solution](#)




7.


Consider the given reaction, the product 'X' is:




A.



B.




C.



D.

Answer:

 Watch Video Solution



8.

The given reaction can occur in the presence of :

- A. Bromine water
- B. Br_2 in CS_2 , 273K
- C. $Br_2 / FeBr_3$
- D. Br_2 in $CHCl_3$, 273K

Answer:



Watch Video Solution

9. Given below are two statements, one is labelled as Assertion (A) and other is labelled as Reason (R).

Assertion (R) : Gabriel phthalimide synthesis cannot be used to prepare aromatic primary amines.

Reason : Aryl halides do not undergo nucleophilic substitution reaction.

In the light of the above statements, choose the correct answer from the options given below


- A. Both (A) and (R) true but (R) is not the correct explanation of (A).
- B. (A) is false but (R) is true
- C. Both (A) and (R) true and (R) is correct explanation of (A).
- D. (A) is true but (R) is false.

Answer:



Watch Video Solution

10. For the following graphs,







Choose from the options given below, the correct one regarding order of reaction is :

- A. (b) zero order (c) and (e) First order
- B. (a) and (b) Zero order (e) First order
- C. (b) and (d) Zero order (e) First order
- D. (a) and (b) Zero order (c) and (e) First order

Answer:

 Watch Video Solution




11. Which one of the products of the following reactions does not react with Hinsberg reagent to form sulphonamide



Answer: D

 Watch Video Solution

12. The ionic radii of K^+ , Na^+ , Al^{3+} and Mg^{2+} are in the order `




Answer:



[Watch Video Solution](#)





13. Which one of the following compounds of Group-14 elements is not known?



Answer:

 Watch Video Solution

14. Which one among the following resonating structures is not correct ?



Answer:

 Watch Video Solution

15. Given below are two statements

Statement I : None of the alkaline earth metal hydroxides dissolve in alkali.

Statement II : Solubility of alkaline earth metal hydroxides in water increases down the group.

In the light of the above statements, choose the most appropriate answer from the options given below :

- A. Statement I is correct but Statement II is incorrect.
- B. Statement I is incorrect but Statement II is correct.
- C. Statement I and Statement II both are incorrect.
- D. Statement I and Statement II both are correct.

Answer:



[Watch Video Solution](#)

16. The correct order of following 3d metal oxides, according to their oxidation numbers is :

(a) CrO_3 , (b) Fe_2O_3 , (c) MnO_2 , (d) V_2O_5 , (e) Cu_2O

A. $(d) > (a) > (b) > (c) > (e)$

B. $(a) > (c) > (d) > (b) > (e)$

C. $(a) > (d) > (c) > (b) > (e)$

D. $(c) > (a) > (d) > (e) > (b)$

Answer:



[Watch Video Solution](#)

17. Which one of the following chemical agent is not being used for dry-cleaning of clothes?

A. H_2O_2

B. CCl_4




C. Liquid CO_2

D. $Cl_2C = CCl_2$

Answer:

 [Watch Video Solution](#)


18. Which one of the following compounds will liberate CO_2 , when treated with $NaHCO_3$?



Answer:

 [Watch Video Solution](#)

19. In the leaching of alumina from bauxite, the ore expected to leach out in the process by reacting with NaOH is :



Answer:



[Watch Video Solution](#)

20. An organic compound A C_4H_8 on treatment with $KMnO_4/H^+$

Yields compound 'B' C_3H_5O

Compound 'A' also yields compound 'B' on ozonolysis. Compound 'A' is :

A. 2 - Methylpropene

B. 1 - Methylcyclopropane


C. But - 2 - ene

D. Cyclobutane

Answer:

 [Watch Video Solution](#)

21. The number of sigma bonds in



 [Watch Video Solution](#)

Chemistry Section B

1. Three moles of AgCl get precipitated when one mole of an octahedral co-ordination compound with empirical formula $CrCl_3 \cdot 3NH_3 \cdot 3H_2O$ reacts with excess of silver nitrate. The number of chloride ions satisfying the secondary valency of the metal ion is _____ .



Watch Video Solution

2. A source of monochromatic radiation of wavelength 400 nm provides 1000 J of energy in 10 seconds. When this radiation falls on the surface of sodium, $x \times 10^{20}$ electrons are ejected per second. Assume that wavelength 400 nm is sufficient for ejection of electron from the surface of sodium metal. The value of x is _____ .

(Nearest integer)

$$(h = 6.626 \times 10^{-34} \text{ Js})$$



Watch Video Solution

3. CO_2 gas is bubbled through water during a soft drink manufacturing process at 298 K. If CO_2 exerts a partial pressure of 0.835 bar then x mol of CO_2 would dissolve in 0.9 L of water. The value of x is _____ .

(Nearest integer)

(Henry's law constant for CO_2 at 298 K is 1.67×10^3 bar)



Watch Video Solution

4. For the reaction




the value of equilibrium constant is 100 at 298 K. If the initial concentration of all the three species is 1 M each, then the equilibrium concentration of C is $x \times 10^{-1} M$. The value of x is _____

(Nearest integer)

 [Watch Video Solution](#)

5. Consider the cell at



The fraction of total iron present as Fe^{3+} ion at the cell potential of

1.5000V is $x \times 10^{-2}$. The value of x is _____ (Nearest integer)

(Given : $E_{\text{Fe}^{3+} / \text{Fe}^{2+}}^0 = 0.77V$, $E_{\text{Zn}^{2+} / \text{Zn}}^0 = -0.76V$)

 [Watch Video Solution](#)

6. At 298 K, the enthalpy of fusion of a solid (X) is 2.8 kJ mol^{-1} and the enthalpy of vaporisation of the liquid (X) is 98.2 kJ mol^{-1} . The enthalpy of sublimation of the substance (X) in kJ mol^{-1} is _____ (in nearest integer)

 [Watch Video Solution](#)

7. A home owner uses $4.00 \times 10^3 \text{ m}^3$ of methane (CH_4) gas, (assume CH_4 is an ideal gas) in a year to heat his home. Under the pressure of 1.0 atm and 300 K, mass of gas used is $x \times 10^5 \text{ g}$. The value of x is _____ (Nearest integer)

(Given $R = 0.083 \text{ L atm K}^{-1} \text{ mol}^{-1}$)

 [Watch Video Solution](#)

8. When 10 mL of an aqueous solution of Fe^{2+} ions was titrated in the presence of dil H_2SO_4 using diphenylamine indicator, 15 mL of 0.02 M solution of $\text{K}_2\text{Cr}_2\text{O}_7$ was required to get the end point. The molarity of the solution containing Fe^{2+} ions is $x \times 10^{-2}$. The value of x is _____ (Nearest integer)



Watch Video Solution

9. Consider the complete combustion of butane, the amount of butane utilized to produce 72.0 g of water is _____ $\times 10^{-1}$ g. (in nearest integer)



Watch Video Solution

Chemistry

1. The single largest industrial application of dihydrogen is :

- A. In the synthesis of nitric acid
- B. Manufacture of metal hydrides
- C. Rocket fuel in space research
- D. In the synthesis of ammonia

Answer:

 Watch Video Solution


2. Spin only magnetic moment of an octahedral complex of Fe^{2+} in the presence of a strong field ligand in BM is:

- A. 0
- B. 4.89
- C. 2.82
- D. 3.46





Answer:

 Watch Video Solution

3.




Consider the above reaction, compound B is:



Answer:

 [Watch Video Solution](#)

4. Cu^{2+} salt reacts with potassium iodide to give:



Answer:

 [Watch Video Solution](#)

5. A solution is 0.1 M in Cl^- and 0.001 M in CrO_4^{2-} . Solid $AgNO_3$ is gradually added to it. Assuming that the addition does not change in volume and

$$K_{SP}(AgCl) = 1.7 \times 10^{-10} M^2 \text{ and } K_{SP}(Ag_2CrO_4) = 1.9 \times 10^{-12} M^3$$

. Select correct statement from the following:

- A. AgCl will precipitate first as the amount of Ag^+ needed to precipitate is low.
- B. Ag_2CrO_4 precipitates first because the amount of Ag^+ needed is low.
- C. AgCl precipitates first because its K_{SP} is high.
- D. Ag_2CrO_4 precipitates first as its K_{SP} is low.

Answer:



Watch Video Solution

6. Bakelite is a cross – linked polymer of formaldehyde and:

- A. Dacron
- B. Buna - S
- C. Novolac
- D. PHBV

Answer: C




Watch Video Solution

7. Benzene on nitration gives nitrobenzene in presence of HNO_3 and H_2SO_4 mixture, where:

- A. both H_2SO_4 and HNO_3 act as an acids
- B. both H_2SO_4 and HNO_3 act as a bases
- C. HNO_3 acts as an acid and H_2SO_4 acts as a base
- D. HNO_3 acts as a base and H_2SO_4 acts as an acid





Answer:

 Watch Video Solution



8.

Major product P of above reaction, is:



Answer:



Watch Video Solution

9. Which one of the following species doesn't have a magnetic moment of 1.73 BM, (spin only value) ?

A. CuI

B. $[Cu(NH_3)_4]Cl_2$

C. O_2^+

D. O_2^-

Answer:



Watch Video Solution

10. In Carius method, halogen containing organic compound is heated with fuming nitric acid in the presence of:





A. $CuSO_4$



Answer:

 [Watch Video Solution](#)




11. The hybridisations of the atomic orbitals of nitrogen in NO_2^- , NO_2^+ and NH_4^+ respectively are:



Answer:





 [Watch Video Solution](#)

12. Which one of the following pairs of isomers is an example of metamerism?







Answer:

 [Watch Video Solution](#)



13.

The correct order of their reactivity towards hydrolysis at room temperature is:



Answer:



Watch Video Solution

14. Which one of the following statements is not true about enzymes?

A. Almost all enzymes are proteins.

B. Enzymes work as catalysts by lowering the activation energy of a biochemical reaction.


C. Enzymes are non – specific for a reaction and substrate.

D. The action of enzymes is temperature and pH specific.


Answer:


 [Watch Video Solution](#)

15. The major product (P) in the following reaction is:




A.






B.



C.



D.

Answer:



Watch Video Solution

16. Metallic sodium does not react normally with :

A. But-2-yne

B. tert -butyl alcohol





C. gaseous ammonia

D. Ethyne

Answer:



 [Watch Video Solution](#)

17. Outermost electronic configuration of a group 13 element, E, is $4s^2, 4p^1$. The electronic configuration of an element of p-block period – five placed diagonally to element, E is:







Answer:

 [Watch Video Solution](#)



18.

In the above reactions, product A and product B respectively are:



Answer:



Watch Video Solution

19. Which one of the following gases is reported to retard photosynthesis?

A. CFCs

B. CO

C. NO_2


D. CO_2

Answer:



[Watch Video Solution](#)

20. Consider two chemical reactions (A) and (B) that take place during metallurgical process:



The correct options of names given to them respectively is:

- A. Both (A) and (B) are producing same product so both are calcination
- B. A) is roasting and (B) is calcination
- C. (A) is calcination and (B) is roasting
- D. Both (A) and (B) are producing same product so both are roasting.

Answer:

 [Watch Video Solution](#)

21. 100 ml of 0.0018 % (w/v) solution of Cl^- ion was minimum concentration Cl^- required to precipitate a negative sol in one h. The coagulating value of Cl^- ion is _____ (Nearest integer)

 [Watch Video Solution](#)

22. The vapour pressure of A and B at $25^\circ C$ are 90 mm Hg and 15 mm Hg respectively. If A and B are mixed such that the mole fraction of A in the

mixture is 0.6, then the mole fraction of B in the vapour phase is $x \times 10^{-1}$

The value of x is _____. (Nearest integer)

 [Watch Video Solution](#)

23. Diamond has a three dimensional structure of C atoms formed by covalent bonds. The structure of diamond has face centred cubic lattice where 50% of the tetrahedral voids are also occupied by carbon atoms. The number of carbon atoms present per unit cell of diamond is_____.

 [Watch Video Solution](#)

24. 4g equimolar mixture of NaOH and Na_2CO_3 contains x g of NaOH and y g of Na_2CO_3 . The value of x is _____g.

 [Watch Video Solution](#)

25. For a given chemical reaction $A \rightarrow B$ at 300 K the free energy change is $-49.4 \text{ kJ mol}^{-1}$ and the enthalpy of reaction is 51.4 kJ mol^{-1} . The entropy change of the reaction is _____ $\text{JK}^{-1} \text{ mol}^{-1}$.

 [Watch Video Solution](#)



In the above first order reaction the concentration of PCl_5 reduces from initial concentration 50 mol L^{-1} to 10 mol L^{-1} in 120 minutes at 300K. The rate constant for the reaction at 300 K is $x \times 10^{-2} \text{ min}^{-1}$. The value of x is _____ [Given $\log 5 = 0.69989$]

 [Watch Video Solution](#)

27. Potassium chlorate is prepared by electrolysis of KCl in basic solution as shown by following equation.



A current of x A has to be passed for 10 h to produce 10.0 g of potassium

chlorate. The value of x is _____ (Nearest integer)

(Molar mass of $KClO_3 = 122.6 \text{ g mol}^{-1}$, $F = 96500 \text{ C}$)

 [Watch Video Solution](#)

28. The wavelength of electrons accelerated from rest through a potential difference of 40 kV is $x \times 10^{-12} \text{ m}$.

The value of x is _____ (Nearest integer)

Given : Mass of electron = $9.1 \times 10^{-31} \text{ kg}$

Charge on a electron = $1.6 \times 10^{-19} \text{ C}$

Planck's constant = $6.63 \times 10^{-34} \text{ Js}$

 [Watch Video Solution](#)

29. When 0.15 g of an organic compound was analyzed using Carius method for estimation of bromine, 0.2397 g of AgBr was obtained. The percentage of bromine in the organic compound is _____. (Nearest

integer)

$$\left[\begin{array}{l} \text{Atomic mass:} \\ \text{silver} = 108 \\ \text{Bromine} = 80 \end{array} \right]$$

 [Watch Video Solution](#)

30. An aqueous solution of $NiCl_2$ was heated with excess sodium cyanide in presence of strong oxidizing agent to form $[Ni(CN)_6]^{2-}$. The total change in number of unpaired electrons on metal centre is _____.

 [Watch Video Solution](#)

Chemistry Section A

1. The water having more dissolved O_2 is

A. boiling water

B. water at $80^\circ C$

C. polluted water

D. water at $4^{\circ}C$

Answer:

 [Watch Video Solution](#)

2. Which one of the following statements for D.I Mendeleeff, is incorrect?

A. He authored the textbook-Principles of Chemistry

B. At the time, he proposed Periodic Table of element structure of atom was known

C. Element with atomic number 101 is named after him

D. He inventd accurate barometer

Answer:

 [Watch Video Solution](#)


3. Which purification technique is used for high boiling organic liquid compound (decomposes near its boiling point)?

- A. Simple distillation
- B. Steam distillation
- C. Fractional distillation
- D. Reduced pressure distillation


Answer:

 [Watch Video Solution](#)


4. Which of the following compounds will provide a tertiary alcohol on reaction with excess of CH_3MgBr followed by hydrolysis?




A.



B.



C.




D.


Answer:


[▶ Watch Video Solution](#)

5. Which of the following compounds does not exhibit resonance?



B.





Answer:

 **Watch Video Solution**

6. Match List-I with List-II

List-I (Elements)	List-II (Properties)
(a) Ba	(i) Organic solvent soluble compounds
(b) Ca	(ii) Outer electronic configuration $6s^2$
(c) Li	(iii) Oxalate insoluble in water
(d) Na	(iv) Formation of very strong monoacidic base

Choose the correct answer from the options given below:

A. (a) – (ii), (b) – (iii), (c) – (i) and (d) – (iv)


B. (a) – (iv), (b) – (i), (c) – (ii) and (d) – (iii)

C. (a) – (iii), (b) – (ii), (c) – (iv) and (d) – (i)

D. (a) – (i), (b) – (iv), (c) – (ii) and (d) – (iii)

Answer:

 Watch Video Solution



In the chemical reactions given above A and B respectively are

- A. H_3PO_2 and CH_3CH_2Cl
- B. CH_3CH_2OH and H_3PO_2
- C. H_3PO_2 and CH_3CH_2OH
- D. CH_3CH_2Cl and H_3PO_2

Answer:

 Watch Video Solution

8. Isotope(s) of hydrogen which emits low energy β^- particles with $t_{1/2}$ value > 12 years is/are

A. Protium

B. Tritium

C. Deuterium

D. Deuterium and Tritium

Answer:



[Watch Video Solution](#)

9. Match List-I with List-II

List-I (Species)	List-II (Hybrid Orbitals)
(a) SF_4	(i) sp^3d^2
(b) IF_5	(ii) d^2sp^3
(c) NO_2^+	(iii) sp^3d
(d) NH_4^+	(iv) sp^3
	(v) sp

Choose the correct answer from the options given below:

A. (a) – (i), (b) – (ii), (c) – (v) and (d) – (iii)

B. (a) – (ii), (b) – (i), (c) – (iv) and (d) – (v)

C. (a) – (iii), (b) – (i), (c) – (v) and (d) – (iv)



D. (a) – (iv), (b) – (iii), (c) – (ii) and (d) – (v)

Answer:



Watch Video Solution

10. When silver nitrate solution is added to potassium iodide solution then the sol produced is



Answer:



[Watch Video Solution](#)

11. Which of the following molecules does not show stereo isomerism?

A. 3, 4-Dimethylhex-3-ene

B. 3-Methylhex-1-ene

C. 3-Ethylhex-3-ene

D. 4-Methylhex-1-ene

Answer:



[Watch Video Solution](#)

12. Given below are the statements about diborane

- (a) Diborane is prepared by the oxidation of $NaBH_4$ with I_2
- (b) Each boron atom is in sp^2 hybridized state
- (c) Diborane has one bridged 3 centre-2-electron bond
- (d) Diborane is a planar molecule

The option with correct statement(s) is-

- A. (c) and (d) only
- B. (a) only
- C. (c) only
- D. (a) and (b) only

Answer:



[Watch Video Solution](#)

13. Which one of the following group -15 hydride is the strongest reducing agent?



Answer:



Watch Video Solution

14. Match List-I with List-II

List-I





(a) Chloroprene

(b) Neoprene

(c) Acrylonitrile

(d) Isoprene

List-II



Choose the correct answer from the options given below:

A. (a) – (iii), (b) – (v), (c) – (ii), (d) – (i)

B. (a) – (ii), (b) – (iii), (c) – (iv), (d) – (i)

C. (a) – (ii), (b) – (i), (c) – (iv), (d) – (iii)



D. (a) – (iii), (b) – (i), (c) – (iv), (d) – (ii)

Answer:



Watch Video Solution

15. The set having ions which are coloured and paramagnetic both is-



Answer:



[Watch Video Solution](#)

16. Thiamine and pyridoxine are also known respectively as

A. Vitamin B_2 and Vitamin E

B. Vitamin E and Vitamin B_2

C. Vitamin B_6 and Vitamin B_2

D. Vitamin B_1 and Vitamin B_6

Answer:

 [Watch Video Solution](#)

17. Sulphide ion is soft base and its ores are common for metals

(a) Pb (b) Al (c) Ag (d) Mg

Choose the correct answer the from the options given below:

A. (a) and (c) only

B. (a) and (d) only

C. (a) and (b) only

D. (c) and (d) only





Answer:

 [Watch Video Solution](#)

18. An organic compound $A(C_6H_6O)$ gives dark green colouration with ferric chloride. On treatment with $CHCl_3$ and KOH , followed by acidification gives compound B. Compound B can also be obtained from compound C on reaction with pyridinium chlorochromate (PCC). Identify A, B and C

 Watch Video Solution

19. Which one of the following reactions does not occur?





Answer:



Watch Video Solution

20. Which one of the following 0.06M aqueous solutions has lowest freezing point?







Answer:



Watch Video Solution

21. In the following the correct bond order sequence is:





Answer:

 [Watch Video Solution](#)

22. A biodegradable polyamide can be made from:

A. Glycine and isoprene

B. Hexamethylene diamine and adipic acid

C. Glycine and aminocaproic acid

D. Styrene and caproic acid

Answer:

 [Watch Video Solution](#)

23. Match List I with List II :

	List-I Elements		List-II Properties
(a)	Li	(i)	Poor water solubility of Γ salt
(b)	Na	(ii)	Most abundant element in cell fluid
(c)	K	(iii)	Bicarbonate salt used in fire extinguisher
(d)	Cs	(iv)	Carbonate salt decomposes easily on heating

Choose the correct answer from the options given below :

A. (a)-(iv), (b)-(iii), (c)-(ii), (d)-(i)

B. (a)-(i), (b)-(iii), (c)-(ii), (d)-(iv)

C. (a)-(iv), (b)-(ii), (c)-(iii), (d)-(i)




D. (a)-(i), (b)-(ii), (c)-(iii), (d)-(iv)

Answer:



Watch Video Solution

24. Which one of the following metal complexes is most stable?



Answer:



Watch Video Solution

25. Match List I with List II : (Both having metallurgical terms)

	List-I		List-II
(a)	Concentration of Ag ore	(i)	Reverberatory furnace
(b)	Blast furnace	(ii)	Pig iron
(c)	Blister copper	(iii)	Leaching with dilute NaCN solution
(d)	Froth floatation method	(iv)	Sulfide ores

Choose the correct answer from the options given below :

A. (a)–(iii), (b)–(ii), (c)–(i), (d)–(iv)

B. (a)–(iii), (b)–(iv), (c)–(i), (d)–(ii)

C. (a)–(iv), (b)–(i), (c)–(iii), (d)–(ii)

D. (a)–(iv), (b)–(iii), (c)–(ii), (d)–(i)

Answer:



Watch Video Solution

26. The ionic radii of F^- and O^{2-} respectively are 1.33 Å and 1.4 Å, while the covalent radius of N is 0.74 Å.


The correct statement for the ionic radius of N^{3-} from the following is :

- A. It is smaller than F^- and N
- B. It is bigger than O^{2-} and F^-
- C. It is bigger than F^- and N, but smaller than of O^{2-}
- D. It is smaller than O^{2-} and F^- , but bigger than of N

Answer:

 [Watch Video Solution](#)

27. The correct decreasing order of densities of the following compounds is :



A. (D) > (C) > (B) > (A)


B. (C) > (D) > (A) > (B)

C. (C) > (B) > (A) > (D)

D. (A) > (B) > (C) > (D)



Answer:

 Watch Video Solution




28.


Consider the above reaction, the Product "P" is :



C.



D.



Answer:

 [Watch Video Solution](#)

29. A reaction of benzonitrile with one equivalent CH_3MgBr followed by hydrolysis produces a yellow liquid "P". The compound "P" will give positive_____

- A. Iodoform test
- B. Schiff's test
- C. Ninhydrin's test
- D. Tollen's test

Answer:



[Watch Video Solution](#)

30. The spin only magnetic moments (in BM) for free Ti^{3+} , V^{2+} and Sc^{3+} ions respectively are

(At.No. Sc : 21, Ti : 22, V : 23)

A. 3.87, 1.73, 0

B. 1.73, 3.87, 0

C. 1.73, 0, 3.87


D. 0, 3.87, 1.73

Answer:




[Watch Video Solution](#)


31. Which one of the following is correct structure for cytosine ?




A.



B.



C.



D.

Answer:

 [Watch Video Solution](#)

32. Identify the species having one π -bond and maximum number of canonical forms from the following :



Answer:




[Watch Video Solution](#)

33. Which one of the following metals forms interstitial hydride easily ?



Answer:

 Watch Video Solution



34.

Maleic anhydride

Maleic anhydride can be prepared by :

- A. Heating trans-but-2-enedioic acid
- B. Heating cis-but-2-enedioic acid
- C. Treating cis-but-2-enedioic acid with alcohol and acid
- D. Treating trans-but-2-enedioic acid with alcohol and acid

Answer:



 [Watch Video Solution](#)

35. Given below are two statements :

Statement I : Chlorofluoro carbons breakdown by radiation in the visible energy region and release chlorine gas in the atmosphere which then reacts with stratospheric ozone.

Statement II : Atmospheric ozone reacts with nitric oxide to give nitrogen and oxygen gases, which add to the atmosphere.

For the above statements choose the correct answer from the options given below :



Answer:

 [Watch Video Solution](#)

37. Match List I with List II :

List-I	List-II
Example of colloids	Classification
(a) Cheese	(i) dispersion of liquid in liquid
(b) Pumice stone	(ii) dispersion of liquid in gas
(c) Hair cream	(iii) dispersion of gas in solid
(d) Cloud	(iv) dispersion of liquid in solid

Choose the most appropriate answer from the options given below

Choose the most appropriate answer from the options given below

A. (a)-(iv), (b)-(iii), (c)-(ii), (d)-(i)

B. (a)-(iv), (b)-(i), (c)-(iii), (d)-(ii)






C. (a)-(iii), (b)-(iv), (c)-(i), (d)-(ii)

D. (a)-(iv), (b)-(iii), (c)-(i), (d)-(ii)

Answer:

 [Watch Video Solution](#)





38. What is the major product "P" of the following reaction ?



Answer:

 [Watch Video Solution](#)


39. Identify the process in which change in the oxidation state is five :




Answer:

 [Watch Video Solution](#)

40. Which among the following is the strongest acid ?





B.



C.




D.




Answer:

 [Watch Video Solution](#)

41. Which one of the following compounds will give orange precipitate when treated with 2,4- dinitrophenyl hydrazine ?



A.



Answer: D

 [Watch Video Solution](#)

42. The product obtained from the electrolytic oxidation of acidified sulphate solutions , is :





Answer: B



[Watch Video Solution](#)

43. The parameters of the unit cell of a substance are $a = 2.5$, $b = 2.0$, $c = 4.0$, $\alpha = 90^\circ$, $\beta = 120^\circ$, $\gamma = 90^\circ$. The crystal system of the substance is :

- A. Hexagonal
- B. Orthorhombic
- C. Monoclinic
- D. Triclinic

Answer: C



[Watch Video Solution](#)

44. Oxidation state of P in $H_4P_2O_5$, $H_4P_2O_6$, $H_4P_2O_7$ are respectively

A. 7, 5 and 6

B. 5, 4 and 3

C. 5, 3 and 4

D. 6, 4 and 5

Answer: C



Watch Video Solution

45. For a reaction of order n , the unit of the constant is :

A. $\text{mol}^{1-n} \text{L}^{1-n} \text{s}$

B. $\text{mol}^{1-n} \text{L}^{2n} \text{s}^{-1}$

C. $\text{mol}^{-1} \text{L}^{n-1} \text{s}^{-1}$

D. $\text{mol}^{1-n} \text{L}^{1-n} \text{s}^{-1}$

Answer: C



[Watch Video Solution](#)

46. Given below are two statements :

Statement I : Aniline is less basic than acetamide.

Statement II : In aniline, the pair of electrons on nitrogen atom is delocalised over benzene ring due to resonance and hence less available to a proton.

Choose the most appropriate option ,

- A. Statement I is true but statement II is false
- B. Statement I is false but statement II is true
- C. Both statement I and statement II is true
- D. Both statement I and statement II is false

Answer: B



[Watch Video Solution](#)

47. The type of hybridisation and magnetic property of the complex

$[MnCl_6]^{3-}$, respectively, are :

- A. sp^3d^2 and diamagnetic
- B. d^2sp^3 and diamagnetic
- C. d^2sp^3 and paramagnetic
- D. sp^3d^2 and paramagnetic

Answer: D

 [Watch Video Solution](#)

48. The number of geometrical isomers found in the metal complexes

$[PtCl_2(NH_3)_2]$, $[Ni(CO)_4]$, $[Ru(H_2O)_3Cl_3]$ and $[CoCl_2(NH_3)_4]^+$

respectively, are :

- A. 1, 1, 1, 1

B. 2, 1, 2, 2

C. 2, 0, 2, 2

D. 2, 1, 2, 1

Answer: B



[Watch Video Solution](#)

49. Which one of the following statements is not correct ?

A. Eutrophication indicates that water body is polluted

B. The dissolved oxygen concentration below 6 ppm inhibits fish growth

C. Eutrophication leads to increase in the oxygen level in water

D. Eutrophication leads to anaerobic conditions

Answer: C



[Watch Video Solution](#)

50. Given below are two statements :

Statement I : Rutherford's gold foil experiment cannot explain the line spectrum of hydrogen atom.

Statement II : Bohr's model of hydrogen atom contradicts Heisenberg's uncertainty principle.

In the light of the above statements, choose the most appropriate answer from the options given below :


- A. Statement I is false but statement II is true
- B. Statement I is true but statement II is false
- C. Both statement I and statement II is false
- D. Both statement I and statement II is true

Answer: D



[Watch Video Solution](#)

51. Presence of which reagent will affect the reversibility of the following reaction, and change it to a irreversible reaction :



- A. HOCl
- B. dilute HNO_2
- C. Liquid HNO_2
- D. Concentrated HNO_3

Answer: D



[Watch Video Solution](#)

52. Which one among the following chemical tests is used to distinguish monosaccharide from disaccharide ?

- A. Saliwanoff's test
- B. Iodine test

C. Barfoed test

D. Tollen's test

Answer: C

 [Watch Video Solution](#)

53. Match List-I with List -II :

List-I (Drug)	List-II (Class of Drug)
(a) Furacin	(i) Antibiotic
(b) Arsphenamine	(ii) Tranquilizers
(c) Dimetone	(iii) Antiseptic
(d) Valium	(iv) Synthetic antihistamines

Choose the most appropriate match :

A. (a)-(i), (b)-(iii), (c)-(iv), (d)-(ii)

B. (a)-(iii), (b)-(iv), (c)-(ii), (d)-(i)

C. (a)-(ii), (b)-(i), (c)-(iii), (d)-(iv)

D. (a)-(iii), (b)-(i), (c)-(iv), (d)-(ii)

Answer: D



 [Watch Video Solution](#)

54. The statement that is INCORRECT about Ellingham diagram is



- A. provides idea about the reaction rate.
- B. provides idea about free energy change
- C. provides idea about changes in the phases during the reaction.
- D. provides idea about reduction of metal oxide.


Answer: D

 [Watch Video Solution](#)




Consider the above reaction and identify the Product P :





C.




D.

Answer: D



Watch Video Solution



56.

The compound 'A' is a complementary base of _____ in DNA stands.

- A. Uracil
- B. Guanine
- C. Adenine
- D. Cytosine

Answer: C

 [Watch Video Solution](#)

57. Staggered and eclipsed conformers of ethane are :

- A. Polymers
- B. Rotamers
- C. Enantiomers
- D. Mirror images

Answer: B

 [Watch Video Solution](#)


58. Match List-I with List -II :

List - I

- (a) NaOH
- (b) Be(OH)₂
- (c) Ca(OH)₂
- (d) B(OH)₃
- (e) Al(OH)₃

List - II

- (i) Acidic
- (ii) Basic
- (iii) Amphoteric



Choose the most appropriate answer from the options given below :

A. (a)-(ii), (b)-(ii), (c)-(iii), (d)-(ii), (e)-(iii)

B. (a)-(ii), (b)-(iii), (c)-(ii), (d)-(i), (e)-(iii)

C. (a)-(ii), (b)-(ii), (c)-(iii), (d)-(i), (e)-(iii)

D. (a)-(ii), (b)-(i), (c)-(ii), (d)-(iii), (e)-(iii)

Answer: B


 [Watch Video Solution](#)



B



C



D

59.

The correct order of stability of given carbocation is :

A. $A > C > B > D$

B. $D > B > C > A$

$$C. D > B > A > C$$

$$D. C > A > D > B$$

Answer: A



[Watch Video Solution](#)

60. Given below are two statements : One is labelled as Assertion A and the other labelled as Reason R.

Assertion A : Lithium halides are some what covalent in nature.

Reason R : Lithium possess high polarisation capability.

In the light of the above statements, choose the most appropriate answer from the options given below :

A. A is true but R is false

B. A is false but R is true

C. Both A and R are true but R is NOT the correct explanation of A

D. Both A and R are true but R is the correct explanation of A

Answer: D


 [Watch Video Solution](#)

61. Which one of the following set of elements can be detected using sodium fusion extract ?





- A. Sulfur, Nitrogen, Phosphorous, Halogens
- B. Phosphorous, Oxygen, Nitrogen, Halogens
- C. Nitrogen, Phosphorous, Carbon, Sulfu
- D. Halogens, Nitrogen, Oxygen, Sulfur

Answer: A

 [Watch Video Solution](#)



Consider the above reaction, the major product "P" formed is :-



Answer: B

 Watch Video Solution

63. The number of neutrons and electrons, respectively, present in the radioactive isotope of hydrogen is :-

A. 1 and 1

B. 3 and 1

C. 2 and 1

D. 2 and 2

Answer: C



[Watch Video Solution](#)

64. Match List -I with List II:

List - I		List - II	
(a)	Li	(i)	photoelectric cell
(b)	Na	(ii)	absorbent of CO ₂
(c)	K	(iii)	coolant in fast breeder nuclear reactor
(d)	Cs	(iv)	treatment of cancer
		(v)	bearings for motor engines

A. (a) – (v), (b) – (i), (c) – (ii), (d) – (iv)

B. (a) – (v), (b) – (ii), (c) – (iv), (d) – (i)

C. (a) – (iv), (b) – (iii), (c) – (i), (d) – (ii)

D. (a) – (v), (b) – (iii), (c) – (ii), (d) – (i)

Answer: D



Watch Video Solution

65. Given below are two statements : one is labelled as

Assertion A and the other is labelled as Reason R.

Assertion A : $SO_2(g)$ is adsorbed to a large extent than $H_2(g)$ on activated charcoal.

Reason R : $SO_2(g)$ has a higher critical temperature than $H_2(g)$.

In the light of the above statements, choose the most appropriate answer from the options given below.

A. Both A and R are correct but R is not the correct explanation for of

A

B. Both A and R are correct and R is the correct explanation of A.

C. A is not correct but R is correct.



D. A is correct but R is not correct.

Answer: B



[Watch Video Solution](#)

66. The CORRECT order of first ionisation enthalpy is :



Answer: C



Watch Video Solution

67. Given below are two statements :

Statement I : Hyperconjugation is a permanent effect.

Statement II: Hyperconjugation in ethyl cation $(CH_3 - \overset{+}{C}H_2)$ involves the overlapping of $C_{sp^2} - H_{1s}$ bond with empty $2p$ orbital of other carbon.

Choose the correct option :

- A. Both statement I and statement II are false
- B. Statement I is incorrect but statement II is true
- C. Statement I is correct but statement II is false
- D. Both Statement I and statement II are true.

Answer: C

 [Watch Video Solution](#)

68. Given below are two statements :

Statement I: $[Mn(CN)_6]^{3-}$, $[Fe(CN)_6]^{3-}$ and $[Co(C_2O_4)_3]^{3-}$ are d^2sp^3 hybridised.

Statement II: $[MnCl_6]^{3-}$ and $[FeF_6]^{3-}$ are paramagnetic and have 4 and 5 unpaired electrons, respectively.

In the light of the above statements, choose the correct answer from the options given below :

- A. Statement I is correct but statement II is false

B. Both statement I and statement II are false

C. Statement I is incorrect but statement II is true

D. Both statement I and statement II are true

Answer: D



Watch Video Solution

69. To an aqueous solution containing ions such as

Al^{3+} , Zn^{2+} , Ca^{2+} , Fe^{3+} , Ni^{2+} , Ba^{2+} and Cu^{2+} was added conc.

HCl, followed by H_2S .

The total number of cations precipitated during this reaction is/are:

A. 1

B. 3

C. 4

D. 2


Answer: A

 Watch Video Solution

70. Given below are two statements :

Statement I : Pencillin is a bacteriostatic type antibiotic.

Statement II: The general structure of Pencillini is :



Choose the correct option:

- A. Both statement I and statement II are false
- B. Statement I is incorrect but statement II is true
- C. Both statement I and statement II are true

D. Statement I is correct but statement II is false

Answer: B

 [Watch Video Solution](#)

71. Compound A gives D-Galactose and D-Glucose on hydrolysis. The compound A is :

A. Amylose


B. Sucrose

C. Maltose


D. Lactose

Answer: D

 [Watch Video Solution](#)




Consider the above reaction and identify Y



Answer: C

 Watch Video Solution



73.

consider the above reaction, and choose the correct statement :

A. The reaction is not possible in acidic medium

- B. Both compounds A and B are formed equally
- C. Compound A will be the major product
- D. Compound B will be the major product

Answer: C

 **Watch Video Solution**

74. Match List -I with List -II:

List - I (compound)		List - II (effect/affected species)	
(a)	Carbon monoxide	(i)	Carcinogenic
(b)	Sulphur dioxide	(ii)	Metabolized by pyrus plants
(c)	Polychlorinated biphenyls	(iii)	Haemoglobin
(d)	Oxides of Nitrogen	(iv)	Stiffness of flower buds

Choose the

correct answer from the option given below :

A. (a) – (iii), (b) – (iv), (c) – (i), (d) – (ii)

B. (a) – (iv), (b) – (i), (c) – (iii), (d) – (ii)

C. (a) – (i), (b) – (ii), (c) – (iii), (d) – (iv)

D. (a) – (iii), (b) – (iv), (c) – (ii), (d) – (i)

Answer: A



Watch Video Solution

75. If the Thompson model of the atom was correct, then the result of Rutherford's gold foil experiment would have been :

A. All of the α -particles pass through the gold foil without decrease in speed.

B. α – Particles are deflected over a wide range of angles

C. All α – particles get bounced back by 180°

D. α – Particles pass through the gold foil deflected by small angles and with reduced speed.

Answer: D

 [Watch Video Solution](#)

76. Number of Cl = O bonds in chlorous acid, chloric acid and perchloric acid respectively are :

A. 3, 1 and

B. 4,1 and 0

C. 1,1 and 3

D. 1,2 and 3

Answer: C

 [Watch Video Solution](#)

77. Select the correct statements.

(A) Crystalline solids have long range order.

(B) Crystalline solids are isotropic.

(C) Amorphous solid are sometimes called pseudo solids.

(D) Amorphous solids soften over a range of temperatures.

(E) Amorphous solids have a definite heat of fusion.

Choose the most appropriate answer from the options given below.

A. (A), (B), (E) only

B. (B), (D) only

C. (C), (D) only






D. (A), (C), (D) only

Answer: A



Watch Video Solution

78. What is A in the following reaction ?




Answer: D



Watch Video Solution

79. The correct sequence of correct reagents for the following transformation is :-



- A. (i) Fe, HCl (ii) Cl_2, HCl
 (iii) $NaNO_2, HCl, 0^\circ C$ (iv) H_2O / H^+
- B. (i) Fe, HCl (ii) $NaNO_2, HCl, 0^\circ C$
 (iii) H_2O / H^+ (iv) $Cl_2, FeCl_3$
- C. (i) $Cl_2, FeCl_3$ (ii) Fe, HCl
 (iii) $NaON_2, HCl, 0^\circ C$ (iv) H_2O / H^+
- D. (i) $Cl_2, FeCl_3$ (ii) $NaNO_2, HCl, 0^\circ C$
 (iii) Fe, HCl (iv) H_2O / H^+

Answer: C



Watch Video Solution

80. The addition of silica during the extraction of copper from its sulphide ore :-

- A. converts copper sulphide into copper silicate
- B. converts iron oxide into iron silicate
- C. reduces copper sulphide into metallic copper
- D. reduces the melting point of the reaction mixture

Answer: B

 [Watch Video Solution](#)

Chemistry Section B

1. The total number of unpaired electrons present in $[Co(NH_3)_6]Cl_2$ and $[Co(NH_3)_6]Cl_3$ is

 [Watch Video Solution](#)


2. Methylation of 10g of benzene gave 9.2g of toluene. Calculate the percentage yield of toluene ____ (Nearest integer)

 [Watch Video Solution](#)

3. The number of acyclic structural isomers (including geometrical isomers) for pentene are ____

 [Watch Video Solution](#)

4. Assume a cell with the following reaction



E_{cell} for the above reaction is ____ V (Nearest integer). [Given: $\log 2.5 =$

0.3979, $T=298K$]

 [Watch Video Solution](#)

5. Value of K_p for the equilibrium reaction $N_2O_{4(g)} \rightleftharpoons 2NO_{2(g)}$ at $288K$ is 47.9. The K_C for this reaction at same temperature is ____ (Nearest integer) ($R = 0.083LbarK^{-1}mol^{-1}$)

 [Watch Video Solution](#)

6. If the standard molar enthalpy change for combustion of graphite powder is $-2.48 \times 10^2 kJmol^{-1}$, the amount of heat generated on combustion of 1g of graphite powder is ____ kJ. (Nearest integer).

 [Watch Video Solution](#)

7. A copper complex crystallising in a CCP lattice with a cell edge of 0.4518 nm has been revealed by employing X-ray diffraction studies. The density of a copper complex is found to be $7.62gcm^{-3}$. The molar mass of copper complex is ____ $g mol^{-1}$ (Nearest integer) [Given: $N_A = 6.022 \times 10^{23} mol^{-1}$]

 [Watch Video Solution](#)

8. Number of electrons that Vanadium (Z=23) has in p-orbitals is equal to

 [Watch Video Solution](#)

9. $N_2O_5(g) \rightarrow 2NO_2(g) + \frac{1}{2}O_2(g)$. In the above first order reaction the initial concentration of N_2O_5 is $2.40 \times 10^{-2} molL^{-1}$ at 318 K. The concentration of N_2O_5 after 1 hour was $1.60 \times 10^{-2} molL^{-1}$. The rate constant of the reaction at 318K is _____ $\times 10^{-3} min^{-1}$. (Nearest integer) [Given: $\log 3 = 0.477$, $\log 5 = 0.699$]

 [Watch Video Solution](#)

10. If the concentration of glucose ($C_6H_{12}O_6$) in blood is $0.72 gL^{-1}$, the molarity of glucose in blood is _____ $\times 10^{-3} M$. (Nearest integer) [Given: Atomic mass of C=12, H=1, O=16u]

 [Watch Video Solution](#)

11. A system does 200 J of work and at the same time absorbs 150 J of heat. The magnitude of the change in internal energy is _____ J.

(Nearest integer)

 [Watch Video Solution](#)

12. An accelerated electron has a speed of $5 \times 10^6 \text{ m s}^{-1}$ with an uncertainty of 0.02%. The uncertainty in finding its location while in motion is $x \times 10^{-9}$ m. The value of x is _____ . (Nearest integer) [Use


mass of electron = $9.1 \times 10^{-31} \text{ kg}$, $h = 6.63 \times 10^{-34} \text{ Js}$, $\pi = 3.14$]

 [Watch Video Solution](#)

13. Number of electrons present in 4f orbital of Ho^{3+} ion is _____ .

(Given Atomic No. of Ho = 67)

 [Watch Video Solution](#)



14.

Consider the above chemical reaction. The total number of stereoisomers possible for Product 'P' is _____ .

 [Watch Video Solution](#)

15. For a chemical reaction $A \rightarrow B$, it was found that concentration of B is increased by 0.2 mol L^{-1} in 30 min. The average rate of the reaction is _____ $\times 10^{-1} \text{ mol L}^{-1} \text{ h}^{-1}$. (in nearest integer)

 [Watch Video Solution](#)

16. The number of significant figures in 0.00340 is _____ .

 [Watch Video Solution](#)

17. Assuming that $Ba(OH)_2$ is completely ionised in aqueous solution under the given conditions the concentration of H_3O^+ ions in 0.005 M aqueous solution of $Ba(OH)_2$ at 298 K is _____ $\times 10^{-12} molL^{-1}$.

(Nearest integer)

 [Watch Video Solution](#)

18. 0.8 g of an organic compound was analysed by Kjeldahl's method for the estimation of nitrogen. If the percentage of nitrogen in the compound was found to be 42%, then _____ mL of 1 M H_2SO_4 would have been neutralized by the ammonia evolved during the analysis.

 [Watch Video Solution](#)

19. When 3.00 g of a substance 'X' is dissolved in 100 g of CCl_4 , it raises the boiling point by 0.60 K. The molar mass of the substance 'X' is _____

g mol^{-1} . (Nearest integer).

[Given K_b for CCl_4 is $5.0 \text{ K kg mol}^{-1}$]

 [Watch Video Solution](#)

20. An LPG cylinder contains gas at a pressure of 300 kPa at 27°C . The cylinder can withstand the pressure of $1.2 \times 10^6 \text{ Pa}$. The room in which the cylinder is kept catches fire. The minimum temperature at which the bursting of cylinder will take place is _____ $^\circ \text{C}$. (Nearest integer)

 [Watch Video Solution](#)

21. The density of NaOH solution is 1.2 g cm^{-3} . The molality of this solution is _____ m .

(Round off to the Nearest Integer)

[Use : Atomic masses : $\text{Na} : 23.0 \text{ u}$ $\text{O} : 16.0 \text{ u}$ $\text{H} : 1.0 \text{ u}$]

Density of $\text{H}_2\text{O} : 1.0 \text{ g cm}^{-3}$]

 [Watch Video Solution](#)

22. CO_2 gas adsorbs on charcoal following Freundlich adsorption isotherm. For a given amount of charcoal, the mass of CO_2 adsorbed becomes 64 times when the pressure of CO_2 is doubled.

The value of n in the Freundlich isotherm equation is _____ $\times 10^{-2}$.

(Round off to the Nearest Integer)

 [Watch Video Solution](#)

23. The conductivity of a weak acid HA of concentration 0.001 mol L^{-1} is $2.0 \times 10^{-5} \text{ Scm}^{-1}$. If $\Lambda_m^0(HA) = 190 \text{ Scm}^2 \text{ mol}^{-1}$, the ionization constant (K_a) of HA is equal to _____ $\times 10^{-6}$.

(Round off to the Nearest Integer)

 [Watch Video Solution](#)

24. 1.46 g of a biopolymer dissolved in a 100 mL water at 300 K exerted an osmotic pressure of $2.42 \times 10^{-3} \text{ bar}$.

The molar mass of the biopolymer is _____ $\times 10^4 \text{ gmol}^{-1}$. (Round off to the Nearest Integer)

 [Watch Video Solution](#)

25. An organic compound is subjected to chlorination to get compound A using 5.0 g of chlorine. When 0.5 g of compound A is reacted with AgNO_3 [Carius Method], the percentage of chlorine in compound A is _____ when it forms 0.3849 g of AgCl . (Round off to the Nearest Integer)
(Atomic masses of Ag and Cl are 107.87 and 35.5 respectively)

 [Watch Video Solution](#)

26. The number of geometrical isomers possible in triamminetrinitrocobalt (III) is X and in trioxalatochromate (III) is Y. Then the value of $X + Y$ is _____.

 [Watch Video Solution](#)

27. In gaseous triethyl amine " -C-N-C- " bond angle is ____ degree.

 [Watch Video Solution](#)

28. For water at 100°C and 1 bar, $\Delta_{\text{vap}}H - \Delta_{\text{vap}}U =$ _____
 $\times 10^2 \text{ J mol}^{-1}$.

(Round off to the Nearest Integer)

[Use : $R = 8.31 \text{ J mol}^{-1} \text{ K}^{-1}$]

[Assume volume of $\text{H}_2\text{O}(l)$ is much smaller than volume of $\text{H}_2\text{O}(g)$.

Assume $\text{H}_2\text{O}(g)$ treated as an ideal gas]

 [Watch Video Solution](#)

29. $\text{PCl}_5 \rightleftharpoons \text{PCl}_3 + \text{Cl}_2$ $K_c = 1.844$

3.0 moles of PCl_5 is introduced in a 1 L closed reaction vessel at 380 K.

The number of moles of PCl_5 at equilibrium is _____ $\times 10^{-3}$.

(Round off to the Nearest Integer)


 [Watch Video Solution](#)

30. The difference between bond orders of CO and NO^{\oplus} is $\frac{x}{2}$ where $x =$ _____ .

(Round off to the Nearest Integer)

 [Watch Video Solution](#)

31. The equilibrium constant for the reaction



is $K_P = 4$. At equilibrium, the partial pressure of O_2 is _____ atm.

(Round off to the nearest integer)

 [Watch Video Solution](#)

32. When 400 mL of $0.2M H_2SO_4$ solution is mixed with 600 mL of $0.1M$ NaOH solution, the increase in temperature of the final solution is _____

$\times 10^{-2}K$. (Round off to the nearest integer).

[Use: $H^+(aq) + OH^-(aq) \rightarrow mol^{-1}$]


$$\Delta H = -57.1 \text{ kJ mol}^{-1}$$

$$\text{Specific heat of } H_2O = 4.18 \text{ J K}^{-1} \text{ g}^{-1}$$

$$\text{density of } H_2O = 1.0 \text{ g cm}^{-3}$$

Assume no change in volume of solution on mixing.

 [Watch Video Solution](#)



The above reaction is carried out in a vessel starting with partial pressure

$P_{SO_2} = 250 \text{ m bar}$, $P_{O_2} = 750 \text{ m bar}$ and $P_{SO_3} = 0 \text{ bar}$. When the reaction

is complete, the total pressure in the reaction vessel is _____ m bar.

(Round off to the nearest integer)

 [Watch Video Solution](#)

34. 10.0 mL of 0.05 M $KMnO_4$ solution was consumed in a titration with

10.0 mL of given oxalic acid dihydrate solution. The strength of given

oxalic acid solution is $\times 10^{-2} \text{ g/L}$.

(Round off to the nearest integer)



Watch Video Solution

35. The total number of electrons in all bonding molecular orbitals of O_2^{2-} is

(Round off to the nearest integer)



Watch Video Solution

36. 3 moles of metal complex with formula $Co(en)_2Cl_3$ gives 3 moles of silver chloride on treatment with excess of silver nitrate . The secondary valency of Co in the complex is _____.

(Round off to the nearest integer)



Watch Video Solution

37. In a solvent 50% of an acid HA dimerizes and the rest dissociates. The van't Hoff factor of the acid is _____ $\times 10^{-2}$.

(Round off to the nearest integer)

(Round off to the nearest integer)

 [Watch Video Solution](#)

38. The dihedral angle in staggered form of Newman projection of 1, 1, 1-Trichloro ethane is degree. (Round off to the nearest integer) (Round off to the nearest integer)

(Round off to the nearest integer)

 [Watch Video Solution](#)

39. For the first order reaction $A \rightarrow 2B$, 1 mole of reactant A gives 0.2 moles of B after 100 minutes. The half life of the reaction is min. (Round off to the nearest integer).

[Use $\ln 2 = 0.69$, $\ln 10 = 2.3$

Properties of logarithms : $\ln x^y = y \ln x$, $\ln \left(\frac{x}{y} \right) = \ln x - \ln y$]


Round off to the nearest integer)






Watch Video Solution

40. For the cell



the cell potential $E_1 = 0.3095V$

For the cell



the cell potential = _____ $\times 10^{-2}V$.

(Round off the Nearest Integer).

[Use : $\frac{2.303RT}{F} = 0.059$]



Watch Video Solution

Chemistry Section A

1. Calamine and Malachite, respectively, are the ores of

A. Nickel and Aluminium

B. Copper and Iron

C. Zinc and Copper

D. Aluminium and Zinc

Answer:

 [Watch Video Solution](#)

2. Match List - I with List - II.

List - I (Colloid Preparation Method)	List - II (Chemical Reaction)
(a) Hydrolysis	(i) $2\text{AuCl}_3 + 3\text{HCHO} + 3\text{H}_2\text{O} \rightarrow 2\text{Au}(\text{sol}) + 3\text{HCOOH} + 6\text{HCl}$
(b) Reduction	(ii) $\text{As}_2\text{O}_3 + 3\text{H}_2\text{S} \rightarrow \text{As}_2\text{S}_3(\text{sol}) + 3\text{H}_2\text{O}$
(c) Oxidation	(iii) $\text{SO}_2 + 2\text{H}_2\text{S} \rightarrow 3\text{S}(\text{sol}) + 2\text{H}_2\text{O}$
(d) Double Decomposition	(iv) $\text{FeCl}_3 + 3\text{H}_2\text{O} \rightarrow \text{Fe}(\text{OH})_3(\text{sol}) + 3\text{HCl}$

Choose the most appropriate answer from the options given below :

A. a - (i) , b - (iii), c - (ii) , d - (iv)

B. a - (iv), b - (ii) , c - (iii), d - (i)

C. a - (iv), b - (i), c - (iii), d - (ii)

D. a - (i), b - (ii), c - (iv), d - (iii)

Answer:

 [Watch Video Solution](#)

3. Monomer units of Dacron polymer are :



- A. glycerol and terephthalic acid
- B. glycerol and phthalic acid
- C. ethylene glycol and terephthalic acid
- D. ethylene glycol and phthalic acid

Answer:

 [Watch Video Solution](#)

4. The oxide without nitrogen-nitrogen bond is:

- A. N_2O_3



Answer:

 [Watch Video Solution](#)

5. The stereoisomers that are formed by electrophilic addition of bromine to trans-but-2-ene is/ are :

A. 2 enantiomers and 2 mesomers

B. 1 racemic and 2 enantiomers


C. 2 identical mesomers

D. 2 enantiomers

Answer:

 [Watch Video Solution](#)

6. In the given chemical reaction, colors of the Fe^{2+} and Fe^{3+} ions, are respectively :




- A. Green, Yellow
- B. Yellow, Green
- C. Green, Orange
- D. Yellow, Orange

Answer:




[Watch Video Solution](#)


7. Which one of the following given graphs represents the variation of rate constant (k) with temperature (t) for an endothermic reaction ?




A.



B.



C.



D.

Answer:



Watch Video Solution

8. Given below are two statements :

Statement I : The nucleophilic addition of sodium hydrogen sulphite to an aldehyde or a ketone involves proton transfer to form a stable ion.

Statement II : The nucleophilic addition of hydrogen cyanide to an aldehyde or a ketone yields amine as final product.

In the light of the above statements, choose the most appropriate answer from the options given below :

A. Both Statement I and Statement II are true .

B. Statement I is true but Statement II is false.

C. Both Statement I and Statement II are false.

D. Statement I is false but Statement II is true.

Answer:



[Watch Video Solution](#)

9. Identify the element for which electronic configuration in +3 oxidation state is $[Ar]3d^5$:

A. Mn

B. Ru

C. Co

D. Fe

Answer:






[Watch Video Solution](#)

10. Which one of the following compounds is aromatic in nature ?




A.






Answer:

 [Watch Video Solution](#)

11. Which one of the following gives the most stable Diazonium salt ?





Answer:

 [Watch Video Solution](#)





12. The potassium ferrocyanide solution gives a prussian blue colour when added to



Answer:

 [Watch Video Solution](#)

13. In the following sequence of reactions a compound A, (molecular formula $C_6H_{12}O_2$) with a straight chain structure gives a C_4 carboxylic acid. A is :



Answer:

 [Watch Video Solution](#)

14. Number of paramagnetic oxides among the following given oxides is _____ .

Li_2O , CaO , Na_2O_2 , KO_2 , MgO and K_2O

A. 0

B. 2

C. 1

D. 3

Answer:



[Watch Video Solution](#)

15. Water sample is called cleanest on the basis of which one of the BOD values given below :

A. 3 ppm

B. 21 ppm

C. 15 ppm

D. 11 ppm

Answer:

 [Watch Video Solution](#)

16. Hydrogen peroxide reacts with iodine in basic medium to give:

A. I^-

B. IO_3^-



C. IO^-

D. IO_4^-

Answer:

 [Watch Video Solution](#)

17. Experimentally reducing a functional group cannot be done by which one of the following reagents?



Answer:



[Watch Video Solution](#)

18. The Crystal Field Stabilization Energy (CFSE) and magnetic moment (spin-only) of an octahedral aqua complex of a metal ion (M^{Z+}) are $-0.8 \Delta_0$ and 3.87 BM, respectively. Identify (M^{Z+}):







Answer:

 [Watch Video Solution](#)

19. In the following sequence of reactions,





The compounds B and C respectively are ·




Answer:

 [Watch Video Solution](#)


20. Identify A in the following reaction.




A.



B.



C.



Answer:

 [Watch Video Solution](#)

21. Which of the following is NOT an example of fibrous protein ?

A. Collagen

B. Albumin

C. Keratin

D. Myosin

Answer:

 [Watch Video Solution](#)

22. The Eu^{2+} ion is a strong reducing agent in spite of its ground state electronic configuration (outermost : {Atomic number of Eu =63]

- A. $4f^7$
- B. $4f^6$
- C. $4f^6 6s^2$
- D. $4f^7 6s^2$

Answer:

 [Watch Video Solution](#)

23. Match List - I with List -II

List - I (Parameter)	List - II (Unit)
(a) Cell constant	(i) $\text{S cm}^2 \text{ mol}^{-1}$
(b) Molar conductivity	(ii) Dimensionless
(c) Conductivity	(iii) m^{-1}
(d) Degree of dissociation of electrolyte	(iv) $\Omega^{-1} \text{m}^{-1}$

Choose the most appropriate answer from the options given below :

A. (a) – (iii), (b) – (i), (c) – (ii), (d) – (iv)

B. (a) – (ii), (b) – (i), (c) – (iii), (d) – (iv)






C. (a) – (iii), (b) – (i), (c) – (iv), (d) – (ii)

D. (a) – (i), (b) – (iv), (c) – (iii), (d) – (ii)

Answer:

 Watch Video Solution


24. Identify correct A,B and C in the reaction sequence given below :








Answer:

 Watch Video Solution

25. The major products A and B formed in the following reaction sequence are :






- A.  
- B.  
- C.  
- D.  

Answer:

 Watch Video Solution


26. In which one of the following sets all species show disproportionation reaction ?







Answer:

 Watch Video Solution

27. For the following sequence of reactions , the correct products are





Answer:

 [Watch Video Solution](#)

28. Given below are two statements : one is labelled as Assertion (A) and the other is labelled as Reason (R).

Assertion (A) : Lithium salts are hydrated

Reason (R) : Lithium has higher polarising power than other alkali metal group members .

In the light of the above statements ,choose the most appropriate answer from the options given below :

A. (A) is not correct but (R) is correct.

B. Both (A) and (R) are correct and (R) is the correct explanation of (A) .

C. (A) is correct but (R) is not correct .

D. Both (A) and (R) are correct but (R) is not the correct explanation of (A) .

Answer:



[Watch Video Solution](#)

29. The number of S=O bonds present in sulphurous acid , peroxodisulphuric acid and pyrosulphuric acid respectively are :

A. 1 , 4 and 4

B. 2 , 3 and 4

C. 2 , 4 and 3

D. 1, 4 and 3

Answer:



[Watch Video Solution](#)

30. The deposition of X and Y on ground surfaces is referred as wet and dry depositions respectively .X and Y are :

A. X= Ammonium salts , $Y = SO_2$

B. $X = SO_2$, $Y = SO_2$

C. $X = SO_2$, Y= Ammonium salts

D. X= Ammonium salts , $Y = CO_2$

Answer:



[Watch Video Solution](#)

31. The incorrect expression among the following is :

A. $\ln K = \frac{\Delta H^\circ - T\Delta S^\circ}{RT}$

B. $K = e^{-\Delta G^\circ / RT}$

C. $\frac{\Delta G_{\text{System}}}{\Delta S_{\text{Total}}} = -T$ (at constant P)





D. For isothermal process $W_{\text{reversible}} = nRT \frac{\ln(V_f)}{V_i}$

Answer:



Watch Video Solution

32. Arrange the following conformational isomers of n - butane in order of their increasing potential energy :



A. $I < IV < III < II$

B. $I < III < IV < II$

C. $II < III < IV < I$

D. $II < IV < III < I$

Answer:

 [Watch Video Solution](#)

33. Match List - I with List - II :

List - I (Metal Ion)	List - II (Group in Qualitative analysis)
(a) Mn^{2+}	(i) Group - III
(b) As^{3+}	(ii) Group - IIA
(c) Cu^{2+}	(iii) Group - IV
(d) Al^{3+}	(iv) Group - IIB

Choose the most appropriate answer from the options given below :

A. (a) – (iii), (b) – (iv), (c) – (ii), (d) – (i)

B. (a) – (i), (b) – (ii), (c) – (iii), (d) – (iv)




C. (a) – (iv), (b) – (ii), (c) – (iii), (d) – (i)

D. (a) – (i), (b) – (iv), (c) – (ii), (d) – (iii)

Answer:

 [Watch Video Solution](#)


34. Which one of the following correctly represents the order of stability of oxides, X_2O , (X=halogen)?



Answer:

 [Watch Video Solution](#)

35. The structures of A and B formed in the following reaction are, [Ph = $-C_6H_5$]



- A.
- B.
- C.
- D.

Answer:

Watch Video Solution

36. Spin only magnetic moment in BM of $[Fe(CO)_4(C_2O_4)]^+$ is :




- A. 1.73
- B. 1
- C. 5.92


D. 0

Answer:

 [Watch Video Solution](#)

37. The major product of the following reaction is :






Answer:

 [Watch Video Solution](#)

38. For the reaction given below :



The compound which is not formed as a product in the reaction is a :

A. diol

B. dicarboxylic acid

C. compound with both alcohol and acid functional groups

D. monocarboxylic acid

Answer:



[Watch Video Solution](#)

39. Which among the following is not a polyester ?

A. Glyptal

B. Dacron

C. PHBV

D. Navolac

Answer:



[Watch Video Solution](#)

40. Which one of the following statements is incorrect ?

- A. Bond dissociation enthalpy of H_2 is highest among diatomic gaseous molecules which contain a single bond.
- B. At around 2000 K , the dissociation of dihydrogen into its atoms is nearly 8.1 % .
- C. Atomic hydrogen is produced when H_2 molecules at a high temperature are irradiated with UV radiation .
- D. Dihydrogen is produced on reacting zinc with HCl as well as $NaOH_{(aq)}$.

Answer:



[Watch Video Solution](#)

Chemistry Section B

1. If 80 g of copper sulphate $CuSO_4 \cdot 5H_2O$ is dissolved in deionised water to make 5L. Of solution. The concentration of the copper sulphate

solution is $x \times 10^{-3} \text{ mol L}^{-1}$. The value of x is _____.

[Atomic masses Cu : 63.54 u, S : 32 u, O : 16 u, H : 1 u]

 [Watch Video Solution](#)

2. The molar solubility of $Zn(OH)_2$ in 0.1 M NaOH solution is $x \times 10^{-18} M$. The value of x is _____. (Nearest integer)

(Given: The solubility product of $Zn(OH)_2$ is 2×10^{-20})

 [Watch Video Solution](#)

3. The sum of oxidation states of two silver ions in $[Ag(NH_3)_2][Ag(CN)_2]$ complex is

 [Watch Video Solution](#)

4. For the reaction $2NO_2(g) \rightleftharpoons N_2O_4(g)$, when $\Delta S = -176.0 \text{ JK}^{-1}$ and $\Delta H = -57.8 \text{ kJ mol}^{-1}$, the magnitude of

ΔG at 298 K for the reaction is _____ kJ mol^{-1} . (Nearest integer)

 [Watch Video Solution](#)

5. An empty LPG cylinder weighs 14.8 kg. When full, it weighs 29.0 kg and shows a pressure of 3.47 atm. In the course of use at ambient temperature, the mass of the cylinder is reduced to 23.0 kg. The final pressure inside the cylinder is atm. (Nearest integer) (Assume LPG to be an ideal gas)

 [Watch Video Solution](#)

6. The spin-only magnetic moment value of B_2^+ species is _____
 $\times 10^{-2}$ BM. (Nearest integer)

[Given : $\sqrt{3} = 1.73$]

 [Watch Video Solution](#)

7. The number of atoms in 8 g of sodium is $x \times 10^{23}$. The value of x is _____.

(Nearest integer)

[Given : $N_A = 6.02 \times 10^{23} \text{ mol}^{-1}$

Atomic mass of Na = 23.0 u]

 [Watch Video Solution](#)

8. A peptide synthesized by the reactions of one molecule each of Glycine, Leucine, Aspartic acid and Histidine will have _____ peptide linkages.

 [Watch Video Solution](#)

9. If the conductivity of mercury at 0°C is $1.07 \times 10^6 \text{ Sm}^{-1}$ and the resistance of a cell containing mercury is 0.243Ω , then the cell constant of the cell is $x \times 10^4 \text{ m}^{-1}$. The value of x is _____ (Nearest integer)

 [Watch Video Solution](#)

10. A 50 watt bulb emits monochromatic red light of wavelength of 795 nm. The number of photons emitted per second by the bulb is $x \times 10^{20}$.

The value of x is _____.

(Nearest integer)

[Given : $h = 6.63 \times 10^{-34} Js$ and $c = 3.0 \times 10^8 ms^{-1}$]



Watch Video Solution

11. 1.22 g of an organic acid is separately dissolved in 100 g of benzene ($K_b = 2.6 K kg mol^{-1}$) and 100 g of acetone ($K_b = 1.7 K kg mol^{-1}$). The acid is known to dimerize in benzene but remain as a monomer in acetone. The boiling point of the solution in acetone increases by $0.17^\circ C$. The increase in boiling point of solution in benzene in $^\circ C$ is $x \times 10^{-2}$.


The value of x is _____. (Nearest integer)

[Atomic mass : $C = 12.0$, $H = 1.0$, $O = 16.0$]



Watch Video Solution

12. The transformation occurring in Duma's method is given below



The value of y is _____. (Integer answer)

 [Watch Video Solution](#)

13. The empirical formula for a compound with a cubic close packed arrangement of anions and with cations occupying all the octahedral sites in A_xB . The value of x is _____.

 [Watch Video Solution](#)

14. Sodium oxide reacts with water to produce sodium hydroxide. 20.0 g of sodium oxide is dissolved in 500 mL of water. Neglecting the change in volume, the concentration of the resulting NaOH solution is _____ $\times 10^{-1}M$. (Nearest integer)

[Atomic mass : $a = 23.0$, $O = 16.0$, $H = 1.0$]

 [Watch Video Solution](#)

15. For the reaction $A \rightarrow B$, the rate constant k (in s^{-1}) is given by

$$\log_{10} k = 20.35 - \frac{(2.47 \times 10^3)}{T}$$

The energy of activation in kJ mol^{-1} is _____. (Nearest integer)

[Given : $R = 8.314 \text{ JK}^{-1} \text{ mol}^{-1}$]

 [Watch Video Solution](#)

16. According to molecular orbital theory, the number of unpaired electron(s) in O_2^{2-} is _____.

 [Watch Video Solution](#)

17. CH_4 is adsorbed on 1g charcoal at $0^\circ C$ following the Freundlich adsorption isotherm. 10.0 mL of CH_4 is adsorbed at 100 mm of Hg, whereas 15.0 mL is adsorbed at 200 mm of Hg. The volume of CH_4 adsorbed at 300 mm of Hg is 10^x mL . The value of x is _____ $\times 10^{-2}$.

(Nearest integer)

[Use $\log_{10} 2 = 0.3010$, $\log_{10} 3 = 0.4771$]

 [Watch Video Solution](#)

18. The pH of a solution obtained by mixing 50 mL of 1 M HCl and 30 mL of 1M NaOH is $x \times 10^{-4}$. The value of x is _____. (Nearest inetger)

[$\log 2.5 = 0.3979$]

 [Watch Video Solution](#)

19. The value of magnetic quantum number of outermost electron of Zn^{+} ion is _____.

 [Watch Video Solution](#)



20. In the electrolytic refining of blister copper, the total number of main impurities, from the following, removed as anode mud is _____.



Pb, Sb, Te, Ru, Ag, Au and Pt

 Watch Video Solution

Chemistry Section A

1. Out of the following isomeric forms of uracil, which one is present in RNA ?








Answer:

 [Watch Video Solution](#)

2. The gas 'A' is having very low reactivity reaches to stratosphere. It is non-toxic and non-flammable but dissociated by UV-radiations in stratosphere. The intermediates formed initially from the gas 'A' are :





Answer:





 [Watch Video Solution](#)



3. Which of the following is not a correct statement for primary aliphatic amines ?

- A. Primary amines can be prepared by the Gabriel phthalimide synthesis .
- B. The intermolecular association in primary amines is less than the intermolecular association in secondary amines.
- C. Primary amines are less basic than the secondary amines
- D. Primary amines on treating with nitrous acid solution form corresponding alcohols except methyl amine

Answer:

4. In the following sequence of reaction the P is :





Answer:

 [Watch Video Solution](#)

5. The number of water molecules in gypsum, dead burnt and plaster of Paris, respectively are :

A. 0.5, 0 and 2

B. 2, 0 and 0.5




C. 5, 0 and 0.5

D. 2, 0 and 1


Answer:

 Watch Video Solution


6. The structure of the starting compound P used in the reaction given below is




A.



B.



C.



D.

Answer:

 [Watch Video Solution](#)

7. In which one of the following molecules strongest back donation of an electron pair from halide to boron is expected ?

A. BI_3



Answer:

 [Watch Video Solution](#)

8. Match List-I with List-II :

List - I (Species)		List - II (No. of lone pairs of electrons on the central atom)	
(a)	XeF_2	(i)	0
(b)	XeO_2F_2	(ii)	1
(c)	XeO_3F_2	(iii)	2
(d)	XeF_4	(iv)	3

Choose the most appropriate answer from the options given below :

A. (a)-(iv), (b)-(ii), (c)-(i),(d)-(iii)

B. (a)-(iv), (b)-(i), (c)-(ii),(d)-(iii)

C. (a)-(iii), (b)-(iv), (c)-(ii),(d)-(i)

D. (a)-(iii), (b)-(ii), (c)-(iv), (d)-(i)

Answer:



Watch Video Solution

9. Which refining process is generally used in the purification of low melting metals ?

A. Electrolysis

B. Liquation

C. Zone refining






D. Chromatographic method

Answer:



Watch Video Solution

10. The major product of the following reaction is :



Answer:



Watch Video Solution

11. In polythionic acid, $\text{H}_2\text{S}_x\text{O}_6$ ($x=3$ to 5) the oxidation state(s) of sulphur is/are

A. + 3 and + 5 only


B. + 5 only

C. 0 and + 5 only


D. + 6 only

Answer:


 Watch Video Solution




(A)



(B)



(C)



(D)

12.

The correct statement about (A), (B), (C) and (D) is :

A. (B), (C) and (D) are tranquillizers

B. (A), (B) and (C) are narcotic analgesics

C. (B) and (C) are tranquillizers

D. (A) and (D) are tranquillizers

Answer:

 [Watch Video Solution](#)

13. Tyndall effect is more effectively shown by

A. lyophobic colloid

B. suspension




C. lyophilic colloid

D. true solution

Answer:

 [Watch Video Solution](#)

14. Acidic ferric chloride solution on treatment with excess of potassium ferrocyanide gives a Prussian blue colored colloidal species. It is



Answer:



[Watch Video Solution](#)

15. Deuterium resembles hydrogen in chemical properties but reacts

A. emits β^+ particles

B. reacts just as hydrogen

C. reacts vigorously than hydrogen

D. reacts slower than hydrogen

Answer:

 [Watch Video Solution](#)

16. The nature of oxides V_2O_3 and CrO is indexed as 'X' and 'Y' type respectively. The correct set of X and Y is

A. $X =$ amphoteric $Y =$ basic

B. $X =$ basic $Y =$ basic

C. $X =$ basic $Y =$ amphoteric

D. $X =$ acidic $Y =$ acidic

Answer:

 [Watch Video Solution](#)

17. The unit of the van der Waals gas equation parameter 'a' in

$$\left(P + \frac{an^2}{V^2}\right)(V - nb) = nRT \text{ is :}$$

A. $kgms^{-2}$

B. dm^3mol^{-1}




C. $kgms^{-1}$


D. $atmdm^6mol^{-2}$

Answer:

 Watch Video Solution

18. In the following sequence of reactions, the final product D is :





Answer:



Watch Video Solution

19. Given below are two statements : one is labelled as Assertion (A) and the other is labelled as Reason (R) :

Assertion (A) : Synthesis of ethyl phenyl ether may be achieved by Williamson synthesis.

Reason (R) : Reaction of bromobenzene with sodium ethoxide yields ethyl phenyl ether. In the light of the above statements, choose the most appropriate answer from the options given below :

A. Both (A) and (R) are correct and (R) is the correct explanation of

(A)

- B. Both (A) and (R) are correct but (R) is NOT the correct explanation of (A)
- C. (A) is not correct but (R) is correct
- D. (A) is correct but (R) is NOT correct

Answer:

 [Watch Video Solution](#)

20. Match List-I with List-II :

List - I (Property)	List - II (Example)
(a) Diamagnetism	(i) MnO
(b) Ferrimagnetism	(ii) O ₂
(c) Paramagnetism	(iii) NaCl
(d) Antiferromagnetism	(iv) Fe ₃ O ₄

Choose the most appropriate answer from the options given below :

- A. (a)-(i), (b)-(iii), (c)-(iv),(d)-(ii)
- B. (a)-(iii), (b)-(iv), (c)-(ii),(d)-(i)

C. (a)-(iv), (b)-(ii), (c)-(i),(d)-(iii)

D. (a)-(ii), (b)-(i), (c)-(iii),(d)-(iv)

Answer:

 [Watch Video Solution](#)

21. Which one of the following is used to remove most of plutonium from spent nuclear fuel ?

A. O_2F_2

B. ClF_3




C. BrO_3

D. I_2O_5

Answer:

 [Watch Video Solution](#)

22. The addition of dilute NaOH to Cr^{3+} salt solution will give :




Answer:



Watch Video Solution

23. Which one of the following reactions will not yield propionic acid ?



Answer:

 [Watch Video Solution](#)


24. Choose the correct statement from the following:

- A. The standard enthalpy of formation for alkali metal bromides becomes less negative on descending the group.
- B. Among the alkali metal halides, LiF is least soluble in water.
- C. LiF has least negative standard enthalpy of formation among alkali metal fluorides.
- D. The low solubility of CsI in water is due to its high lattice enthalpy.

Answer:

 [Watch Video Solution](#)

25. The correct order of ionic radii for the ions, P^{3-} , S^{2-} , Ca^{2+} , K^+ , Cl^- is



Answer:

 [Watch Video Solution](#)

26. In stratosphere most of the ozone formation is assisted by :

A. visible radiations.

B. γ - rays.





C. cosmic rays.

D. ultraviolet radiation.


Answer:

 Watch Video Solution

27. The major product of the following reaction, if it occurs by S_N2 mechanism is :



D.



Answer: D

 [Watch Video Solution](#)

28. Given below are two statements :

Statement I: Ethyl pent-4-yn-oate on reaction with CH_3MgBr gives a 3° -alcohol.

Statement II : In this reaction one mole of ethyl pent-4-yn-oate utilizes two moles of CH_3MgBr .

In the light of the above statements, choose the most appropriate answer from the options given below:

A. Statement I is true but Statement II is false

B. Statement I is false but Statement II is true




C. Both Statement I and Statement II are false



D. Both Statement I and Statement II are true

Answer:

 Watch Video Solution

29. The correct structures of A and B formed in the following reactions are :







D.

Answer:

 [Watch Video Solution](#)

30. The oxide that gives H_2O_2 most readily on treatment with H_2O is :



Answer:

 [Watch Video Solution](#)


31. Potassium permanganate on heating at 513 K gives a product which is :




- A. paramagnetic and green
- B. diamagnetic and green
- C. diamagnetic and colourless
- D. paramagnetic and colourless

Answer:

 [Watch Video Solution](#)

32. Which one of the following chemicals is responsible for the production of HCl in the stomach leading to irritation and pain ?







Answer:


 **Watch Video Solution**

33. Which one of the following is the major product of the given reaction


?




B.



C.



D.



Answer:



[Watch Video Solution](#)

34. Which one of the following is formed (mainly) when red phosphorus is heated in a sealed tube at 803 K?

A. β -Black phosphorus

B. White phosphorus

C. Yellow phosphorus

D. α - Black phosphorus

Answer:



[Watch Video Solution](#)

35. Which one of the following tests used for the identification of functional groups in organic compounds does not use copper reagent?

- A. Barfoed's test
- B. Benedict's test
- C. Biuret test for peptide bond
- D. Seliwanoff's test

Answer:



[Watch Video Solution](#)

36. Match List - I with List - II :

List - I (Name of ore/mineral)	List - II (Chemical formula)
(a) Calamine	(i) ZnS
(b) Malachite	(ii) FeCO ₃
(c) Siderite	(iii) ZnCO ₃
(d) Sphalerite	(iv) CuCO ₃ ·Cu(OH) ₂

A. (a) – (iii), (b) – (iv), (c) – (i), (d) – (ii)

B. (a) – (iii), (b) – (iv), (c) – (ii), (d) – (i)

C. (a) – (iii), (b) – (ii), (c) – (iv), (d) – (i)

D. (a) – (iv), (b) – (iii), (c) – (i), (d) – (ii)

Answer:

 [Watch Video Solution](#)

37. Hydrolysis of sucrose gives :

A. α - D-(+)-Glucose and α -D-(-)-Fructose

B. α -D-(+)-Glucose and β -D-(-)-Fructose

C. α -D-(-)-Glucose and α -D-(+)-Fructose

D. α -D-(-)-Glucose and β -D-(-)-Fructose

Answer:

 [Watch Video Solution](#)

38. Lyophilic sols are more stable than lyophobic sols because.

A. there is a strong electrostatic repulsion between the negatively charged colloidal particles.

B. the colloidal particles are solvated.






C. the colloidal particles have no charge.

D. the colloidal particles have positive charge.

Answer:

 [Watch Video Solution](#)

39. The major product (A) formed in the reaction given below is :






Answer: D



Watch Video Solution

40. The compound/s which will show significant intermolecular H-bonding is/are



- A. (a), (b) and (c)
- B. (b) only
- C. (c) only
- D. (a) and (b) only

Answer:

 [Watch Video Solution](#)

41. The major component/ingredient of Portland Cement is

- A. dicalcium silicate

B. tricalcium silicate

C. tricalcium aluminate

D. dicalcitim aluminate

Answer:



[Watch Video Solution](#)

42. Given below are two statements : one is labelled as Assertion (A) and the other is labelled as

Reason (R). Assertion (A) : Aluminium is extracted from bauxite by the electrolysis of molten mixture of Al_2O_3 with cryolite.

Reason (R) : The oxidation state of Al in cryolite is + 3.

In the light of the above statements, choose the most appropriate answer from the options given below:

A. (A) is false but (R) is true.

B. (A) is true but (R) is false.

- C. Both (A) and (R) are correct but (R) is not the correct explanation of (A).
- D. Both (A) and (R) are correct and (R) is the correct explanation of (A).

Answer:

 [Watch Video Solution](#)

43. Monomer of Novolac is

- A. 3-Hydroxybutanoic acid.
- B. 1,3-Butadiene and styrene.
- C. phenol and melamine.
- D. o-Hydroxy methylphenol

Answer:

 [Watch Video Solution](#)

44. Which one of the following lanthanides exhibits +2 oxidation state with diamagnetic nature ? (Given Z for Nd = 60, Yb = 70, La = 57, Ce = 58)

A. Nd

B. Ce

C. La


D. Yb


Answer:




[Watch Video Solution](#)

45. Which one of the following is the correct PV vs P plot at constant temperature for an ideal gas ? (P and V stand for pressure and volume of the gas respectively)






B.



C.



D.

Answer: D



Watch Video Solution

46. Given below are two statements : one is labelled as Assertion (A) and the other is labelled as

Reason (R).

Assertion (A) : Metallic character decreases and non-metallic character increases on moving from left to right in a period.

Reason (R) : It is due to increase in ionisation enthalpy and decrease in electron gain enthalpy, when one moves from left to right in a period. In the light of the above statements, choose the most appropriate answer from the options given below :

- A. Both (A) and (R) are correct and (R) is the correct explanation of (A).
- B. (A) is true but (R) is false.
- C. Both (A) and (R) are correct but (R) is not the correct explanation of (A).
- D. Both (A) and (R) are correct but (R) is not the correct explanation of (A).

Answer:



[Watch Video Solution](#)

47. Which one of the following compounds contains $\beta - C_1 - C_4$ glycoside linkage ?

A. Amylose

B. Maltose





C. Sucrose


D. Lactose

Answer:

 Watch Video Solution

48. The major product formed in the following reaction is :





Answer:

 [Watch Video Solution](#)

49. Given below are two statements :

Statement I : The process of producing syn-gas is called gasification of coal.

Statement II : The composition of syn-gas is $CO + CO_2 + H_2$, (1:1:1).

In the light of the above statements, choose the most appropriate answer from the options given below:


- A. Both statement I and Statement II are true.
- B. Statement I is true but Statement II is false.
- C. Statement I is false but Statement II is true.
- D. Both Statement I and Statement II are false.

Answer:



Watch Video Solution

50. Choose- the correct name for compound given below :



- A. (4E)-5-Bromo-hex-4-yn-2-yne
- B. (2E)-2-Bromo-hex-2-en-4-yne
- C. (4E)-5-Bromo-hex-2-en-4-yne
- D. (2E)-2-Bromo-hex-4-yn-2-ene

Answer:



Watch Video Solution

51. BOD values (in ppm) for clean water (A) and polluted water (B) are expected respectively as :

A. $A > 15, B > 47$

B. $A > 50, B < 27$

C. $A < 50, B > 27$

D. $A > 5, B < 15$

Answer:



[Watch Video Solution](#)

52. Given below are two statements : one is labelled as Assertion (A) and the other is labelled as

Reason (R).

Assertion (A) : Treatment of bromine water with propene yields 1-bromopropan-2-ol.

Reason (R) : Attack of water on bromonium ion follows Markovnikov rule


and results in l-bromopropan-2-ol. In the light of the above statements, choose the most appropriate answer from the options given below :

- A. Both (A) and (R) are true and (R) is the correct explanation of (A).
- B. (A) is false but (R) is true.
- C. (A) is true but (R) is false.
- D. Both (A) and (R) are true but (R) is NOT the correct explanation of (A).


Answer:

 [Watch Video Solution](#)


53. Select the graph that correctly describes the adsorption isotherms at two temperatures T_1 and T_2 ($T_1 > T_2$) for a gas : (x — mass of the gas adsorbed m-mass of adsorbent P - pressure)




A.



B.



C.








D.

Answer:



Watch Video Solution

54. The major products A and B in the following set of reactions are :



Answer:

 [Watch Video Solution](#)

55. The denticity of an organic ligand, biuret is :

A. 6

B. 3





C. 4

D. 2

Answer:

 [Watch Video Solution](#)

56. The correct order of reactivity of the given chlorides with acetate in acetic acid is :



Answer:

 [Watch Video Solution](#)




57. In the structure of the dichromate ion, there is



- A. linear symmetrical Cr-O-Cr bond.
- B. linear unsymmetrical Cr — O - Cr bond.
- C. non-linear symmetrical Cr-O —Cr bond.
- D. non-linear unsymmetrical Cr-O - Cr bond.

Answer:

 [Watch Video Solution](#)

58. The structure of product C, formed by the following sequence of





Answer:

 [Watch Video Solution](#)

59. Given below are two statements : one is labelled as Assertion (A) and the other is labelled as

Reason (R).

Assertion (A) : A simple distillation can be used to separate a mixture of propanol and propanone.

Reason (R) : Two liquids with a difference of more than 20° C in their boiling points can be separated by simple distillations. In the light of the

above statements, choose the most appropriate answer from the options given below :

- A. (A) is true but (R) is false.
- B. Both (A) and (R) are correct and (R) is the correct explanation of (A).
- C. (A) is false but (R) is true.
- D. Both (A) and (R) are correct but (R) is not the correct explanation of (A).

Answer:



Watch Video Solution

60. Which one of the following 0.10 M aqueous solutions will exhibit the largest freezing point depression ?

- A. glycine
- B. hydrazine

C. $KHSO_4$

D. glucose

Answer:



[Watch Video Solution](#)

61. Calamine and Malachite, respectively, are the ores of

A. Nickel and Aluminium

B. Copper and Iron

C. Zinc and Copper

D. Aluminium and Zinc

Answer:



[Watch Video Solution](#)

62. Match List - I with List - II.

List - I (Colloid Preparation Method)	List - II (Chemical Reaction)
(a) Hydrolysis	(i) $2\text{AuCl}_3 + 3\text{HCHO} + 3\text{H}_2\text{O} \rightarrow 2\text{Au(sol)} + 3\text{HCOOH} + 6\text{HCl}$
(b) Reduction	(ii) $\text{As}_2\text{O}_3 + 3\text{H}_2\text{S} \rightarrow \text{As}_2\text{S}_3(\text{sol}) + 3\text{H}_2\text{O}$
(c) Oxidation	(iii) $\text{SO}_2 + 2\text{H}_2\text{S} \rightarrow 3\text{S(sol)} + 2\text{H}_2\text{O}$
(d) Double Decomposition	(iv) $\text{FeCl}_3 + 3\text{H}_2\text{O} \rightarrow \text{Fe(OH)}_3(\text{sol}) + 3\text{HCl}$

Choose the most appropriate answer from the options given below :

A. a - (i) , b - (iii), c - (ii) , d - (iv)

B. a - (iv), b - (ii) , c - (iii), d - (i)

C. a - (iv), b - (i), c - (iii), d - (ii)

D. a - (i), b - (ii), c - (iv), d - (iii)

Answer:



[Watch Video Solution](#)

63. Monomer units of Dacron polymer are :

A. glycerol and terephthalic acid

B. glycerol and phthalic acid

C. ethylene glycol and terephthalic acid

D. ethylene glycol and phthalic acid

Answer:

 [Watch Video Solution](#)

64. The oxide without nitrogen-nitrogen bond is:

A. N_2O_3

B. N_2O_5

C. N_2O_4

D. N_2O

Answer:

 [Watch Video Solution](#)


65. The stereoisomers that are formed by electrophilic addition of bromine to trans-but-2-ene is/ are :

- A. 2 enantiomers and 2 mesomers
- B. 1 racemic and 2 enantiomers
- C. 2 identical mesomers
- D. 2 enantiomers

Answer:

 [Watch Video Solution](#)

66. In the given chemical reaction, colors of the Fe^{2+} and Fe^{3+} ions, are respectively :



- A. Green, Yellow
- B. Yellow, Green



C. Green, Orange


D. Yellow, Orange

Answer:


 [Watch Video Solution](#)

67. Which one of the following given graphs represents the variation of rate constant (k) with temperature (T) for an endothermic reaction ?





C.



D.

Answer:



Watch Video Solution

68. Given below are two statements :

Statement I : The nucleophilic addition of sodium hydrogen sulphite to an aldehyde or a ketone involves proton transfer to form a stable ion.

Statement II : The nucleophilic addition of hydrogen cyanide to an aldehyde or a ketone yields amine as final product.

In the light of the above statements, choose the most appropriate answer from the options given below :

- A. Both Statement I and Statement II are true .
- B. Statement I is true but Statement II is false.
- C. Both Statement I and Statement II are false.
- D. Statement I is false but Statement II is true.

Answer:

 [Watch Video Solution](#)

69. Identify the element for which electronic configuration in +3 oxidation state is $[Ar]3d^5$:


- A. Mn
- B. Ru
- C. Co
- D. Fe

Answer:


70. Which one of the following compounds is aromatic in nature ?




A.



B.



C.







D.

Answer:

 Watch Video Solution

71. Which one of the following gives the most stable Diazonium salt ?



Answer:

 Watch Video Solution

72. The potassium ferrocyanide solution gives a prussian blue color when added to ?







Answer:



[Watch Video Solution](#)

73. In the following sequence of reactions a compound A, (molecular formula $C_6H_{12}O_2$) with a straight chain structure gives a C_4 carboxylic acid. A is :





Answer:

 [Watch Video Solution](#)

74. Number of paramagnetic oxides among the following given oxides is

_____ .

Li_2O , CaO , Na_2O_2 , KO_2 , MgO and K_2O

A. 0

B. 2

C. 1

D. 3

Answer:



Watch Video Solution

75. Water sample is called cleanest on the basis of which one of the BOD values given below :

A. 3 ppm

B. 21 ppm

C. 15 ppm

D. 11 ppm

Answer:



Watch Video Solution

76. Hydrogen peroxide reacts with iodine in basic medium to give:

A. I^-




B. IO_3^-



Answer:

 [Watch Video Solution](#)

77. Experimentally reducing a functional group cannot be done by which one of the following reagents?



Answer:

 [Watch Video Solution](#)

78. The Crystal Field Stabilization Energy (CFSE) and magnetic moment (spin-only) of an octahedral aqua complex of a metal ion (M^{Z+}) are $-0.8 \Delta_0$ and 3.87 BM, respectively. Identify (M^{Z+}):




Answer:




[Watch Video Solution](#)

79. In the following sequence of reactions,



The compounds B and C respectively are ·



B. CHI_3, CH_3COOK


C. CI_3COOK, CH_3I


D. $CI_3COOK, HCOOH$

Answer:


 [Watch Video Solution](#)

80. Identify A in the following reaction.







A.



B.



C.




D.

Answer:



[Watch Video Solution](#)

1. The reaction that occurs in a breath analyser, a device used to determine the alcohol level in a person's blood stream is



If the rate of appearance of $Cr_2(SO_4)_3$ is $2.67 \text{ mol min}^{-1}$ at a particular time, the rate of disappearance of C_2H_6O at the same time is _____ mol min^{-1} . (Nearest integer)

 [Watch Video Solution](#)

2. 1Kg of an aqueous solution of Sucrose is cooled and maintained at -4°C . How much ice will be separated out if the molality of the solution is 0.75? $K_F(\text{H}_2\text{O}) = 1.86\text{Kg mol}^{-1}\text{K}$

 [Watch Video Solution](#)

3. 200mL of 0.2M HCl is mixed with 300 mL of 0.1M NaOH. The molar heat of neutralization of this reaction is -57.1kJ . The increase in temperature in $^\circ\text{C}$ of the system on mixing is $x \times 10^{-2}$. The value of x is _____.

(Nearest integer)

[Given : Specific heat of water = $4.18 \text{ J g}^{-1} \text{ K}^{-1}$ Density of water = 1.00 g cm^{-3}]

(Assume no volume change on mixing)

 [Watch Video Solution](#)

4. In Carius method for estimation of halogens, 2 g of an organic compound gave 1.88 g of AgBr. The percentage of bromine in the compound is _____. (Nearest integer)

[Atomic mass : Ag=108, Br=80]

 [Watch Video Solution](#)

5. 1 mol of an octahedral metal complex with formula $MCl_3 \cdot 2L$ on reaction with excess of $AgNO_3$ gives 1 mol of AgCl. The denticity of Ligand L is _____. (Integer answer)

 [Watch Video Solution](#)

6. The kinetic energy of an electron in the second Bohr orbit of a hydrogen atom is equal to $\frac{h^2}{xma_0^2}$. The value of $10x$ is _____. (a_0 is radius of Bohr's orbit)

(Nearest integer)

[Given : $\pi = 3.14$]



Watch Video Solution

7. The number of moles of NH_3 , that must be added to 2L of 0.80M $AgNO_3$ in order to reduce the concentration of Ag^+ ions to $5.0 \times 10^{-8}M$ ($K_{\text{formation}}$ for $[Ag(NH_3)_2]^+ = 1.0 \times 10^8$) is _____.

(Nearest integer)

[Assume no volume change on adding NH_3]



Watch Video Solution

8. The number of moles of CuO , that will be utilized in Dumas method for estimating nitrogen in a sample of 57.5g of N,N-dimethylaminopentane is _____ $\times 10^{-2}$. (Nearest integer)

 [Watch Video Solution](#)

9. When 10mL of an aqueous solution of KMnO_4 was titrated in acidic medium, equal volume of 0.1M of an aqueous solution of ferrous sulphate was required for complete discharge of colour. The strength of KMnO_4 in grams per litre is _____ $\times 10^{-2}$. (Nearest integer)

[Atomic mass of K=39, Mn=55, O=16]

 [Watch Video Solution](#)

10. The number of f electrons in the ground state electronic configuration of Np (Z=93) is _____. (Integer answer)

 [Watch Video Solution](#)

11. When 5.1 g of solid NH_4HS is introduced into a two litre evacuated flask at $27^\circ C$, 20% of the solid decomposes into gaseous ammonia and hydrogen sulphide. The K_p for the reaction at $27^\circ C$ is $x \times 10^{-2}$. The value of x is _____ (Integer answer)

[Given $R = 0.082 \text{ L atm K}^{-1} \text{ mol}^{-1}$]

 [Watch Video Solution](#)

12. The resistance of a conductivity cell with cell constant 1.14 cm^{-1} , containing 0.001 M KCl at 298 K is 1500Ω . The molar conductivity of 0.001 M KCl solution at 298 K in $\text{S cm}^2 \text{ mol}^{-1}$ is _____ (Integer answer)

 [Watch Video Solution](#)

13. The first order rate constant for the decomposition of $CaCO_3$, at 700 K is $6.36 \times 10^{-3} \text{ s}^{-1}$ and activation energy is 209 kJ mol^{-1} . Its rate constant (in s^{-1}) at 600 K is $x \times 10^{-6}$. The value of x is _____ (Nearest integer)


[Given

$$R = 8.31 JK^{-1} \text{mol}^{-1}, \log 6.36 \times 10^{-3} = -2.19, 10^{-4.79} = 1.62 \times 10^{-5}$$

]

 [Watch Video Solution](#)

14. Data given for the following reaction is as follows:



Substance	$\Delta_f H^\circ$ (kJ mol ⁻¹)	ΔS° (J mol ⁻¹ K ⁻¹)
FeO _(s)	-266.3	57.49
C _(graphite)	0	5.74
Fe _(s)	0	27.28
CO _(g)	-110.5	197.6

The minimum temperature in K at which the reaction becomes spontaneous is _____ .

(Integer answer)

 [Watch Video Solution](#)

15. 40 g of glucose (Molar mass=180) is mixed with 200 mL of water. The freezing point of solution is ____ K. (Nearest integer)

[Given : $K_f = 1.86 \text{ K kg mol}^{-1}$, Density of water = 1.00 g cm^{-3} ,

Freezing point of water = 273.15 K]

 [Watch Video Solution](#)

16. The number of optical isomers possible for $[\text{Cr}(\text{C}_2\text{O}_4)_3]^{3-}$ is

 [Watch Video Solution](#)

17. The number of photons emitted by a monochromatic (single frequency) infrared range finder of power 1 mW and wavelength of 1000 nm, in 0.1 second is $x \times 10^{13}$. The value of r is . (Nearest integer)

($h = 6.63 \times 10^{-34} \text{ Js}$, $c = 3.00 \times 10^8 \text{ ms}^{-1}$)

 [Watch Video Solution](#)

18. The number of species having non-pyramidal shape among the following is _____.



Answer:



[Watch Video Solution](#)

19. 100 g of propane is completely reacted with 1000 g of oxygen. The mole fraction of carbon dioxide in the resulting mixture is $x \times 10^{-2}$. The value of x is _____.


(Nearest integer)

[Atomic weight : H=1.008, C=12.00, O=16.00]



[Watch Video Solution](#)

20. Two flasks I and II shown below are connected by a valve of negligible volume.




When the valve is opened, the final pressure of the system in bar is $x \times 10^{-2}$. The value of x is ____ (Integer answer)

[Assume - Ideal gas, 1 bar = 10^5 Pa, Molar mass of $N_2 = 28.0 \text{ g mol}^{-1}$, $R = 8.31 \text{ J mol}^{-1} \text{ K}^{-1}$]

 [Watch Video Solution](#)

21. Consider the following cell reaction



The value of E_{cell}^0 is 4.315 V at 25° C. If $\Delta H^\circ = -825.2 \text{ kJ mol}^{-1}$ the

standard entropy change ΔS° in J K^{-1} is _____ (Nearest integer)

[Given : Faraday constant = 96487 C mol^{-1}]

 [Watch Video Solution](#)

22. The total number of reagents from those given below, that can convert nitrobenzene into aniline is _____ (Integer answer)

I. Sn - HCl

II. Sn - NH_4OH

III. Fe - HCl

IV. Zn - HCl

V. H_2 - Pd

VI. H_2 - Raney Nickel

 [Watch Video Solution](#)


23. The molarity of the solution prepared by dissolving 6.3 g of oxalic acid ($\text{H}_2\text{C}_2\text{O}_4 \cdot 2\text{H}_2\text{O}$) in 250 ml of water in mol L^{-1} is $x \times 10^{-2} \text{M}$. The value of x is _____ (Nearest integer) [Atomic mass : H : 1.0, C : 12.0, O : 16.0]

[▶ Watch Video Solution](#)

24. A_3, B_2 is a sparingly soluble salt of molar mass M ($g\text{mol}^{-1}$) and solubility x $g\text{L}^{-1}$. The solubility product satisfies $K_{sp} = a \frac{x}{(M)^5}$. The value of a is _____ (Integer answer)

[▶ Watch Video Solution](#)

25. According to the following figure, the magnitude of the enthalpy change of the reaction $A + B \rightarrow M + N$ in kJ mol^{-1} is equal to _____ (Integer answer)



[▶ Watch Video Solution](#)

26. Ge ($Z = 32$) in its ground state electronic configuration has x completely filled orbitals with $m_l = 0$. The value of x is _____

 [Watch Video Solution](#)

27. the number of halogen/ (s) forming halic (v) acid is _____

 [Watch Video Solution](#)

28. For a first order reaction, the ratio of the time for 75% completion of a reaction to the time for 50% completion is _____ (Integer answer)

 [Watch Video Solution](#)

29. The number of hydrogen bonded water molecule(s) associated with stoichiometry $CuSO_4 \cdot 5H_2O$ is _____

 [Watch Video Solution](#)

30. Consider the sulphides HgS , PbS , CuS , Sb_2S_3 , As_2S_3 and CdS . Number of these sulphides soluble in 50% HNO_3 is _____

 [Watch Video Solution](#)

31. If 80 g of copper sulphate $CuSO_4 \cdot 5H_2O$ is dissolved in deionised water to make 5L. Of solution. The concentration of the copper sulphate solution is $x \times 10^{-3} molL^{-1}$. The value of x is _____.

[Atomic masses Cu : 63.54 u, S : 32 u, O : 16 u, H : 1 u]

 [Watch Video Solution](#)

32. The molar solubility of $Zn(OH)_2$ in 0.1 M NaOH solution is $x \times 10^{-18} M$. The value of x is _____. (Nearest integer)

(Given: The solubility product of $Zn(OH)_2$ is 2×10^{-20})

 [Watch Video Solution](#)

33. The sum of oxidation states of two silver ions in $[Ag(NH_3)_2][Ag(CN)_2]$ complex is

 [Watch Video Solution](#)

34. For the reaction $2NO_2(g) \rightleftharpoons N_2O_4(g)$, when $\Delta S = -176.0 JK^{-1}mol^{-1}$ and $\Delta H = -57.8 kJmol^{-1}$, the magnitude of ΔG at 298 K for the reaction is _____ $kJ mol^{-1}$. (Nearest integer)

 [Watch Video Solution](#)

35. An empty LPG cylinder weighs 14.8 kg. When full, it weighs 29.0 kg and shows a pressure of 3.47 atm. In the course of use at ambient temperature, the mass of the cylinder is reduced to 23.0 kg. The final

pressure inside the cylinder is atm. (Nearest integer) (Assume LPG to be an ideal gas)

 [Watch Video Solution](#)

36. The spin-only magnetic moment value of B_2^+ species is _____
 $\times 10^{-2}$ BM. (Nearest integer)

[Given : $\sqrt{3} = 1.73$]

 [Watch Video Solution](#)

37. The number of atoms in 8 g of sodium is $x \times 10^{23}$. The value of x is _____.

(Nearest integer)

[Given : $N_A = 6.02 \times 10^{23} \text{ mol}^{-1}$

Atomic mass of Na = 23.0 u]

 [Watch Video Solution](#)

38. A peptide synthesized by the reactions of one molecule each of Glycine, Leucine, Aspartic acid and Histidine will have _____peptide linkages.

 [Watch Video Solution](#)

39. If the conductivity of mercury at 0°C is $1.07 \times 10^6 \text{Sm}^{-1}$ and the resistance of a cell containing mercury is 0.243Ω , then the cell constant of the cell is $x \times 10^4 \text{m}^{-1}$. The value of x is _____ (Nearest integer)

 [Watch Video Solution](#)

40. A 50 watt bulb emits monochromatic red light of wavelength of 795 nm. The number of photons emitted per second by the bulb is $x \times 10^{20}$. The value of x is _____.

(Nearest integer)

[Given : $h = 6.63 \times 10^{-34} \text{Js}$ and $c = 3.0 \times 10^8 \text{ms}^{-1}$]

 [Watch Video Solution](#)

Chemistry Section A

1. The interaction energy of London forces between two particles is proportional to r^x , where r is the distance between the particles. The value of x is :

A. 6

B. 3



C. -6

D. -3

Answer:




[Watch Video Solution](#)




2.


The Major Product in the above reaction is:




A.



B.



C.




D.

Answer: D



 Watch Video Solution

3. Match List - I with List - II.

List - I
(Chemical Reaction)



List - II
(Reagent used)



Choose the most appropriate match.

A. (a)-(ii), (b)-(iv), (c)-(iii), (d)-(i)

B. (a)-(ii), (b)-(iii), (c)-(iv), (d)-(i)

C. (a)-(iii), (b)-(ii), (c)-(i), (d)-(iv)

D. (a)-(iv), (b)-(ii), (c)-(iii), (d)-(i)

Answer:

 Watch Video Solution

4. Given below are two statements :

Statement I : Sphalerite is a sulphide ore of zinc and copper glance is a sulphide ore of copper.

Statement II : It is possible to separate two sulphide ores by adjusting proportion of oil to water or by using 'depressants' in a froth flotation method.

Choose the most appropriate answer from the options given below :




- A. Statement I is false but Statement II is true.
- B. Both Statement I and Statement II are true . .
- C. Statement I is true but Statement II is false.
- D. Both Statement I and Statement II are false.

Answer:



Watch Video Solution

5. Indicate the complex/complex ion which did not show any geometrical isomerism:



Answer:



[Watch Video Solution](#)

6. Given below are two statements : one is labelled as Assertion (A) and the other is labelled as Reason (R).

Assertion (A) : Photochemical smog causes cracking of rubber.

Reason (R) : Presence of ozone, nitric oxide, acrolein, formaldehyde and peroxyacetyl nitrate in photochemical smog makes it oxidizing.



Choose the most appropriate answer from the options given below :


- A. Both (A) and (R) are true but (R) is not the true explanation of (A)
- B. (A) is false but (R) is true.
- C. Both (A) and (R) are true and (R) is the true explanation of (A).
- D. (A) is true but (R) is false.

Answer:


 [Watch Video Solution](#)

7. Which one of the following phenols does not give colour when condensed with phthalic anhydride in presence of conc. H_2SO_4 ?





C.



D.

Answer:

[▶ Watch Video Solution](#)

8. The number of stereoisomers possible for 1,2-dimethyl cyclopropane is :

A. Two

B. Three

C. Four

D. One

Answer:

 [Watch Video Solution](#)

9. Chalcogen group elements are .

A. S, Te and Pm.


B. O, Ti and Po.

C. Se, Tb and Pu.

D. Se, Te and Po.

Answer:

 [Watch Video Solution](#)



Chlordiazepoxide

10.

The class of drug to which chlordiazepoxide with above structure belongs is :

- A. Antacid
- B. Tranquilizer
- C. Antibiotic
- D. Analgesic

Answer:



Watch Video Solution

11. The sol given below with negatively charged colloidal particles is :

A. $AgNO_3$ added to KI solution

B. $Al_2O_3 \cdot xH_2O$ in water

C. $FeCl_3$ added to hot water

D. KI added to $AgNO_3$ solution

Answer:



Watch Video Solution

12. Arrange the following Cobalt complexes in the order of increasing Crystal Field Stabilization Energy (CFSE) value.

Complexes : $[CoF_6]_A^{3-}$, $[Co(H_2O)_6]_B^{2+}$, $[Co(NH_3)_6]_C^{3+}$ and $[Co(en)_3]_D^{3+}$

Choose the correct option :

A. $B < C < D < A$

B. $A < B < C < D$

C. $B < A < C < D$

D. $C < D < B < A$

Answer:

 [Watch Video Solution](#)

13. The bond order and magnetic behaviour of O_2^- ion are, respectively :

A. 1.5 and diamagnetic

B. 1 and paramagnetic.

C. 1.5 and paramagnetic.

D. 2 and diamagnetic.

Answer:

 [Watch Video Solution](#)

14. The number of non-ionisable hydrogen atoms present in the final product obtained from the hydrolysis of PCl_5 is :

A. 2

B. 3

C. 0

D. 1

Answer:



[Watch Video Solution](#)

15. Given below are two statements: one is labelled as Assertion (A) and the other is labelled as Reason (R).

Assertion (A) : Heavy water is used for the study of reaction mechanism.

Reason (R) : The rate of reaction for the cleavage of O - H bond is slower

than that of O - D bond.

Choose the most appropriate answer from the options given below :

- A. Both (A) and (R) are true but (R) is not the true explanation of (A).
- B. (A) is true but (R) is false.
- C. (A) is false but (R) is true.
- D. Both (A) and (R) are true and (R) is the true explanation of (A).

Answer:



Watch Video Solution

16. Given below are two statements: one is labelled as Assertion (A) and the other is labelled as Reason (R).

Assertion (A) : Barium carbonate is insoluble in water and is highly stable.

Reason (R) : The thermal stability of the carbonates increases with increasing cationic size.

Choose the most appropriate answer from the options given below :

A. (A) is false but (R) is true.


B. (A) is true but (R) is false.

C. Both (A) and (R) are true and (R) is the true explanation of (A).



D. Both (A) and (R) are true but (R) is not the true explanation of (A).



Answer:

 Watch Video Solution



Consider the given reaction, the Product A is :





Answer:

 [Watch Video Solution](#)

18. Given below are two statements: one is labelled as Assertion (A) and the other is labelled as Reason (R).

Assertion (A) : Sucrose is a disaccharide and a non-reducing sugar.

Reason (R) : Sucrose involves glycosidic linkage between C_1 of D-glucose and C_2 of α -fructose.

Choose the most appropriate answer from the options given below :

A. Both (A) and (R) are true and (R) is the true explanation of (A).


B. (A) is true but (R) is false.

C. Both (A) and (R) are true but (R) is not the true explanation of (A).





D. (A) is false but (R) is true.

Answer:

 Watch Video Solution







Consider the given reaction, Identify 'X' and 'Y' :



Answer:

 Watch Video Solution

20. Which one of the following compounds is not aromatic ?




Answer: D



Watch Video Solution

1. The reaction rate for the reaction



was measured as a function of concentrations of different species. It was observed that

$$\frac{-d\left[[PtCl_4]^{2-}\right]}{dt} = 4.8 \times 10^{-5} \left[[PtCl_4]^{2-}\right] - 2.4 \times 10^{-3} \left[[Pt(H_2O)Cl_3]^{-}\right]$$

where square brackets are used to denote molar concentrations. The equilibrium constant $K_c =$ _____. (Nearest integer)



Watch Video Solution

2. The overall stability constant of the complex ion $[Cu(NH_3)_4]^{2+}$ is 2.1×10^{13} . The overall dissociation constant is $y \times 10^{-14}$. Then y is _____ (Nearest integer)




Watch Video Solution

3. In the sulphur estimation. 0.471 g of an organic compound gave 1.44 g of barium sulfate. The percentage of sulphur in the compound is _____ % . (Nearest integer)

(Atomic Mass of Ba = 137 u)

 [Watch Video Solution](#)

4. For the galvanic cell,



$E_{cell} = \text{_____} \times 10^{-2}V$. (Nearest integer)

 [Watch Video Solution](#)

5. A chloro compound "A".

(i) forms aldehydes on ozonolysis followed by the hydrolysis.

(ii) when vaporized completely 1.53 g of A, gives 448 mL of vapour at STP.

The number of carbon atoms in a molecule of compound A is _____.

 [Watch Video Solution](#)


6. 83 g of ethylene glycol dissolved in 625 g of water. The freezing point of the solution is ___ K. (Nearest integer)

 [Watch Video Solution](#)

7. For water $\text{mol } \Delta_{\text{vap}} H = 41 \text{ kJ mol}^{-1}$ at 373 K and 1 bar pressure. Assuming that water vapour is an ideal gas that occupies a much larger volume than liquid water, the internal energy change during evaporation of water is _____ kJ mol^{-1} .

 [Watch Video Solution](#)

8. The equilibrium constant K_c at 298 K for the reaction



is 100. Starting with an equimolar solution with concentrations of A, B, C

and D all equal to 1 M, the equilibrium concentration of D is $\times 10^{-2}$ M.

(Nearest integer)

 [Watch Video Solution](#)

9. 100 mL of Na_3PO_4 solution contains 3.45 g of sodium. The molarity of the solution is $___ \times 10^{-2} molL^{-1}$. (Nearest integer)

 [Watch Video Solution](#)

10. A metal surface is exposed to 500 nm radiation. The threshold frequency of the metal for photoelectric current is $4.3 \times 10^{14} Hz$. The velocity of ejected electron is $___ \times 10^5 ms^{-1}$. (Nearest integer)

 [Watch Video Solution](#)