

# **BIOLOGY**

# **BOOKS - DINESH PUBLICATION ENGLISH**

# COELENTERATA AND CTENOPHORA (OR CNIDARIA AND ACNIDARIA)



- 1. The study of coelenterates is known as
  - A. Arthrology
  - B. Splanchnology

- C. Cnidology
- D. Nidology

## **Answer: C**



**Watch Video Solution** 

- 2. Which is a fresh water cnidarian?
  - A. Hydra
  - B. Spongilla
  - C. Dugesia
  - D. None of the above.

## Answer: A

- 3. Coelenterates are
  - A. Diploblastic
  - B. Triploblastic
  - C. Monoblastic
  - D. None of the above.

#### **Answer: A**



**Watch Video Solution** 

4. The name Hydra was given by

A. Ellis B. Aristotle C. Linnaeus D. Reaumur. **Answer: C Watch Video Solution 5.** Male cone of the Pinus possesses A. Manubrium B. Mouth C. Osculum

D. Ostium

**Answer: A** 



**Watch Video Solution** 

- **6.** The number of tentacles in Hydra is called
  - A. 6 to 10
  - B. 10 to 16
  - C. 16 to 20
  - D. 20 to 26

Answer: A



<b>7.</b> Gland	cells fo	or secreting	adhesive	material	in	Hydra	are
present	in						

- A. Pedal disc
- B. Stomach region
- C. Growth region
- D. Hypostome.

## **Answer: A**



**Watch Video Solution** 

8. Supporting lamella of Hydra is

A. Mesogloea B. Gastrodermis C. Epidermis D. None of the above. **Answer: A Watch Video Solution** 9. Hydra is immortal, because A. Old cells are replaced by new cells B. Cell do not grow old C. Of regeneration

D. It never dies.

## **Answer: A**



**Watch Video Solution** 

# 10. Nematoblasts in Hydra are commonly of

- A. 2 types
- B. 3 types
- C. Four types
- D. None of the above.

## **Answer: C**



<b>11.</b> What will happer	n if the cnidocil is	touched	with a	glass
rod?				

- A. Nematoblasts will be discharged
- B. Nematoblasts will not discharge
- C. Nematoblasts will die
- D. None of the above.

#### **Answer: A**



**Watch Video Solution** 

12. Nematoblasts with blind thread tube is called

- A. Stenotele

  B. Desmoneme

  C. Stereoline glutinant

  D. Streptoline glutinant
- **Answer: B**



- **13.** Nematocyst is
  - A. Cell
  - B. Group of cell
  - C. Organ

D. Part of a cell.

Answer: D

Watch Video Solution

- 14. The smallest cnidoblast in the body of Hydra is
  - A. Penetrant
  - B. Volvent
  - C. Atrichous isorhiza
  - D. Holotrichous isorhiza.

## **Answer: C**



15.	The	largest	nemato	blast	is
15.	1110	iaigest	Ticinato	Diast	13

- A. Stenotele
- B. Desmoneme
- C. Small glutinant
- D. Large glutinant.

#### **Answer: A**



**Watch Video Solution** 

**16.** Germ cells of Hydra are

A. Ectodermal

B. Mesodermal C. Endodermal D. None of the above. **Answer: A Watch Video Solution** 17. Digestion in Hydra is A. Intercellular B. Intracellular C. Both D. None.

## **Answer: C**



**Watch Video Solution** 

## **18.** One of the following is a coelenterate

- A. Sea Fan
- B. Sea Dollar
- C. Sea Cucumber
- D. Sea Horse.

#### **Answer: A**



<b>19.</b> The mesolamella/mesogloea is formed by		
A. Epidermis		
B. Gastrodermis		
C. Epidermis and gastrodermis		
D. Mesoderm.		
Answer: C		
Watch Video Solution		
20. When some food particle enters the windpipe instead		
of oesphagus it is expelled by the process of		
A. Mouth		

B. Anus C. General surface D. Hypostome. **Answer: A Watch Video Solution** 21. Hydra does not feed on lower animals because A. They are so small

B. They are distasteful

C. They lack glutathione

D. None of the above.

#### **Answer: C**



**Watch Video Solution** 

## 22. Digestion in Hydra is

- A. Proteolytic enzymes
- B. Amyloltyic enzymes
- C. Lipolytic enzymes
- D. None of the above.

#### **Answer: A**



<b>23.</b> Perisarc is absent in Hydra because
A. It is fixed
B. It is free swimming
C. Epidermis cannot secrete it
D. None of the above.
Answer: B
Watch Video Solution
<b>24.</b> Great Barrier Reef occurs off the coast of
A. Sri Lanka
B. Philippines

- C. Australia
- D. Maharashtra.

## **Answer: C**



**Watch Video Solution** 

# **25.** Hydra is

- A. Insectivorous
- B. Frugivorous
- C. Omnivorous
- D. Carnivorous

## Answer: D

26. Which part of Hydra is without supporting lamella?

- A. Basal disc
- B. Central part of pedal disc
- C. Tentacles
- D. None of the above.

**Answer: B** 



**Watch Video Solution** 

27. Which part of Hydra is without namatoblasts?

A. Pedal disc B. Tentacles C. Manubrium D. Stomach region. **Answer: A Watch Video Solution** 28. In which nematoblast thread tube is unarmed and open at the tip? A. Penetrant B. Volvent

- C. Small glutinant
- D. Large glutinant.

## **Answer: C**



**Watch Video Solution** 

# **29.** Tentacles

- A. Hollow
- B. Solid
- C. Half hollow and half solid
- D. None of the above.

## Answer: A

**30.** The green colour of Hydra viridis (Chlorohydra viridissima) is due to

- A. Chloroplasts
- B. Pigment
- C. Zoochlorella
- D. None of the above.

**Answer: C** 



A. Penetrants
B. Volvents
C. Small glutinants
D. Large glutinants.
Answer: B
Watch Video Solution
<b>32.</b> Nematoblasts responsible for locomotion are
A. Penetrants

**31.** Which nematoblasts coil around the prey?

C. Glutinants D. None of the above. **Answer: C Watch Video Solution** 33. Hypnotoxin is A. Protein B. Carbohydrate C. Lipid D. None of the above.

**B.** Volvents

## **Answer: A**



**Watch Video Solution** 

## **34.** Fresh Water Polyp is

- A. Hydra
- B. Aurelia
- C. Physalia
- D. Obelia.

#### **Answer: A**



<b>35.</b> Epitheleomuscular cells of epidermis of Hydra form
A. Circular muscles
B. Oblique muscles
C. Longitudinal muscles
D. None of the above.
Answer: C
Watch Video Solution
<b>36.</b> A colonial hydrozoan is
A. Hydra

B. Metridium

- C. Aurelia
- D. Obelia.

## **Answer: D**



**Watch Video Solution** 

- **37.** Hydra contracts its body by means of
  - A. Interstitial cells
  - B. Cnidoblasts
  - C. Nutritive cells
  - D. Epithelio-muscular cells.

## **Answer: D**

38. Sea Anemone is member of class

- A. Hydrozoa
- B. Scyphozoa
- C. Anthozoa/Actinozoa
- D. None of the above.

**Answer: C** 



A. Hydra B. Obelia C. Aurelia D. Tubipora **Answer: B Watch Video Solution 40.** Polymorphic animal is A. Physalia B. Hydra C. Tubipora

D. Metridium. **Answer: A Watch Video Solution** 41. Hydra can digest all types of food except A. Proteins B. Fats

C. Starches

D. None of the above.

# **Answer: C**



# 42. Mesogloea of Hydra contains

- A. Nerve cells
- B. Phagocytic cells
- C. Interstitial cells
- D. None of the above.

#### **Answer: D**



- 43. Cnidom is a
- (a) Battery of a nematoblasts

(b) Group of nematoblasts (c) Armed thread (d) Unarmed thread. A. Battery of a nematoblasts B. Group of nematoblasts C. Armed thread D. Unarmed thread. **Answer: B Watch Video Solution** 44. Larva of Hydra is

A. aurelya B. Planula C. Tadpole D. Hydrula. **Answer: A Watch Video Solution** 45. A coral island with a central shollow lake is known as A. Coral reef B. Lagoon C. Atoll

D. Corallite

## Answer: C



**Watch Video Solution** 

- **46.** Gas gland occurs in
  - A. Gorgonia
  - B. Physalis
  - C. Pennatula
  - D. Red Coral.

## **Answer: B**



A. Obelia
B. Hydra
C. Aurelia
D. Physalia.
Answer: A
Watch Video Solution
<b>48.</b> Blastostyle of Obelia bears
A. Tentacles

**47.** Chitinous covering or perisarc is present in

C. Medusae D. Gonads. **Answer: C Watch Video Solution** 49. Polyps of Obelia are A. Reproductive zooids B. Nutritive zooids C. Zooids meant for dispersal D. All of above.

B. Polyps

### **Answer: B**



**Watch Video Solution** 

## **50.** Pneumatophore is present in

- A. Hydra
- B. Obelia
- C. Aurelia
- D. Physalia.

### **Answer: D**



<b>51.</b> Reproductive zooids of Physalia are
A. Medusae
B. Cormidia
C. Gastrozooids
D. Gonophores.
Answer: D  Watch Video Solution
<b>52.</b> A cormidium of Physalia consists of
A. Tentacles
B. Zooids

- C. Both A and B
- D. Tentacles, zooids and pneumatophore.

## **Answer: C**



**Watch Video Solution** 

# **53.** Jelly Fish is

- A. Adamsia
- B. Aurelia
- C. Scoliodon
- D. Torpedo.

## Answer: B

## 54. Hermit Crab develops a beneficial association with

- A. Adamsia
- B. Aurelia
- C. Gorgonia
- D. Pennatula.

#### **Answer: A**



A. Corals B. Red corals C. Sea Anemones D. Jelly Fishes. **Answer: C Watch Video Solution** 56. Coral island is in A. Laccadives B. Srilanka C. Iceland

D. Mumbai.

## Answer: A



Watch Video Solution

## **57.** Pennatula is

- A. Sea Fan
- B. Sea Pen
- C. Sea Star
- D. Sea Flower.

### **Answer: B**



<b>58.</b> The term coelenterate was coined by
A. Linnaeus
B. Leuckart
C. Clark
D. Grant.
Answer: B
Watch Video Solution
<b>59.</b> Which one is polymorphic coelenterate?
A. Obelia

C. Aurelia D. Adamsia. **Answer: A Watch Video Solution 60.** Exoskeleton of coelenterates is A. Siliceous **B.** Chitinous C. Calcareous D. Both B and C.

B. Hydra

## **Answer: D**



**Watch Video Solution** 

## 61. Nerve cells of coelenterates is

- A. Apolar
- B. Unipolar
- C. Bipolar
- D. Multipolar.

### **Answer: A**



<b>62.</b> Coelenterates are
A. Ureotelic
B. Uricotelic
C. Ammonotelic
D. None of the above.
Answer: C
Watch Video Solution
Watch Video Solution
Watch Video Solution
Watch Video Solution  63. Glutathione is
<b>63.</b> Glutathione is

- C. Polysaccharide
- D. Trisaccharide.

## **Answer: B**



**Watch Video Solution** 

## **64.** Brown Hydra is

- A. Hydra vulgaris
- B. Hydra viridis
- C. Hydra fusca
- D. Hydra gangeticus.

### **Answer: C**

## 65. Colour of Brown Hydra is due to

- A. Chromoplasts
- B. Zooxanthellae
- C. Zoochlorellae
- D. Both A and B.

#### **Answer: B**



A. Hydra B. Obelia C. Physalia D. Aurelia. **Answer: D Watch Video Solution** 67. In corals, the gonads are A. Endodermal B. Ectodermal C. Mesodermal.

D. Mesogleal.

**Answer: A** 



**Watch Video Solution** 

**68.** Gastrovascular cavity or coelenteron partitioned in

A. Hydrozoa

B. Scyphozoa

C. Actinozoa

D. Both B and C.

## **Answer: C**



A. Obelia
B. Aurelia
C. Physalia
D. Metridium.
Answer: D
Watch Video Solution
<b>70.</b> Contractile structure of nematoblast is
A. Lasso

**69.** Coelenterate without medusoid stage in life cycle is

C. Tube D. Refractive rods **Answer: A Watch Video Solution** 71. Sensory structure of a cnidoblast is A. Cnidocil B. Refractile rods C. Myonemes D. Operculum.

B. Cnidocil

## Answer: A



**Watch Video Solution** 

**72.** Zoochlorellae or Zooxanthellae of coloured Hydra occur in

- A. Epithelio-muscular cells
- B. Nutritive cells
- C. Mesogloea
- D. Interstitial cells.

### **Answer: B**



# 73. Sensory cells of Hydra possess

- A. Flagellum
- B. Hair-like processes
- C. Cilia
- D. Pseudopodia.

## **Answer: B**



- **74.** Growth zone of Hydra is
  - A. Diffused

- B. Near the foot
- C. Below hypostome
- D. In the middle.

### **Answer: C**



**Watch Video Solution** 

# **75.** Hydra contracts its body by means of

- A. Epitheliomuscular cells
- B. Endotheliomuscular cells
- C. Sensory cells
- D. Glandulo-muscular cells.

### **Answer: A**



**Watch Video Solution** 

76. In Hydra, all old cells are replaced in

- A. 15 days
- B. 30 days
- C. 45 days
- D. 60 days

### **Answer: C**



<b>77.</b> Sea Fur is
A. Hydra
B. Obelia
C. Adamsia
D. Gorgonia.
Answer: B
Watch Video Solution
<b>78.</b> Obelia is
A. Sedentary
B. Attached but capable of locomotion

- C. Motile
- D. Free floating.

### **Answer: A**



**Watch Video Solution** 

## **79.** Hydra shows locomotion by

- A. Somersaulting and looping
- B. Gliding and climbing
- C. Walking, floating and swimming
- D. All the above.

## Answer: D

# 80. Number of tentacles in a polyp of Obelia is

A. 
$$5 - 10$$

$$B.10 - 15$$

$$C.15 - 20$$

$$D.20 - 30$$

#### **Answer: D**



A. Hollow B. Solid C. Internally chambered D. Spiny and hollow. **Answer: B Watch Video Solution** 82. In Physalia, the float is A. Crimson B. Brown C. Blue

D. Colourless. **Answer: C Watch Video Solution** 83. Crest or sail of float in Physalia is differently coloured. It is A. Yellow B. Crimson C. Violet D. Black.

**Answer: C** 

84. In Pysalia, zooids occur in groups called

A. Conulae

B. Palpons

C. Cormidia

D. Dactyloids.

**Answer: C** 



**Watch Video Solution** 

**85.** Feeding zooids of Physalia are called

A. Gastrozooids B. Dactylozoids C. Gonodendra D. Gonopalpons. **Answer: A Watch Video Solution** 86. In Physalia, nematoblasts paralyse the prey by A. Haemotoxin B. Neurotoxin C. Myotoxin

D. Both B and C.

## **Answer: B**



**Watch Video Solution** 

# 87. Jelly Fish Aurelia occurs abundantly in

- A. Mumbai Coast
- B. Tamil Nadu Coast
- C. Bay of Bengal
- D. All the above.

### **Answer: B**



88.	Аш	relia	has
oo.	Au.	Спа	Has

- A. Two smooth oral arms
- B. Two nematoblast rich oral arms
- C. Four tentacles
- D. Four cnidoblast rich oral arms.

#### **Answer: D**



**Watch Video Solution** 

89. Which one is bioluminescent?

A. Aurelia

B. Astraea

C. Adamsia

D. Metridium.

### **Answer: A**



- **90.** Sea Anemone is characterised by
  - A. A whorl of several tentacles
  - B. Many whorls of tentacles
  - C. Irregularly placed tentacles
  - D. Absence of tentacles.

### **Answer: B**



**Watch Video Solution** 

#### 91. Corals are

- A. Solitary
- B. Colonial
- C. Stonely
- D. Both B and C.

### **Answer: D**



92. A coral stone is made of A. Several corallites B. Corallium C. A single corallite D. Both A and B. **Answer: D Watch Video Solution** 93. Coral reef is formed by A. Siliceous matter B. Limestone

- C. Chitin
- D. Lava.

## **Answer: B**



**Watch Video Solution** 

# **94.** A barrier reef develops

- A. Near sea shore
- B. Deep in sea
- C. At some distance from sea shore
- D. Around a lagoon.

## **Answer: C**

## 95. Great Barrier Reef of Australia is

- A. 1000 km long
- B. 2300 km long
- C. 2400 km long
- D. 3600 km long.

#### **Answer: B**



A. Fiji B. Maldives C. Laccadives D. All the above. **Answer: D Watch Video Solution** 97. Which one has a tree-like branched from? A. Pennatula B. Gorgonia C. Physalia

D. Porpita.

# **Answer: B**



**Watch Video Solution** 

# **98.** Anthocodia is

- A. Medusoid zooid
- B. Polypoid zooid
- C. Whole zooid
- D. Distal part of zooid with mouth and tentacles.

#### **Answer: D**



# 99. Siphonozoids of Pennatula differ from autozooids in

- A. Having tentacles and gonads
- B. Lacking mesenteries
- C. Lacking tentacles and gonads
- D. Having mesenteries.

#### **Answer: C**



**Watch Video Solution** 

100. Autozoids of Pennatula take part in

A. Capturing prey

- B. Circulation
- C. Feeding and reproduction
- D. Feeding and circulation.

#### **Answer: C**



**Watch Video Solution** 

# 101. Scientific name of Sea Pen/Sea Feather is

- A. Pennatula
- B. Gorgonia
- C. Porpita
- D. Velella.

## **Answer: A**



**Watch Video Solution** 

# 102. Pennatula and Gorgonia are

- A. Hydrozoans
- B. Scyphozoans
- C. Corals
- D. Ctenophores.

### **Answer: C**



**103.** Intermediate between diploblastic and triploblastic body structure is found in

- A. Porifers
- **B.** Coelenterates
- C. Ctenophores
- D. Platyhelminthes.

### **Answer: C**



**Watch Video Solution** 

**104.** What is present in mesoglea of ctenophores which make it a loose layer of cells?

- A. Amoebocytes
- B. Elastic cells
- C. Nerve cells and muscle cells
- D. All the above.

#### **Answer: D**



- **105.** Which is a absent in ctenophores?
  - A. Epidermis
  - B. Intercellular and intracellular digestion
  - C. Cnidoblasts

D. Medusa phase. **Answer: C Watch Video Solution** 106. Symmetry of ctenophores is generally A. Bilateral B. Radial C. Biradial D. Absent **Answer: C Watch Video Solution** 

# 107. Tentacles of ctenophores contain

- A. Cnidoblasts
- B. Colloblasts
- C. Digestive glands
- D. All the above.

#### **Answer: B**



**Watch Video Solution** 

108. Tentacles are absent in

(a) Beroe

(b) Ctenoplane
(c) Hormiphora
(d) Obelia
A. Beroe
B. Ctenoplane
C. Hormiphora
D. Obelia.
Answer: A
Watch Video Solution
<b>109.</b> Ctenophores possess statocysts in

- A. Oral region
- B. Aboral region
- C. Base of comb plates
- D. Base of tentacles.

### **Answer: B**



- **110.** Ctenophores possess
  - A. Cilia for locomotion
  - B. Cilia for filter feeding
  - C. Teeth for crushing

D. Teeth for filtering.

Answer: A

Watch Video Solution

111. Which one is absent in Beroe?

**111.** Which one is absent in Beroe?

A. Statocyst

B. Stomodaeum

C. Tentacles

D. Anal pores.

# Answer: C



**112.** Ctenoplana differs from Hormiphora and Beroe in having

- A. Pear shaped body
- B. Conical ovate body
- C. Flat bilobed body
- D. Branched axis.

#### **Answer: C**



**Watch Video Solution** 

113. Anal pores occur in gastrovascular system of

A. Physalia
B. Corals
C. Aurelia
D. Ctenophores.
Answer: D
Watch Video Solution
Rq
<b>1.</b> Hydra/Obelia is
A. Diploblastic, radially symmetrical and acoelomate

- B. Diploblastic, bilaterally symmetrical and acoelomate
- C. Triploblastic, radially symmetrical and coelomate
- D. Triploblastic, bilaterally symmetrical and coelomate.

#### **Answer: A**



- 2. Zoochlorellae and zooxanthallae present in Hydra are
  - A. Symbionts in nutritive cells
  - B. Symbionts in the gut
  - C. Symbionts in cnidoblasts
  - D. Organisms that provide hypnotoxin

# Answer: A



**Watch Video Solution** 

- 3. Precious Red Coral is//Coral used in ornaments is
  - A. Astraea
  - B. Fungia
  - C. Corallium
  - D. Tubipora.

### **Answer: C**



**4.** Jelly Fishes belong to class A. Hydrozoa B. Scyphozoa C. Anthozoa D. None of the above **Answer: B Watch Video Solution** 5. The cavity present in Hydra is called A. Enterocoel B. Coelenteron

- C. Gastrovascular cavity
- D. Both B and C.

# **Answer: D**



**Watch Video Solution** 

- 6. Portuguese Man of war is
  - A. Colonial monomorphic coelenterate
  - B. Polymorphic coelenterate
  - C. Coral
  - D. Sea Anemone.

# **Answer: B**

# 7. Hypnotoxin is produced by

- A. Sponges
- B. Bath sponge
- C. Nematocysts
- D. Leucosolenia

#### **Answer: C**



**Watch Video Solution** 

8. One of the following is a coelenterate

A. Sea Pen B. Sea Urchin C. Sea Fish D. Sea Cucumber. **Answer: A Watch Video Solution** 9. In Sea Anemone, the symmetry is A. Radial **B.** Spherical C. Bilateral

D. Absent.

# **Answer: A**



**Watch Video Solution** 

# 10. The cells absent in gastrodermis of Hydra are

- A. Nutritive cells
- B. Stinging cells/Cnidoblasts
- C. Gland cells
- D. Nerve/sensory cells.

#### **Answer: B**



11. Muscles of Hydra are
A. Smooth
B. Skeletal
C. Both A and B
D. None of the above.
Answer: D
Watch Video Solution
<b>12.</b> A radially symmetrical diploblatic animal is

A. Roundworm

C. Hydra D. Liver fluke. **Answer: C Watch Video Solution** 13. Budding is a normal mode of asexual reproduction in A. Starfish and Hydra B. Hydra and sponges C. Tapeworm and Hydra D. Sponge and starfish.

B. Earthworm

## **Answer: B**



# **Watch Video Solution**

**14.** Which one of the following animals possesses nerve cells but no nerves?

- A. Hydra
- B. Tapeworm
- C. Earth worm
- D. Frog's tadpole.

## **Answer: A**



<b>15.</b> Hypnotoxin is a poisonous fluid produced by
A. Hypnotoxin
B. Heamatin
C. Haemozoin
D. Agglutinogen.
Answer: A



Watch Video Solution

**16.** Nematocysts take part in

A. Locomotion

D. Food capturing. **Answer: A Watch Video Solution** 18. Corals are A. Cnidaria B. Porifera C. Mollusca D. Annelida. **Answer: A** 



<b>19.</b> Special character of coelenterates is	
A. Polymorphism	

B. Nematocysts

C. Flame cells

D. Hermaphroditism.

### **Answer: B**



**Watch Video Solution** 

20. Nematocysts are activated by

A. Water

B. Touch
C. Brain
D. None of the above.
Answer: B
Watch Video Solution
21. Point out a non-parasite
A. Tapeworm
B. Mosquito
C. Leech
D. Sea Anemone.

## **Answer: D**



**Watch Video Solution** 

# 22. Portuguese Man of war is

- A. Pennatula
- B. Coral
- C. Physalia
- D. Obelia.

### **Answer: C**



**23.** Which pair of cells is present in epidermis of Hydra but not in its gastrodermis

- A. Stinging cells and interstitial cells
- B. Gland cells and germ cells
- C. Stinging cells and germ cells
- D. Stinging cells and gland cells.

### **Answer: C**



**Watch Video Solution** 

24. Hydra is

A. Monoblastic

- B. Diploblastic
- C. Triploblastic
- D. Tetrablastic.

### **Answer: B**



**Watch Video Solution** 

# 25. Nerve cells are found in

- A. Hydra
- B. Sycon
- C. Paramecium
- D. Amoeba.

### **Answer: A**



**Watch Video Solution** 

# 26. If Hydra is broken into pieces

- A. Hydra will die
- B. Every fragment will grow into complete Hydra
- C. Some fragments will form complete Hydra
- D. Hydra will undergo sexual reproduction.

#### **Answer: B**



27. Testes/gonads are formed in Hydra from
A. Interstitial cells
B. Epithelio-muscular cells
C. Nerve cells
D. All of above.
Answer: A
Watch Video Solution
<b>28.</b> Food of Hydra is
A. Aquatic plants
B. Aquatic animals

- C. Algae and aquatic animals
- D. Some crustaceans.

# **Answer: D**



**Watch Video Solution** 

- **29.** Which group does not contain polyp?
  - A. Hydrozoa
  - B. Scyphozoa
  - C. Anthozoa
  - D. Calcarea.

# Answer: D

30. A number of buds have developed on Hydra

Oldest bud is towards oral region

Oldest bud is towards aboral region

Both A and B

There is no order.

A. Oldest bud is towards oral region

B. Oldest bud is towards aboral region

C. Both A and B

D. There is no order.

Answer: B



# **31.** Cnidaria is characterised by

- A. Nematoblasts
- B. Coelenteron
- C. Tissue level of organisation
- D. All the above.

#### **Answer: D**



**Watch Video Solution** 

32. Mesogloea of Hydra is made of

A. Mucopolysaccharides B. Protein C. Protein and fat D. Reticulate tissue. **Answer: A Watch Video Solution 33.** Characteristic feature of coelenterata is A. All are marine B. Presence of tentacles around mouth C. Polyp

D. Gastrovascular cavity.

### **Answer: D**



**Watch Video Solution** 

**34.** Hydra is famous for a type of reproduction

A. Budding

B. Gametogenesis

C. Position of sex organs

D. Both B and C.

## **Answer: A**



- 35. Hydra cut into two pieces will result in
  - A. Growth without mouth and basal disc
  - B. Growth of mouth and disc according to their position in the parent
  - C. Growth of mouth and disc at any end
  - D. No regeneration is possible.

#### **Answer: B**



**Watch Video Solution** 

36. Common name of Fungia is

A. Mushroom Coral B. Red Coral C. Brain Coral D. Organ Pipe Coral. **Answer: A Watch Video Solution** 37. In Hydra new nematocysts develop from A. Cnidocils B. Glandular cells C. Germ cells

D. Inerstitial cells.

### **Answer: D**



**Watch Video Solution** 

**38.** The largest nematocysts of Hydra are

A. Volvents

B. Penetrants

C. Atrichous isorhizas

D. Holotrichous isorhizas.

### **Answer: B**



# 39. Polymorphism occurs in

- A. Anthozoa
- B. Scyphozoa
- C. Rhizopoda
- D. Hydrozoa.

#### **Answer: D**



**Watch Video Solution** 

40. Hydra is

A. Fresh water, radial and diploblastic

D. Neoteny.

### **Answer: B**



**Watch Video Solution** 

- **42.** A polymorphic coelenterate is
  - A. Physalia
  - B. Fungia
  - C. Hydra
  - D. All the above.

### **Answer: A**



<b>43.</b> Which one belongs to anthozoa?
A. Dugesia
B. Fungia
C. Aurelia
D. Stercularia.
Answer: B
Watch Video Solution
<b>44.</b> In Hydra, digestion is

(a) Extracelluar

(b) Intracellular
(c) First extracellular and then intracellular
(d) First intracellular and then extracellular
A. Extracelluar
B. Intracellular
C. First extracellular and then intracellular
D. First intracellular and then extracelluar.
Answer: C
Watch Video Solution
<b>45.</b> Medusa of Obelia is

A. Carnivorous B. Herbivorous C. Detritus feeder D. Omnivorous. **Answer: A Watch Video Solution 46.** Sense organs of Aurelia are (a) Tentilla (b) Tentaculocyst (c) Nematocyst (d) Otolith

- A. Tentilla

  B. Tentaculocyst

  C. Nematocyst

  D. Otolith.
- Answer: B



- **47.** Statocysts are sense organs of
- (a) Paramecium
- (b) Ascaris
- (c) Medusa of Obelia
- (d) Taenia solium.

B. Ascaris C. Medusa of Obelia D. Taenia solium. **Answer: C Watch Video Solution** 48. Special character of coelenterates is A. Hermaphroditism **B.** Nematocysts C. Polymorphism

A. Paramecium

D. Flame cells. **Answer: B Watch Video Solution** 49. Ephyra is young stage of

A. Obelia

B. Sea Anemone

C. Physalia

D. Aurelia.

**Answer: D** 



<b>50.</b> Germ cells of Hydra are derived from
A. Ectoderm
B. Endoderm
C. Mesoderm
D. Mesogloea
Answer: A

51. The free swimming larva of coelenterates is

Watch Video Solution

A. Onchosphere

C. Planula D. Cysticercus. **Answer: C Watch Video Solution** 52. Cell-tissue organisation occurs in A. Amoeba B. Hydra C. Tapeworm D. Ascaris.

B. Rhabditiform

### **Answer: B**



**Watch Video Solution** 

## 53. Symmetry in Coelenterates is mostly

- A. Asymmetrical
- B. Radially symmetrical
- C. Bilaterally symmetrical
- D. Irregular.

#### **Answer: B**



<b>54.</b> Hydra is
A. Coral
B. Worm
C. Polyp
D. Medusa
Answer: C
Watch Video Solution
<b>55.</b> In ectoderm of Hydra, bulk of cells are
A. Musculo-epithelial
B. Interstitial

- C. Nematoblasts
- D. Germ cells.

#### **Answer: A**



**Watch Video Solution** 

**56.** Hydra is constituted under phylum coelenterate because it possesses

- A. Mesogloea
- B. Nematocysts
- C. Body cavity
- D. Tentacles.

#### **Answer: B**



**Watch Video Solution** 

# **57.** A member of scyphozoa is

- A. Silver Fish
- B. Jelly Fish
- C. Cuttle Fish
- D. Cat Fish.

#### **Answer: B**



<b>58.</b> In Hydra , cnidobalsts employed during looping are
A. Volvents
B. Stenoteles
C. Atrichous isorhizas
D. Desmonemes.
Answer: C  Watch Video Solution
<b>59.</b> Animal showing thigmotaxis is  (a) Ascaris
(b) Taenia

(c) Fungi
(d) Hydra
A. Ascauis
B. Taenia
C. Fungia
D. Hydra.
Answer: D
Answer: D  Watch Video Solution
Watch Video Solution
Watch Video Solution

- B. Encystment
- C. Polyembryony
- D. Sexually and asexually.

#### **Answer: D**



**Watch Video Solution** 

- **61.** Which is correct about nematocyst in Hydra
  - A. It is re-used
  - B. Ejection is conditioned reflex
  - C. Ejection occurs in response to contact and pierces

the prey

D. Prevents coming in contact with other Hydra.

#### **Answer: C**



**Watch Video Solution** 

**62.** In Hydra, waste material of food digestion and nitrogenous waste material are removed from

- A. Mouth and tentacles
- B. Mouth and body wall
- C. Mouth and mouth
- D. Body wall and body wall.

#### **Answer: B**

- 63. Hydra will regnerate from a fragment, if it contain
  - A. Tentacles
  - B. Epidermis and gastrodermis
  - C. Tentacles, epidermis and gastrodermis
  - D. Epidermis, hypodermis and gastrodermis.

#### **Answer: B**



**Watch Video Solution** 

**64.** Hydra paralyses its prey with the help of

A. Tentacles **B.** Nematocysts C. Colloblasts D. Epitheliomuscular cells. **Answer: B Watch Video Solution** 65. Bilateral symmetry does not occur in A. Frog B. Octopus C. Mammal

D. Obelia. **Answer: D Watch Video Solution** 66. Nematocysts occur in phylum A. Coelenterata B. Nematoda C. Porifera

# Answer: A

D. Annelida.



- **67.** A mature Hydra usually bears
  - A. One testis and several ovaries
  - B. One testis and one ovary
  - C. Several testes and one ovary
  - D. Several testes and several ovaries.

#### **Answer: C**



- **68.** Which one is not a coelenterate?
  - A. Sea Fan

- B. Sea FeatherC. Sea Cucumber/Lily
- D. Sea Pen.

#### **Answer: C**



- **69.** Ctenophores have similarities with members
  - A. Porifera
  - B. Coelenterata
  - C. Arthropoda
  - D. Annelida.

#### **Answer: B**



**Watch Video Solution** 

## **70.** Larva of Hydra is

- A. Hydrula
- B. Hydratbe
- C. Scyphula
- D. Planula.

#### **Answer: A**



<b>71.</b> What is true of Hydra
A. Marine
B. Bilateral Symmetry
C. Carnivorous
D. All the above.
Answer: C  Watch Video Solution
<b>72.</b> Hydra receives stimuli through
(a) Nerve cells
(b) Nerve net

(c) Sensory cells (d) Nematocysts A. Nerve cells B. Nerve net C. Sensory cells D. Nematocysts. **Answer: C Watch Video Solution** 73. Body cavity of Hydra/coelenterata is known as (a) Coelenteron (b) Pseudocoel

(c) Enterocoel
(d) Haemocoel
A. Coelenteron
B. Pseudocoel
C. Enterocoel
D. Haemocoel.
Answer: A
Answer: A  Watch Video Solution
Watch Video Solution

- B. Cuttle Fish-Osteichthyes
- C. Silver Fish-Echinodermata
- D. Jelly Fish-Scyphozoa.

#### **Answer: D**



**Watch Video Solution** 

# **75.** Which is wrongly matched?

- A. Annelida-Notopodia
- B. Ciliophora-Axonemes
- C. Cnidaria-Parapodia
- D. Euglenoidae-Myonemes.

#### **Answer: C**



**Watch Video Solution** 

## 76. Symmetry found in Sea Anemone is

- A. Radial
- B. Biradial
- C. Bilateral
- D. Spherical

#### **Answer: B**



<b>77.</b> A	structure	not	present	in	Hydra	occur	in	maximum
numb	er over							

- A. Never cells
- B. Epitheliomuscular cells
- C. Choanocytes/Glial cells
- D. Cnidocytes.

#### **Answer: C**



**Watch Video Solution** 

**78.** Nematocysts of Hydra occur in maximum number over

A. Gastrodermis

C. Gonads D. Tentacles. **Answer: D Watch Video Solution** 79. The main nitrogenous waste of Hydra is A. Ammonia B. Urea C. Uric acid D. Both A and C.

B. Basal disc

### **Answer: A**



**Watch Video Solution** 

# 80. Nematoblasts of Hydra help in

- A. Attracting prey
- B. Detecting prey
- C. Paralysing prey
- D. None of the above.

### **Answer: C**



<b>81.</b> Hydra is		
A. Saprozoic		
B. Omnivorous		
C. Carnivorous		
D. Herbivorous.		
Answer: C		
Watch Video Solution		
82. Gastrodermis of Hydra is mainly made of		
(a) Musculoepithelial cell		
(b) Musculonutritive cells		

(c) Sensory cells (d) Cnidoblast cells. A. Musculoepithelial cell B. Musculonutritive cells C. Sensory cells D. Cnidoblast cells. **Answer: B** Watch Video Solution 83. Which of the following during respiration obtain water dissolved oxygen by diffusion through their body surface (a) Cnidarians

(b) Fishes
(c) Amphibians
(d) Reptiles
A. Cnidarians
B. Fishes
C. Amphibians
D. Reptiles.
Answer: A
Watch Video Solution
<b>84.</b> Budding method of asexual reproduction occurs in

- A. Amoeba
- B. Plasmodium
- C. Paramoecium
- D. Hydra.

### **Answer: D**



- 85. Sea Fan belong to
- (a) Echinodermata
- (b) Crinoidia
- (c) Mollusca
- (d) Coelenterata

A. Echinodermata

B. Crinoidia

C. Mollusca

D. Coelenterata.

## **Answer: D**



**86.** Biradial symmetry and lack of cnidoblasts are the characteristics of

- A. Hydra and Starfish
- B. Starfish and Sea Anemone

- C. Ctenoplane/Ctenoplana and Beroe
- D. Aurelia and Paramaecium.

### **Answer: C**



**Watch Video Solution** 

# 87. Lagoon is

- (a) Full moon
- (b) Sea breaking into land and separated by sand dunes
- (c) Spot in desert with presence of water
- (d) Horse-shoe shaped coral reef
  - A. Full moon
  - B. Sea breaking into land and separated by sand dunes

- C. Spot in desert with presence of water
- D. Horse-shoe shaped coral reef.

## **Answer: D**



**Watch Video Solution** 

- **88.** In Hydra, nematocysts occur only in
  - A. Epidermis
  - B. Gastrodermis
  - C. Mesodermis
  - D. Endodermis

## Answer: A

# 89. Hydra belongs to class

- A. Scyphozoa
- B. Hydrozoa
- C. Actinozoa
- D. Cnidaria.

#### **Answer: B**



**Watch Video Solution** 

90. Asexual reproduction in Hydra occurs through

- A. Budding
- B. Binary fission
- C. Fragmentation
- D. Sporulation.

### **Answer: A**



- **91.** Which one is incorrect?
  - A. Nematocyst-Cnidaria
  - B. Colloblast-Ctenophora
  - C. Trichocyst-Ciliata

D. None of the above.

### **Answer: D**



**Watch Video Solution** 

- **92.** Which one is mismatched?
  - A. Hydra vulgaris-Sea water
  - B. Hydra gangetica-Fresh water
  - C. Obelia-Sea water
  - D. Physalia-Sea water.

## **Answer: A**



93. Polyp phase does not occur in		
A. Obelia		
B. Aurelia		
C. Hydra		
D. Physalia.		
Answer: B		
Watch Video Solution		
<b>94.</b> Scyphozoan medusa is commonly known as		

(a) Sea Pen

(b) Jelly Fish
(c) Obelia
(d) Sea Urchin
A. Sea Pen
B. Jelly Fish
C. Obelia
D. Sea Urchin.
Answer: B
Watch Video Solution
OF to the does about a set about to
<b>95.</b> In Hydra, absence of circulatory system is compensated
by

A. Gastrovascular cavity B. Tentacles C. Pseudocoelomic fluid D. Mesoglea. **Answer: A Watch Video Solution** 96. Nematocysts occur in A. Ctenophora B. Planaria C. Fasciola

D. Obelia.

#### **Answer: D**



**Watch Video Solution** 

### 97. Match List I with List II and select the correct

# option

$\operatorname{List} \operatorname{I}$	$\operatorname{List} \operatorname{II}$
--	---

A. Protozoa 1. Pennatula

B. Aschelminthes 2. Beroe

C. Porifera 3. Monocystis

D.Ctenophora 4. Wuchereria

E. Cnidaria 5. Cliona

A. a-3, b-5, c-4, d-1, e-2

B. a-4, b-3, c-5, d-2, e-1

C. a-3, b-4,c-5, d-2, e-1

D. a-2, b-4, c-5, d-3, e-1

#### **Answer: C**



- 98. Mesoglea occurs between
- (a) Ectoderm and endoderm
- (b) Ectoderm and mesoderm
- (c) Mesoderm and endoderm
- (d) Just below mesoderm.
  - A. Ectoderm and endoderm
  - B. Ectoderm and mesoderm
  - C. Mesoderm and endoderm

D. Just below mesoderm.

#### **Answer: A**



- 99. Highest degree of polymorphism is found in
- (a) Protozoa
- (b) Cnidaria
- (c) Platyhelminthes
- (d) Arthropoda
  - A. Protozoa
  - B. Cnidaria
  - C. Platyhelminthes

D. Arthropoda.

## **Answer: B**



**Watch Video Solution** 

# **100.** The dioecious animal is

- A. Tape worm
- B. Earthworm
- C. Liver fluke
- D. Aurelia.

### **Answer: D**



# 101. Comb plates occur in

- A. Adamsia
- B. Nereis
- C. Pleurobrachia
- D. Aurelia

### **Answer: C**



**Watch Video Solution** 

102. Hydra reproduces by budding. It is

A. Asexual reproduction

- B. Sexual reproduction
- C. Parthenocarpy
- D. Regeneration.

### **Answer: A**



**Watch Video Solution** 

# **103.** Digestion in Hydra is

- A. Abdominal cavity
- B. Gastrovasular cavity
- C. Pericardial cavity
- D. Pelvic cavity.



**Watch Video Solution** 

# 104. "Primitive nervous system" is formed in

- A. Echinodermata
- **B.** Sponges
- C. Cnidaria
- D. Annelida.

### **Answer: C**



<b>105.</b> Which of the following statements is incorrect	

- A. Cnidocyte is for defence in Hydra
- B. Nerve cells are absent in Hydra
- C. Hydra is a coelenterate
- D. Hydra shows budding.



**Watch Video Solution** 

**106.** Looping and somersaulting types of locomotion are seen in

A. Snail

- B. Hydra
- C. Amoeba
- D. Leech.



**Watch Video Solution** 

# **107.** Tentacles of Hydra appear to be

- (a) 12
- (b) 15
- (c) 8
- (d) 14
  - A. 12

- B. 15
- C. 8
- D. 14

### **Answer: C**



**Watch Video Solution** 

# **108.** Which of the following is diploblastic

- (a) Fasciola
- (b) Pheretima
- (c) Palaemon
- (d) Hydra

A. Fasciola

- B. Pheretima
- C. Palaemon
- D. Hydra.

### **Answer: D**



**Watch Video Solution** 

109. A radially symmetrical free swimming bioluminescent diploblastic marine organism from the below given is

- A. Sea Fan
- B. Sea Pen
- C. Sea Walnut

D. Bath sponge.

#### **Answer: B**



# **Watch Video Solution**

## 110. Match the following and choose the correct option

- (i) Physalia
- a. Sea anemone
- (ii) Meandrina b. Brain coral
- (iii) Gorgonia c. Sea fan
- (iv) Adamsia
- d. Portuguese man of war
- (1) i-d, ii-b, iii-c, iv-a
- (2) i-c, ii-b, iii-b, iv-a
- (3) i-d, ii-c, iii-a, iv-a
- (4) i-b, ii-c, iii-a, iv-d

A. i-d, ii-b, iii-c, iv-a

- B. i-c, ii-b, iii-b, iv-a
- C. i-d, ii-c, iii-a, iv-a
- D. i-b, ii-c, iii-a, iv-d

#### **Answer: D**



**Watch Video Solution** 

## 111. Which is a coelenterate

- A. Balanoglossus
- B. Physalia
- C. Sycon
- D. Branchiostoma.

### **Answer: C**



- 112. Craspedote (with velum) medusa is present in the pair
- (a) Aurelia and Rhizostoma
- (b) Pennatula and Aurelia
- (c) Rhizostoma and Corallium
- (d) Physalia and Halistemma
  - A. Aurelia and Rhizostoma
  - B. Pennatula and Aurelia
  - C. Rhizostoma and Corallium
  - D. Physalia and Halistemma.

### Answer: A



**Watch Video Solution** 

**113.** Which one of the following groups of animals reproduces only by sexual means?

- A. Porifera
- B. Protozoa
- C. Ctenophora
- D. Cnidaria.

### **Answer: B**



114. Presence of comb plates	is characteristic feature of
------------------------------	------------------------------

- A. Porifera
- B. Cnidaria
- C. Ctenophora
- D. Platyhelminthes.

### **Answer: C**



**Watch Video Solution** 

**115.** Stinging cells occur in

A. Wasp and Honey Bee

- B. Sea Pen and Hydra
- C. Cactus and Venus Fly Trap
- D. Scorpion and Cobra.



- 116. Find out the odd one
- (a) Adamsia
- (b) Astraea
- (c) Physalia
- (d) Pleurobrachia
  - A. Adamsia

- B. Astraea
- C. Physalia
- D. Pleurobrachia.

### **Answer: D**



- **117.** Which of the statements regarding coelenterates is/are wrong
- I. Cnidocytes are present on the tentacles and on the body
- II. Diploblastic with cellular level of organisation
- III. Polyp forms are free living
- IV. Exhibit metagenesis

V. Polyps produce medusae sexually and medusae form polyps asexually.

A. II and IV only

B. III and V only

C. I, II and III only

D. II, III and V only.

### **Answer: D**



**Watch Video Solution** 

**118.** Select the Taxon mentioned that represents both marine and fresh water species

A. Ctenophora

B. Cephalochordata

C. Cnidaria

D. Echinodermata

### **Answer: C**



- 119. Which of the following exhibits metagenesis
- (a) Hydra
- (b) Adamsia
- (c) Aurelia
- (d) Obelia

- A. Hydra
- B. Adamsia
- C. Aurelia
- D. Obelia.

# Answer: D



Watch Video Solution

# **120.** Indentify the phylum X

, , ,

 $ext{Animalia} 
ightarrow ext{Tissue Grade} 
ightarrow ext{Bilateral} 
ightarrow ext{Acoelomate} - X$ 

- A. Ctenophora
- B. Platyhelminthes

- C. Aschelminthes
- D. Hemichordata.

### **Answer: A**



**Watch Video Solution** 

# 121. Which is not a cnidarian

- (a) Obelia
- (b) Jelly Fish
- (c) Sea Anemone
- (d) Beroe
  - A. Obelia
  - B. Jelly Fish

- C. Sea Anemone
- D. Beroe.

### **Answer: D**



**Watch Video Solution** 

## 122. Metagenesis refers to

- (a) Presence of different morphile forms
- (b) Alternation of generations between asexual and sexual phases of an organism
- (c) Occurrence of drastic changes in form during post embryonic development
- (d) Presence of a segmented body and parthenogenetic mode of reproduction

- A. Presence of different morphile forms
- B. Alternation of generations between asexual and sexual phases of an organism
- C. Occurrence of drastic changes in form during post embryonic development
- D. Presence of a segmented body and parthenogenetic mode of reproduction

### **Answer: B**



**Watch Video Solution** 

123. Portuguese Man of war is

- A. Soldier
- B. Sponge
- C. Solitary polymorphic coelenterate
- D. Colonial coelenterate.

### **Answer: C**



- **124.** What will happen if Hydra is cut transversely into two
  - halves
  - (a) Build up the lost part
- (b) Tend to reunite
- (c) Cut ends heal up
- (d) Both halves die

- A. Build up the lost part
- B. Tend to reunite
- C. Cut ends heal up
- D. Both halves die.

#### **Answer: A**



- 125. 'Lasso" is a structure found in
- (a) Nutritive muscular cell
- (b) Epitheliomuscular cell
- (c) Sensory cells
- (d) Nematoblasts

A. Nutritive muscular cell B. Epitheliomuscular cell C. Sensory cells D. Nematoblasts. **Answer: D Watch Video Solution** 126. In metagenesis of cnidarian like Obelia, the polyps and medusae are respectively A. N and 2N B. 2N and N

- C. 2N and 2N
- D. N and N.

## **Answer: C**



**Watch Video Solution** 

# **127.** This belongs to phylum cnidaria

- A. Sea Anemone
- B. Sycon
- C. Chalina
- D. Amoeba.

# Answer: A

**128.** Assertion: In Pleuraobrachia, eight comb like ciliary plates called comb plates are present on the body that help in locomotion.

Reason: Pleurobrachia reproduces sexually and its life cycle includes cydippid larva.

A. both true but reason is not correct explanation

B. assertion true but reason is wrong

C. assertion true but reason is wrong

D. both are wrong

### Answer: B





- 1. Porifers and coelenterates are
  - A. Ammonotelic
  - B. Ureotelic
  - C. Uricotelic
  - D. Both B and C.

### **Answer: A**



(a) Metridium
(b) Gorgonia
(c) Aurelia aurita
(d) Corallium nobile
A. Metridium
B. Gorgonia
C. Aurelia aurita



2. Moon Jelly is



D. Corallium nobile.

(a) Gastrodermis
(b) Mesoglea
(c) Epidermis
(d) All the above
A. Gastrodermis
B. Mesogloea
C. Epidermis
D. All the above.
Answer: C
Watch Video Solution

3. In coelenterates, cnidoblasts occur inside

- **4.** In Hydra, gastric enzymes are secreted by
  - A. Epithelioglandular cells
  - B. Endothelio-muscular cells
  - C. Epithelio-muscular cells
  - D. Endothelioglandular cells.

### **Answer: D**



- 5. Interstitial cells take part in
  - A. Sealing the body layers

- B. Transfer of materials between epidermis and gastrodermis
- C. Replacement of old worn out cells
- D. Formation of neurosensory complex.

### **Answer: C**



- 6. In Hydra, ovary develops in
- (a) Proximal half
- (b) Distal half
- (c) Middle
- (d) Any where

A. Proximal half B. Distal half C. Middle D. Any where. **Answer: Watch Video Solution** 7. Discharged nematoblasts are replaced by new ones formed from

(a) Nematoblast

(b) Interstitial cells

(c) Amoebocytes

(d) Archaeocytes.

A. Nematoblast B. Interstitial cells C. Amoebocytes D. Archaeocytes. **Answer: Watch Video Solution** 8. The cells absent in gastrodermis of Hydra are A. Musculo-epithelial B. Nematoblasts C. Germ cells

D. Both B and C.

#### **Answer: B**



- 9. Coral island with a central lake is
- (a) Atoll
- (b) Fringing reef
- (c) Barrier reef
- (d) All the above.
  - A. Atoll
  - B. Fringing reef
  - C. Barrier reef

D. All the above.

### **Answer: A**



**Watch Video Solution** 

# **10.** Blue Coral is

- A. Meandrina
- B. Millepora
- C. Heliopora
- D. Corallium.

### **Answer: C**



