



## BIOLOGY

### BOOKS - DINESH PUBLICATION ENGLISH

#### ECHINODERMATA

#### Multiple Choice Questions

1. In Echinodermata locomotion is by means of

- A. Muscles
- B. Feet
- C. Ambulacral system
- D. None of the above.

**Answer: C**



[Watch Video Solution](#)

2. Which echinoderm is fresh water ?

- A. Asterias
- B. Pentaceros
- C. Astropecten
- D. None of the above.

**Answer: D**



[Watch Video Solution](#)

3. Which of the given has lily-like appearance ?

- A. Brittle star
- B. Pentaceros

C. Antedon

D. None of the above.

**Answer: C**



**Watch Video Solution**

**4. Excretory organs are absent in**

(a) Asterias

(b) Sepia

(c) Unio

(d) Pila

A. Asterias

B. Sepia

C. Unio

D. Pila.

**Answer: A**



**Watch Video Solution**

**5. Echinoderms show**

- (a) Bilateral symmetry
- (b) Radial symmetry
- (c) Asymmetry
- (d) None

A. Bilateral symmetry

B. Radial symmetry

C. Asymmetry

D. None

**Answer: B**



**Watch Video Solution**

6. The larvae of Echinodermates are

- (a) Trochophore and Auricularia
- (b) Bipinnaria and Brachiolaria
- (c) Redia and Carcaria
- (d) Miracidium and Cysticerchi.

A. Trochophore and Auricularia

B. Bipinnaria and Brachiolaria

C. Redia and Carcaria

D. Miracidium and Cysticerchi.

**Answer: B**



**Watch Video Solution**

7. Madreporite is associated with

- (a) Water vascular system

(b) Canal system

(c) Blood vascular system

(d) Digestive system.

A. Water vascular system

B. Canal system

C. Blood vascular system

D. Digestive system.

**Answer: A**



**Watch Video Solution**

**8. Similarity between Echinoderms and Chorodates is**

A. Deuterostomatic tube-within-a -tube plan

B. Protostomatic tube -within-a-tube plan

C. Water vascular system

D. Kidneys.

**Answer: A**



**Watch Video Solution**

**9.** Water vascular system is a trait of

A. Porifers

B. Molluscs

C. Echinoderms

D. Arthropods.

**Answer: C**



**Watch Video Solution**

**10.** An echinoderms is

A. Torpedo Fish

B. Star Fish

C. Electric Ray

D. Shark.

**Answer: B**



**Watch Video Solution**

**11. Which of the following is fixed**

A. Antedon

B. Asterias

C. Echinus

D. Cucumaria.

**Answer: A**







Watch Video Solution

12. Starfish does not possess

- A. Mouth
- B. Anus
- C. Head
- D. Arms

**Answer: C**



Watch Video Solution

13. Respiratory tree occurs in

- A. Sea Fan
- B. Sea Lily
- C. Sea Cucumber

D. Sec Urchin.

**Answer: C**



**Watch Video Solution**

**14.** In echinoderms skeleton is

A. Chitinous

B. Siliceous

C. Calcareous

D. nacreous.

**Answer: C**



**Watch Video Solution**

15. Microscopic stalked pincer-like structures present in echinoderms are

A. Tube Feet

B. Spines

C. Pedicellariae

D. Ossicles.

**Answer: C**



**Watch Video Solution**

16. Echinoderms are named so due to presence of

A. Arms

B. Spines

C. Pedicellariae

D. Tube feet.

**Answer: B**



**Watch Video Solution**

**17. Structures peculiar to echinoderms are**

A. Tube Feet

B. pedicellariae

C. Ambulacral system

D. All the above.

**Answer: D**



**Watch Video Solution**

**18. Coelomate animals devoid of excretory organs are**

- A. Annelids
- B. Echinoderms
- C. Molluscs
- D. Arthropods.

**Answer: B**

 [Watch Video Solution](#)

**19.** A speciality of echinoderms is presence of

- A. Both epidermal exoskeleton and mesodermal endoskeleton
- B. Ciliated epidermis
- C. Coelom
- D. None of the above.

**Answer: A**



20. Circulatory system of echinoderms is

- A. Closed
- B. Open
- C. Hemal
- D. Both B and C.

**Answer: D**

21. Echinodermate possesses

- (a) Pseudocoelom
- (b) Schizocoelom
- (c) Enterocoelom
- (d) None of the above

- A. Pseudocoelom
- B. Schizocoelom
- C. Enterocoelom
- D. None of the above.

**Answer: C**



**Watch Video Solution**

**22. Opening of water vascular system is called**

- (a) Osculum
- (b) Ostium
- (c) Madreporite
- (d) Mouth

A. Osculum

B. Ostium

C. Madreporite

D. Mouth.

**Answer: C**



**Watch Video Solution**

**23.** Endoskeleton of echinoderms is made of

(a) Silica

(b) Lime

(c) Chitin

(d) Cartilage

A. Silica

B. Lime

C. Chitin

D. Cartilage.



**Answer: B**



**Watch Video Solution**

**24.** Exoskeleton of echinoderms is

- A. Chitinous
- B. Siliceous
- C. Calcareous
- D. None of the above.

**Answer: A**



**Watch Video Solution**

**25.** Pedicellariae take part in

- A. Cutting food

B. Holding substratum

C. Removing debris

D. All the above.

**Answer: C**



[Watch Video Solution](#)

**26.** Coelomic fluid of echinoderms possess cells

A. Coelomocytes

B. Amoebocytes

C. Phagocytes

D. Scleroblasts.

**Answer: A**



[Watch Video Solution](#)

27. Respiratory tree occurs in

- A. Holothuroidea
- B. Echinoidea
- C. Ophiuroidea
- D. Crinoidea.

**Answer: A**



[Watch Video Solution](#)

28. Attached echinoderms occurs in class

- A. Echinoidea
- B. Holothuroidea
- C. Asteroidea
- D. Crinoidea.

**Answer: B**



**Watch Video Solution**

**29.** Three jawed pedicellariae occur in

A. Asteroidea

B. Crinoidea

C. Echinoidea

D. Holothuroidea

**Answer: C**



**Watch Video Solution**

**30.** Sea urchin and heart urchin are present in

A. Crinoidea

B. Asteroidea

C. Holothuroidea

D. Echinoidea.

**Answer: A**



**Watch Video Solution**

**31.** A distinct anus is absent in echinoderms

A. Asteroidea

B. Ophiuroidea

C. Echinoidea

D. Holothuroidea.

**Answer: B**



**Watch Video Solution**

**32.** Tube feet are without suckers in

- A. Echinoidea
- B. Ophiuroidea
- C. Crinoidea
- D. Both B and C.

**Answer: D**



**Watch Video Solution**

**33.** Sea Star is

- A. Asterias
- B. Ophiothrix
- C. Antedon
- D. Echinus.

**Answer: A**



**Watch Video Solution**

**34.** Digestion is external in

- (a) Echinus
- (b) Ophiothrix
- (c) Cucumaria
- (d) Asterias

A. Echinus

B. Ophiothrix

C. Cucumaria

D. Asterias.

**Answer: D**



**Watch Video Solution**

**35.** Star Fish is

- (a) Nekton
- (b) Neuston
- (c) Benthonic
- (d) Terrestrial

A. Nekton

B. Neuston

C. Benthonic

D. Terrestrial.

**Answer: C**



**Watch Video Solution**

**36.** Star Fish is able to crawl over substratum by means of

- (a) Arms



(b) Spines

(c) Pedicellariae

(d) Tube feet

A. Arms

B. Spines

C. Pedicellariae

D. Tube feet.

**Answer: D**



**Watch Video Solution**

**37. Star Fish is**

A. Saprozoic

B. Carnivorous

C. Herbivorous

D. Omnivorous.

**Answer: B**



**Watch Video Solution**

**38.** Star Fish is predator of

A. Clams and oysters

B. Crabs

C. Devil Fish

D. Mosquitoes.

**Answer: A**



**Watch Video Solution**

**39.** Arms are not sharply delimited from central disc in

A. Ophiuroidea

B. Asteroidea

C. Crinoidea

D. Both B and C.

**Answer: B**



**Watch Video Solution**

**40.** A blind sea body plan occurs in

A. Echinoidea

B. Asteroidea

C. Ophiuroidea

D. Crinoidea.

**Answer: C**



41. An enchinoderms which can both creep and swim actively is

- A. Oreaster
- B. Ophiothrix
- C. Echinus
- D. Cucumaria.

**Answer: B**

 Watch Video Solution

42. Jointed arms occur in

- A. Echinus
- B. Cucumaria
- C. Ophiothrix

D. Echinoarachinus.

**Answer: C**



**Watch Video Solution**

**43.** A biting and chewing apparatus found in Echinus is

A. Radula

B. Aristotle's lantern

C. Rostrum

D. None of the above.

**Answer: B**



**Watch Video Solution**

**44.** Autotomy of arms is shown by

- A. Star Fish
- B. Brittle Star
- C. Sea Lily
- D. All the above.

**Answer: D**

 [Watch Video Solution](#)

**45.** Sand Dollar is

- A. Bell-Shaped
- B. Flat and circular
- C. Cylindrical
- D. Star-like

**Answer: B**

 [Watch Video Solution](#)



Watch Video Solution

46. An echinoderms which shows eversion of stomach during feeding

- A. Antedon
- B. Cucumaria
- C. Asterias
- D. Echinus.

**Answer: C**



Watch Video Solution

47. Movable spines uses for locomotion occur in

- A. Echinus
- B. Ophiothrix
- C. Holothuria

D. Antedon.

**Answer: A**



**Watch Video Solution**

**48.** Echinus is like a

A. Spiny ball

B. Spiny disc

C. Smooth ball

D. Smooth disc.

**Answer: A**



**Watch Video Solution**

**49.** Small eyes and tentacles occur in Star Fish



- A. Over the oral surface of disc
- B. Proximal part of each arm
- C. Near distal part of each arm
- D. Over the aboral surface of disc.

**Answer: C**



**Watch Video Solution**

**50. Tentacles are branched and retractile in**

- A. Holothuria
- B. Cucumaria
- C. Echinus
- D. All the above.

**Answer: B**





[Watch Video Solution](#)

51. Cuvierian glands are connected with

- A. Respiratory tree of Sea Cucumber
- B. Aristotle's lantern
- C. Eversible stomach of Star Fish
- D. Aboral surface of Sea Lily.

**Answer: A**



[Watch Video Solution](#)

52. Arms are absent in

- A. Feather Star
- B. Brittle Star
- C. Star Fish

D. Sea Dollar.

**Answer: D**



**Watch Video Solution**

**53.** Pinnules occur over the arms of

A. Asterias

B. Antedon

C. Astropecten

D. Holothuria.

**Answer: B**



**Watch Video Solution**

**54.** Arms are highly fragile in

A. Ophiothrix

B. Asterias

C. Antedon

D. All the above.

**Answer: A**



**Watch Video Solution**

**55.** In echinoderms, the nervous system is

A. Well developed

B. With large brain

C. Devoid of brain

D. Both A and B.

**Answer: C**



56. A common Star Fish is

- A. Pentaceros
- B. Asterias
- C. Neometra
- D. Ophiothrix.

**Answer: A**

57. Cloacal respiration occurs in

- A. Sea Dollar
- B. Sea Urchin
- C. Sea Cucumber

D. Sea Lily.

**Answer: C**



**Watch Video Solution**

**58.** Sea Cucumber is

A. Flat disc

B. Globular

C. Herb-like

D. Cylindrical.

**Answer: D**



**Watch Video Solution**

**59.** Perforated surface plate of water vascular system is

- A. Stone canal
- B. Madreporite
- C. Ring canal
- D. Ossicle.

**Answer: B**



**Watch Video Solution**

**60.** In echinoderms, ossicles are

- A. Exoskeletal plates
- B. Endoskeletal plates
- C. Regions of ambulacral grooves
- D. Regions from where oral tentacles develop.

**Answer: B**



61. Attached structures of Sea Lily are known as

- A. Cirri
- B. Tentacles
- C. Rhizines
- D. Holdfasts.

**Answer: A**

62. Which one is absent in echinoderms

- A. Nervous system
- B. Muscular System
- C. Cephalisation



D. All the above.

**Answer: C**



**Watch Video Solution**

**63.** Organisation present in echinodermata is

A. Cell tissus level

B. Tissue level

C. Organ level

D. Organ system level.

**Answer: D**



**Watch Video Solution**

**64.** Dermal branchiae (papulae) present in Star Fish take part in

A. Respiration

B. Excretion

C. Both A and B

D. Producing current of water .

**Answer: C**



**Watch Video Solution**

**65.** Echinoderms are

A. Ammonotelic and aminotelic

B. Ureotelic

C. Uricotelic

D. Both B and C.

**Answer: A**



66. Star Fish is

- A. Flat and radiate
- B. Globular and radiate
- C. Cylindrical with repeatedly branched tentacles
- D. Like a spiny ball.

**Answer: A**

67. In Star Fish the upper side contains

- A. Mouth
- B. Mouth and ambulacral grooves
- C. Anus

D. Anus and madreporite.

**Answer: D**



**Watch Video Solution**

**68.** In Serpent Star, the lower side contains

A. Anus and madreporite

B. Anus only

C. Mouth and madreporite

D. Mouth only

**Answer: C**



**Watch Video Solution**

**69.** In Sea Cucumber, the side in contact with substratum is

A. Anal

B. Oral

C. Lengthwise ventral

D. None of the above.

**Answer: C**



**Watch Video Solution**

**70.** Evisceration is characteristic of

A. Cucumaria

B. Echinus

C. Echinoarachhinus

D. Neometra.

**Answer: A**



71. An echinoderm that resembles a small herbaceous plant is

- A. Holothuria
- B. Antedon
- C. Salmacis
- D. Echinus.

**Answer: B**

72. Radial symmetry of echinoderms is

- A. primary
- B. Secondary
- C. Biradial

D. Triradial.

**Answer: B**



**Watch Video Solution**

**73.** Stone canal of Star Fish is

A. Straight

B. Rounded

C. Pentangular

D. S-shaped.

**Answer: D**



**Watch Video Solution**

**74.** Heart Urchin belongs to class

A. Asteroidea

B. Ophiuroidea

C. Echinoidea

D. Holothuroidea.

**Answer: C**



**Watch Video Solution**

**75. Ophiura is**

A. Brittle star

B. Feather Star

C. Sand Dollar

D. Sea Lily.

**Answer: A**





76. Which echinoderm does not possess arms ?

- A. Asterias
- B. Echinocardium
- C. Ophiura
- D. Astropecten.

**Answer: B**

77. A test is present in echinoderm

- A. Asterias
- B. Ophiura
- C. Echinocardium

D. Antedon.

**Answer: C**



**Watch Video Solution**

## Revision Questions

1. Star fish belongs to

A. Asterozoa

B. Ophiurozoa

C. Holothurozoa

D. Crinozoa.

**Answer: A**



**Watch Video Solution**

2. Which is unmatching group ?

- A. Sea Pan, Sea Fan, Coral, Swimming Bell
- B. Cuttle Fish, Shall Fish, Devil Fish and Sea Squid
- C. Sea Star, sea Urchin, Sea Anemone and Sea Cow
- D. Globe Fish, Bat Fish, Gold Fish and Pipe Fish.

**Answer: C**



[Watch Video Solution](#)

3. An animal having unsegmented coelom, superficial radial symmetry in adult but bilateral symmetry in larva is a member of

- A. Mollusca
- B. Echinodermate
- C. Arthropoda

D. Annelida

**Answer: B**



**Watch Video Solution**

4. Antedon is a member of class

A. Echinoidea

B. Asteroidea

C. Crinoidea

D. Ophiuroidea

**Answer: C**



**Watch Video Solution**

5. A phylum exclusively marine is

A. Coelenterate

B. Porifera

C. Protozoa

D. Echinodermate.

**Answer: D**



**Watch Video Solution**

**6. The locomotory organs of Echinodermata are**

A. Parapodia

B. Pseudopodia

C. Feet

D. Tube feet.

**Answer: D**



7. Aristotle's lantern occurs in class

- A. Sea Urchin
- B. Asterias
- C. Ophiothrix
- D. Sea Anemone.

**Answer: A**

8. Which one occurs in Echinodermata ?

- A. Bilateral symmetry
- B. Radial symmetry
- C. Porous body

D. Soft skin.

**Answer: B**



**Watch Video Solution**

9. Echinodermata is a group of animals

- A. Coelomate, spiny and marine
- B. Acoelomate, spiny and marine
- C. Coelomata, horny and marine
- D. Jointed legged, coelomate and marine.

**Answer: A**



**Watch Video Solution**

10. Which of the following is not a characteristic feature of phylum echinodermata?

- A. Vascular system
- B. Radial symmetry
- C. Radial canal
- D. Ambulacral system

**Answer: D**



[Watch Video Solution](#)

11. Aristotle's lantern occurs in class

- A. Echinoidea
- B. Asteroidea
- C. Holothuroidea



D. Ophiuroidea.

**Answer: A**



**Watch Video Solution**

**12. Echinoderms are**

- A. Fresh water forms
- B. Both fresh water and marine
- C. Exclusively marine
- D. None of the above.

**Answer: C**



**Watch Video Solution**

**13. Tube feet**

A. Cockroach

B. Star Fish

C. Cuttle Fish

D. Cat Fish.

**Answer: B**



[Watch Video Solution](#)

**14. Which is not a member of echinodermata ?**

A. Star Fish

B. Ascaris

C. Sea Lily

D. Ophiuthrix .

**Answer: B**



15. Which one is an ophiuroid ?

- A. Brittle star
- B. Sea Star
- C. Sand Dollar
- D. Sea Urchin.

**Answer: A**

16. Ambulaeral grooves are absent in the living forms of the class

- A. Asteroidea
- B. Crinoidea
- C. Ophiuroidea

D. Nautiloidea.

**Answer: C**



**Watch Video Solution**

**17. Which is unrelated ?**

A. Sea Cucumber

B. Sea Star

C. Sea Urchin

D. Sea Squid

**Answer: D**



**Watch Video Solution**

**18. Bipinnaria is the larval stage of**

A. Asteroidea

B. Holothuroidea

C. Echinoidea

D. Crinoidea.

**Answer: A**



**Watch Video Solution**

**19.** Which one is the common ancestral larval form of echinoderms, hemichordates and chordates ?

A. Tornaria

B. Bipinnaria

C. Dipleurula

D. Trochordara.

**Answer: C**



**Watch Video Solution**

**20.** The adults are radially symmetrical but larvae exhibit bilateral symmetry in

- A. Mollusca
- B. Hemichordata
- C. Echinodermata
- D. Cephalochordata.

**Answer: C**



**Watch Video Solution**

**21.** Evisceration is found in

A. Echinodermate

B. Annelida

C. Coelenterate

D. Chordate

**Answer: A**



**Watch Video Solution**

**22. Radial symmetry occurs in**

A. Cockroach

B. Anopheles

C. Asterias/Star Fish

D. Snail

**Answer: C**



23. Aristotle's lantern is connected with

- A. Respiration
- B. Mastication
- C. Excretion
- D. Support.

**Answer: B**

24. An enterocoelomate invertebrate group is

- A. Annelida
- B. Echinodermate
- C. Arthropoda



D. Mollusca.

**Answer: B**



**Watch Video Solution**

**25.** Deuterostomate and enterocoelomate invertebrate is

A. Pila

B. Ascaris

C. Aphrodite

D. Asterias.

**Answer: D**



**Watch Video Solution**

26. Echinoderms are headless, brainless and heartless, Yet they are placed at the top of invertebrates because of presence of

- A. Enterocoel
- B. Exclusive marine forms
- C. High power of regeneration
- D. Great power of reproduction.

**Answer: A**



**Watch Video Solution**

27. Box like calcareous test occurs in

- A. Sea Lily
- B. Sea Star
- C. Sand Dollar

D. Sea Cucumber.

**Answer: C**



**Watch Video Solution**

**28.** Which is not characteristic of echinoderms

A. Endodermal skeletal system

B. Bilateral symmetry

C. Free floating larva

D. Water vascular system.

**Answer: A**



**Watch Video Solution**

29. Animal with unsegmented, coelomated and radially symmetrical body having distinct oral and aboral surfaces belong to

- A. Annelida
- B. Molluscs
- C. Echinodermate
- D. Porifera

**Answer: C**

 [Watch Video Solution](#)

30. Which of the following occurs in molluscs but not in Echinoderms?

- A. Flame cells
- B. Malpighian tubules
- C. Kidney

D. None of the above.

**Answer: C**

 [Watch Video Solution](#)

**31.** Given below are assertion and reason. Assertion. Ossicles around the mouth of Sea Urchin form Aristotle's Lantern. Reason. Teeth of Aristotle's Lantern are analogous to human teeth as both are masticatory

- A. Point out if both are true with reason being correct explanation
- B. both true but reason not correct explanation
- C. assertion true but reason wrong
- D. both are wrong

**Answer: B**

 [Watch Video Solution](#)

**32.** Exoskeleton of echinodermis is

- A. Calcareous
- B. Siliceous
- C. Tunicin
- D. Chitinous

**Answer: D**



**Watch Video Solution**

**33.** Select the correct statement

- A. All arthropods have at least one pair of antennae
- B. All molluscs have an external or internal shell
- C. All annelids have setae

D. All echinoderms have water vascular system.

**Answer: B**



**Watch Video Solution**

**34.** Star fish belongs to

A. Coelenterate

B. Echinodermata

C. Arthropoda

D. Mollusca.

**Answer: B**



**Watch Video Solution**

**35.** Which IS false ?

- A. Male roundworm is smaller than female
- B. Earthworms are hermaphrodite
- C. Human teeth are comparable to scales of shark
- D. Echinoderms are protostomic coelomates

**Answer: D**



[Watch Video Solution](#)

**36. Star Fish is**

- A. Asymmetrical
- B. Radially symmetrical
- C. Bilaterally symmetrical
- D. None of These.

**Answer: B**





37. Arms, pedicellariae and spines are absent in the echinoderm

- A. Star Fish
- B. Sea Cucumber
- C. Sea Lily
- D. Sea Urchin.

**Answer: B**

38. Find out the odd example

- A. Sea Cucumber
- B. Sea Urchin
- C. Sea Lily

D. Sea Fan.

**Answer: C**



**Watch Video Solution**

**39.** Arms do not occur in

A. Sea Urchin

B. Sea Cucumber

C. Both A and B

D. Sea star.

**Answer: C**



**Watch Video Solution**

**40.** Identify a deuterostome

A. Leucosolenia

B. Dentalium

C. Dugesia

D. Ophiothrix.

**Answer: D**



**Watch Video Solution**

**41. Sea Cucumber belongs to class**

A. Echinoidea

B. Holothuroidea

C. Asteroidea

D. Ophiothrix.

**Answer: B**





[Watch Video Solution](#)

42. The bilateria member showing pentaradial symmetry is

- A. Nautilus
- B. Neometra
- C. Neomenia
- D. Neopilina.

**Answer: B**



[Watch Video Solution](#)

43. Which is properly matched ?

- A. Echinodermata- Asteroidea- Starfish
- B. Arthropoda-Insecta-Spider
- C. Mollusca-Cephalopoda-Unio

D. Platyhelminthes-Trematoda-Planaria.

**Answer: A**



**Watch Video Solution**

**44.** Which is trait is not characteristic of echinodermata ?

- A. Aristotle's lantern
- B. Water vascular system
- C. Radial and indeterminate cleavage
- D. Trochophore larva.

**Answer: D**



**Watch Video Solution**

**45.** Tube feet are characteristic of phylum

A. Arthropoda

B. Annelida

C. Echinodermata

D. Mollusca.

**Answer: C**



**Watch Video Solution**

**46.** Secondary radial symmetry occurs in

A. Jelly fish

B. Echinodermata

C. Hemichordata

D. Cnidaria.

**Answer: B**





Watch Video Solution

47. Pentaradial symmetry occurs in

- A. Echinodermate
- B. Arthropada
- C. Mollusca
- D. Annelida

Answer: A



Watch Video Solution

48. Study the lists and choose the correct ones

I	II	III
(a) Sea Urchin	Aristotle's lantern	Echinoidea
(b) Sea Cucumber	Respiratory tree	Holothuroidea
(c) Sea Biscuit	Anus is absent	Asteroidea
(d) Sea Star	Pedicle with two jaws	Ophiuroidea

A. a and b

B. b and c

C. a and c

D. b and d

**Answer: A**



**Watch Video Solution**

**49.** An exclusively marine phylum is

A. Mollusca

B. Coelenterata

C. Sponges

D. Echinodermata

**Answer: C**





 [Watch Video Solution](#)

50. Nerve cells are not found in

- A. Platyhelminthes
- B. Coelenterata
- C. Sponges
- D. Echinodermata.

**Answer: C**

 [Watch Video Solution](#)

51. In phylum echinodermata, the classes having pedicellariae are

- A. Crinoidea and holothuroida
- B. Holothuroidea and echinoidea
- C. Asteroidea and echinoidea

D. Ophiuroidea and holothuroidea.

**Answer: C**



**Watch Video Solution**

**52.** Read the statements regarding echinoderms and choose the correct option (i) All are marine with organ system level of organisation (ii) Adults are bilaterally symmetrical (iii) They are dioecious (iv) Fertilization is internal and indirect development is observed (v) Triploblastic and acoelomate animals

- A. (i) and (iii) are correct
- B. (v) alone is correct
- C. (i), (iii) and (v) are correct
- D. (i) and (v) are correct

**Answer: A**

 [Watch Video Solution](#)

53. Match and choose the correct pair
- (a) Cephalopoda – Closed circulatory – Pinctada
- (b) Echinoidea – Aristotle's lantern – Sea Urchin
- (c) Tentaculat – Cnodolasts – Pleurobrachia
- (d) Hexactinellida – Siliceous spicules – Venus flower basket
- A. (b), (d)
- B. (a), (d)
- C. (c), (d)
- D. (a), (c)

**Answer: A**

 [Watch Video Solution](#)

54. This has mouth on lower side and anus on upper side

A. Limulus

B. Buthus

C. Daphnia

D. Sea Urchin.

**Answer: D**



**Watch Video Solution**

**55.** Select the option that correctly matches characteristic features with the group of three animals

A. Skeleton of spicules-Sycon, Adamsia, Spongilla

B. Excretion by flame cells- Taenia, Fasciola, Ancylostoma.

C. Mouth contains radula-Dentalium, Octopus, Ophiura

D. Jointed appendages-Limulus, Apis, Laccifer.

**Answer: D**



**Watch Video Solution**

**56.** Vertebra-like jointed ossicle are characteristic of

- A. Asterias
- B. Ophiothrix
- C. Echinus
- D. Echinarachinus

**Answer:**



**Watch Video Solution**

**57.** Branched arms with pinnules occur in

- A. Crinoidea

B. Holothurioidea

C. Echinoidea

D. Asteroidea.

**Answer:**



[Watch Video Solution](#)

**58.** The body is like a spiny ball in

A. Brittle star

B. Sea Urchin

C. Sea Cucumber

D. Sea Dollar.

**Answer:**



[Watch Video Solution](#)

**59.** Antedon feeds on

A. Small animals

B. Plankton

C. Detritus

D. Both B and C.

**Answer:**



**Watch Video Solution**

**60.** Number of ambulacral areas in Sea Cucumber is

A. 5

B. 3

C. 1

D. 10

**Answer:**



**Watch Video Solution**

**61.** Number of rows of tube feet in Sea Urchin is

A. 5

B. 7

C. 10

D. 15

**Answer:**



**Watch Video Solution**

**62.** The echinoderm in which mouth is used for both ingestion and egestion is



A. Echinoarachinus

B. Ophiothrix

C. Echinus

D. Antedon.

**Answer:**



**Watch Video Solution**

**63.** Tube feet are connected internally with

A. Coelom

B. Heamal system

C. Water vascular system

D. Dermal branchiae.

**Answer:**



64. Body is discoid or ball like in

- A. Echinoidea
- B. Holothuroidea
- C. Crinoidea
- D. Ophiuroidea

**Answer:**

65. Echinoderms are

- A. Dioecious
- B. Monoecious but protandrous
- C. Monoecious but protogynous

D. Monoecious and homogamous.

**Answer:**



**Watch Video Solution**