

# **BIOLOGY**

# **BOOKS - DINESH PUBLICATION ENGLISH**

# REPRODUCTIVE HEALTH

# **Multiple Choice Questions**

- 1. An IUCD is
  - A. Copper-T
  - B. Condom
  - C. Vasectomy
  - D. pill.

### Answer: a



Marala veda a calculan

2. A steritisation tachnique is
A. Loop
B. Disphragm
C. Tubectomy
D. Cervical cap.
Answer: d
Watch Video Solution
Watch Video Solution
Watch Video Solution
Watch Video Solution  3. A contraceptive is
3. A contraceptive is
3. A contraceptive is  A. condom cervical cap or diaphragm

Answer: a
Watch Video Solution
4. A contraceptive pill contains
A. Progesterone and estrogen
B. Spermicidal salts
C. chemicals that cause automatic abortion
D. Chemicals that prebent fertillzation of ovum .
A
Answer: c
Watch Video Solution
5. A contraceptive pill prevents ovulation by

D. all the above

A. Blacking fallopian tube B. inhibiting release of FSH and LH C. Stimulating release of FSH and LH D. Causing immediate degeneration of released ovum. Answer: b **Watch Video Solution** 6. MTP is A. Multitrade practices B. Amlthusin treatise on population C. Multiple temporary frequency D. Medical termination of pregnancy Answer: d **Watch Video Solution** 

7. Vaginal diaphragm is
A. Spermicidal
B. Able to prevent descent of ova
C. able to prevent sperm contact with ovum
D. Oivcidal
Answer: c
Watch Video Solution
Watch Video Solution
Watch Video Solution  8. A wealky oral contraceptive is
8. A wealky oral contraceptive is

Answer: c
Watch Video Solution
<b>9.</b> Preventice birth control measure is :
A. Preventing union of sperm and ovum
B. preventing sperms from entering uterus
C. MTP
D. Test tube babies .
Answer: a
Watch Video Solution
Watch video solution

D. Saheli-2

10. A method of sterilisation is

A. IUDCB B. Diaphragm C. Vasectomy D. loop Answer: c **Watch Video Solution Revison Questions From Competitve Exams** 1. Tubectomy is to prevent A. Coitus B. Egg formation C. Fertilization D. Embryonic development.


# Answer: c Watch Video Solution

- 2. Contraceptive oral pills used by females help in birth control by:
  - A. Klilling of ova
  - B. preventing ovulation
  - C. killing the sperms
  - D. Forming barrier between sperms and ova .

## Answer: b



- 3. The most important component of oral contraceptive pills is
  - A. Thyroxine



5. Copper-T/loop prevents:
A. A Ovulation
B. B Fertilisation
C. C Zygote formation
D. D Cleavage .
Answer: b
Watch Video Solution
6. Tubectomy a method of population control is performed on
A. Both males and female
B. Males only
C. female only
D. Only pregnant females .

# **Answer: C** Watch Video Solution 7. The birth control measure that is related to males is A. Oral pill **B.** Tubectomy C. Vasectomy D. None of the above. Answer: c Watch Video Solution 8. A method of birth control is: A. GIFT

B. HJF	
C. IVF-ET	
D. IUDs.	
Answer: d	
Watch Video Solution	
<b>9.</b> A methoud of sterilaition is	
A. IUDCB	
B. Diaphragm	
C. Tubectomy	
D. loop	
Answer: c	
Watch Video Solution	

10. Amniocentesis is a technique to
A. herditary abnormality in enbryo
B. Cardiac ailments of embryo
C. Errors in amino acid metabolism in embroyo
D. All the above .
Answer: a
Watch Video Solution
11. Which of the following is mechanical barrier used in birth control?
A. Copper-T
B. Diaphragm
C. Loop
D. Dalcon shield.

# Watch Video Solution 12. Oral contraceptives are used by females to check A. implantation B. Fertillization C. Ovulation D. Entry of sperms in vagina. Answer: c Watch Video Solution 13. Amniocentesis involves the anaysis of A. Amnion

Answer: b

- B. body fluids of amnitoes

  C. Amnoitic fluid

  D. amino acids of protein

  Answer: c

  Watch Video Solution
- 14. Which of the following is one of the safest method of birth control?
  - A. Termination of unwanted pregnancy
  - B. Sterilisation techniques
  - C. Rhyhum method
  - D. Use of physical barriers

## Answer: b



15.	In	the	human	female	,	menstruation	can	be	deferred	by	the
adı	mini	istrati	ion of :-								

- A. FSH and LH
- B. Estrogen an dprogesterone
- C. FSH only
- D. LH only

### Answer: b



**Watch Video Solution** 

**16.** Given below are four methods (A)-(D) and their modes of action (1-4) in achieving contraception. Select their correct matching from the four

options that follow:

### Method

- (1) The pill
- (2) Condom
- (3) Vasectomy(4) Copper-T
- i) ine piii

(a) Prevents sperms reaching cervix

**Mode of Action** 

- (b) Prevents implanta
- (c) Prevents ovaulation
- (d) Semen contains no sperms

A. 
$$a-iii, b-iv, c-i, d-ii$$

B. 
$$a-ii,\,b-iii,\,c-i,\,d-iv$$

$$\mathsf{C.}\,a-iii,\,b-i,\,c-iv,\,d-ii$$

D. 
$$a-iv, b-i, c-ii, d-iii$$

### Answer: c



generally safe

- 17. Which of the following two statements are correct?
- (i) Medical termination of pregnancy (MTP) during first trimester is

(ii) Generally chances of conception are nil until mother breast-feeds the infant upto two years (iii) Intrauterine devices like copper-T are effective contraceptives (iv) Contraception pills may be taken upto one week after coutus to prevent conception. A. A,c B. c,b C.b,c D. c,d Answer: a **Watch Video Solution** 18. Saheli' an oral contraceptive for females was developed by

A. AIIMS, delhi

B. IICB Kolkata

D. CDRI Lucknow
Answer: d
Watch Video Solution
19. Which of these is used to control human population?
A. Estrogen and progesterone
B. IUCD and MTP
C. Tubectomy and vasectomy
D. All the above .
Answer: d
Watch Video Solution

C. SG PGI kucknow

**20.** In vitro fertilization is a technique that involves the transfer of which one of the following into the fallopian tube ?

A. Zygote or embroyo into 8 celled stage

B. 32- celled stage

C. Zygote only

D. Embroyo only upto 8 - celled satge .

### Answer: a



**Watch Video Solution** 

21. Cu ions released from copper-releasing intra uterine devices (IUDs)

A. increase phagocytosis of sperms

B. Suppress sperm motility and fertilizing capacity

C. Prevent ovulation

D. make uterus unsuitable for implatation.

# Answer: b **Watch Video Solution** 22. Which one is not included in "barrier methods" of birth control? A. Diaphragm B. Lippe's loop C. Cervical cap D. Vault. Answer: b **Watch Video Solution** 23. Which of the following cannot be considered as assisted reproductive technology

- A. in vitro fertilization
- B. Medical termination of pregnancy
- C. Gamete interafallopian transfer
- D. interactoplasmic sperm injaction .

### Answer: b



**Watch Video Solution** 

**24.** Given below are asserton and reason point out If both are true with reason being correct explanation (A) both are true but reason is not correct explation (B) assertion is true but reason is worng (C) and both are wrong (D)

Assertion . Amniocentesis is banned

Reason: - AMniocentesis gives inforamtion about fortal abnormalities



25. The non-medicated IUD is :
A. Copper-T
B. Progestasert
C. Lippes loop
D. LNG-20
Answer: c  Watch Video Solution
<b>26.</b> Most effective contraceptive method for ladies is :
<b>26.</b> Most effective contraceptive method for ladies is :  A. Rhythum method
A. Rhythum method
A. Rhythum method B. ECP

# Answer: d



**27.** The method of directly injecting a sperm into ovum, assisted by reproductive technology is called

A. ZIFT

B. ICSI

C. GIFT

D. ET.

## Answer: b



Watch Video Solution

**28.** Saheli, a new oral contraceptive for the females developed by Indian scientist is a:

A. Steroidal prepararion B. Hormonal preparation C. Non-Steroidal preparation D. Taxic preparation to kill sperms. Answer: c **Watch Video Solution 29.** Saheli is : A. Oral female contraeptive B. Surgical sterilisaton for females C. Diaphreagm for females D. Diaphragm for males Answer: a **Watch Video Solution** 

30. Which of the following is the most widely accepted method of contraception in india at present ?

A. Diaphragm

C. Cervical cap

B. IUDs

D. Tubectomy

### Answer: b



**31.** If for some reason, the vesa effectentia in the human reproductive system get blocked, the gametes will not transported from

A. Overy to uterus

B. Vagina to uterus

C. Testis to epididymis
D. Epididmis to vas deferens
Answer: c
Watch Video Solution
<b>32.</b> Medical Termination of Pregnancy (MTP) is considered safe up to how
many weeks of pregnancy ?
A. Six
B. eight
C. twelve
D. Eighteen
Answer: c
Watch Video Solution

**33.** The technique called Gamete Intra Fallopian Transfer (GIFT) is recommended for those females

A. Who cannot produce an ovum

B. Who cannot ratain foetus inside uterus

C. Whose cervical canal is no narrow to allow passage for sparms

D. Who cannot provide suitable environ ment for feritlization .

#### Answer: a



**Watch Video Solution** 

### **34.** ZIFT is

A. Zygote into fallopian tube

B. Embryo into uterus

C. Mixture of aperms and ova into fallopian tube

D. mixture of sperms and ova into uterus .

#### Answer: a



**Watch Video Solution** 


**35.** In assisted reproductive techology ,after in vitro fertilization what is transplanted in the fallopian tube?

- A. Embryo upto 8 blastomeres, if zygote is not tranplanted
- B. Blastula is transplanted
- C. only zygote is tranplated
- D. Morula in 8-24 celled stage is transplanted .

### Answer: a



# **36.** What does the figure show



- A. Ovarian cancer
- B. Uterine cancer
- C. Tubectomy
- D. Vasectomy

## Answer: c



**37.** The Test-Tube Baby Program employs which one of the following techniques ?

A. intracytoplasmic sperm injection

B. Gamete intrefallopin transfer

C. Intrauterine insemination

D. zygote interfallopian transfer.

## Answer: d



**38.** Oral contraceptive pill is composed of

A. Estrogen and growth haromone

B. Estrogen and progesterone

C. Estrogen and testoseone

D. Progesterone and testosterone

# Answer: b



**39.** Urinogential tract infection in males accompained by yellow discharge, burning, felling on passing, fever and headache is called as:

- A. AIIDS
- B. Gonrrhoea
- C. Hepatits B
- D. Syphilis

### Answer: b




**Watch Video Solution** 

**40.** Which one of the following groups includes all sexually transmitted diseases?

B. AIDS, syphils, cholera C. Trichomonasis, maleria, HIV D. Gonorrhoea ,Hepatits-B , chlamydia Answer: d **Watch Video Solution** 41. Copper releasingg IUD is A. Multiload 375 **B. LNG-20** C. Saheli D. Diaphragm Answer: a **Watch Video Solution** 

A. Hapatitis-B, AIDS, haemophila



C. GIFT - Embryo with more than 8 blastomeres tranferred into

D. IVF - Fertillization outside the body

### Answer: c



Watch Video Solution

fallopian tube

44. which is not cause of male infertility

A. Motile sperms


B. Oilgospermia

C. Teratozoospermia

D. Asthenozoopermia

### Answer: a





- A. Syphilis
- B. Gaonorrhoea
- C. Hapatits
- D. AIDS

### Answer: b



**Watch Video Solution** 

**46.** Match the contraceptive methods given under column I with their examples given under column II and select the correct option from the

given codes

Column II Column II

A. Chemical (i) Tubectomy and vasectomy

B. IUDs (ii) Copper T and loop

C. Barriers (iii) Condom and cervical cap

D. Sterilisation (iv) Spermicidal jelly and foam(v) Coitus interruptus and calender method

A. a - s, b - t, c - q, d - r

 $\mathtt{B.}\,a-p,b-r,c-q,d-t$ 

C. a-s,b-q,c-t,d-p

D. a-s,b-q,c-r,d-p

### Answer: d



Watch Video Solution

**47.** A vasectomy prevents :

A. Producation of sperms in testes

B. Producation of semen

C. Movement of sperm into urethra
D. male erection
Answer: c
Watch Video Solution
18. Permanent contraception in human male is through
A. Diaphragm
B. Tubectomy
C. Vasectomy
D. pill.
Answer: c
Watch Video Solution

**49.** Which of the following cannot be detected in a developing foetus by amniocentesis?

A. Jaundice syndome

B. Klinefelter's

C. Sex of foetus

D. Down's syndrorome.

### Answer: a



Watch Video Solution

**50.** One of the legal methods of birth control is

A. By a premature ejaculation during coitus

B. Abortion by taking an approriate medicine

C. By abstining from coits from 10-17 days of menstrual cycle

D. BY having coitus at the time of day break.

## Answer: b



51. One of the following is not a method of contraception-which one

- A. Pills having oxytocin and vaspressin
- B. Lippe's loop
- C. Tubectomy
- D. Condoms

### Answer: a




Watch Video Solution

**52.** Stage transferred to uterus after induced fertilization of ova in the laboratory is

A. Embryo at two - blastomere stage B. Morula C. Zygote D. Embryo at four blastomere stage Answer: b **Watch Video Solution** 53. Which one of the following statements is correct regarding sexually transmitted infections (STIs)? A. Haemophilia is one of the STD B. Genital herpes and sicke cell anaemia are both STD C. Chances of a five years old boy contracting a STD are vary little D. A Person may contract syphilis by sharing milk with one already suffering from disease.

## Answer: c Watch Video Solution 54. Which of the following is hormone-releasing IUD? A. CU-T B. Cu 7 C. LNG -20 D. Multiload 475 Answer: c Watch Video Solution 55. Induced abortion is also called . A. IUD



B. sterilisation of female reproductive organ

C. Insertion of Cu-T

D. Use of condoms

**Watch Video Solution** 

Answer: b

57. Causes for increased population growth in India is/are		
A. High birth rate		
B. Low death rate of infants		
C. Lack of education		
D. All of these		
Answer: d		
Watch Video Solution		
58. Which is common match of amniotic fluid test		
A. IVF		
B. ZIFT		
C. GIFT		
D. None of them		

### Answer: d



## **Watch Video Solution**

**59.** Read the statements A and B and identify the correct choice from those given:


Statement A: Women are at the peak of conceptionon the 14th day of menstrual cycle

Statement B : Vasectomy is the method normally, employed to avoid conception in females.

- A. satement A is wrong B is right
- B. statement a is right b is wrong
- C. Both the statement arae right
- D. Both the statement are wrong


## Answer: b





# Watch Video Solution 62. which is not a sexually transmitted disease A. Genital warts B. Trichomoniasis C. Chlamydiasis D. Myasthenia gravis Answer: d Watch Video Solution 63. Which is the hormonal method of birth control? A. pill

Answer: a



- 65. which of the following statement is wrong
  - A. Test tube body begins growth inside test tube
  - B. Test tube body grows within mother's womb
  - C. test tube boby grows within surrogate mother's womb
  - D. Test tube baby grows following uterine fertilization .

#### Answer: d



**Watch Video Solution** 

**66.** Which of the following is world's first non-hormonal oral contraceptive pill for females, developed by scientists at Central Drug Research Institute (CDRI( in Lucknow, India ?

A. male -D

**B. LNG-20** 

C. Saheli
D. Mala-A
Answer: c
Watch Video Solution
57. In which 'Assisted Reproductive Technology' (ART), Test-tube Baby'
procedure is applied?
A. Gamete interfallopian tranfer
B. Ineracytoplasmic sperm injection
C. IN vitro fertillization and embryo transfer
D. Zygote intrafallopian transfer.

Answer: c

- **68.** IUDs which are used by females
  - A. Act as spermicidal gel
  - B. black the enrty of sperm into vagina
  - C. Are implanted under skin where they release progestogen and estrogen
  - D. Release copper ions in the uterus that increase phagocyosis of sperms.

## Answer: d

rate



- **69.** Which one of the following causes population explosion?
  - A. Decrease in death rate , maternal mortality rate infant mortality
  - B. Decrease in death rate and increase in materanal mortality rate

- C. Decrease in infant mortality rate and increase in death rate
- D. Decrease in infant mortality rate and decrease in the number of people in reproductive age .

### Answer: a



**Watch Video Solution** 

- 70. The technique used to block the passage of sperms in males is
  - A. Tubectomy
  - B. Vasectomy
  - C. Coitus interruptus
  - D. rhythm method

## Answer: b



**71.** In case of a couple where the male is having a very low sperm count, which technique will be suitable for fertilisation

- A. Intrauterine transfer
- B. Gamete intrefallopin transfer
- C. Artificial intrafallopian
- D. Intracytoplasmic sperm injaction

#### Answer: c



- 72. Assisted reproductive technology, IVF involves transfer of
  - A. Zygote into fallopian tube
  - B. zygote into uterus
  - C. Embryo with 16 blastomeres into the fallopian tube
  - D. ovum into fallopian tube .

### Answer: a



Watch Video Solution

## 73. Tubectomy is a method of sterilization in which

- A. Overies are removed surgically
- B. Small part of vas deferens is removed or tied up
- C. Uterus is removed surgically
- D. small parat of fallopian tube is removed or tied up.


## Answer: d



- 74. Amniocentesis can diagnose which of the following defects
- (a) Trisomy (b) Neural tube defects
- (C) infection (d) Lung maturity.

B. a,b and d C. b,c,and d D. a,b,c and d Answer: d Watch Video Solution 75. Amniocentesis involes analysis of A. Amino acids B. Membreane C. Skin cells D. Sex cells Answer: c Watch Video Solution

A. a ,b and c



D. Hormone relasing IUD	,
-------------------------	---

## Answer: d



**Watch Video Solution** 

78. Assissted Reproductive Tecnology does not include

- A. Gamete intrafallopian transfer
- B. Artificial insemination
- C. IN vitro fertillization and embryo transfer
- D. zygote extra fallopian transfer.

## Answer: d



79. match the columnI,II and III find the correct option

Ι IIIII(p)Trichmoniasis (i)Herpes simplex (x)pain in lower abo (q)syphilis (ii)Neisseria gonorrhoeae (y)inflammation ar (r)Gonrrhoea (iii) treponema pallidum (z)patchy hair loss (s) Genital herpes (iv) trichomonas vaginalis (w) Feeling of uneasi

A. 
$$P-iv$$
,  $u$ ,  $q-iii-z$ ,  $r-ii-r$ ,  $s-i-w$ 

B. 
$$P-iv-x,\,q-i-w,\,r-ii-y,\,s-iii-z$$

C. 
$$P-iv-y, q-i-z, r-ii-x, s-iii-w$$

D. 
$$P-i-z, q-ii-y, r-iv-w, s-iii-x$$

## Answer: a



- **80.** match the following and find the correct combination
- (a)syphilis (i)human papilloma virus
- (b) genital warts (ii)HBV(c)Hepatitis -B
- (iii) treponema pallidum Gonorrhoea (iv) HSV(d)
  - Neisseria (v)

A. 
$$a - ii, b - i, c - iv, d - v$$

B. 
$$a-iii,\,b-i,\,c-iv,\,d-v$$

$$\mathsf{C.}\,a-iii,b-i,c-ii,d-v$$

D. 
$$a-ii, b-iii, c-iv, d-v$$

## Answer: c



## Watch Video Solution

81. After tubectomy which which part of female reproductive system remains blocked

A. Cervix

B. Uterine cavity

C. Ovary

D. Fallopian tube

## Answer: d

**82.** A childless couple can be assisted to have a child through a technique called GIFT. The full form of this teclmique is

- A. Gamete inserminted fallopian transfer
- B. Gamete intrefallopin transfer
- C. Gamete intetnal fertillization and transfer
- D. Germ cell internal fallopian transfer

## Answer: b



**Watch Video Solution** 

**83.** Transfer of an ovum of a donar into fallopian tube of a surrogate mother is

A. ET

B. IUT

C. GIFT

D. ZIFT

## Answer: c



Watch Video Solution

## 84. match and choose the correct option

I II

- (p) Gonorrhoea (i) Loss of appetite, pain upper right abdomen
- (q) trichomoniasis (ii) white patches on tongue or roof of buccal cavit
- (r) Hepatits B (iii) Pain while passing urine
- (s) syphilis (iv) Itching in and around vagina

A.  $p-i,\,q-iv,\,r-ii,\,s-iii$ 

 $\mathtt{B.}\ p-iv, q-iii, r-ii, s-i$ 

 $\mathsf{C.}\,p-iii,q-iv,r-i,s-ii$ 

 $\mathtt{D}.\,p-iii,\,q-i,\,r-ii,\,s-iv$ 

## Answer: c



## 85. Amniocentesis is one of the methods

- A. Adapted for MTP
- B. OF birth control
- C. For foetal sex determination
- D. Used for safe parturition

## Answer: c



Watch Video Solution

**86.** Lactational amenorrhoea prevents

A. Secretion of malk from breast

- B. Conception C. secretin of prolactin D. Spermatogenesis Answer: b **Watch Video Solution** 87. Steriisation period of treponema pallidum is about A. 2-4 days B. 7-21 days C. 1-2 days
  - D. 3-4 weeks

## Answer: d



88. Sterilisation procedure in human female is		
A. Coitus interruptus		
B. rhythum method		
C. Tubectomy		
D. Vasectomy		
Answer: c		
Watch Video Solution		
89. With regard to birth control method in humans DMPA stands for		
A. Medical termination of pregenancy (MTP)		
B. Assisted repuctive technolgy (ART)		
C. Contraceptive injection		
D. Durgical procedure		

### Answer: c



## Watch Video Solution

**90.** Given below are four methods (a-d) and their modes of action (i-iv) in achieving contraception. Select their correct matching from the four options that follow.

Method Mode of Action

- (a) The pill (i) Prevents sperms reaching cervix
- (b) Condom (ii) Prevents implantation
- (c) Vasectomy (iii) Prevents ovulation
- (d) Copper-T (iv) Semen contains no sperm

A. 
$$a-iv, b-i, c-ii, d-iii$$

$$\mathtt{B.}\,a-i,b-ii,c-iii,d-iv$$

$$\mathsf{C}.\,a-ii,\,b-i,\,c-iii,\,d-iv$$

D. 
$$a-ii, b-i, c-iv, d-iii$$

## Answer: d



## 91. Lactational amenorrhoea menas

- A. Medical terminal of pregnancy
- B. Oral administration of progesterone
- C. Coitus interruptus
- D. Absence of menstruation during intense lactation.

## Answer: d



- 92. In context of amniocentesis, which of the following statements is incorrect?
  - A. It is used for detectin of cleft palate
  - B. It is usually done when a women is between 14-16 weeks pregnant
  - C. it is used for prentatal prenant

#### Answer: a



**Watch Video Solution** 

**93.** Which of the following approaches does not give the defined action of contraceptive ?

(a)	Intra uterine devices	Increase phagocytosis of sperms, suppress sperm motility and fertilising capacity of sperms
(b)	Hormonal contraceptives	Prevent/ retard entry of sperms, prevent ovulation and fertilisation
(c)	Vasectomy .	Prevents spermatogenesis
(d)	Barrier methods	Prevent fertilisation

A. Vasectomy - Prevents spermatogenesis

B. Barrier methods -Prevents fertillization

C. Intra- uterine devices - Increase phagocyosis of sperms suppress

sperm motiliity and fertilizing capacity of sperms

D. Hormonal cantraceptives - Prevent / retard entry of sperms , prevent ovulation

## Answer: a



**94.** Which of the following is incorrect regarding vasectomy?

A. Irreversible sterility

B. NO sperm ocurs in seminal fluid

C. No sperm occurs in epididymis

D. Vasa deferentia are cut and tied.

## Answer: c



**95.** Embryo with more than 16 blastomeres formed due to in vitro ferilization is transferred into

A. Cervix

B. Uterus

C. Fallopian tube

D. Fimbriae

## Answer: b



**96.** Assertion : Foetal disorders can be diagnosed by chorionic villi sampling.

Reason: Karyotyping can be done for mitotically dividing cells of chorionic villi.



97. Match sexually transmitted diseases with their causative agents

I

II

- Gonorrhoea (i) HIV(p)
- syphilis (q)
- (ii) Neisseria
- (s)AIDS
- (r) Genital warts (iii) Treponema (iv) Human papilloma virus

A. a-ii, b-iii, c-iv, d-i

B. a - iii, b - iv, c - i, d - ii

 $\mathsf{C}.\,a-iv,b-ii,c-iii,d-i$ 

D. a - iv, b - iii, c - ii, d - i

### Answer: a



Watch Video Solution

98. In case of a couple where the male is having a very low sperm count, which technique will be suitable for fertilisation

A. Intrauterine transfer B. Gamete intracytoplasmic fallopian trasfer C. Artificial insemination D. Intracytoplasmic sperm injaction Answer: d **Watch Video Solution Check Your Grasp** 1. AI in reproductive health is A. Assisted onsemination B. Astificial insemination C. Antibody introducation D. Antigen inducation

## Answer: Watch Video Solution 2. Oilgospermia is caused by A. Alcohlolism B. STD C. Damage to prosate or seminal vesicles D. All the above . Answer: **Watch Video Solution** 3. Elevation of prolactin level in normal female causes A. Non-implantion

C. Oligo- ovulation
D. Ovartan cysts.
Answer:
Watch Video Solution
<b>4.</b> Chancroid is a sexually transmitted disease caused by
A. Trichomanas
B. Treponema
C. Haemophilus
D. Neisseria
Answer:
Watch Video Solution

B. Non-ovulation

<b>5.</b> MTP Act of of 1971 was amended in		
A. 1994		
B. 1998		
C. 2002		
D. 2003		
Answer:		
Watch Video Solution		
6. Implanon is		
6. Implanon is  A. Morning -after pill		
A. Morning -after pill		
A. Morning -after pill  B. Contraceptive pill		

# **Watch Video Solution** 7. Fem shield is a A. Barrier contraceptive B. chemical contraceptive C. Emergency contraceptive D. Injectable contraceptive Answer: **Watch Video Solution** 8. Reproductive health is related is related to A. Physical fitness

Answer:

B. Emotinal compatibility
C. Behavioral inter-relationships
D. All the above .
An arrow.
Answer:
Watch Video Solution
9. Toxic cytokines are produced by
A. Oral pill
B. CU-T
C. Saheli
D. Sponge
Answer:
Watch Video Solution

<b>10.</b> Progestasert is
A. IUD
B. Oral pill
C. Male condom
D. female condom.
Answer:
Watch Video Solution