

BIOLOGY

BOOKS - TRUEMAN BIOLOGY

ANIMAL KINGDOM -NONCHORDATES



- 1. Sponges are not found in
- 1. cold water
- 2. brackish water

- 3. sea water
- 4. sandy water
 - A. cold water
 - B. brackish water
 - C. sea water
 - D. sandy water

Answer: A



- **2.** Characteristic feature of sponge is the occurrence of
- 1. one exit and many mouths
- 2. canal system
- 3. choanocytes
- 4. all of the above
 - A. one exit and many mouths
 - B. canal system
 - C. choanocytes
 - D. all of the above

Answer: D



Watch Video Solution

- 3. In sponges digestion takes place in
 - A. paragastric cavity
 - B. stomach
 - C. osculum
 - D. food vecuole

Answer: D

4. Water current through the body of spongs is maintained by

A. amoebocytes

B. porocytes

C. choanocytes

D. pinacocytes

Answer: C



Watch Video Solution

5. Classification of Phylum Porifera is based on

A. canal system

B. spicules

C. shape of choanocytes

D. myocytes

Answer: B



6. Sponges have divison of labour, which cells are found in gemmules for asexual reproduction?

A. Choanocytes

B. mesoderm

C. choanoderm

D. none of these

Answer: B



7. Epidermis of a sponge is called

A. pinacoderm

B. mesoderm

C. choanoderm

D. none of these

Answer: A



8. Endoskeleton of sponge is called

A. pinacoderm

B. mesoderm

C. choanoderm

D. none of these

Answer: C



9. Ostium and osculum are surrounded by

- A. 1.choanocytes
- B. 2.myocytes
- C. 3.pinacocytes
- D. 4.spicules

Answer: B



10. The larva of Sycon is

- A. parenchymula
- B. amphiblastula
- C. redia
- D. planula

Answer: B



11. Rhagon type of larva is found in

A. Leucosolenia

B. Sycon

C. Spongilla

D. all sponges

Answer: C



12. The phenomenon of regeneration in sponges was observed and explained by

- A. john Ellis
- B. Aristotle
- C. H.W. Wilson
- D. Robert E. Grant

Answer: C



13. Assertion(A): In sponges, archaeocytes are totipotent.

Reason(R): They give rise to all types of amoebocytes and are self replicating.

A. Both A) and B) are true and the R) is the correct explanation of A)

B. Both A) and R) are true and the R) is not the correct explnation of A)

C. A) is true statement but R) is false

D. Both A) and R) are false

Answer: A



Watch Video Solution

14. A distinguishing feature of companion cells is that they arise from the same initial from which arises

- A. flame cells
- B. nephridiopores
- C. statocysts
- D. cnidoblasts

Answer: D



Watch Video Solution

15. Nutritionally Hydra is

A. saprozoic

B. herbivorous

C. insectivorous

D. carnivorous

Answer: D

16. Hydra can digest all types of food except

A. proteins

B. fats

C. starch

D. sugars

Answer: C



17. Which of the following tissues is absent in Hydra?

- A. Connective tissue
- B. Epithelial tissue
- C. Muscular tissue
- D. Nervous tissue

Answer: A



18. Association of Zoochlorella and Hydra is the example of

- A. parasitism
- B. mutualism
- C. cohabitation
- D. commensalism

Answer: B



19. Interstital cells in hydra renew

A. all the cells of Hydra

B. a few cells of Hydra

C. one type of cells of Hydra

D. they do not renew cells.

Answer: A



20. Who first discovered the regenerative ability of Hydra?

- A. Aristotle
- B. Linnaeus
- C. Darwin
- D. Tremley

Answer: D



21. Nematocyst is

A. non-living capsulated structure within the cnidoblast

- B. living part of cnidoblast
- C. lying outside the cnidoblast
- D. none of the above

Answer:



22. Hypnotoxin is a poisonous fluid produced by

- A. Parasitic protozoa
- **B.** Nematocysts
- C. Sponges
- D. Ascaris

Answer: B



23. Hydra can be

A. monoecious

B. marine

C. viviparous

D. monoecious or dioecious

Answer: D



Watch Video Solution

24. Portuguese Man of War is

B. Coral C. Physalia D. Obelia **Answer: C Watch Video Solution** 25. Metagenesis is found in A. Obelia

A. Pennatula

- B. Hydra
- C. Tubipora
- D. Metridium

Answer: A



- **26.** Pneumatophore is present in
 - A. Hydra
 - B. Obelia

- C. Physalia
- D. Aurelia

Answer: C



Watch Video Solution

27. Coral island is

- A. Srilanka
- B. Greenland
- C. Lakshadweep

D. Madras

Answer: C



Watch Video Solution

28. In Hydra

- A. 1.One testis and one ovary present
- B. 2.One testes and many ovary present
- C. 3.many testes and many ovary present
- D. 4. Many testes and one ovary present

Answer: D



Watch Video Solution

29. Which of the following animals belongs to phylum Coelenterata?

- A. Planula
- B. Cystecierus
- C. rhabdiform
- D. wriggler

Answer: A



Watch Video Solution

- **30.** Which one is mismatched?
 - A. Hydra vulgaris- sea water
 - B. Hydra gangetica-- fresh water
 - C. Obelia -sea water
 - D. Physalia-sea water

Answer: A

31. Find the odd example

A. 1.Sea lily

B. 2.Sea fan

C. 3.Sea cucumber

D. 4.Sea urchin

Answer: B



32. Digestion in Hydra is

- A. intecellular
- B. intracellular
- C. both 1) and 2)
- D. none of these

Answer: B



33. Primitive nervous system is formed in

- A. 1.sponge
- B. 2.cnidaria
- C. 3.echinodermata
- D. 4.annelida

Answer: D



34. In ctenophores, anal pore/pores is/are

A. complete

B. incomplete

C. both 1) and 2)

D. none

Answer: A



35. In ctenophores, anal pore/pores is/ar	35. In	ctenor	ohores,	anal	pore/	pores	is/	'are
--	---------------	--------	---------	------	-------	-------	-----	------

A. one

B. two

C. three

D. four

Answer: B



36. Nervous system of ctenophores is similar to

- A. Cnidaria
- B. Platyheminthes
- C. Nemathelminthes
- D. annelida

Answer: A



37. Paedogenes	is is	observed	in
-----------------------	-------	----------	----

- A. Ctenophores
- B. Liver fluke
- C. Both 1) and 2)
- D. Ascaris



Watch Video Solution

38. Clevage in ctenophores is

- A. equal
- B. radial
- C. incomplete
- D. determinate

Answer: D



Watch Video Solution

39. During development of ctenophores there is a ciliated spherical larve which is called

- A. cysticercus
- B. miracidium
- C. cydippid larva
- D. glochidium



Watch Video Solution

40. Ctenophora have some simialarities (or relation) with the phylum

B. Coelenterata
C. Annelida
D. Arthropoda
Answer: B
Watch Video Solution
41. Comb plates are found in
A. Adamsia

A. Porifera

- B. Aurelia
- C. Neries
- D. Pleurobrachia

Answer: B



- 42. Bioluminescence is well marked in
 - A. flatworms
 - B. ctenophores

- C. cnidarians
- D. aschelminthes

Answer: B



- **43.** Biradial symmetry is found in
 - A. Beroes
 - B. Hydra
 - C. Sponges

D. Labeo

Answer: A



Watch Video Solution

44. Which animal would not survive, if there were no ponds of water?

A. Fasciola

B. Ascaris

C. Entamoeba

D. Taenia

Answer: A



Watch Video Solution

45. Alimentary canal is not found in

A. 1.Arachnida

B. 2.Apoda

C. 3.Gastropoda

D. 4.Cestoda

Answer: D



Watch Video Solution

46. The intermediate host in the life-cycle of liver fluke is

- A. 1.Pila
- B. 2.Snail
- C. 3.Sheep
- D. 4.pig

Answer: B



Watch Video Solution

47. Copulation in Taenia occurs between

- A. two Taenia
- B. Male and female taenia
- C. two proglottides
- D. two mature proglottides of different species.



Watch Video Solution

48. The seat of proliferation with fertilised eggs in the uterus of tapeworm are regularly detached. This is known as

A. scolex

B. strobila

C. neck

D. the whole body.



Watch Video Solution

49. The matured proglottides with fertilised eggs in the uterus of tapeworm are reguarly detached. This is known as

A. proliferation

B. strobilation

C. apolysis

D. topolysis



Watch Video Solution

50. T.solium passes on to secondary (intermediate) host at which stage?

- A. 1.Onchosphere
- B. 2.Hexacanth
- C. 3. Cysticercus
- D. 4.Bladderworm

Answer: A



Watch Video Solution

51. The larva of Sycon is

A. Liver fluke

B. Planaria

C. Tape worm

D. Round worm

Answer: C

52. A rasping organ with transverse teeth and present in the buccal cavity of a mollusc is called

- A. cysticercosis
- B. bladderworm
- C. hydatid cyst
- D. measly pork

Answer: D

53. The following are found in Taenia solium.

Which one is the correct sequence?

A. Onchosphere, hexacanth, cysticercus, matured proglottid, gravid

B. Matured proglottid, cysticercus, gravid, onchosphere, gravid

C. Hexacanth, cysticercus, gravid, onchosphere, matured proglottid D. Gravid, onchosphere, cysticercus,

hexacanth, matured proglottid

Answer: A



Watch Video Solution

54. Give the correct match in the following

Column II

		Columni	
(A)	Flame cells	P	Sponges
(B)	Collar Cells	q	Hydra
(C)	Stinging Cells	r	Planaria
(D)		S	Ascaris

A. A=r, B=p, C=q

Column I

Answer: A



Watch Video Solution

55. The intermediate host in the life-cycle of liver fluke is

A. Redia and miracidium

- B. Cercaria and redia
- C. Metacercaria and carcaria
- D. Miracidium and metacercaria

Answer: D



Watch Video Solution

56. In contrast to Annelids the Platyhelminthes show

A. radial symmetry

- B. presence of pseudocoel
- C. bilateral symmetry
- D. absence of body cavity


Answer: D



Watch Video Solution

57. In the given diagram, different parts are indicated by alphabets. Choose the answer, in which these alphabets correctly match with

the parts they indicate.



A. 1)A-Rostellum

B- Hooks

C-Sucker

D-Proglottids

B. 2)A-Suctorial mouth

B-Hooks

C-Sucker

D- Segments

C. 3)A-Mouth

B-Tentacles

C-Sucker

D- Segments

D. 4)A-Sucker

B-Hairs

C-Ring

D-Proglottids


Answer: A



Watch Video Solution

58. The cross-section of the body of an invertebrate is given below. Identify the

animal, which has this body plan.



- A. Cockroach
- B. Roundworm
- C. Planaria
- D. Earthworm

Answer: C



59. Organs of excretion and osmoregulation in

Platyhelminthes are

A. Contractile vacuoles

B. Flame cells

C. Nephridia

D. Hepatic caecae

Answer: B



60. Which one of the following animals posesses high regeneation capacity?

- A. Planaria
- B. Taenia
- C. Salpa
- D. Periplaneta

Answer: A



61. One example of animals having a single opening to the outside that serves both as mouth as well as anus is

- A. Octopus
- **B.** Asterias
- C. Ascidia
- D. Fasciola

Answer: D



62. Roundworms differ from flatworms in having a

A. circulatory system

B. pseudoceol

C. dorsal nerve cord

D. circular muscle layer

Answer: B



- 63. Phasmids of Ascaris are
 - A. (1) tactile
 - B. (2) chemoreceptor
 - C. (3) photoreceptor
 - D. (4) 1 and 3

Answer: B



64. Male Ascaris can be differentiated from female Ascaris by

- A. Pineal setas
- B. 50 parts of preanal papillae
- C. 5 pairs of postanal papillae
- D. all of them

Answer: D



65. The lips of Ascaris are

A. 1.denticulate

B. 2.cartilaginous

C. 3.smooth

D. 4.bony

Answer: A



66. Cuticle of Ascaris is noncellular and beneath the cuticle in Ascaris lies a thin epidermis having scattered nuclei and no separate cells, this epidermis is

- A. 1.multicellular
- B. 2.syncytial
- C. 3.aseptate
- D. 4.none of these

Answer: B



Watch video Solution

67. Excretory structures in adult Ascaris are

A. renette cells

B. excretory canals

C. Nephridia

D. malpighian tubules

Answer: A



68. Moulting of Second instar larva of Ascaris occurs in

A. intestine

B. sand

C. blood vessels

D. lungs

Answer: D



69. Eggs containing the second state juvenile are

A. Eggs containing the second stage juvenile are

B. embryonated eggs

C. fertilized eggs

D. unfertilized eggs

Answer: A



70. The final moult of the rhabditiform larva of

Ascaris occurs in human

A. heart

B. liver

C. intestine

D. lungs

Answer: C



71. Second state larva of liver fluke goes on three week typical wandering tour. The course of travel is as follows,

A. Small intestine, liver, heart, lung

B. small intestine, lung, liver

C. small intestine, liver, lung, heart

D. liver, heart, lung, small intestine

Answer: A



72. Cleavage in the egg of Ascaris is

- A. holoblastic and determinate type
- B. holoblastic and indeterminate type
- C. discoidal
- D. superficial

Answer: A



73. Which larval stage of Ascaris is infective?

- A. first and fourth
- B. second and third
- C. first and second
- D. third and fourth.

Answer: C



74. Life span of Ascaris is

- A. 6-9 months
- B. 9-12 months
- C. 4-10 months
- D. 10-12 weeks

Answer: B



75. Which of the following sense organs is present in Ascaris are chemoreceptors and located in anterior part?

- A. pineal spicules
- B. pineal setate
- C. amphids
- D. copulatory Bursa.

Answer: C



76. Cyclope is intermediate host of

- A. Planaria
- B. Echinococcus
- C. Dracunculus
- D. Ancylostoma

Answer: C



77. Oil of Chenopodium and drug named Alcopar are used in

- A. Malaria
- B. typhoid
- C. tuberculosis
- D. ascariasis

Answer: D



78. Filariasis is caused by

A. Taenia solium

B. Fasciola hepatica

C. Ascaris lumbricoides

D. Wuchereria bancrofti

Answer: D



Watch Video Solution

79. The technical name of guineaworm is

- A. Ancylostoma
- B. Enterobius Trichinella
- C. Dracunculus
- D.

Answer: D



Watch Video Solution

80. Ascaris is

A. Ancylostoma and ureotelic

- B. Ureotelic and uricotelic
- C. uricotelic
- D. ammonotelic and ureotelic

Answer: A



Watch Video Solution

81. Which of the following is an unsegmented and ovoviviparous worm?

A. Ascaris

- B. Filaria
- C. Taenia
- D. Fasciola

Answer: B



- 82. The common name of Ancylostoma is
 - A. Pinworm
 - B. Whipworm

- C. Hookworm
- D. Guineaworm

Answer: C



- 83. Filarial larvae are found in man's (host)
 - A. smears of spleen
 - B. biopsy of liver
 - C. peripheral blood at mid night

D. smear of intestinal contents

Answer: C



Watch Video Solution

84. Swelling of legs and scrotum occurs due to

A. blockage of lymphatic vessel by a number of worms

B. accumulation of lymph in these organs

C. accumulation of dead and living worms,

lead to swelling

D. 1) and 2) are correct

Answer: D



Watch Video Solution

85. Which of the following parts of the human body is least affected by filariasis?

A. scrotum

- B. Leg
- C. Mammary gland
- D. Penis

Answer: D



- **86.** Ancylostoma causes
 - A. itching
 - B. inflamation of the skin

- C. pulmonary infection
- D. all of the above

Answer: D



Watch Video Solution

87. Microfilaries are carried by

- A. Sandfly
- B. Culex mosquito
- C. Anopheles mosquito

D. Housefly

Answer: B



Watch Video Solution

88. Wuchereria causes a disease in which parts of India

- A. Filariasis-South
- B. Elephantiasis- Bihar
- C. Elephantiasis- Karnatka

D. none of the above

Answer: B



Watch Video Solution

89. In India, filariasis is transmitted by

- 1. Culex fatigens
- 2. Anopheles culicifacies
- 3. Musca domestica
- 4. Aedes aegypti

A. Culex fatigens

- B. Anopheles culicifacies
- C. Musca domestica
- D. Aedes aegypti

Answer: A



- 90. In Ascaris, 3rd moulting takes place in
- 1. intestine
- 2. lung

- 3. liver
- 4. egg
 - A. intestine
 - B. lung
 - C. liver
 - D. egg

Answer: B



- 91. Differentiating trait of Ascaris is
- 1. sexual dimorphism and rhabditiform larva
- 2. unisexual and digenetic parasite
- 3. pseudocoelom and metameric segmentation
- 4. hermaphrodite and pseudocoelom
 - A. sexual dimorphism and rhabditiform

larva

B. unisexual and digenetic parasite

C. pseudocoelom and metameric

segmentation

D. hermaphrodite and pseudocoelom

Answer: A



Watch Video Solution

92. Life span of Ascaris is

A. soil, lung, intestine

B. soil, alveoli, lung

- C. soil, intestine, lung
- D. liver, stomach, intestine

Answer: C



Watch Video Solution

93. Which of the following is not a part of the small intestine of frog ?

- A. Ascaris
- B. Tapeworm

- C. Hookworm
- D. Amoeba

Answer: C



Watch Video Solution

94. The dioecious animal is

- A. Liverfluke
- B. Aurelia
- C. Tapeworm

D. Earthworm

Answer: B



Watch Video Solution

95. Ascaris is characterized by the

A. presence of neither true coelom nor metamerism

B. presence of true coelom but absence of metamerism

C. presence of true coelom and

metamerism (metamerisation)

D. absence of true coelom by presence

Answer: A



Watch Video Solution

96. The parasite which completes its life cycle in a single host is

A. Fasciole hepatica

- B. Plasmodium vivax
- C. Taehia solium
- D. Ascaris lumbricoides

Answer: D



Watch Video Solution

97. Match the List I with List II and select the correct option.

List I	List II
A Protozoa B Aschelminthes C Porifera D Ctenophora E Cnidaria	Pennatula

Answer: C



98. What is the common between earthworm, leech and centipede?

- A. These are hermaphrodite
- B. These have no legs
- C. These have a ventral nerve cord
- D. These have Malphighian tubules

Answer: C



99. Trochophore larva present in the development of

A. Earthworm

B. Nereis

C. Leech

D. Frog

Answer: B



100. Parapodia are present in

- A. Leech
- B. Earthworm
- C. Nereis
- D. Housefly

Answer: C



101. Heteroneris is a

- A. another name of Nereis
- B. genus of an annelid
- C. asexual phase of Nereis
- D. sexual phase of Nereis

Answer: D



102. Leech secretes which of the following anticoagulant

- A. Hirudin
- B. Heparin
- C. Serotonin
- D. Histamine

Answer: A



103. The unique characteristic of phylum annelida is

- A. coelom
- B. nephridia
- C. hermaphrodite
- D. cingulum

Answer: B



104. Blood pigment of earthworm is

- A. Haemoglobin
- B. cyanin
- C. Haemocyanin
- D. Haematin

Answer: B



105. Blood pigment of annelids is

- A. haemoglobin
- B. cyanin
- C. haematin
- D. haemocyanin

Answer: A



106. A trait common in Leech and Mosquito is

- A. 1.anticoagulant
- B. 2.celluar asexual reproduction
- C. 3.cellular level of organisation
- D. 4.absence of asexual phase

Answer: A



107. Hirudinaria is

- A. omnivorous
- B. carnivorous
- C. herbivorous
- D. sanguivorous

Answer: D



108. Body cavity of annelids/Nereis is

- A. schizocoel
- B. enterocoel
- C. pseudocoel
- D. none of these

Answer: D



109. Number of eyes present on the prostomium of Nereis is

- A. four
- B. three
- C. two
- D. one

Answer: A



110. Which of the following is common in Annelida and Arthropoda?

- A. Basal nerve cord
- B. Dorsal nerve cord
- C. Ventral nerve cord
- D. Anterior nerve cord

Answer: C



111. Which is not correctly matched?

A. Annelida- Enterocoelomate

B. Arthropoda - Schizocoelomate

C. Platyhelminthes - Acoelomate

D. Nemathelminthes - Pseudocoelomate

Answer: A



- **112.** A) It is fresh water matamerically segmented prostostome
- B) the clitellum is absent
- C) Its larval form is Trochophore
- D) It is unisexual
- E) The nervous system is found in the epidermis
- Which one of the above is true of `Paddle worm'?
 - A. A, B and E
 - B. B,C and E

- C. B,C and D
- D. C, D and E

Answer: C



- **113.** A pair of male genital pores in earthworm are present on the ventro-lateral sides of the
- 1. 14th segment
- 2. 18th segment

- 3. 10th segment
- 4. 15th segment
 - A. 14th segment
 - B. 18th segment
 - C. 10th segment
 - D. 15th segment

Answer: B



114. The stages between larval moults in an insects are called

1. pupae

2. instars

3. grubs

4. caterpillars

A. pupae

B. instars

C. grubs

D. caterpillars

Answer: B



- 115. Which set includes pathogenic arthropods
- 1. Tse-tse fly, mosquito, flea-plague
- 2. Crab, Culex, spider
- 3. Anopheles, culex, cray-fish
- 4. Silver-fish, housefly, sand-fly
 - A. Tse-tse fly, mosquito, flea-plague
 - B. Crab, Culex, spider

- C. Anopheles, culex, cray-fish
- D. Silver-fish, housefly, sand-fly

Answer: A



Watch Video Solution

116. Which one is not a fish

- A. Cat fish
- B. Dog fish
- C. Silver fish

D. Lung Fish

Answer: C



Watch Video Solution

117. The desert locust would be living in isolation or near locality will depend upon

- A. 1.its spices
- B. 2.its kinds
- C. 3.its genes

D. 4.its food and climatic conditions

Answer: C



Watch Video Solution

118. Wasp, gilamonster, centipede, scorpoin and honey bee are

A. terrestrial

B. viviparous

C. social

D. poisonous

Answer: D



Watch Video Solution

119. Glow worm is

- A. mollusc
- B. annelid
- C. insect
- D. helminth

Answer: C



Watch Video Solution

120. Which of the followig is a viviparous animal?

- A. Prawn
- B. Scorpoin
- C. Silverfish
- D. Leech

Answer: B



Watch Video Solution

121. Respratory pigment in insects is

A. haemoglobin

B. cytochrome

C. haemocyanin

D. none

Answer: D

122. Which one is not not an insect

- A. Housefly
- B. Butterfly
- C. Spider
- D. Moth

Answer: C



123. How many moles of electrons weigh one

kilogram?

- A. 25000
- B. 100
- C. 1000
- D. 2000

Answer: D



124. At a time a female Anopheles lays eggs singly in water, which are approximately

- A. 40-100 eggs
- B. 150-300 egs
- C. 100-200 egs
- D. more than 1000 eggs

Answer: A



125. Mouth parts of female Anopheles are suitable for

A. chewing

B. piercing and sucking

C. chewing and cutting

D. sucking

Answer: B



126. Which mouth part occurs in female Anopheies but not in males?

- A. Proboscis
- B. Mandibles
- C. Antennae
- D. Maxillae

Answer: D



127. Johnston's organs are present in

A. abdomen of housefly

B. head of cockroach

C. antennae of mosquito

D. none of the above

Answer: C



Watch Video Solution

128. Complete metamorphosis is found in

- A. 1.Bed bug
- B. 2.Locust
- C. 3.Mosquito
- D. 4.Silver fish

Answer: C



Watch Video Solution

129. Proboscis is :

A. labium

- B. labrum-epipharynx
- C. hypopharynx
- D. all of these

Answer: A



- **130.** Which of the following are correspondingly the pathogen and vector of malaria?
 - 1. Leishmania and sandfly

- 2. Plasmodium and Anopheles
- 3. Trypanonosoma and ratflea
- 4. Trichomonas and blowfly
 - A. Leishmania and sandfly
 - B. Plasmodium nd Anopheles
 - C. Trypanonosoma and ratflea
 - D. Trichomonas and blowfly

Answer: B



- 131. Aedes is the carrier of
- 1. dengue fever
- 2. malaria
- 3. yellow fever
- 4. both 1) and 3)
 - A. dengue fever
 - B. malaria
 - C. yellow fever
 - D. both 1) and 3)

Answer: D

132. Larva of Mosquito is

- 1. grub
- 2. maggot
- 3. wriggler
- 4. caterpillar
 - A. grub
 - B. maggot
 - C. wriggler
 - D. caterpillar

Answer: C



Watch Video Solution

133. Which of the following insects is useful to man?

- A. Dragon fly
- B. Grass hopper
- C. Moth
- D. Termite

Answer: A



Watch Video Solution

134. What is obtained from the body of insects?

- A. 1.Pearl
- B. 2.Sugar
- C. 3.Lac
- D. 4.Shagreen

Answer: C



Watch Video Solution

135. Adult butterfly can ingest food which is

A. solid and liquid

B. only solid

C. only liquid

D. only gas

Answer: C

136. Muga silk worm feeds on

A. fat bodies

B. malpigan tubules

C. poison

D. salivary glands

Answer: D



137. Rearing of silkworm is called:

- A. apiculture
- B. pisciculture
- C. agriculture
- D. sericulture

Answer: D



138. Who was the first to draw attention to the fact that bees communicate by means of definite movements now called "bee dances"?

- A. T.H. Huxley
- B. Andreas Vesalius
- C. A.I. Oparin
- D. Ernest Spytzner

Answer: D



139. Which scientist decoded the language of honey bee and was awarded Nobel prize for his work?

- A. Carolus Linnaeus
- B. Charles darwin
- C. Karl von Frisch
- D. William Harvey

Answer: C



140. "Royal jelly" is secreted by worker Honeybees. Name the gland which secretes "royal jelly".

- A. Labial gland
- B. Maxillary glands
- C. Mandibular gland
- D. Labral gland

Answer: B



141. In Honey bee drones (males) are produced from

A. unfertilized eggs

B. fertilized eggs

C. royal jelly fed larva from fertilized eggs

D. unfertilized eggs not cared by workers at

all

Answer: A



142. Which of the following are vector hosts?

- A. Rabbit, snake, lizard, frog
- B. Sand fly, tsetse fly, house fly, culex
- C. Tsetse fly, Trypanosoma, sand fly, leishmania
- D. House fly, frog, sand fly

Answer: B



143. The best method to dispose night soil is

A. mechanical control

B. physical control

C. biological control

D. both 1) and 2)

Answer: C



144. Bed bug transmits

- A. typhus fever
- B. leprosy
- C. 1) and 2)
- D. kala azar

Answer: C



145. Locusts are found breeding in India in

- A. Uttar pradesh
- B. Rajasthan
- C. Kerala
- D. Kashmir

Answer: B



146. Rearing of silkworm is done on large scale in

- A. china
- B. India
- C. japan
- D. All of these

Answer: D



147. Yellow fever is transmitted by

- A. female culex
- B. female anophilies
- C. female aedes
- D. housefly

Answer: A



148. True and complete metamorphosis occurs in

- A. Silver
- B. Bed bugs
- C. Grasshoppers
- D. Moths and mosquitoes.

Answer: D



149. From which stage of silk moth, the silk is obtained?

A. Adult

B. Caterpillar

C. Egg

D. Pupa

Answer: D



150. Book lungs are the respiratory organs found in

A. insects

B. crustaceans

C. millipedes

D. scropions

Answer: D



151. In honey bees, the royal jelly is fed to

A. 1.queen

B. 2.drones

C. 3.larva that becomes the queen

D. 4.both 1) and 3)

Answer: D



152. Main function of halteres (reduced wings) on the metathroax of mosquito is to

- A. 1.provide balance in flight
- B. 2.speed up the light
- C. 3.emit sound
- D. 4.frighten enemies.

Answer: A



153. Which of the following insects is regarded

as greatest mechanical carrier of diseases?

- A. 1.Xenopsella
- B. 2.Musca
- C. 3.Cimex
- D. 4.Pediculus

Answer: B



154. Pollen basket occurs in Honey Bee on

A. prothoracic leg

B. mesothoracic leg

C. methathoracic leg

D. union of thorax and abdomen

Answer: C



155. In which bee, the wax glands are present in

A. worker

B. drone

C. queen Bee

D. both queen and worker bees

Answer: A



156. Which one is a tracheate group

A. 1.King Crab-Scorpion-Housefly

B. 2.Crab- Centipede - Cockroach

C. 3. Spider-Peripatus - Mosquito

D. 4.Bed bug-Sandfly - Silkworm

Answer: D



157. Arrhenotoky is parthenogenetic development found in

- A. all insects
- B. mosquitoes
- C. butterflies
- D. honey, bees, wasps and ants

Answer: D



158. Trilobites evolved in

A. precambrian

B. ordovician

C. silurian

D. cambrian

Answer: D



Watch Video Solution

159. Silk fibre contains protein

- A. fibroin and sericine
- B. collagen and elastin
- C. fibrin and sericine
- D. chondrin and mucin

Answer: A



Watch Video Solution

160. Mostly wiely reared Honey Bee species of india is

- A. Apis mellifera
- B. Apis dorsata
- C. Apis indica
- D. Apis florea

Answer: C



Watch Video Solution

161. Cray fish is

A. crustacean

- B. edbile fish
- C. poisonous fish
- D. mammal.

Answer: A



- 162. Honey is acidic and mainly consists of
- 1. polysaccharides
- 2. disaccharides

- 3. monosaccharides
- 4. fats
 - A. polysaccharides
 - B. disaccharides
 - C. monosaccharides
 - D. fats

Answer: C



163. If the honey bee is performing round dance it is conveying the information of food source from the hive at a distance of

- 1.50 metres
- 2. 100 metres
- 3. 1000 metres
- 4. 2000 metres
 - A. 50 metres
 - B. 100 metres
 - C. 1000 metres

D. 2000 metres

Answer: A



Watch Video Solution

164. Arthropods lack

- 1. jointed appendages
- 2. cilia
- 3. respiratory organs
- 4. segmented body

A. jointed appendages

B. cilia

C. respiratory organs

D. segmented body

Answer: B



Watch Video Solution

165. Common among Moth, Frog and Mosquito is

- A. body differentiated into head, throax and abdomen
- B. life history is carried out partly in water
- C. larvae feed on a different type of food
- D. skin acts on main respiratory organ

Answer: C



166. What is common amongst Earthworm,

Cockroach and Centipede?

A. metamorphism

B. sexual dimorphism

C. chitinous exoskeleton

D. haemocoel

Answer: C



167. What is true about Nerels, Scorpion,

Cockroach and Silver fish?

A. None of them is aquatic

B. They all belong to the same phylum

C. They all have jointed paired appendages

D. They all possess dorsal heart

Answer: C



168. In which of the following organisms, self fertilization is seen ?

A. Honey bee

B. Frog

C. Ascaris lumbricoides

D. Rabbit

Answer: A



169. Which one of the following pairs of items correctly belongs to the category of organs mentioned against it?

- A. Nictitating membrane and blind spot in human eye Vestigial organs
- B. Nephridia of Earth worm and

 Malphighian tubules of Cockroach
 Excretory organs
- C. Wings of Honey bee and wings of Crow Homologous organs

D. Thorn of Bogainvillea an tendrils of

Cucurbita -Analogous organs

Answer: B



Watch Video Solution

170. Karl von Frisch was awarded Nobel prize in medicine or physiology in

A. 1970

B. 1972

C. 1973

D. 1974

Answer: C



Watch Video Solution

171. From which stage of silk moth, the silk is obtained?

A. 3rd instar larva

B. 4th instar larva

C. 5th instar larva

D. pupa

Answer: D



Watch Video Solution

172. Name one disease of mulberry silk worm caused by Protozoa an(Nosema bombycis)

A. Pebrine

B. Graseri

- C. Flacheir
- D. Mascardine

Answer: A



Watch Video Solution

173. Centrolecithal eggs are characteristic of

- A. Frog
- B. Mammals
- C. Insecta

D. Star fish

Answer: C



Watch Video Solution

174. In which of these animals antennal gland functions as excretory organ?

- A. Human being
- B. Cockroach
- C. Planaria

D. Prawn

Answer: D



Watch Video Solution

175. The scientific name of Asian tiger mosquio is

- A. Aedes aegypti
- B. Aedes albopictus
- C. Aedes taeniarhychus

D. Aedes albolineatus

Answer: B



Watch Video Solution

176. Life span of Honey Bee drone is

- A. 1)3--4 months
- B. 2)1--2 months
- C. 3)6--7 months
- D. 4)10-12 months

Answer: B



Watch Video Solution

177. Limnology is related to

A. nympho

B. trochophore

C. cocon

D. caterpillar

Answer: D

178. Name one disease of mulberry silk worm caused by Protozoa an(Nosema bombycis)

A. 5th abdominal segment

B. 2nd thoracic segment

C. head

D. 8th addominal segment

Answer: D



Watch Video Solution

179. Worker Bees are :

A. 1.sterile females

B. 2.fertile females

C. 3.when queen is absent then act as

fertile females

D. 4.sterile drones

Answer: A



- **180.** Peripatus is a connecting link between:
- 1. Annelida and Arthropoda
- 2. Coelenterata Porifera
- 3. Ctenophora and Platyhelminthis
- 4. Mollusca and Echinodermata
 - A. Annelida and Arthropoda
 - B. Coelenterata Porifera
 - C. Ctenophora and Platyhelminthis
 - D. Mollusca and Echinodermata

Answer: A



Watch Video Solution

- **181.** which one of the following is used as biological insecticide?
- 1. Tiger beetle
- 2. Caterpillar
- 3. Silkmoth
- 4. Mazra poka

A. Tiger beetle

- B. Caterpillar
- C. Silkmoth
- D. Mazra poka

Answer: A



- **182.** What is the genetic name of Sea hare?
- 1. Pila
- 2. Teredo

- 3. Aplysia
- 4. Sepia
 - A. Pila
 - B. Teredo
 - C. Aplysia
 - D. Sepia

Answer: C



183. Ink-gland is absent in

- A. 1.Loligo
- B. 2.Sepia
- C. 3.Octopus
- D. 4. Nautilus

Answer: D



184. Which set has the same number of s electrons?

- A. Sea cow, seal, whale, bat
- B. King crab, cockroach, silver fish, spider
- C. cuttle fish, cray fish, hag fish,
- D. Sea feather, sea urchin, star fish

Answer: C



185. The method of induction of foreign particles between the mantle and the shell of pearl oyster for the simulation of pearl formation was introduced in Japan by

- A. Mikimoto
- B. Katu
- C. Haeckel
- D. Von Mohl

Answer: A



186. The most primitive mollusc and living fossil is

- A. Neopilina
- B. Chiton
- C. Dentalium
- D. Patella

Answer: A



187. Glochidium larva belongs to

- A. Pila
- B. Fresh water mussel
- C. Cypraea
- D. Loligo

Answer: B



188. The respiratory organs in a fresh water mussel are

A. pulmonary sac

B. book lungs

C. Gills

D. tracheae

Answer: C



189. Life cycle of liver fluke is digenetic. Its intermediate hosts are fresh water snails which are

- A. Lymnaea and Planorbis
- B. Pila and Lymnaea
- C. Limax and Helix
- D. Limax and Onchidium

Answer: A



190. Study of mollusca is called

- A. Malacology
- B. Conchology
- C. Mammolgy
- D. Mastology

Answer: A



Watch Video Solution

191. The elephant tusk shell is

- A. Dentalium
- B. Limax
- C. Cypraea
- D. Nautilus

Answer: A



Watch Video Solution

192. Ink glands or sacs produce coloured pigment which is ejected out into the water

and form smoke screen for offence and defence. Such specs are found in

- A. Sepia
- B. Pecten
- C. Mytilus
- D. Teredo

Answer: A



193. The largest invertebrate is

- A. 1. Giant octopus
- B. 2. Giant squid
- C. 3. Giant snail
- D. 4.giant Clam

Answer: B



194. one example of complete metamorphosis



Watch Video Solution

195. Visceral mass is characteristic of

A. arthropods

B. molluscs

C. echinoderms

D. All of these

Answer: B



Watch Video Solution

196. Respiratory pigment of molluscs is

- A. 1.haemocyanin
- B. 2.haemoglobin
- C. 3.erythrocruorin
- D. 4.none of these

Answer: A

197. An internal shell is absent in

A. Sepia

B. Loligo

C. Pila

D. Both 1) and 2)

Answer: D



198. Osphradium of Pila globosa is

- A. chemoreceptor
- B. photoreceptor
- C. thermoreceptor
- D. tangoreceptor

Answer: A



199. A mollusc previously used as currency is

- A. Turbinella
- B. Dentalium
- C. Pila
- D. Cypraea

Answer: D



200. Study of (molluscan) shells is called

A. conchology

B. malacology

C. entomology

D. mastology

Answer: A



201. A rasping organ with transverse teeth and present in the buccal cavity of a mollusc is called

- A. 1.Dental plate
- B. 2.Radula
- C. 3.Tongue
- D. 4.Rasper

Answer: B



202. Pila respires by

- A. ctenidium
- B. pulmonary sac
- C. mantle cavity
- D. all of the above

Answer: D



203. Torsion occurs in the visceral mass of

- A. cephalopods
- B. gastropods
- C. scaphopods
- D. pelecypods

Answer: B



204. Excretory organs of Unio are

- A. Organs of Bojanus
- B. Keber's organ
- C. 1) and 2)
- D. Malpighian tubules

Answer: C



205. One of the arms of a male mollusc is used to transfer sperms into the female. Which is this animal?

- A. 1.Pila
- B. 2.Loligo
- C. 3.Octopus
- D. 4.Teredo

Answer: C



206. 2 types of metamorphosis



Watch Video Solution

207. Pearl producing Indian species is

- A. Pinctada vulgaris
- B. Pinctada indica
- C. Ostrea indica
- D. Ostrea vulgaris

Answer: A



Watch Video Solution

208. Closed circulatory system occurs in

A. 1.Snail

B. 2.Cockroach

C. 3.Cuttle fish

D. 4.All of these

Answer: C

209. Trochophore larve occurs in

- A. 1. Annelida and Porifera
- B. 2. Coelenterata and Annelida
- C. 3. Mollusca and Coelenterata
- D. 4.Annelida and Mollusca

Answer: D



210. What is true metamorphosis



Watch Video Solution

211. Eyes of pila/molluscs occur over

- A. 1.Pseudopodia
- B. 2.Ommatophores
- C. 3.Cephalic tentacles
- D. 4.Both 2) and 3)

Answer: B



Watch Video Solution

212. Which of the following have eye structure nearest to that of vertebrates?

- A. insecta
- B. polychaeta
- C. cephalopoda
- D. crustacea

Answer: C



Watch Video Solution

213. Ammonites fossil shell remains of

- A. 1.pelecypods
- B. 2.cephalopods
- C. 3.gastropods
- D. 4.scaphopods

Answer: B



214. Name one example of complete and incomplete metamorphosis



Watch Video Solution

215. Asymmetry develops due to torsion in mollusc

A. Octopus

- B. Pila
- C. Teredo
- D. Dentallium

Answer: B



- 216. The devil fish and sea hare are
 - A. Molluscs
 - **B.** Crustaceans

- C. Coelenterates
- D. Marine fish and mollusks

Answer: D



Watch Video Solution

217. Gill is monopectinate in

- A. Unio
- B. Chiton
- C. Patella

D. Pila

Answer: A



Watch Video Solution

218. In Star-fish which organ has dual function of locomotion and respiration?

- A. Axial sinus
- B. Ampullae
- C. Tube feet

D. Tiedmann's body

Answer: C



Watch Video Solution

219. Autotomy is observed in

A. feather star

B. starfish

C. sea cucumber

D. all of the above

Answer: D



Watch Video Solution

220. one example of incomplete metamorphosis



Watch Video Solution

221. Connecting link between chordates and non chordates

- A. deuterostomatic: tube-with-a tube plan
- B. protostomatic, tube-within-a-tube plan
- C. water vascular system
- D. kidneys

Answer: A



Watch Video Solution

222. The founder of taxonomy is Aristotle. The father of modern Taxonomy who wrote

Species Plantarum and provided a basis for classification of plants, is

A. a fresh water echinoderm

B. a masticatory apparatus connected with digestive system in sea urchin

C. a seive plate connected with ambulacral system in sea water

D. an ancient Greak ship lantern shaped structuer connected with balancing system of sea lily.

Answer: B



Watch Video Solution

223. Comb plates are found in

A. sea hares

B. sea lemons

C. star fishes

D. sea lions

Answer: C



224. In which of the echinoderm, the arms, spines and pedicellaria are absent?

A. Sea cucumber

B. Sea lily

C. Sea star

D. Sea urchin

Answer: A



Watch Video Solution

225. Chief excretory matter in echinoderms I

A. ammonia

B. urea

C. uric acid

D. amino acid

Answer: A



226. In echinoderms skeleton is

- A. 1.calcareous
- B. 2.chitinous
- C. 3.siliceous
- D. 4.tunicin made

Answer: A



227. Water vascular system is originated from

- A. 1.ectoderm
- B. 2.mesoderm
- C. 3.endoderm
- D. 4.both 1) and 3)

Answer: C



228. Cuvierian organs are found in

- A. Asterias
- B. Holothuria
- C. Echinus
- D. Antedon

Answer: B



229. Internal endoskeleton of starfish is made up of calcareous plates called ossicles. Ossicles are derived from

- A. 1.ectoderm
- B. 2.mesoderm
- C. 3.endoderm
- D. 4.both 1) and 3)

Answer: B



230. Anus is absent in

- A. Antedon
- B. Ophiothrix
- C. Holothuria
- D. Echinus

Answer: A



231. Pedicellaries are absent in

- A. Ophiothrix, holothuria, Antedon
- B. Echinus, Clypeaster, Echinicardium
- C. Pentaceros, Asterias, Astropecten
- D. Both 2) and 3)

Answer: A



232. Spines are absent in

- A. Star fish
- B. sea urchin
- C. Brittle star
- D. Sea cucumber and feather star

Answer: D



233. Which one is the common ancestral larval from of echinoderms, hemichordates and chordates?

- A. Tornaria
- B. Bipinnaria
- C. Dipleurula
- D. Trochophore

Answer: C



234. Evisceration is found in

- A. 1. Echinodermata
- B. 2.Annelida
- C. 3. Coelenterata
- D. 4.Chordata

Answer: A



235. Deuterostomate and enterocoelomate invertebrate is

- A. 1.Pila
- B. 2.Ascaris
- C. 3.Aphrodite
- D. 4.Asterias

Answer: D



236. What is correct?

A. 1.Blue-green alga is a kind of fungus.

B. 2.Sea Horse is related to Dolphin.

C. 3. Maiden Hair Tree is an angiosperm.

D. 4.Sea Lily is an echinoderm

Answer: D



237. Diagnostic character of the phylum

Echinodermata is the presence of

- A. spiny skin
- B. pedicellariae
- C. water vascular system
- D. All of these

Answer: D



238. In can regenerate	entire alimentary canal
------------------------	-------------------------

- A. 1.Fish
- B. 2.Bird
- C. 3. Amphibians
- D. 4.Sea cucumber

Answer: D



Watch Video Solution

239. Find the odd example

- A. Sea fan
- B. Sea lily
- C. sea urchin
- D. sea cucumber

Answer: A



- **240.** The radial symmetry is observed in
- I. Platyhelminthes
- II. Coelenterates

III . Aschelminthes

IV. Annelids

v) Echinoderms

The correct statements are

A. ii and v only

B. I,ii,iii and v only

C. ii, iii and I only

D. I, iii and v only

Answer: a



241. In which of the following phyla, the adult shows radial symmetry while the larva has bilateral symmetry?

- A. Annelids
- B. Arthropods
- C. Molluscs
- D. Echinoderms

Answer: D



242. Who had given the hemichordata the status of an independent invertebrate phylum?

- A. Vander horst
- B. Dawydoff, Marcus
- C. Hyman
- D. All of these

Answer: D



243. Body of Balanoglossus is divisible into

- A. head, neck, thorax and abdomen
- B. head, trunk and tail
- C. proboscis, collar and tail
- D. proboscis, collar and trunk.

Answer: D



244. In Balanoglossus, the mouth is present

- A. at the tip of proboscis
- B. in between the proboscis and collar
- C. in the collar
- D. in the trunk

Answer: B



245. Stomochord is a hollow outgrowth which arises from the roof of the buccal cavity. It is present in

- A. Chordata
- B. Cephalochordata
- C. Urochordata
- D. Hemichordata.

Answer: D



- **246.** Hemichordates have pharyngeal gill slits which are
- 1. lateral in position
- 2. dorsal in position
- 3. ventral in position
- 4. none of the above
 - A. lateral in position
 - B. dorsal in position
 - C. ventral in position
 - D. none of the above

Answer: B



- 247. Epidermis of Balanoglossus consists of
- 1. a single layer of cells
- 2. many layers of cells
- 3. two layers of cells
- 4. three layers of cells.
 - A. a single layer of cells
 - B. many layers of cells

- C. two layers of cells
- D. three layers of cells.

Answer: A



- **248.** Balanoglossus has
- 1. red blood
- 2. yellow blood
- 3. blue blood
- 4. colourless blood

- A. red blood
- B. yellow blood
- C. blue blood
- D. colourless blood

Answer: D



Watch Video Solution

249. Excretory organ of Balanoglossus is

A. kidney

- B. body wall
- C. glomerulus
- D. gill

Answer: C



- 250. Respiratory pigment in Balanoglossus is
 - A. haemocyanin
 - B. haemoglobin

C. chlorocruorin

D. none of these

Answer: D



Watch Video Solution

251. Tornaria, the larva of Balanoglossus which resembles with bipinnaria larva was first described by

A. J.Muller

- B. Weismann
- C. Hugo de Vries
- D. Singer



Watch Video Solution

252. Hemichordates resembles annelids in

- A. body form and burrowing habit
- B. circulatory system

C. larval form

D. body form, burrowing habit, circulatory system and occurence of a free swimming larva

Answer: D



Watch Video Solution

253. Echinoderms, hemichordates and chordates have a

- A. different ancestral stock
- B. common ancestral stock
- C. similar nervour system
- D. common external characters.

Answer: B



- 254. Blood vascular system in hemichordata is
- 1. open
- 2. reduced

- 3. closed
- 4. absent
 - A. open
 - B. reduced
 - C. closed
 - D. absent



- **255.** Balanoglossus possesses
- 1. Dorsal nerve cord
- 2. Ventral nerve cord
- 3. Both 1) and 2)
- 4. Spinal cord
 - A. Dorsal nerve cord
 - B. Ventral nerve cord
 - C. Both 1) and 2)
 - D. Spinal cord

Answer: C

256. Respiration occurs in Balanoglossus by

- 1. gill slits
- 2. general body surface
- 3. book gills
- 4. 1) and 2)
 - A. gill slits
 - B. general body surface
 - C. book gills

D. 1) and 2)

Answer: D



Watch Video Solution

257. Asexual reproduction occurs in

Hemichordata by

A. 1.Fragmentation

B. 2.budding

C. 3.fission

D. 4.All the above

Answer: D



Watch Video Solution

258. Proboscis gland in Balanoglossus is accociated with

A. digestion

B. respiration

C. circulation

D. excretion

Answer: D



Watch Video Solution

259. Connecting link between chordates and non-chordates is

- A. 1.Feripatus
- B. 2.Balanoglossus
- C. 3.Sphenodon

D. 4. Tachyglossus

Answer: B



Watch Video Solution

260. Which of the following animals belongs to phylum Coelenterata?

- A. Sea horse
- B. Sea hare
- C. Sea pen

D. Sea cucumber

Answer: C



Watch Video Solution

261. Which of the following is not correctly matched?

- A. Sycon-Canal system
- B. Starfish -Radial Symmetry
- C. Ascaris Flame cell

D. Prawn -Haemocol

Answer: C



- **262.** Which of the following statements are incorrec?
- (i) Parapodia are lateral appendages in arthropods used for swimming.
- (ii) Radula in molluscs are structures involved in excretion.

- (iii) Aschelminthes are dioecious.
- (iv) Echinoderm adults show radial symmetry.
- (v) Ctenophorans are diploblastic
 - A. I and II
 - B. I and III
 - C. I. IV and V
 - D. III and V



263. Which of the following are invertebrates

- 1. Insects
- 2. Birds
- 3. Angiosperms
- 4. Fungi
 - A. Insects
 - B. Brids
 - C. Angiosperms
 - D. Fungi

Answer: A

- **264.** Which of the following are most intelligent invertebrates.
- 1. Crustaceans such as cray fish and hermit crab
- 2. Arachnidians like scorpions and spiders
- 3. Cephalopods such as squids and octopus
- 4. Echinoderms like starfish and sea urchin
 - A. Crustaceans such as cray fish and hermit

crab

- B. Arachnidians like scorpioins and spiders
- C. Cephalopods such as squids and octopus
- D. Echinoderms like starfish and sea urchin

Answer: C



Watch Video Solution

265. "Royal jelly" is secreted by worker Honeybees. Name the gland which secretes "royal jelly".

- A. Apis dorsata
- B. Apis indica
- C. Apis florea
- D. Apis mellifera

Answer: D



Watch Video Solution

266. Munga silk worm feeds on

A. Shorea

- B. Terminalia
- C. Machilus
- D. Morus

Answer: C



Watch Video Solution

267. Which one of the following is a correct match

A. Filariasis-Taenia solium

- B. Encephalitis Culex vishnui
- C. Malaria -Phlebotomus sp.
- D. kala-azar Anopheles stephensi

Answer: B



Watch Video Solution

268. Which one of the following genus of insects prefer to breed in clean water and their larvae lie parallel to the surface of water

- A. Anopheles
- B. Culex
- C. Aedes
- D. Phlebotomus



Watch Video Solution

269. Which one of the following animal possesses gaint chromosome?

- A. Drosophila
- B. Mouse
- C. Branchiomyces
- D. Xenopsylia



Watch Video Solution

270. In Prawn, excretion is carried out by

A. Protonephridia

- B. Malphigian tubules
- C. Mushroom gland
- D. Green gland

Answer: D



Watch Video Solution

271. An example of animals in which mesoderm occurs as scattered pouches between ectoderm and endoderm is

- A. Filaria worm
- B. Tapeworm
- C. Earthworm
- D. Lancelet



Watch Video Solution

272. Which is the only phylum in the animal kingdom without any nerve cell?

- A. Porifera
- B. Coelenterata
- C. Annelida
- D. Nematoda



Watch Video Solution

273. In most simple type of canal system of porifera, water flows through which one of the following ways

A. Ostia ightarrow Spongocoel ightarrow Osculum ightarrow

Exterior

B. Spongocoel ightarrow Ostia ightarrow Osculum ightarrow

Exterior

C. Osculum $\,
ightarrow\,$ Spongocoel $\,
ightarrow\,$ Ostia $\,
ightarrow\,$

Exterior

D. Osculum $\,
ightarrow\,$ Ostia $\,
ightarrow\,$ Spongocoel $\,
ightarrow\,$

Exterior

Answer: C



274. Which of the following is concerned with asexual reproduction?

A. Gemmules

B. Gametes

C. Gonads

D. Genitalia

Answer: A



275. Which group of animals belong to the same phylum?

- A. Prawn, Scorpion, Locusta
- B. Sponge, Sea anemone, Starfish
- C. Malaria parasite, Amoeba, Mosquito
- D. Earthworm, Pinworm, Tapeworm

Answer: D



- **276.** Which of the following is correctly matched with respect to their taxonomic classification?
 - A. House fly, butterfly, tsetsefly, silverfish-Insecta
 - B. Spiny anteater, sea urchin, sea cucumber-Echinodermata
 - C. Flying fish, cuttlefish, silverfish-Pisces

Insecta

D. Centipede, millipede, spider, scorpion-



Watch Video Solution

277. Which of the following are correctly matched with respect to their taxonomic classification?

A. House fly, butterfly, tsetsefly, silverfish-Insecta

B. Spiny anteater, sea urchin, sea cucumber-Echinodermata

C. Flying fish, cuttlefish, silverfish-Pisces

D. Centipede, millipede, spider, scorpion-Insecta

Answer: A



Watch Video Solution

278. Which of the following characteristics is mainly responsible for diversification of insects of land

- A. Bialteral symmetry
- B. Exoskeletron
- C. Eyes
- D. Segmentation

Answer: B



Watch Video Solution

279. Body having meshwork of cell, internal cavities lined with food filtering flagellated

cells and indirect development are the characteristics of phylum

- A. Coelenterata
- B. Porifera
- C. Mollusca
- D. Protozoa

Answer: B



280. Which of the following features is not present in the in the phylum arthropoda

- A. Metmeric -Segmentation
- B. Parapodia
- C. Jointed Appendages
- D. Chitnous exoskeleton

Answer: B



281. In case of poriferans, the spongocoel is lined with flagellated cells called

A. ostia

B. oscula

C. choanocytes

D. mesencymal cells

Answer: C



282. An important characteristic that hemichordates share with chordates is

- A. absence of notochord
- B. ventral tubular nerve cord
- C. pharynx with gill slits
- D. pharynx without gill slits

Answer: C



283. Which of the following animals does not undergo metamorphosis

- A. Starfish
- B. Moth
- C. Tunicate
- D. Earthworm

Answer: D

