

BIOLOGY

BOOKS - TRUEMAN BIOLOGY

KINGDOM MONERA - KINGDOM OF PROKARYOTES

Multiple Choice Question

1. Which is wall -less and smallest living cell

- A. Algae
- B. Bacteriophage
- C. Cyanobacteria
- D. Mycoplasma

Answer: D



Watch Video Solution

2. During Gram's stain

- A. 1.all bacteria whether Gram (+) ve or (-) ve, take crystal violet stain.
- B. 2.only Gram+ ve bacteria take crystal violet stain.
- C. 3.only Gram -ve bacteria take crystal violet stain.
- D. 4.Gram (+)ve bacteria lose this stain after alcohol treatment and take red stain of safranin

- 3. Which group includes decomposers?
- 1. Monera and Animalia
- 2. Monera and Fungi
- 3. Plantae and Fungi
- 4. Monera and Protista
 - A. Monera and Animalia
 - B. Monera and Fungi
 - C. Plantae and Fungi

D. Monera and Protista

Answer: B



- **4.** A chain of spherical bacteria is called streptococci. When spherical cocci are found in grape like irregular aggregates, they are called
- 1. staphylococci
- 2. sarcina

- 3. palisade
- 4. streptobacilli
 - A. staphylococci
 - B. sarcina
 - C. palisade
 - D. streptobacilli



5. When a spiral bacterium has only one c	urve
and is comma like, it is called	

- 1. spirillum
- 2. vibrio
- 3. bacillus
- 4. spirochaete
 - A. spirillum
 - B. vibrio
 - C. baciliius
 - D. spirochaete

Answer: B



Watch Video Solution

- **6.** Bacteria that have organic molecules for energy and as a source of carbon are known as
- 1. chemoheterotrophs
- 2. photoautotrophs
- 3. photoheterotrophs
- 4. chemoautotrophs

A. chemoheterotrophs

- B. photoautotrophs
- C. photoheterotrophs
- D. chemoautotrophs



Watch Video Solution

7. Under optimum condition Bacterial cells divide once in 20 minutes by binary fission. How many bacteria will be produced in 2 hours with same rate of division?

a. 8

b. 32

c. 128

d. 64

A. 8

B. 32

C. 128

D. 64

Answer: D



- **8.** Which one of the following has the potential to be an important source of protein because it has 10 times higher yield than wheat?
- 1. Spirogyra
- 2. Nostoc
- 3. Rhodospirillum
- 4. Spirulina
 - A. Spirogyra
 - **B.** Nostoc

C. Rhodospirillum

D. Spirulina

Answer: D



Watch Video Solution

9. Bacterial conversion of organic nltrogenous or protein matter into ammonium compounds is called

A. denitrification

- B. nitrification
- C. ammonification
- D. nitrogen fixation

Answer: C



Watch Video Solution

10. The genetic material (Genome) or DNA in prokaryotes / bacteria I E.coli and cyanobacteria occurs as

- A. one ds, tree circular DNA with histones
- B. one ds, circular DNA without histones
- C. histones with one linear ds DNA
- D. Linear ss, one DNA without histones

Answer: B



Watch Video Solution

11. The main difference between Gram positive and Gram negative bacteria lies in the composition of

- A. 1.cell wall
- B. 2.pili
- C. 3.flagella
- D. 4.plasmids



Watch Video Solution

12. Bacteria continue to live under conditions which resemble the conditions that prevailed on primitive earth, are

- A. PPLO
- B. Archaebacteria
- C. Cyanobacteria
- D. Chlamydia

Answer: B



Watch Video Solution

13. Thermoacidophiles are facultative anaerobic archaebacteira and can tolerate

high temperature ($80^{\circ}\,C$) and high acidity (pH_2) due to

A. branched chain lipids in cell membrane

B. high KCI cone. and resistant enzymes

C. mucilage covering

D. all of the above.

Answer: D



14. Organisms found in extreme temperatures are

- A. Eubacteria
- B. Archaebacteria
- C. Fungi
- D. Mycoplasma

Answer: B



15. The uniqueness in Archaebacteria is the presence of

A. peptidoglycan rich cell wall

B. ether linked long branched alcohols bound to glycerol

C. both statements are correct.

D. nuclear membrane

Answer: B



- **16.** The archaebacteria occurring in marshes, swamps, rumens of catties, gobar gas plants are
- 1. methanogens
- 2. ammonifying bacteria
- 3. thermoacidophiles
- 4. denitrifying bacteria
 - A. methanogens
 - B. ammonifying bacteria
 - C. thermoacidophiles
 - D. denitrifying bacteria



Watch Video Solution

- **17.** A symbiotic nitrogen fixing moneran among the following is
- 1. Nitrocystis
- 2. Anabaena
- 3. Nitrobacter
- 4. Escherichia

A. Nitrocystis

- B. Anabaena
- C. Nitrobacter
- D. Escherichia

Answer: B



- **18.** From where you will collect E. coli?
- 1. Human excreta
- 2. On leaves

- 3. Water
- 4. Human stomach
 - A. Human excreta
 - B. On leaves
 - C. Water
 - D. Human stomach



40	_	<i>,</i> \			•	•	_			
19.	(₁ ram	(–)	ve	bact	eria	ın	(₁ ram	stain	appear	S
	C . G	` '			- - .		•. •	• • • • • • • • • • • • • • • • • • • •	- P P	_

A. red

B. Colourless

C. blue

D. orange

Answer: C



20. In bacteria, alternation of generations is absent because of the absence of

- A. 1.nucleus and chromosomes
- B. 2.DNA and histone
- C. 3.syngamy and meiosis
- D. 4. equational division

Answer: C



- **21.** Endospores are thick walled, dehydrated cells formed in scarcity of nutrients. These are formed in
- 1. Bacillus and Clostridium
- 2. Bacillus and Mucor
- 3. Clostridium and Saccharomyces
- 4. E. coli and Bacillus
 - A. Bacillus and Clostridium
 - B. Bacillus and Mucor
 - C. Clostridium and Saccharomyces
 - D. E. coli and Bacillus



Watch Video Solution

22. Curing of tea and tobacco leaves is done to develop flavour and remove bitterness. It is due to the

- A. activity of certain bacteria
- B. activity of certain cyanobacteria
- C. acitivity of mycoplasma
- D. acitivity of rickettsiae



Watch Video Solution

23. On the basis of shape and staining Escherichia coli is

- A. Bacillus, Gram (-)ve
- B. Coccus, Gram (-)ve
- C. Spirillum, Gram (+)ve
- D. Vibrio, Gram (+)ve



Watch Video Solution

24. Pili/fimbriae are surface appendages that help in

- A. attachment
- B. transduction
- C. locomotion
- D. all of these



- **25.** Mesosomes in bacteria are considered equivalent to mitochondria. What is correct for mesosomes ?
 - A. They contain respiratory enzymes like cytochrome oxidase and dehydrogenase
 - B. They are infoldings of cell membrane to increase surface area

C. They are attached to nucleoid to provide energy during binary fission, and help in nucleoid separation and septa formation D. All of the above.

Answer: D



26. Bacterial cell divides in every minute it takes one hour to fill up a cup. How much time be taken to fill half the cup

- A. 60 minutes
- B. 59 minutes
- C. 30 minutes
- D. 29 minutes

Answer: B



Watch Video Solution

27. Bacteria multiply mainly by

A. transverse binary fission

- B. longitudinal binary fission
- C. oidia
- D. conjugation



- 28. Endospores actualy help in
 - A. transformation
 - B. dispersal and perennation

C. variations

D. all of the above.

Answer: B



Watch Video Solution

29. Putrefaction is

A. anaerobic breakdown of carbohydrates

B. anaerobic breakdown of proteins with

foul odour chiefly sulphur compounds

C. aerobic breakdown of proteins with foul

odour chiefly sulphur compounds

D. anaerobic breakdown of fats.

Answer: B



Watch Video Solution

30. Nitrosomonas and Nitrococcus oxidise

A. 1.Nitrate to nitrogen

B. 2. CO_2 to carbohydrates

C. 3. N_2 to NO_3

D. 4. NH_3 to nitrite

Answer: D



Watch Video Solution

31. Beggiatoa oxidises

A. 1. H_2S to S

B. 2. SO_4 to S

C. 3.both correct

D. 4.
$$Fe^{++}
ightarrow Fe^{+++}$$

Answer: A



Watch Video Solution

32. Dacay by bacteria is

A. aerbic breakdown of any organic matter

B. aerobic breakdown of inorganic matter

C. anaerobic breakdown of organic matter

with foul odour

D. aerobic breakdown of proteins.

Answer: A



Watch Video Solution

33. Which of the following processes is the source of energy in chemoautotrophs for fixation of CO_2 into carbohydrates ?

- A. 1.Oxidation of inorganic molecules
- B. 2.Oxidation of organic molecules

C. 3. Reduction of organic molecules

D. 4.Reduction/oxidation of any matter present in medium.

Answer: A



Watch Video Solution

34. Write about nitrogen fixation during nitrogen cycle.

A. oxidation of atmospheric N = N into NO_3 B. reduction of atmospheric N = N into NH_3 C. conversion of $NO^2 \hat{} (-) \text{ into } NO^3 \hat{} -$ D. use of nitrogen rich compounds by plants. **Answer: B Watch Video Solution**

35. Anoxygenic photoautotroph requires

A. $O_2,\,H_2O$ & light

 $B. CO_2 \text{ and } H_2O$

 $C. CO_2$ and light

D. CO_2 , light, H_2S

Answer: D



- 36. Prokaryotic and eukaryotic flagella differ in
 - A. 1.eukaryotic flagella are made up of

 Tubulin protein show ATPase activity, and

 show 2 + 9 organisation while bacterial

 flagella are made up of flagellin protein

 and show 9+0 arrangement
 - B. 2.eukaryotic flagella beat back and forth like oars while bacterial flagella rotate around their bases like propellers.

C. 3.prokaryotic flagella are outward extensions of the cell's interior while eukaryotic flagella are independent structures attached to the cell 's surface.

D. 4.all the statements are correct.

Answer: B



Watch Video Solution

37. The joker of plant kingdom are

- A. Bacteria
- B. Archaebacteria
- C. PPLO
- D. Viriods

Answer: C



Watch Video Solution

38. Smallest organism capable of autonomous growth and reproduction is

A. Virus B. Bacteria C. Mycoplasma D. Bacteriophage

Answer: C



Watch Video Solution

39. Facultative anaerobic bacteria are

A. strictly anaerobes

- B. anaerobes but can live aerobically
- C. aerobes but can live anaerobically also
- D. no one is correct

Answer: C



Watch Video Solution

40. Which is must for nitrogen fixation by symbiotic bacteria in root nodules?

A. 1.Phycocyanin

- B. 2. Carotenoids
- C. 3.Leghaemoglobin
- D. 4.Bacterioviridin

Answer: C



Watch Video Solution

41. In blue green algal cell, the photosynthetic pigments are found

A. in the chromatophores

- B. distributed freely in the peripheral part of cytoplasm
- C. attached to thylakoid membranes of chloroplast
- D. in the membranes of thylakoids present freely in the cytoplasm

Answer: D



42. In blue green algae, attached to the freely lying thylakoids are present small granules containing photosynthetic pigments. These granules are called

A. 1.phycobilisomes

B. 2.poly β -hydroxybutyric acid (PBH)

granules

C. 3.plastids

D. 4.chloroplast

Answer: A



Watch Video Solution

43. Azolla is used as biofertilizer because

A. its leaves contain nitrogen fixing cyanobacterium Anabaena

- B. its leaves are rich in urea
- C. it stimulates growth of seedlings of Rice

D. It activates embryo for quick germination

Answer: A



Watch Video Solution

44. Nos toe is known to do

A. photosynthesis

B. photosynthesis and N_2 fixation simul

taneously

C. N_2 fixation only

D. either photosynthesis or N_2 fixation at a time

Answer: B



Watch Video Solution

45. Nitrogenase is found in Nostoc in the

A. phycobilisome

B. akinete

- C. heterocyst
- D. both (1) & (3)

Answer: C



Watch Video Solution

46. Cyanobacteria are characterised by

A. ability to do oxygenic photosynthesis

and absence of phycobilins

- B. ability to perform oxygenic photosynthesis and presence of phycobilins
- C. presence of chlorophyll in chloroplast
- D. ability to do anoxygenic photosynthesis and presence of nitrogenase

Answer: B



47. Nitrosomonas is a

A. chemolithotroph

B. chemoheterotroph

C. autotroph

D. heterotroph

Answer: A



48. Photosynthetic pigments of bacteria are located in

A. thylakoids

B. leucoplast

C. chromoplast

D. chloroplast

Answer: A



49. In photoautotrophic bacteria, the reaction centre is

- A. P_{700}
- B. B_{690}
- $\mathsf{C}.\,B_{890}$
- D. B_{1700}

Answer: C



50. The hydrogen donor in bacterial photosyn-

thesis is usually

- A. H_2O
- B. H_2S
- $\mathsf{C}.\,NH_3$
- $D.HNO_3$

Answer: B



51. Peptidoglycan (Murein) and amino acids in cell wall are absent in

- A. Archaebacteria and Eukaryotes
- B. Eubacteria and Protista
- C. Monera and Protista
- D. Bacteria and cyanobacteria

Answer: D



52. A unique amino acid in the cell wall of Bacteria and BGA is

- A. alanine
- B. glutamine
- C. aspartate
- D. diaminopimelic acid

Answer: D



53. The bacteria which do not retain the crystal violet of iodine stain when after washing with alcohol are included in

- A. Gram negative
- B. Gram neutral
- C. Grame positive
- D. AF +ve

Answer: A



54. A bacterium divides every 35 minutes. If a culture containing 10^5 cells per ml is grown for 175 minutes, what will be the cell concentration per ml after 175 mts?

A.
$$32 imes 10^5$$
 cells

B.
$$5 imes 10^5$$
 cells

C.
$$35 imes 10^5$$
 cells

D.
$$4.175 imes 10^5$$

Answer: A



55. Which of the following uses light as energy source ?

A. Rhodopseudomonas

B. Nitrococcus

C. Nitrosomonas

D. Clostridium

Answer: A



56. A pigment due to which root nodules of leguminous plants are pinkish, is

- A. phycoerythrin
- B. bacteriochlorophyll
- C. bacterioviridin
- D. leghaemoglobin

Answer: D



57. Some bacteria are not easily killed because of

A. chitinous cell wall

B. mesosomes

C. endospore formation

D. tolerance

Answer: D



58. Without the rotation of crop by a pulse in between cereals, the farmer observed the increases in natural fertility due to

- A. Rhizobium
- B. Azotobacter
- C. Acetobacter
- D. Clostridium

Answer: B



59. In order to increase the yield of the cereal crops the farmer rotated the crop with pulses.

The increase in yield occurred due to the action of

A. Clostridium butylicum

B. Bacillus denitrificans

C. Rhizobium leguminosarum

D. Nitrosomonas

Answer: C



60. The bacterial flagellum has

A. a basal granule

B. a hook

C. a main filament

D. all of these

Answer: D



61. Bacterial plasmids contain only DNA which is

A. circular, ds

B. cricular, ss

C. linear, ds

D. linear, ss

Answer: A



62. Conjugation/sexuality in Bacteria was discovered by

- A. Lederberg and Tatum
- B. Zinder and Lederberg
- C. Hershey and Chase
- D. Meselson and Stahl

Answer: A



63. A term not associated with genetic recombination in bacteria is

- A. conjugation
- B. translation
- C. transduction
- D. transformation

Answer: B



64. The phenomenon of transduction was discovered by

- A. Zinder and Lederberg
- B. Lederberg and Tatum
- C. Jacob and Wollman
- D. Griffith

Answer: A



65. Episomes are

- A. extranuclear part of Bacteria
- B. toxins producing bodies
- C. extranuclear components with least no.

of genes

D. plasmids with ability to intergrate with

bacterial chromosome

Answer: D



66. Which one of the following pairs is wrongly matched

A. Streptomyces - Antibiotic

B. Methanogens - Gobar gas

C. Yeast - Ethanol

D. Coliforms - Vinegar

Answer: D



67. What	are t	the	sex	organs	provided	in	some
hacteria ?	7						

- A. circular DNA
- B. plasmid
- C. sex pili
- D. gametes/F factor

Answer: C



68. A bacterial genome refers to the total number of genes located on

A. single chromosome

B. haploid set of chromosomes

C. diploid set of chromosomes

D. plasmids

Answer: A



69. A process by which a part of genetic material separated from a broken cell is transferred to another cell is known as

- A. lysogeny
- B. transduction
- C. transformation
- D. conjugation

Answer: C



70. Bacteria reproduce sexually by

- A. endospore
- B. conidia
- C. binary fission
- D. transformation

Answer: D



71. The bacteria which can trap solar energy for synthesizing ATP but can not utilize it for making food are

- A. 1.thermophiles
- B. 2.thermoacidophiles
- C. 3.methanogens
- D. 4.halophiles

Answer: D



72. Bacteria that get their energy by fermentation and for whom oxygen is lethal are called

- A. 1. obligate anaerobes
- B. 2.obligate aerobes
- C. 3.facultative aerobes
- D. 4.facultative anaerobes

Answer: A



73. The bacteria that grow best at the temperature ranging from 45° to $65^{\circ}C$ are called

- A. psychrophils
- B. mesophiles
- C. thermophiles
- D. halophiles

Answer: C



74. Chemolithotrophs make use of

A. 1.organic compounds as a source of carbon

B. 2. CO_2 as a source of carbon

C. 3.bacteriochlorophyll

D. 4.bacterioviridin

Answer: B



75. Name the organisms which do not derive energy directly/indirectly from sun.

- A. Chemosynthetic bacteria
- B. Symbiotic bacteria
- C. Pathogenic bacteria
- D. Moulds

Answer: A



76. What is true for photolithotrophs?

A. Obtain energy from radiations and H_2 from organic compounds.

B. Obtain energy from radiations and H_2 from inorganic compounds.

C. Obtain energy from organic compounds

D. Obtain H_2 from organic compounds

Answer: B



77. A specialized pale cell in blue green algae which is impermeable to oxygen is

A. akinete

B. heterocyst

C. hormogonia

D. spore

Answer: C



78. Blue green algae contain phycobilin. Which one is blue in colour ?

- A. Phycocyanin
- B. Phycoerythrin
- C. Phycocolloid
- D. none of the above

Answer: 4



79. Blue green algae do not have flagella or cilia but they have the capacity to move. How is this function performed ?

- A. By means of musculature
- B. By rotation and gliding
- C. By means of fimbria
- D. By means of special organs

Answer: B



80. Vegetatively the members of cyanophyceae multiply by

- A. akinetes
- B. fragmentation
- C. formation of horomogonia
- D. all of the above

Answer: D



81. Barophillic prokaryotes

A. grow slowly at high altitudes in frozen lakes

B. found in water rich in Ba $\left(OH\right)_2$

C. grow and divide in very deep marine sediments

D. found in marine, Barium salt rich water

Answer: C



82. Nuclear material without nuclear membrane is observed in

- A. 1.bacteria and mycoplasma
- B. 2.bacteria and algae
- C. 3.bacteria and slime moulds
- D. 4.mycoplasma and algae

Answer: A



83. Pleuro-pneumonia like organisms are grouped under

A. prokaryotes

B. eukaryotes

C. fungi

D. viruses

Answer: A



84. Mycoplasma are not viruses in nature because

A. these contain both DNA and RNA in the same cell

B. these can not be grown artificially in cultures also

C. they are not sensitive to antibiotics

D. all of the above

Answer: A



85. The smallest organisms without any specific shape and cell wall, which cause diseases among plants are

A. chlamydia

B. fungi

C. mycoplasma

D. bacteria

Answer: C

Watch Video Solution

86. Mycoplasma is the causative agent for one of the following diseases

A. 1. Vein yellowing

B. 2.Pneumonia

C. 3.Dengue

D. 4. Tobacco mosaic

Answer: B



87. A Bacterium living as commensal in humans in colon (large intestine) and synthesizing vitamin K and B_{12} there, is

- A. 1. Vibrio cholerae
- B. 2.Bacillus anthracis
- C. 3. Escherichia coli
- D. 4.Entamoeba coli

Answer: C



88. Botulism caused by Clostridium botulinum affects

A. lymph glands

B. intestine

C. neuromuscular junction

D. spleen

Answer: C



89. Penicillin inhibits bacterial multiplication be-cause it checks

A. spindle formation

B. cell wall synthesis of bacteria

C. RNA synthesis

D. it destroys chromatin

Answer: B



90. A compound which is produced by an organ- ism and inhibits the growth of other organism is called

A. antiseptic

B. antibiotic

C. disinfectant

D. antiallergic

Answer: B



91. Bacteria cannot survive in a highly salted pickle because

A. 1.they don't get enough light for photosynthesis

B. 2.salt inhibits reproduction of bacteria

C. 3.bacteria get plasmolysed and killed

D. 4.pickle does not contain nutrients for bacteria to live

Answer: C

92. Rickettsiae are said to be connecting link between

A. 1. Virus and bacteria

B. 2.Bacteria and fungi

C. 3.Bacteria and PPI O

D. 4.Mycoplasma and viruses

Answer: A



93. Obligate intracellular parasites other than virus are

- A. Rickettsia
- B. Azotobacter
- C. Azospirillum
- D. Mycoplasma

Answer: A



94. The connecting link between bacteria and fungi is

- A. Chlamydia
- B. Actinomycetes
- C. Rickettsias
- D. Myxophyceae

Answer: B



95. What is false about plasmids?

A. It is must for normal life of bacterium

B. It confers property of drug resistance

C. It confers property of toxigenicity

D. It endows the host with ability to conjugate

Answer: A



96. In cyanobacteria, reproduction is

A. asexual and vegetative

B. asexual and sexual

C. vegetative and sexual

D. sexual only

Answer: A



Watch Video Solution

97. Ray fungi are

- A. actinomycetes
- B. fungi
- C. mycoplasma
- D. archaebacteria

Answer: A



Watch Video Solution

98. Chlorophyll a is absent in which of the following photosynthetic organism

- A. 1.Bacteria
- B. 2.Brown algae
- C. 3.Red algae
- D. 4. None of these

Answer: A



Watch Video Solution

99. The bacterium (Clostridium botulinum)

that causes botulism is

A. a. facultative aerobe

B. an obligate aerobe


C. a facultative anaerobe

D. an obligate anaerobe

Answer: D



100. What is shown in the figure



- A. 1)a Heterocyst, b-Mucilage sheath
- B. 2)a Akinete, b-Filament
- C. 3)a-akinete, b-Hormogonia
- D. 4)a akinete, b-Trichome


Answer: A



Watch Video Solution

101. A. In the figure, which is the coccus form of bacteria









Answer: B



102. Many blue green algae occur in thermal spring (hot water spring). The temperature tolerance of these algae have been attributed to their

- A. Cell wall structure
- B. Modern cell organisation
- C. Mitochondrial structure
- D. Branched chain lipids in the cell membranes

Answer: D

- **103.** Go through the following statements carefully
- i) Compared to many other organisms, bacteria as a group show the most extensive metabolic diversity.
- ii) Mycoplasma die in the absence of oxygen
 iii) Cyanobacteria often form blooms in
 polluted water bodies.
- iv) No pathogenic mycoplasma have been reported so far

Which of these are correct? 1. (i), (ii) and (iii) 2. (i), (iii) 3. (ii), (iii) and (iv) 4. (iii) & (iv) A. (i), (ii) and (iii) B. (i), (iii) C. (ii), (iii) and (iv) D. (iii) & (iv)

Answer: B



Watch Video Solution

104. Select the wrong statement

A. Red sea is named after the colouration

provided by blue green algae

Trichodesmium erythraeum

- B. Spirullina has a spirally coiled filament
- C. Peptidoglycan is the main component of

the archaebacterial cell wall

D. All of the above

Answer: C



Watch Video Solution

105. A bacterial cell contains

- A. Mesosome, Golgi bodies and nucleoid
- B. Mesosome and sap vacoule
- C. Mesosome, nucleoid _and thylakoids
- D. Lysosome, nucleoid and inclusion bodies

Answer: C

106. Which of the following are true of archaebacteria?

Presence of peptidoglycan cell wall

extreme halophiles

First amino acid in protein synthesis is

methionine

Includes methanogens.

A. 1,2 and 3

B. 3 and 4

C. 1, 3 and 4

D. 2, 3 and 4

Answer: B



Watch Video Solution

107. Match List-I with List-II and select the correct answer using the codes given below

the lists

	List-I	List-II
A	Nitrogen fixation	 Conversion of NH₄⁺ into nitrite and nitrate
B.	Denitrification	 Conversion of nitrite or nitrate into atmospheric nitrogen.
C.	Nitrification	 Conversion of atmospheric nitrogen into ammonia.
D.	Ammonification	Conversion of organic nitrogen into ammonia

Answer: A



Watch Video Solution

108. Which one of the following is associated with denitrification?

- A. Rhizobium
- B. Thiobacillus
- C. Clostridium
- D. Azotobacter

Answer: B



Watch Video Solution

109. Which one of the following bacteria is not connected with nitrogen fixation?

- A. Azotobacter
- **B.** Nitrosomonas
- C. Frankia
- D. Rhizobium

Answer: B



Watch Video Solution

110. Bacteria and blue-green algae are similar due to the (

- A. Presence of mitochondria
- B. Chemosynthetic mode of nutrition
- C. Presence of flagella
- D. Presence of nucleoid

Answer: D



Watch Video Solution

111. Which of the following is NOT found in all bac-terial cells?

- A. cell membrane
- B. nucleoid
- C. ribosomes
- D. capsule

Answer: D



Watch Video Solution

112. Which of the following structures frequently serves as densely packed reserve for mate- rial and _energy in a bacterial cell

- A. flagella
- B. plasmid
- C. inclusion
- D. fimbriae

Answer: C



Watch Video Solution

- 113. Read the following matches
- (i) Bacillus vulgaris Ammonifying
- (ii) Nitrobacter Nitrogen fixing bacteria
- (iii) Pseudomonas Retting of fibres
- (iv) Vibrio cholerae bacteria Obligate

anaerobe

Which of these are correct?

- A. (i), (ii) & (iii)
 - B. (ii) & (iii)
 - C. (i) & (iv)
 - D. (i) & (iii)

Answer: D



- 114. Read the following matches
- (i) Clostridium Food poisoning botulin um
- (ii) Xanthomona- sesculenti

(iii) Nitrosomonas - Bacterial blight of rice -

Oxidises ammonia to nitrites

A. (i), (iii) & (iv)

B. (ii), (iii) & (iv)

C. (i) & (iii)

D. All are correct

Answer: A



115. Oxygenic photosynthesis occurs in

- A. Rhodospirillum
- B. Chlorobium
- C. Chromatium
- D. Oscillatoria

Answer: D



116. what is heartwood



- **117.** Select the correct combination of the statements (i-iv) regarding the characteristics of certain organisms.
- (i) Methanogens are archaebacteria which produce methane in marshy areas
- (ii) Nostoc is a filamentous blue-green alga which fixes atmospheric nitrogen

(iii) Chemosnthetic autotrophic bacteria synthesise cellulose from glucose

(iv) Mycoplasma lack a cell wall and can survive without oxygen

The correct statements are

A. (ii), (iii)

B. (i), (ii), (iii)

C. (ii), (iii), (iv)

D. (i), (ii), (iv)

Answer: D



Watch Video Solution

118. Some hyperthermophilic organisms that grow in highly acidic (pH2) habitats belong to the two groups

- A. Liverworts and yeasts
- B. Eubacteria and archaea
- C. Cyanobacteria and diatoms
- D. Protists and mosses

Answer: B

119. Membrane bound organelles are absent in

- A. Plasmodium
- **B. Saccharomyces**
- C. Streptococcus
- D. Chlamydomonas

Answer: C



120. In biogas plant which group of bacteria is found

- A. Cyanobacteria
- B. Myxobacteria
- C. Mycobacteria
- D. Archaebacteria

Answer: D



- 121. What is true for Mycoplasma?
- 1. They completely lack cell wall
- 2. They are the smallest living cells known
- 3. They can survive without oxygen
- 4. All the above
 - A. They completely lack cell wall
 - B. They are the smallest living eels nown
 - C. They can survive without oxygen
 - D. All the above

Answer: D

122. What is a genophore

- 1. DNA in prokaryotes
- 2. DNA and RNA in prokaryotes
- 3. DNA and protein in prokaryotes
- 4. RNA in prokaryotes
 - A. DNA in prokaryotes
 - B. DNA and histones in prokaryotes
 - C. DNA and protein in prokaryotes
 - D. RNA in prokaryotes

Answer: A



- **123.** Which one of the following organisms is not an example of eukaryotic cells
- 1. Paramoecium caudatum
- 2. Escherichia coli
- 3. Euglena viridis
- 4. Amoeba proteus
 - A. Paramoecium caudatum

- B. Escherichia coli
- C. Euglena viridis
- D. Amoeba proteus

Answer: B



- **124.** In eubacteria, a cellular component that resembles eukaryotic cell is
- 1. Plasma membrane
- 2. Nucleus

- 3. Ribosomes
- 4. Cell wall
 - A. Plasma membrane
 - B. Nucleus
 - C. Ribosomes
 - D. Cell wall

Answer: A



125. Organisms called Methanogens are most abundant in a

- A. Sulphur rock
- B. Cattle yard
- C. Polluted stream
- D. Hot spring

Answer: B



126. Archaebacteria are special since they live in some of the most harsh habitats such as

- A. Extreme salty areas
- B. Hot springs
- C. Marshy areas
- D. All the above

Answer: D



127. Denitrification is carried by bacteria

- A. Pseudomonas and Thiobacillus
- B. Nitrosomonas and Nitrococcus
- C. Nitrosomonas and Nitrobacter
- D. Pseudomonas and Nitrococcus

Answer: A



128. The cyanobacteria are also referred to as:-

- A. Golden algae
- B. Slime moulds
- C. Blue green algae
- D. Protists

Answer: C



129. Nuclear membrane is absent in

- A. Agaricus
- B. Volvox
- C. Nostoc
- D. Penicillium

Answer: C



130. Maximum nutritional diversity is found in the group

- A. 1.Algae
- B. 2.Monera
- C. 3.Plantae
- D. 4.Fungi

Answer: B



131. Which of the following is not a free living

 N_2 - fixing bacterium?

A. 1.Azotobacter

B. 2.Rhizobium

C. 3.Bacillus

D. 4.Rhodospirillum

Answer: B



132. Which of the following are likely to be present in deep sea water?

- A. Blue-green algae
- B. Saprophytic fungi
- C. Archaebacteria
- D. Eubacteria

Answer: C



133. Archaebacteria differ from eubacteria in

A. Mode of reproduction

B. Cell membrane structure

C. Mode of nutrition

D. Cell shape

Answer: B



134. Anoxygenic photosynthesis is

characteristic of

- A. Ulva
- B. Rhodospirillum
- C. Spirogyra
- D. Chlamydomonas

Answer: B



135. Which structures perform the function of mitochondria in bacteria

- A. Mesosomes
- B. Nucleoid
- C. Ribosomes
- D. Cell wall

Answer: A



136. True nucleus is absent in

- A. Mucor
- B. Vaucheria
- C. Volvox
- D. Anabaena

Answer: D




137. Which one of the following is not an inclusion body found in prokaryotes?

- A. Cyanophycean granule
- B. Glycogen granule
- C. Polysome
- D. Phosphate granule

Answer: C





- A. Aspergillus
- B. Funaria
- C. Mycoplasma
- D. Nostoc

Answer: C



139. The structure that help some bacteria to attach to rocks and host tissues are

- A. rhizoids
- B. fimbriae
- C. mesosomes
- D. holdfast

Answer: B



- 140. Pick up the wrong statement
 - A. Cell wall is absent in Animalia
 - B. Protista have photosynthetic and heterotrophic modes of nutrition
 - C. Some fungi are edible
 - D. Nuclear membrane is present in Monera

Answer: D



141. Which of the following is not a feature of the plasmids ?

- A. Circular structure
- B. Transferable
- C. Single-stranded
- D. Independent replication

Answer: C



142. The primitive prokaryotes responsible for the production of biogas from the dung of ruminant animals include

- A. Thermoacidophiles
- B. Methanogens
- C. Eubacteria
- D. Halophiles

Answer: B



143. Which one of the following statements is wrong?

A. Golden algae are also called desmids

B. Eubacteria are also called false bacteria

C. Phycomycetes are also called algal fungi

D. Cyanobacteria are also called bluegreen algae

Answer: B



144. Methanogens belong to

- A. Eubacteria
- B. Archaebacteria
- C. Dinoflagellates
- D. Slime moulds

Answer: B



145. Select the wrong statement

A. Bacterial cell wall is made up of peptidoglycan

B. Pili and fimbriae are mainly involved in motility of bacterial cells.

C. Cyanobacteria lack flagellated cells

D. Mycoplasma is a wall-less microorganism.

Answer: B

146. The primary producers of the deep-sea hydrothermal vent ecosystem are:

A. Green algae

B. Chemosynthetic bacteria

C. Blue-green algae

D. Coral reefs

Answer: B



147. Which among the following are the smallest living cells, known without a definite cell wall, pathogenic to plants as well as animals and can survive without oxygen?

A. Bacillus

B. Pseudomonas

C. Mycoplasma

D. Nostoc

Answer: C



Watch Video Solution

148. Which of the following are found in extreme saline conditions

- A. Archaebacteria
- B. Eubacteria
- C. Cyanobacteria
- D. Mycobacteria

Answer: A



Watch Video Solution

149. DNA replication in bacteria occurs

A. during S phase

B. within nucleolus

C. prior to fission

D. just before transcription

Answer: C

150. Which of the following components provides sticky character to the bacterial cell

- A. Cell wall
- B. Nuclear membrane
- C. Plasma membrane
- D. Glycocalyx

Answer: D



Watch Video Solution

151. Which among the following is not a prokaryote

A. Oscillatoria

B. Nostoc

C. Mycobacterium

D. Saccharomyces

Answer: D



