



# BIOLOGY

## BOOKS - TRUEMAN BIOLOGY

### MINERAL NUTRITION

#### Multiple Choice Questions

1. Photosynthetic nutrition in plants is also known as

- A. holophytic nutrition
- B. chemotrophic nutrition
- C. heterotrophic nutrition
- D. heteroholophytic nutrition

**Answer: 1**



**Watch Video Solution**

**2. An essential is that which**

- A. is found in plant ash

B. is available in soil

C. improves health of plants

D. is irreplaceable and indispensable for  
growth of plants

**Answer: 4**



**Watch Video Solution**

**3.** Plants require minor elements in small quantities, their major role is to act as

A. regulation of cell division of meristematic sites

B. co-factors of enzymes

C. building blocks of important amino acids

D. precursors of plant hormones

**Answer: 2**



**Watch Video Solution**

**4. Micronutrients are**



- A. less important than macronutrients
- B. as important as macronutrients
- C. having no role in plant nutrition
- D. omitted from culture medium without any detrimental effect.

**Answer: 2**



**Watch Video Solution**

5. Importance of microelements was recognised late due to

A. their toxicity

B. presence as contaminants in macronutrients

C. negligible role played by them in plant physiology

D. leakage from roots.

**Answer: 2**



[Watch Video Solution](#)

6. An essential element derived from soil only is called

- A. micronutrient
- B. macronutrient
- C. mineral element
- D. macroelement

**Answer: 3**



[Watch Video Solution](#)

7. The criteria for the essentiality of a mineral element were given by

A. Arnon and Stout

B. Hoagland

C. Hopkins

D. Liebig

**Answer: 1**



**Watch Video Solution**

8. Carl Maze (1915) divided mineral elements into two categories on the basis of

A. quantity in which these are required

B. quality and action

C. toxicity they cause

D. path they travelled in plant.

**Answer: 1**



**Watch Video Solution**

9. Choose the correct one.

A. C, H, O are called frame work elements

B.  $Ca^{2+}$ ,  $Mg^{2+}$ ,  $K^+$  are balancing elements

C. C, H, O, N are protoplasmic elements

D. All of the above

**Answer: 1**



**Watch Video Solution**

**10.** Essential micronutrients are also known as

- A. tracer elements
- B. trace elements
- C. radioisotopes
- D. frame work elements

**Answer: 2**



**Watch Video Solution**

**11.** Zinc is a

A. tracer element

B. trace element

C. macronutrient

D. major mineral

**Answer: 2**



**Watch Video Solution**

**12.** Microelements are those essential elements which are required by the plants in concentration



A. less than 10m mole/kg of dry matter.

B. less than 1m mole/kg of dry matter.

C. more than 1  $\mu\text{g/g}$  of dry matter.

D. equal to than 20 $\mu\text{g/}$  of dry matter

**Answer: 1**



**Watch Video Solution**

**13.** The concentration of a macroelement per gm of dry matter in plants is at least

A. 1000  $\mu\text{g}/\text{gm}$  of dry matter

B. 100  $\mu\text{g}/\text{gm}$  of dry matter

C. 1500  $\mu\text{g}/\text{gm}$  of dry matter

D. 995  $\mu\text{g}/\text{gm}$  of dry matter.

**Answer: 1**



**Watch Video Solution**

**14. What is an essential element ?**

A. An element present in the soil.

B. An element present in the plant.

C. An element that improves growth of plant.

D. An element without which a plant will not grow and complete its life cycle.

**Answer: 4**



**Watch Video Solution**

15. The ion which is commonly found free in the cell is

A. potassium

B. borate

C. sulphur

D. nitrogen

**Answer: 1**



**Watch Video Solution**

16. The major portion of the dry weight of plants comprises of

Or

Frame work elements in plants are

A. N, P, K

B. Ca, Mg, S

C. C, N, H

D. C, H, O

**Answer: 4**



**Watch Video Solution**

17. It is possible to determine whether an element is essential by observing growth of plants

A. in soil form which the particular element is removed

B. in soil in which only the particular element is present

C. in a inert medium to which solution of only the particular element is added

D. in a inert medium to which a nutrient solution excluding that particular element is added

**Answer: 4**



**Watch Video Solution**

**18.** Most abundant elements in the living cells are

A. C, O, N and P

B. C, H, O and Ca

C. C, H, O and N

D. C, H, Mg and N

**Answer: 3**



**Watch Video Solution**

**19.** Which one is an essential mineral, not constituent of any enzyme but stimulates the activity of many enzymes?



A. Na

B. B

C. K

D. C

**Answer: 3**



**Watch Video Solution**

**20.** A trace element essential for plant growth and radioactive isotope which is used in cancer therapy is known as

A. iron

B. calcium

C. cobalt

D. sodium

**Answer: 3**



**Watch Video Solution**

**21. Choose the correct statement.**

- A. Solution culture (hydroponics ) contains all essential elements except one, the usefulness of which is to be determined
- B. In Aeroponics roots are dipped in solution culture rich in air
- C. Potometer is used to measure degree of opening of stomata
- D. All of the above

**Answer: 1**



**Watch Video Solution**

22. The agent that keeps metals in the soluble state is called

- A. chelating agent
- B. balancing agent
- C. buffer agent
- D. catalytic agent.

**Answer: 1**



**Watch Video Solution**

**23.** The most crucial event in nature governing nutrient balance is

- A. primary production
- B. secondary production
- C. nutrient cycling
- D. gross production

**Answer: 3**



**Watch Video Solution**

24. Which has both Fe and Cu as prosthetic group?

A. Haemoglobin

B. Dehydrogenase

C. Polymerase

D. Cytochrome oxidase

**Answer: 4**



**Watch Video Solution**

25. Which of the following is a component of coenzyme A, vitamin biotin, thiamine and mustard oil and whose deficiency results in decrease in nodule formation is

A. Cu

B. Ca

C. S

D. Mn

**Answer: 3**



Watch Video Solution

26. The deficiency of boron results in all except

- A. top sickness
- B. browning of head in cauliflower
- C. internal cork of apple
- D. marsh spot disease

**Answer: 4**



**Watch Video Solution**



27. Boron in green plants assists in

A. in activation of enzymes

B. in nitrogen fixation

C. in photosynthesis

D. in sugar transport

**Answer: 4**



**Watch Video Solution**

28. Match the correct deficiency symptoms.

A. Cu - exanthema

B. Mg - interveinal chlorosis and upward  
curling of leaves

C. Zn - malformation of leaves and fruits

D. All of the above

**Answer: 4**



**Watch Video Solution**

29. Which of the following is non-symbiotic biofertilizer

A. Azotobacter

B. Nostoc

C. Rhizobium

D. frankia

**Answer: 1**



**Watch Video Solution**

**30.** The most important function of Rhizobium is

A. nitrogen assimilation

B. nitrogen fixation

C. ammonification

D. nitrification

**Answer: 2**



**Watch Video Solution**

31. Which gene cluster is responsible for nitrogen fixation in bacteria?

A. nod, nif, fix

B. nod, ndf, nfx

C. nod, nix, nfx



D. ndx, nif, fix

**Answer: 1**



**Watch Video Solution**

32.  $N_2$  fixation is



C.  $N_2 \rightarrow$  amino acid

D. both (1) and (2)

**Answer: 1**



**Watch Video Solution**

**33.** The process of  $N_2$  fixation in root nodules is controlled by

A. nif

B. NAA

C. IAA

D. ABA

**Answer: 1**



**Watch Video Solution**

**34.** Enzyme involved in nitrogen assimilation

- A. nitrogenase
- B. nitrate reductase
- C. transferase
- D. transaminase


**Answer: 2**



**Watch Video Solution**



### 35. Nitrate reductase forms



**Answer: 3**



Watch Video Solution

36. If by radiation all nitrogenase enzyme are inactivated, then there will be no:-

A. fixation of atmospheric nitrogen

B. conversion from nitrate to nitrite in legumes

C. conversion from ammonium to nitrate in soil

D. fixation of nitrogen in legumes

**Answer: 4**



**Watch Video Solution**

**37.** Plants that have mutualistic relations with nitrogen-fixing bacteria receive from the bacteria

A. ammonium

B. amino acids

C. nitrate

D. nitrite

**Answer: 1**



**Watch Video Solution**

**38.** Plants that have mutualistic relations with nitrogen-fixing bacteria provide the bacteria with

A.  $N_2$

B. enzymes

C. sugars

D. nitrite

**Answer: 3**



**Watch Video Solution**

**39. Nitrosomonas and Nitrosococcus promote**

- A. reduction of ammonia
- B. oxidation of nitrite
- C. reduction of nitrate
- D. oxidation of ammonia

**Answer: 4**



[Watch Video Solution](#)

#### 40. The Nitrobacter and Nitrocystis

- A. oxidise nitrite to nitrate
- B. oxidise nitrate
- C. reduce nitrite
- D. reduce nitrate

**Answer: 1**



[Watch Video Solution](#)

41. Reduction is the term used when conversion of ..... takes place

- A. nitrate to nitrite
- B. nitrite to nitrate
- C. ammonia to nitrogen
- D. All of the above

**Answer: 1**



**Watch Video Solution**

42. Certain bacteria living in the soil poor in oxygen convert nitrates into nitrites and then to free nitrogen and such bacteria are termed as

Or

The bacteria which convert  $NO_3 \rightarrow$  Free  $N_2$  are called as

- A. nitrogen fixing bacteria
- B. denitrifying bacteria
- C. ammonifying bacteria
- D. saprophytic bacteria.



**Answer: 2**



**Watch Video Solution**

**43.** Bacteria which break down the dead organisms of the soil into nitrogen compounds are termed

- A. denitrifying bacteria
- B. nitrifying and ammonifying bacteria
- C. nitrogen fixing bacteria
- D. parasitic bacteria.

**Answer: 2**



**Watch Video Solution**

**44.** The nodules in a plant root where nitrogen fixing bacteria live form from cells of the

A. epidermis

B. cortex

C. endodermis

D. vascular tissue

**Answer: 2**



**Watch Video Solution**

**45.** The source of energy for non-biological nitrogen fixation is

1. by ionizing events such as lightning and effect of cosmic rays
2. ferredoxin enzyme and nitrogenase
3. by reduction of proteins to ammonia
4. by oxidation of ammonia to protein

- A. by ionizing events such as lightning and effect of cosmic rays
- B. ferredoxin enzyme and nitrogenase
- C. by reduction of proteins to ammonia
- D. by oxidation of ammonia to protein

**Answer: 1**



**Watch Video Solution**

**46.** *Vicia faba* and *pisum sativum* are recommended for rotation of crops because they

1. require small amount of water
2. are cash crops
3. help in nitrogen fixation of soil
4. kill all the harmful insects

A. require small amount of water

B. are cash crops

C. help in nitrogen fixation of soil

D. kill all the harmful insects.

**Answer: 3**



**Watch Video Solution**

**47.** Nitrogen fixing enzyme in root nodule is

1. nitrase

2. nitrogenase

3. nitrosomonas

4. nitrogen esterase

**A. nitrase**

B. nitrogenase

C. nitrosomonas

D. nitrogen esterase

**Answer: 2**



**Watch Video Solution**

**48.** Which of the following is an incorrect match ?

A. Free living nitrogen fixing bacteria -

Azotobacter

B. Symbiotic nitrogen fixing cyanobacteria -

Anabaena

C. Symbiotic nitrogen fixing cyanobacteria -

Frankia

D. Symbiotic nitrogen fixing bacteria -

Xanthomonas

**Answer: 3**



**Watch Video Solution**



**49.** Which of the following can use elemental nitrogen as their nitrogen source

A. anabaena

B. Nitrobacter

C. Nitrosomonas

D. All of the above

**Answer: 1**



**Watch Video Solution**

50. Nitrogen fixation by organism requires conditions that are

- A. highly alkaline
- B. anaerobic
- C. saturated with sunlight
- D. free of water

**Answer: 2**



**Watch Video Solution**

51. Nodule formation is reduced in legume roots due to the deficiency of

A. chlorine

B. boron

C. sulphur

D. (2) and (3)

**Answer: 4**



**Watch Video Solution**

52. On earth the largest reservoir of nitrogen is

A. the oceans

B. granite rocks

C. the air

D. the soil

**Answer: 3**



**Watch Video Solution**

53. Organisms that fix nitrogen in aquatic habitats are

- A. green algae
- B. cyanobacteria
- C. brown algae
- D. protozoa

**Answer: 2**



**Watch Video Solution**

**54.** In root nodules of leguminous plants, the pigment leghemoglobin that gives pink colour to the nodules, is present in the

1. intercellular spaces
2. cytosol of bacteroids
3. inside the bacterial wall
4. outside the peribacterial space in the cytosol of nodule cells.

A. intercellular spaces

B. cytosol of bacteroids

C. inside the bacterial wall

D. outside the peribacterial space in the cytosol of nodule cells.

**Answer: 4**



**Watch Video Solution**

**55.** Besides providing pink colour to the root nodules, leghaemoglobin performs the function of

1. protecting enzyme nitrogenase from free oxygen

2. transporting nitrogen to host cells

3. protecting bacteroids from the enzymes of host cell

4. protecting leakage of fixed nitrogen to the soil atmosphere

A. protecting enzyme nitrogenase from free oxygen

B. transporting nitrogen to host cells

C. protecting bacteroids from the enzymes of host cell



D. protecting leakage of fixed nitrogen to the soil atmosphere

**Answer: 1**



**Watch Video Solution**

**56.** Major nitrogen fixation is carried out by

A. lightning

B. chemical industries

C. symbiotic bacteria

D. leaching

**Answer: 3**



**Watch Video Solution**

**57.** Which one plays an important role in energy metabolism?

A. Calcium

B. Sodium

C. Sulphur

## D. Phosphorus

**Answer: 4**



**Watch Video Solution**

**58.** Most of the plants obtain nitrogen from the soil in the form of

A. nitrites and molecular nitrogen

B. nitrates and ammonium salts

C. nitrites and ammonium salts

D. hyponitrites and nitrates

**Answer: 2**



**Watch Video Solution**

**59.** Deficiency of nitrogen produces

A. blossom end rot of tomato

B. Chlorosis

C. die back disease

D. reduced respiration

**Answer: 2**



**Watch Video Solution**

**60.** Plants absorb sulphur in the form of

A. sulfate ions from soil

B.  $SO_2$  from air

C. both (1) and (2)

D.  $SO_3$  from soil

**Answer: 2**



Watch Video Solution

61. Which of the following is an micronutrient ?

A. Mg

B. Zn

C. Ca

D. P

**Answer: 2**



**62.** Which of the following is not an essential micronutrient ?

A. Boron

B. Sodium

C. Manganese

D. Molybdenum

**Answer: 2**



**63.** Which one of the following elements is not required by plants for their healthy normal growth?

A. Calcium

B. Magnesium

C. Lead

D. Iron

**Answer: 3**



**Watch Video Solution**



**64.** Carbon becomes available to crop plants in the form of

- A. amino acids
- B. carbonates
- C. carbon dioxide
- D. element carbon

**Answer: 3**



**Watch Video Solution**

65. On the basis of symptoms of chlorosis in leaves, a student inferred that this was due to deficiency of nitrogen. This inference could be correct only if we assume that yellowing of leaves appeared first in

A. old leaves

B. young leaves

C. mature leaves followed by young leaves

D. young leaves followed by mature leaves

**Answer: 1**



**Watch Video Solution**

**66.** Fertilizers are usually enriched in NPK which denotes

- A. iron, manganese and zinc
- B. nitrogen, phosphorus and zinc
- C. calcium and boron
- D. nitrogen, phosphorus and potassium

**Answer: 4**



**Watch Video Solution**

**67. Which one is component of ferredoxin ?**

A. Zn

B. Mn

C. Cu

D. Fe

**Answer: 4**



Watch Video Solution

68. Potassium is involved in

A. photosynthesis

B. promoting many enzymatic activities  
that regulate plant processes

C. providing reddish pigmentation to fruits

D. formation of vascular cambium

**Answer: 2**



[Watch Video Solution](#)

69. The deficiency symptom of phosphorus is

A. lodging of cereals

B. leaf curl

C. stunted growth

D. wrinkling of grains

**Answer: 3**



[Watch Video Solution](#)

70. Due to deficiency of phosphorus

A. the rate of protein synthesis is increased

B. the rate of protein synthesis is decreased

C. there is no effect on the rate of protein synthesis

D. the rate of protein synthesis initially declines but increases later on

**Answer: 2**

---



Watch Video Solution

71. In plants a common symptom caused by deficiency of P, K, Ca and Mg is

- A. bending of leaf tips
- B. formation of anthocyanin
- C. poor development of vasculature
- D. chlorosis

**Answer: 4**



Watch Video Solution



72. Pungent principle, a sinigrin, of crucifers is

a

A. glycoside having sulphur

B. glycoside having cyanide

C. glycoside having special amino acids

D. tannin

**Answer: 1**



**Watch Video Solution**

73. Which of the following is a sulphur containing amino acid

A. methionine

B. asparagine

C. serine

D. proline

**Answer: 1**



**Watch Video Solution**

74. Calcium is mainly a component of

- A. primary walls
- B. secondary wall
- C. chlorophyll
- D. middle lamella

**Answer: 4**



**Watch Video Solution**

75. White-bud condition in maize is produced due to the deficiency of

A. iron

B. molybdenum

C. zinc

D. boron

**Answer: 3**



**Watch Video Solution**

**76.** Deficiency of molybdenum cause

- A. poor development of vasculature
- B. bending of leaf tip
- C. brown heart of turnip
- D. mottling & marginal necrosis of leaves

**Answer: 4**



**Watch Video Solution**

77. In crucifers whiptail disease is caused due to the deficiency of

A. manganese

B. Magnesium

C. molybdenum

D. iron

**Answer: 3**



**Watch Video Solution**

78. Which of the following microelements is related to the synthesis of plant auxin (IAA) ?

A. Molybdenum

B. Chlorine

C. Zinc

D. Boron

**Answer: 3**



**Watch Video Solution**

79. Reclamation disease of cereals and legumes is caused by the deficiency of

A. manganese

B. phosphorus

C. copper

D. boron

**Answer: 3**



**Watch Video Solution**



**80.** Death of stem and root tips occurs due to the deficiency of

A. phosphorus

B. nitrogen

C. calcium

D. carbon

**Answer: 3**



**Watch Video Solution**

**81.** Minerals are absorbed by the roots from the soil in the form of

A. compounds

B. very concentrated solution

C. in the form of ions

D. in the form of molecules.

**Answer: 3**



**Watch Video Solution**

82. A plant requires calcium for

- A. holding its cells together
- B. synthesizing chlorophyll
- C. photolysis of water
- D. opening and closing its stomata

**Answer: 1**



**Watch Video Solution**

83.  $K^+$  ions control

A. opening and closing of stomata

B. guttation

C. formation of mitotic spindle

D. all of these

**Answer: 1**



**Watch Video Solution**

**84.** Sulphur is an important nutrient for optimum growth and productivity in

A. fibre crops

B. cereals

C. oil seed crops

D. pulse crops

**Answer: 4**



**Watch Video Solution**

**85.** Plants require sulphur for

A. DNA replication

B. Protein synthesis

C. Glucose synthesis

D. ATP formation

**Answer: 2**



**Watch Video Solution**

**86.** A plant requires nitrogen and sulphur for its

A. cell walls

B. storage vacuoles

C. enzymes

D. energy stores

**Answer: 3**



**Watch Video Solution**

**87.** A plant requires phosphorus for

A. cell walls

B. cell membranes

C. enzymes

D. starch deposits

**Answer: 2**



**Watch Video Solution**

**88.** A plant is showing symptoms like chlorosis of younger or older leaves, production of sterile flowers and grey spots. It may be due to the deficiency of



A. B

B. K

C. Mn

D. Ca

**Answer: 3**



**Watch Video Solution**

**89.** Elements required for ATP formation

A. N, Cu

B. K, P

C. N, P

D. P, Ca

**Answer: 3**



**Watch Video Solution**

**90.** Which of the following is a microelement ?

A. Chlorine

B. Hydrogen

C. Nitrogen

D. Oxygen

**Answer: 1**



**Watch Video Solution**

**91. Phosphorus is present in :**

A. Protein

B. DNA and RNA

C. Amino acid

D. starch

**Answer: 2**



**Watch Video Solution**

**92. Elements useful in photosynthesis**

A. Cu, Co, Fe

B. Cu, Mo, Zn

C. Cl, Mg, Mn

D. Mg, Fe, Co, Mn

**Answer: 3**



**Watch Video Solution**

**93.** Which of the following plant diseases is caused by mineral deficiency?

- A. Heart rot of beets
- B. White rust
- C. Red rot of sugarcane
- D. Wilt in cotton

**Answer: 1**



**Watch Video Solution**

**94.** Red pigment (Leghaemoglobin) having affinity for oxygen is present in the roots of

- A. Carrot
- B. Soybean
- C. Mustard
- D. Radish

**Answer: 2**



**Watch Video Solution**

**95.** Copper is activator in enzyme

- A. cytochrome oxidase
- B. carbonic anhydrase
- C. lactic dehydrogenase
- D. tryptophanase

**Answer: 1**



Watch Video Solution

96. A macronutrient which is component of all organic compounds but is not obtained from soil is

A. N

B. P

C. Mg

D. C

**Answer: 4**





Watch Video Solution

97. Which group of three micronutrient elements is required for both photosynthesis and mitochondrial electron transport ?

A. Cu, Mn, Fe

B. Co, Ni, Mo

C. Ca, K, Na

D. Mn, Co, Ca

**Answer: 1**



Watch Video Solution

**98.** Most abundant element found in plants is

A. carbon

B. nitrogen

C. iron

D. manganese

**Answer: 1**



Watch Video Solution

99. Farmers in a particular region were concerned that premature yellowing of leaves of a pulses crop might cause decrease in the yield. Which treatment could be most beneficial to obtain maximum seed yield?

A. Removal of all yellow leaves and spraying the remaining green leaves with 2, 4, 5-trichlorophenoxy acetic acid

B. Application of iron and magnesium to promote synthesis of chlorophyll

C. Frequent irrigation of the crop

D. Treatment of the plants with cytokinins

alongwith a small dose of nitrogenous

fertilizer.

**Answer: 2**



**Watch Video Solution**

**100.** Prolonged liberal irrigation of agricultural fields is likely to create the problem of

A. acidity

B. aridity

C. salinity

D. metal toxicity

**Answer: 3**



**Watch Video Solution**

**101.** Which is essential for selective permeability of cell membrane.

A. Zn

B. Ca

C. Mo

D. S

**Answer: 2**



**Watch Video Solution**

**102.** Chlorosis in plants occurs due to

A. high sunlight intensity

B. carotenoid degeneration

C. absorption of yellow pigments from the soil

D. deficiency of Mg and Fe in the soil

**Answer: 4**



**Watch Video Solution**

**103.** Mg and Fe are needed for plants in the

A. 1.energy transfer

B. 2.synthesis of chlorophyll pigment in the  
leaves

C. 3.stomatal opening

D. 4.translocation of carbohydrates .

**Answer: 2**



**Watch Video Solution**



**104.** Match the column I with Column II.

**Column I**

- A. Mg
- B. S
- C. I
- D. Mn

**Column II**

- 1. found in some amino acids
- 2. structural component of chlorophyll
- 3. not important for plants
- 4. required for photolysis of water

A. A- 2, B- 1, C- 3, D- 4

B. A- 1, B- 2, C- 3, D- 4

C. A- 1, B- 3, C- 4, D- 2

D. A- 2, B- 3, C- 1, D- 4

**Answer: 1**



[Watch Video Solution](#)

**105.** What is the role of molybdenum?

- A. Nitrogen fixation
- B. Flower induction
- C. Chromosome contraction
- D. Carbon assimilation

**Answer: 1**



[Watch Video Solution](#)

**106.** Plastocyanin contain

A. Mo

B. Mg

C. Cu

D. Zn

**Answer: 3**



**Watch Video Solution**

107. Osmolarity of cells is mainly due to

A. 1. $K^+$

B. 2. $Mn^{++}$

C. 3. $Ca^{++}$

D. 4. $Cl^-$

**Answer: 1**



**Watch Video Solution**

**108.** Copper deficiency leads to

- A. exanthema
- B. whiptail of cauliflower
- C. little leaf condition
- D. interveinal chlorosis

**Answer: 1**



**Watch Video Solution**

**109.** Gray spots of oat are caused by the deficiency of

A. Cu

B. Zn

C. Mn

D. Fe

**Answer: 3**



**Watch Video Solution**

**110.** Most minerals in a soil are in the

A. sand

B. clay

C. silt

D. air pockets

**Answer: 2**



**Watch Video Solution**

111. Small clay particles hold calcium, potassium and magnesium ions because surfaces of clay particles are

- A. 1.smooth
- B. 2.covered with tiny crevices
- C. 3.negatively charged
- D. 4.waxy

**Answer: 3**



**Watch Video Solution**



**112.** Most of the dry weight of a tree comes from atoms acquired from

A. 1.soil

B. 2.water

C. 3.air

D. 4.decomposing leaves

**Answer: 3**



**Watch Video Solution**

**113.** A root concentrates minerals by

- A. active transport
- B. facilitated diffusion
- C. osmosis
- D. diffusion

**Answer: 1**



**Watch Video Solution**

**114.** As water and minerals move toward the vascular cylinder of a root, they must enter the cytoplasm of

A. xylem vessels

B. cortex cells

C. endodermal cells

D. pericycle cells

**Answer: 3**



**Watch Video Solution**

**115.** Most vascular plants increase the absorption of minerals by

A. mycorrhizae

B. convertible phloem

C. casparian channels along the phloem

D. companion cells

**Answer: 1**



**Watch Video Solution**

**116.** Uptake of mineral ions into xylem is controlled by

A. epidermal cells

B. cortex cells

C. endodermal cells

D. xylem cells

**Answer: 3**



**Watch Video Solution**

117. When a cell contains some nondiffusible or fixed ions which are kept balanced by diffusible ions of opposite charge , this condition is known as

- A. Donnan equilibrium
- B. Chemical equilibrium
- C. Saturation effect
- D. Ionic exchange

**Answer: 1**



Watch Video Solution

**118.** Point out the one which does not justify active absorption of minerals ?

- A. Cations and anions are often absorbed at different rates
- B. Absorption of different ions is highly selective
- C. absorption is accompanied by increase in the rate of respiration

D. Absorption is the movement of substances from higher concentration to their lower concentration

**Answer: 4**



**Watch Video Solution**

**119.** Mineral nutrients absorbed by roots, move to leaves through

1. xylem

2. phloem



3. sieve tubes

4. none of these

A. xylem

B. phloem

C. sieve tubes

D. none of these

**Answer: 1**



**Watch Video Solution**

**120.** Membrane pathways for minerals along permeases

1. need ATP

2. need carrier solute complex

3. need pinosomes

4. need diffusion gradient

A. need ATP

B. need carrier solute complex

C. need pinosomes

D. need diffusion gradient

**Answer: 4**



**Watch Video Solution**

**121.** Carrier proteins for active salt uptake

1. have pores
2. form complex with ions
3. function under transpiration pull
4. All of the above

A. have pores

B. form complex with ions

C. function uner transpiration pull

D. All of the above

**Answer: 2**



**Watch Video Solution**

**122.** The ascent of minerals is

1. equal to the rate of translocation of water
2. dependent on transpiration pull
3. through xylem vessel
4. All of the above

- A. equal to the rate of translocation of water
- B. dependent on transpiration pull
- C. through xylem vessel
- D. All of the above

**Answer: 4**



**Watch Video Solution**

**123.** Bidirectional translocation of minerals takes place in

1. xylem

2. phloem

3. cambium

4. parenchyma

A. xylem

B. phloem

C. cambium

D. parenchyma

**Answer: 2**



**Watch Video Solution**

**124.** Passive absorption of minerals depends on

- A. temperature
- B. humidity
- C. metabolic inhibitor
- D. (1) and (3)

**Answer: 1**



**Watch Video Solution**

**125.** Passive absorption of minerals salts is not dependent on

- A. osmosis
- B. diffusion
- C. Donnan equilibrium
- D. ion exchange



**Answer: 1**



**Watch Video Solution**

**126.** Active uptake of minerals by roots mainly depends on the

A. availability of oxygen

B. light

C. temperature

D. availability of  $CO_2$

**Answer: 1**



**Watch Video Solution**

**127.** Inorganic nutrients are presents in the soil in the form of

A. molecules

B. atoms

C. electrically charged ions

D. parasites

**Answer: 3**



**Watch Video Solution**

**128.** Active transport of ions by the cells requires

A. high temperature

B. ATP

C. alkaline pH

D. salts

**Answer: 2**



**Watch Video Solution**

**129.** Theory suggesting that carbon dioxide in respiration helps in mineral absorption is called

- A. Carbonic acid exchange theory
- B. Contact exchange theory
- C. Active mineral absorption
- D. Donnan equilibrium

**Answer: 1**



**Watch Video Solution**

**130.** Insectivorous/carnivorous plants live in medium that are deficient in nitrogen. Select a pair of insectivorous plants

- A. Drosera and Rafflesia
- B. Nepenthes and Utricularia
- C. Dionaea and Viscum
- D. Venus fly trap and Rafflesia.

**Answer: 2**



**Watch Video Solution**

**131.** Drosera catches insects by means of

A. pitcher

B. adhesive pads

C. bladder

D. tentacles secreting shining liquid

**Answer: 4**



[Watch Video Solution](#)

**132.** Cuscuta is an example of a

A. heteroparasite

B. holoparasite

C. root parasite

D. semiparasite

**Answer: 2**



[Watch Video Solution](#)

**133.** The example of a partial root parasite is

A. Santalum

B. Cuscuta

C. Arceuthobium

D. Viscum

**Answer: 1**



**Watch Video Solution**



**134.** Saprophytic angiosperms are known as

- A. humus plants
- B. organic plants
- C. facultative saprophytes
- D. obligate saprophytes.

**Answer: 1**



**Watch Video Solution**

**135.** A heterotroph is an organism that derives its energy from

A. light

B. inorganic molecules

C. heat

D. organic molecules

**Answer: 4**



**Watch Video Solution**

**136.** Carnivorous plants living in water logged/boggy habitats are

- A. deficient in nitrates
- B. deficient in sulphites
- C. deficient in oxygen
- D. deficient in many salts.

**Answer: 1**



**Watch Video Solution**

**137.** Which one of the following insectivorous plants is also known as Sundew plant ?

A. Nepenthes

B. Drosera

C. Utricularia

D. Dionaea

**Answer: 2**



**Watch Video Solution**

**138.** Match the following essential elements (List-I) with their respective roles (List-II) and select the correct answer using the codes given below the lists

List-I	List-II
A. Chlorine	1. Constituent of plastocyanin
B. Copper	2. Constituent of nitrate reductase
C. Molybdenum	3. Constituent of alcohol dehydrogenase
D. Zinc	4. Required for O <sub>2</sub> evolution in photosynthesis
	5. Required for phosphate transfer

A. *A B C D*  
4 1 3 2

B. *A B C D*  
1 2 5 3

C. 

	<i>A</i>	<i>B</i>	<i>C</i>	<i>D</i>
	1	4	5	2

D. 

	<i>A</i>	<i>B</i>	<i>C</i>	<i>D</i>
	4	1	2	3

**Answer: 4**



**Watch Video Solution**

**139.** Which of the following components are associated with nitrate reductase activity?

1. Reduced pyridine nucleotide
2. Flavin adenine dinucleotide
3. Molybdenum

#### 4. Boron

Select the correct answer using the codes given below

A. 1, 2 and 3

B. 1 and 2

C. 2, 3 and 4

D. 1, 3 and 4

**Answer: 1**



**Watch Video Solution**

**140.** Farmers have reported have reported  
50% higher yields of Rice by using biofertilizer

A. Mycorrhiza

B. Anabaena azollae

C. Lichen

D. Legume-rhizome symbiosis

**Answer: 2**



**Watch Video Solution**



**141.** Read the following statements regarding the mineral nutrition in plants

(1) For the elements that are actively mobilized within the plants, the deficiency symptoms tend to appear first in the young tissues.

(2) Manganese competes with iron and magnesium for uptake and with magnesium for binding with enzymes.

(3) Manganese inhibits calcium translocation in shoot apex.

(4) Rhodospirillum is aerobic free-living

nitrogen fixing microbe.

Which of these are correct

A. (i), (iii) & (iv)

B. (ii) & (iv)

C. (ii) & (iii)

D. (ii), (iii) & (iv)

**Answer: 3**



**Watch Video Solution**

**142.** Read the following matches regarding the elements and their deficiency symptoms in plants

(i) Molybdenum - Brown heart of turnip

(ii) Potassium - Plastid disintegration

(iii) Magnesium - Underdeveloped phloem & pith

(iv) Phosphorus - Delay in seedgermination

Which of these are correct

A. (i), (iii) & (iv)

B. (ii), (iii) & (iv)

C. (i), (ii) & (iii)

D. (iii) & (iv) only

**Answer: 2**



**Watch Video Solution**

**143.** Little leaf disease is caused by

A. Copper

B. Zinc

C. Manganese

## D. Cobalt

**Answer: 2**



**Watch Video Solution**

### 144. Match the following

- |               |  |
|---------------|--|
| (i) Boron     | (p) Water-splitting reaction in photosynthesis |
| (ii) Chlorine | (q) Synthesis of auxin                         |
| (iii) Zinc    | (r) Redox reactions                            |
| (iv) Copper   | (s) Uptake and utilization of $\text{Ca}^{2+}$ |

A. (i)- (p), (ii)- (r ), (iii)- (q), (iv)- (s)

B. (i)- (r), (ii)- (p), (iii)- (q), (iv)- (s)

C. (i)- (s), (ii)- (p), (iii)- (q), (iv)- (r )

D. (i)- (s), (ii)- (q), (iii)- (p), (iv)- (r )

**Answer: 3**



**Watch Video Solution**

**145. Match the following**

- |               |   |
|---------------|---|
| (i) Magnesium | (p) Activator of alcohol dehydrogenase      |
| (ii) Zinc     | (q) Component of ferredoxin and cytochromes |
| (iii) Iron    | (r) Activator of Rubisco                    |
| (iv) Boron    | (s) Pollen germination                      |

A. (i)- (r), (ii)- (p), (iii)- (s), (iv)- (q)

B. (i)- (s), (ii)- (p), (iii)- (q), (iv)- (r )

C. (i)- (r), (ii)- (q), (iii)- (p), (iv)- (s)

D. (i)- (r), (ii)- (p), (iii)- (q), (iv)- (s)

**Answer: 4**



**Watch Video Solution**

## 146. Match the following

- |                |  |
|----------------|--|
| (i) Calcium    | (p) Constituent of ferredoxin, thiamine & biotin               |
| (ii) Potassium | (q) Formation of mitotic spindle                               |
| (iii) Sulphur  | (r) Splitting of water to liberate $O_2$ during photosynthesis |
| (iv) Manganese | (s) Maintenance of anion-cation balance                        |

A. (i)- (q), (ii)- (s), (iii)- (p), (iv)- (r )

B. (i)- (s), (ii)- (q), (iii)- (p), (iv)- (r )

C. (i)- (p), (ii)- (s), (iii)- (q), (iv)- (r )

D. (i)- (q), (ii)- (r), (iii)- (p), (iv)- (s)



**Answer: 1**



**Watch Video Solution**

**147.** Critical toxicity level caused by mineral nutrients means reduction in dry weight of plant tissue by

- A. 5 %
- B. 10 %
- C. 20 %
- D. 25 %

**Answer: 2**



**Watch Video Solution**

**148.** Match List - I (Element) with List - II (Process) and select the correct answer using the codes given below the lists

<b>List-I</b>	<b>List-II</b>
A. Molybdenum	1. Photosynthesis
B. Manganese	2. Respiration
C. Sulphur	3. Nitrate reduction
D. Calcium	4. Cell division
	5. Protein synthesis

A. *A B C D*  
5 2 3 1

B. 

<i>A</i>	<i>B</i>	<i>C</i>	<i>D</i>
3	1	5	4

C. 

<i>A</i>	<i>B</i>	<i>C</i>	<i>D</i>
2	1	4	5

D. 

<i>A</i>	<i>B</i>	<i>C</i>	<i>D</i>
3	2	4	5

**Answer: 2**



**Watch Video Solution**

**149.** Find out the correct options

1. Copper is present in cytochrome oxidase

2. Pantothenic acid is precursor of CoA

3. Thymine pyrophosphate is prosthetic group

in decarboxylases

4. Zinc is present in RNA and DNA polymerases.

A. 1 and 2

B. 2, 3 and 4

C. 1, 2, 3 and 4

D. 1, 3 and 4

**Answer: 1**



**Watch Video Solution**

**150.** Regarding the mineral nutrition of plants, which one of the following statements is correct?

A. The availability of iron to plants decreases with the increase of acidity of the soil

B. Molybdenum is a constituent of nitrate reductase system

C. Sulphur is a constituent of phenylalanine

D. All of the above

**Answer: 2**



**Watch Video Solution**

**151.** Consider the following enzymes

1. Glutamate dehydrogenase
2. Glutamine synthetase
3. Glutamate synthase

Which of these are concerned with ammonia assimilation?

A. 1 and 2

B. 2 and 3

C. 1 and 3

D. 1, 2 and 3

**Answer: 4**



**Watch Video Solution**

**152.** Which one of the following pairs is not correctly matched?

A. Copper      Plastocyanin

B. Sulphur      Serine

C. Molybdenum Nitrate reductase

D. Zinc      Alcohol dehydrogenase


**Answer: 2**



**Watch Video Solution**

**153.** After going through the diagram choose the correct option





A.

Name of the Process	Enzyme used	(i)	(ii)
Trans- amination	Trans- aminase	Oxida- tion	Glutamate
Name of the Process	Enzyme used	(i)	(ii)

B. Process

Nitrogen fixation	Nitroge- nase	Dehydro- genation	2H
----------------------	------------------	----------------------	----

C.

Name of the Process	Enzyme used	(i)	(ii)
Reductive amination	Dehydrogenase	Reduction	$NH_3$

Name of the Process	Enzyme used	(i)	(ii)
---------------------	-------------	-----	------

D. Process

Nitrogen fixation	Nitrogenase	Reduction	$2H$
-------------------	-------------	-----------	------

**Answer: 4**



**Watch Video Solution**

**154.** Go through the following matches

(i) Calcium - Required by meristematic and differentiating tissues

(ii) Nitrogen - Mineral element required by plants in the greatest amount.

(iii) Magnesium - Activates enzymes involved in DNA and RNA synthesis.

(iv) Iron - Mainly obtained by plants in ferrous form

Which of these are correct

A. (i), (ii) and (iii)

B. (ii) and (iii)

C. (i), (iii) & (iv)

D. All are correct

**Answer: 1**



**Watch Video Solution**

**155.** Read the following matches

(i) Zinc - Activator of catalase

(ii) Calcium - Required during formation of mitotic spindle

(iii) Sulphur - Constituent of ferredoxin

(iv) Chlorine - Essential for water- splitting reaction in photosynthesis

Which of these are correct

A. (i), (ii) & (iii)

B. (ii), (iii) & (iv)

C. (iii) & (iv)

D. (i) & (ii)

**Answer: 2**



**Watch Video Solution**

**156.** Go through the following matches

(i) Copper - Absorbed as cuprous ions

(ii) Molybdenum - Component of nitrate reductase

(iii) Chlorine - Needed in synthesis of auxin

(iv) Boron - Required for uptake and utilization of  $Ca^{2+}$

Which of these are correct:

A. (i), (ii) & (iii)

B. (ii), (iii) & (iv)

C. (ii) & (iv)

D. All are correct

**Answer: 3**



**Watch Video Solution**

**157.** Read the following matches

(i) Boron - Pollen germination

(ii) Manganese - Splitting of water during  
photosynthesis

(iii) Zinc - Activates carboxylases

(iv) Copper - Involved in redox reactions

Which of these are correct

A. (i), (ii) & (iii)

B. (ii), (iii) & (iv)

C. (i), (iii) & (iv)

D. All are correct

**Answer: 4**



**Watch Video Solution**



**158.** Which organ is considered as "Graveyard of RBC" where most of them are destroyed by macrophages



**Watch Video Solution**

**159.** Read the following matches regarding the elements and their deficiency symptoms in plants

(i) Molybdenum - Brown heart of turnip

(ii) Potassium - Plastid disintegration

(iii) Magnesium - Underdeveloped phloem & pith

(iv) Phosphorus - Delay in seedgermination

Which of these are correct

A. (i), (ii) & (iii)

B. (i) & (iii)

C. (ii), (iii) & (iv)

D. (i) & (iv)

**Answer: 4**



**Watch Video Solution**

**160.** With reference to mineral nutrition in plants, which one of the following pair is not correctly matched?

A. Molybdenum - Required for nitrogen fixation and nitrate reduction

B. Manganese - Required for integrity of chloroplast membrane and for oxygen release in photosynthesis

C. Iron - Required for development of chlorophyll and its pigments.

D. Magnesium - involved in osmosis and ionic balance, and in opening and closing of stomata.

**Answer: 4**



**Watch Video Solution**

**161.** Yield of rice is increased by

A. Azotobacter

B. Anabaena

C. Cyndrospermum

D. Clostridium

**Answer: 2**



**Watch Video Solution**

**162.** By the reaction of  $\alpha$ -ketoglutaric acid with ammonia, through which of the process glutamic acid is formed

A. oxidative amination

B. reductive amination

C. ammonification

D. transamination

**Answer: 2**



**Watch Video Solution**

**163.** Which of the following is must for chlorophyll synthesis

A. Fe

B. Mg

C. K

D. Mn

**Answer: 2**



**Watch Video Solution**

**164.** Which of the following is not caused by deficiency of mineral nutrition

A. chlorosis

B. etiolation

C. shortening of internodes

D. necrosis

**Answer: 2**



**Watch Video Solution**

**165.**             $N_2 + 8(e^-) + 8H^+ + 16ATP$             gives

$2NH_3 + 16ADP + 16P_i$  The above equation refers

to



A. ammonification

B. nitrificaion

C. nitrogen fixation

D. denitrification

**Answer: 3**



**Watch Video Solution**

**166.** Which element is essential as electron carrier?

A. Potassium

B. Iron

C. Zinc

D. Calcium

**Answer: 2**



**Watch Video Solution**

**167.** Which of the following is a mobile mineral element in the plants?

A. Ca

B. Mo

C. Fe

D. Cu

**Answer: 2**



**Watch Video Solution**

**168.** Which of the following micronutrients is essential for activation of urease, the enzyme involved in nitrogen metabolism ?

A. Boron

B. Molybdenum

C. Zinc

D. Nickel

**Answer: 4**



**Watch Video Solution**

**169.** In nitrification, ammonia is first oxidised to nitrite by

A. Nitrosomonas and Nitrococcus

B. Nitrosomonas and Nitrobactor

C. Pseudomonas and Nitrococcus

D. Pseudomonas and Thiobacillus

**Answer: 1**



**Watch Video Solution**

**170.** Leguminous plants are able to fix atmospheric nitrogen through the process of symbiotic nitrogen fixation. Which one of the

following statements is not correct for this process of nitrogen fixation ?

A. Leghaemoglobin scavenges oxygen and is pinkish in colour

B. Nodules act as sites for nitrogen fixation

C. The enzyme nitrogenase catalyses the conversion of atmospheric  $N_2$  to  $NH_3$

D. Nitrogenase is insensitive to oxygen

**Answer: 4**



Watch Video Solution

**171.** Which one of the following is not a micronutrient

A. Boron

B. Molybdenum

C. Magnesium

D. Zinc

**Answer: 3**



**172.** An element playing important role in nitrogen fixation is

- A. Zinc
- B. Molybdenum
- C. Copper
- D. Manganese

**Answer: 2**





**173.** One of the free-living, anaerobic nitrogenfixer is

A. Azotobacter

B. Beijernickia

C. Rhodospirillum

D. Rhizobium

**Answer: 3**



**Watch Video Solution**

**174.** Which one of the following is not an essential mineral element for plants while the remaining three are

A. Iron

B. Manganese

C. Cadmium

D. Phosphorus

**Answer: 3**



**Watch Video Solution**

**175.** An organism used as a biofertilizer for raising soyabean crop is:-

A. Azotobacter

B. Azospirillum

C. Rhizobium

D. Nostoc

**Answer: 3**



**Watch Video Solution**

## 176. Nitrifying bacteria-

- A. Oxidize ammonia to nitrates
- B. Convert free nitrogen to nitrogen compounds
- C. Convert proteins into ammonia
- D. Reduce nitrates to free nitrogen

**Answer: 1**



**Watch Video Solution**

177. The function of leghaemoglobin in the root nodules of legumes is:-

- A. Inhibition of nitrogenase activity
- B. Oxygen removal
- C. Nodule differentiation
- D. Expression of nif gene

**Answer: 2**



**Watch Video Solution**

**178.** Hydroponics is the method of

A. water conservation

B. plant development in water without soil

C. plant development without soil

D. plant development in saline soil

**Answer: 2**



**Watch Video Solution**

**179.** Which one of the following elements (micronutrients) in plants is not remobilised ?

A. Phosphorus

B. Calcium

C. Potassium

D. Sulphur

**Answer: 2**



**Watch Video Solution**

**180.** Which one of the following is not an essential mineral element for plants while the remaining three are?

A. Iron

B. Manganese

C. Cadmium

D. Phosphorus

**Answer: 3**



**Watch Video Solution**



**181.** Cuscuta is an example of

- A. Predation
- B. Endoparasitism
- C. Ectoparasitism
- D. Brood parasitism

**Answer: 3**



**Watch Video Solution**

**182.** For its action, nitrogenase requires

A.  $Mn^{2+}$

B. Super oxygen radicals

C. High input of energy

D. Light

**Answer: 3**



**Watch Video Solution**

**183.** Which one of the following is wrong statement ?

- A. Root nodule forming nitrogen fixers live as aerobes under free-living conditions
- B. Phosphorus is a constituent of cell membranes, certain nucleic acids and all proteins
- C. Nitrosomonas and Nitrobacter are chemoautotrophs
- D. Anabaena and Nostoc are capable of fixing nitrogen in free-living state also

**Answer: 2**



Watch Video Solution

**184.** A nitrogen fixing microbe associated with Azolla in rice-fields is:-

- A. Anabaena
- B. Frankia
- C. Tolypothrix
- D. Spirulina

**Answer: 1**



**185.** Best defined function of manganese in green plants is

- A. Calvin cycle
- B. Nitrogen fixation
- C. Water absorption
- D. Photolysis of water

**Answer: 4**



**186.** The first stable product of fixation of atmospheric nitrogen in leguminous plant is



B. Glutamate



D. Ammonia

**Answer: 4**



**Watch Video Solution**

**187.** Deficiency symptoms of nitrogen and potassium are visible first in

- A. Buds
- B. Senescent leaves
- C. Young leaves
- D. Roots

**Answer: 2**



**Watch Video Solution**

**188.** Which one gives the most valid and recent explanation for stomatal movement?

- A. Potassium influx and efflux
- B. Starch hydrolysis
- C. Guard cell photosynthesis
- D. Transpiration

**Answer: 1**



**Watch Video Solution**



**189.** During biological nitrogen fixation, inactivation of nitrogenase by oxygen poisoning is prevented by

A. leghaemoglobin

B. xanthophyll

C. carotene

D. cytochrome

**Answer: 1**



**Watch Video Solution**

**190.** In which of the following, all the three are macronutrients

A. Iron, copper, molybdenum

B. Molybdenum, magnesium, manganese

C. Nitrogen, sulphur, phosphorus

D. Boron, zinc, manganese

**Answer: none**



**Watch Video Solution**

**191.** Which is essential for the growth of root tip ?

A. Zn

B. Fe

C. Ca

D. Mn

**Answer: 3**



**Watch Video Solution**

**192.** Select the mismatch

A. Frankia - Alnus

B. Rhodospirillum - Mycorrhiza

C. Anabaena - Nitrogen fixer

D. Rhizobium - Alfalfa

**Answer: 2**



**Watch Video Solution**

**193.** In which of the following forms is iron absorbed by plants

A. Both ferric and ferrous

B. Free element

C. Ferrous

D. Ferric

**Answer: 4**



**Watch Video Solution**

**194.** Which of the following elements is responsible for maintaining turgor in cells

A. Calcium

B. Potassium

C. Sodium

D. Magnesium

**Answer: 2**



**Watch Video Solution**

**195.** Photosynthetic nutrition in plants is also known as

- A. holophytic nutrition
- B. chemotrophic nutrition
- C. heterotrophic nutrition
- D. heteroholophytic nutrition

**Answer: 1**



**Watch Video Solution**

**196.** An essential element is that which

1. is found in plant ash
2. is available in soil
3. improves health of plants
4. is irreplaceable and indispensable for growth of plants

A. is found in plant ash

B. is available in soil

C. improves health of plants

D. is irreplaceable and indispensable for growth of plants



**Answer: 4**



**Watch Video Solution**

**197.** Plants require minor elements in small quantities, their major role is to act as

1. regulation of cell division of meristematic sites
2. co-factors of enzymes
3. building blocks of important amino acids
4. precursors of plant hormones

A. regulation of cell division of meristematic sites

B. co-factors of enzymes

C. building blocks of important amino acids

D. precursors of plant hormones

**Answer: 2**



**Watch Video Solution**

**198.** Micronutrients are

- A. less important than macronutrients
- B. as important as macronutrients
- C. having no role in plant nutrition
- D. omitted from culture medium without any detrimental effect.

**Answer: 2**



**Watch Video Solution**

**199.** Importance of microelements was recognised late due to

A. their toxicity

B. presence as contaminants in macronutrients

C. negligible role played by them in plant physiology

D. leakage from roots.

**Answer: 2**



[Watch Video Solution](#)

**200.** An essential element derived from soil only is called

- A. micronutrient
- B. macronutrient
- C. mineral element
- D. macroelement

**Answer: 3**



[Watch Video Solution](#)

**201.** The criteria for the essentiality of a mineral element were given by

A. Arnon and Stout

B. Hoagland

C. Hopkins

D. Sachs and Liebig

**Answer: 1**



**Watch Video Solution**

**202.** Carl Maze (1915) divided mineral elements into two categories on the basis of

- A. quantity in which these are required
- B. quality and action
- C. toxicity they cause
- D. path they travelled in plant.

**Answer: 1**



**Watch Video Solution**

203. Choose the correct one.

A. C, H, O are called frame work elements

B.  $Ca^{2+}$ ,  $Mg^{2+}$ ,  $K^+$  are protoplasmic elements

C. C, H, O, N are balancing elements

D. All of the above

**Answer: 1**



**Watch Video Solution**



**204.** Essential micronutrients are also known as

- A. tracer elements
- B. trace elements
- C. radioisotopes
- D. frame work elements

**Answer: 2**



**Watch Video Solution**

**205.** Zinc is a

- A. tracer element
- B. trace element
- C. macronutrient
- D. monomineral nutrient

**Answer: 2**



**Watch Video Solution**

**206.** Microelements are those essential elements which are required by the plants in concentration

A. less than 10m mole/kg of dry matter.

B. less than 1m mole/kg of dry matter.

C. more than 1  $\mu\text{g/g}$  of dry matter.

D. equal to than 20 $\mu\text{g/}$  of dry matter

**Answer: 1**



**Watch Video Solution**

207. The concentration of a macroelement per gm of dry matter in plants is at least

- A. 1000  $\mu\text{g}/\text{gm}$  of dry matter
- B. 100  $\mu\text{g}/\text{gm}$  of dry matter
- C. 1500  $\mu\text{g}/\text{gm}$  of dry matter
- D. 995  $\mu\text{g}/\text{gm}$  of dry matter.

**Answer: 1**



**Watch Video Solution**

**208.** What is an essential element ?

A. An element present in the soil.

B. An element present in the plant.

C. An element that improves growth of  
plant.

D. An element without which a plant will  
not grow and complete its life cycle.

**Answer: 4**



**Watch Video Solution**

**209.** The ion which is commonly found free in the cell is

A. potassium

B. borate

C. sulphur

D. nitrogen

**Answer: 1**



**Watch Video Solution**

**210.** The major portion of the dry weight of plants comprises of

Or

Frame work elements in plants are

A. N, P, K

B. Ca, Mg, S

C. C, N, H

D. C, H, O

**Answer: 4**



**Watch Video Solution**

**211.** It is possible to determine whether an element is essential by observing growth of plants

A. in soil form which the particular element is removed

B. in soil in which only the particular element is present

C. in a inert medium to which solution of only the particular element is added



D. in a inert medium to which a nutrient solution excluding that particular element is added

**Answer: 4**



**Watch Video Solution**

**212.** Most abundant elements in the living cells are

A. C, O, N and P

B. C, H, O and Ca

C. C, H, O and N

D. C, H, Mg and N

**Answer: 3**



**Watch Video Solution**

**213.** Which one is an essential mineral, not constituent of any enzyme but stimulates the activity of any enzyme but stimulates the activity of many enzymes?

A. Na

B. B

C. K

D. C

**Answer: 3**



**Watch Video Solution**

**214.** A trace element, also required for plant growth, and in the form of radio active isotope useful in cancer therapy is

A. iron

B. calcium

C. cobalt

D. sodium

**Answer: 3**



**Watch Video Solution**

**215.** Choose the correct statement.

- A. Solution culture (hydroponics ) contains all essential elements except one, the usefulness of which is to be determined
- B. In Aeroponics roots are dipped in solution culture rich in air
- C. Potometer is used to measure degree of opening of stomata
- D. All of the above

**Answer: 1**



**Watch Video Solution**

**216.** The agent that keeps metals in the soluble state is called

- A. chelating agent
- B. balancing agent
- C. buffer agent
- D. catalytic agent.

**Answer: 1**



**Watch Video Solution**

217. The most crucial event in nature governing nutrient balance is

- A. primary production
- B. secondary production
- C. nutrient cycling
- D. gross production

**Answer: 3**



**Watch Video Solution**

**218.** Which has both Fe and Cu as prosthetic group?

- A. Haemoglobin
- B. Dehydrogenase
- C. Polymerase
- D. Cytochrome oxidase

**Answer: 4**



**Watch Video Solution**



219. Which of the following is a component of coenzyme A, vitamin biotin, thiamine and mustard oil and whose deficiency results in decrease in nodule formation is

A. Cu

B. Ca

C. S

D. Mn

**Answer: 3**



Watch Video Solution

**220.** The deficiency of boron results in all except

- A. top sickness
- B. browning of head in cauliflower
- C. internal cork of apple
- D. marsh spot disease

**Answer: 4**



**Watch Video Solution**

**221.** In green plants, Boron assists

A. in activation of enzymes

B. in nitrogen fixation

C. in photosynthesis

D. in sugar transport

**Answer: 4**



**Watch Video Solution**

**222.** Match the correct deficiency symptoms.

A. Cu - exanthema

B. Mg - interveinal chlorosis and upward  
curling of leaves

C. Zn - malformation of leaves and fruits

D. All of the above

**Answer: 4**



**Watch Video Solution**

**223.** Which of the following is non-symbiotic ?

A. Azotobacter

B. Nostoc

C. Rhizobium

D. frankia

**Answer: 1**



**Watch Video Solution**

**224.** The most important function of Rhizobium is

A. nitrogen assimilation

B. nitrogen fixation

C. ammonification

D. nitrification

**Answer: 2**



**Watch Video Solution**

225. Which of the following gene clusters in bacteria is responsible for nitrogen fixation ?



- A. nod, nif, fix
- B. nod, ndf, nfx
- C. nod, nix, nfx
- D. ndx, nif, fix

**Answer: 1**



**Watch Video Solution**

226.  $N_2$  fixation is



C.  $N_2 \rightarrow$  amino acid

D. both (1) and (2)

**Answer: 1**



**Watch Video Solution**



227. The process of  $N_2$  fixation in root nodules is controlled by

A. nif

B. NAA

C. IAA

D. ABA

**Answer: 1**



**Watch Video Solution**

**228.** Enzyme involved in nitrogen assimilation

- A. nitrogenase
- B. nitrate reductase
- C. transferase
- D. transaminase

**Answer: 2**



**Watch Video Solution**

## 229. Nitrate reductase forms

1.  $N_2$
2.  $NH_3$
3.  $NO_2$
4.  $NO_3$

A.  $N_2$

B.  $NH_3$

C.  $NO_2$

D.  $NO_3$

**Answer: 3**



Watch Video Solution

**230.** If by radiation all nitrogenase enzymes are inactivated then there will be no

A. fixation of atmospheric nitrogen

B. conversion from nitrate to nitrite in legumes

C. conversion from ammonium to nitrate in soil

D. fixation of nitrogen in legumes

**Answer: 4**



**Watch Video Solution**

**231.** Plants that have mutualistic relations with nitrogen-fixing bacteria receive from the bacteria

A. ammonium

B. amino acids

C. nitrate

D. nitrite

**Answer: 1**



**Watch Video Solution**

**232.** Plants that have mutualistic relations with nitrogen-fixing bacteria provide the bacteria with

A.  $N_2$

B. enzymes

C. sugars

D. nitrite

**Answer: 3**



**Watch Video Solution**

**233.** Nitrosomonas and Nitrosococcus promote

- A. reduction of ammonia
- B. oxidation of nitrite
- C. reduction of nitrate
- D. oxidation of ammonia

**Answer: 4**



**Watch Video Solution**

**234. The Nitrobacter and Nitrocystis**

- A. oxidise nitrite to nitrate
- B. oxidise nitrate
- C. reduce nitrite
- D. reduce nitrate

**Answer: 1**





Watch Video Solution

**235.** Reduction is the term used when conversion of ..... takes place

- A. nitrate to nitrite
- B. nitrite to nitrate
- C. ammonia to nitrogen
- D. All of the above

**Answer: 1**



**236.** Certain bacteria living in the soil poor in oxygen convert nitrates into nitrites and then to free nitrogen and such bacteria are termed as

- A. nitrogen fixing bacteria
- B. denitrifying bacteria
- C. ammonifying bacteria
- D. saprophytic bacteria.

**Answer: 2**



**Watch Video Solution**

**237.** Bacteria which break down the dead organisms of the soil into nitrogen compounds are termed

- A. denitrifying bacteria
- B. nitrifying and ammonifying bacteria
- C. nitrogen fixing bacteria
- D. parasitic bacteria.

**Answer: 2**



**Watch Video Solution**

**238.** The nodules in a plant root where nitrogen fixing bacteria live forms from cells of the

A. epidermis

B. cortex

C. endodermis

D. vascular tissue

**Answer: 2**



**Watch Video Solution**

**239.** The source of energy for non-biological nitrogen fixation is

1. by ionizing events such as lightning and effect of cosmic rays
2. ferredoxin enzyme and nitrogenase
3. by reduction of proteins to ammonia
4. by oxidation of ammonia to protein

- A. by ionizing events such as lightning and effect of cosmic rays
- B. ferredoxin enzyme and nitrogenase
- C. by reduction of proteins to ammonia
- D. by oxidation of ammonia to protein

**Answer: 1**



**Watch Video Solution**

240. *Vicia faba* and *pisum sativum* are recommended for rotation of crops because they

1. require small amount of water
2. are cash crops
3. help in nitrogen fixation of soil
4. kill all the harmful insects

A. require small amount of water

B. are cash crops

C. help in nitrogen fixation of soil

D. kill all the harmful insects.

**Answer: 3**



**Watch Video Solution**

**241.** Nitrogen fixing enzyme in root nodule is

1. nitrase
2. nitrogenase
3. nitrosomonas
4. nitrogen esterase

A. nitrase



B. nitrogenase

C. nitrosomonas

D. nitrogen esterase

**Answer: 2**



**Watch Video Solution**

**242.** Which of the following is an incorrect match ?

A. Free living nitrogen fixing bacteria -

Azotobacter

B. Symbiotic nitrogen fixing cyanobacteria -

Anabaena

C. Symbiotic nitrogen fixing cyanobacteria -

Frankia

D. Symbiotic nitrogen fixing bacteria -

Xanthomonas

**Answer: 3**



**Watch Video Solution**

**243.** Which of the following can use elemental nitrogen as their nitrogen source

A. anabaena

B. Nitrobacter

C. Nitrosomonas

D. All of the above

**Answer: 1**



**Watch Video Solution**

**244.** Nitrogen fixation by organism requires conditions that are

- A. highly alkaline
- B. anaerobic
- C. saturated with sunlight
- D. free of water

**Answer: 2**



**Watch Video Solution**

245. Nodule formation is reduced in legume roots due to the deficiency of

A. chlorine

B. boron

C. sulphur

D. (2) and (3)

**Answer: 4**



**Watch Video Solution**

**246.** On earth the largest reservoir of nitrogen is

- A. the oceans
- B. granite rocks
- C. the air
- D. the soil

**Answer: 3**



**Watch Video Solution**

247. Organisms that fix nitrogen in aquatic habitats are

- A. green algae
- B. cyanobacteria
- C. brown algae
- D. protozoa

**Answer: 2**



**Watch Video Solution**

**248.** In root nodules of leguminous plants, the pigment leghemoglobin that gives pink colour to the nodules, is present in the

1. intercellular spaces
2. cytosol of bacteroids
3. inside the bacterial wall
4. outside the peribacterial space in the cytosol of nodule cells.

A. intercellular spaces

B. cytosol of bacteroids

C. inside the bacterial wall



D. outside the peribacterial space in the cytosol of nodule cells.

**Answer: 4**



**Watch Video Solution**

**249.** Besides providing pink colour to the root nodules, leghaemoglobin performs the function of

1. protecting enzyme nitrogenase from free oxygen

2. transporting nitrogen to host cells

3. protecting bacteroids from the enzymes of host cell

4. protecting leakage of fixed nitrogen to the soil atmosphere

A. protecting enzyme nitrogenase from free oxygen

B. transporting nitrogen to host cells

C. protecting bacteroids from the enzymes of host cell

D. protecting leakage of fixed nitrogen to the soil atmosphere

**Answer: 1**



**Watch Video Solution**

**250.** Major nitrogen fixation is carried out by

A. lightning

B. chemical industries

C. symbiotic bacteria

D. leaching

**Answer: 3**



**Watch Video Solution**

**251.** Which one plays an important role in energy metabolism?

1. Calcium

2. Sodium

3. Sulphur

4. Phosphorus

A. Calcium

B. Sodium

C. Sulphur

D. Phosphorus

**Answer: 4**



**Watch Video Solution**

**252.** Most of the plants obtain nitrogen from the soil in the form of

1. nitrites and molecular nitrogen

2. nitrates and ammonium salts

3. nitrites and ammonium salts

4. hyponitrites and nitrates

A. nitrites and molecular nitrogen

B. nitrates and ammonium salts

C. nitrites and ammonium salts

D. hyponitrites and nitrates

**Answer: 2**



**Watch Video Solution**

**253.** Deficiency of nitrogen produces

- A. blossom end rot of tomato
- B. Chlorosis
- C. die back disease
- D. reduced respiration

**Answer: 2**



**Watch Video Solution**

**254.** Plants absorb sulphur in the form of

1.  $SO_4$  from soil

2.  $SO_2$  from air

3. both (1) and (2)

4.  $SO_3$  from soil

A.  $SO_2$  from soil

B.  $SO_2$  from air

C. both (1) and (2)

D.  $SO_3$  from soil

**Answer: 2**





Watch Video Solution

255. Which of the following is an micronutrient essential for plants?

A. 1)Mg

B. 2)Zn

C. 3)Ca

D. 4)P

**Answer: 2**



**256.** Which of the following is not an essential micronutrient ?

A. Boron

B. Sodium

C. Manganese

D. Molybdenum

**Answer: 2**



**257.** Which one of the following elements is not required by plants for their healthy normal growth?

A. Calcium

B. Magnesium

C. Lead

D. Iron

**Answer: 3**



**Watch Video Solution**

**258.** Carbon becomes available to crop plants in the form of

- A. amino acids
- B. carbonates
- C. carbon dioxide
- D. element carbon

**Answer: 3**



**Watch Video Solution**

**259.** On the basis of symptoms of chlorosis in leaves, a student inferred that this was due to deficiency of nitrogen. This inference could be correct only if we assume that yellowing of leaves appeared first in

A. old leaves

B. young leaves

C. mature leaves followed by young leaves

D. young leaves followed by mature leaves

**Answer: 1**



**Watch Video Solution**

**260.** Fertilizers are usually enriched in NPK which denotes

- A. iron, manganese and zinc
- B. nitrogen, phosphorus and zinc
- C. calcium and boron
- D. nitrogen, phosphorus and potassium

**Answer: 4**



**Watch Video Solution**

**261.** Which one is component of ferredoxin ?

A. Zn

B. Mn

C. Cu

D. Fe

**Answer: 4**



Watch Video Solution

**262.** Potassium is involved in

- A. photosynthesis
- B. promoting many enzymatic activities that regulate plant processes
- C. providing reddish pigmentation to fruits
- D. formation of vascular cambium

**Answer: 2**





[Watch Video Solution](#)

**263.** The deficiency symptom of phosphorus is

- A. lodging of cereals
- B. leaf curl
- C. stunted growth
- D. wrinkling of grains

**Answer: 3**



[Watch Video Solution](#)

**264.** Due to deficiency of phosphorus

A. the rate of protein synthesis is increased

B. the rate of protein synthesis is decreased

C. there is no effect on the rate of protein synthesis

D. the rate of protein synthesis initially declines but increases later on

**Answer: 2**

---



Watch Video Solution

**265.** In plants a common symptom caused by deficiency of P, K, Ca and Mg is

- A. bending of leaf tips
- B. formation of anthocyanin
- C. poor development of vasculature
- D. chlorosis

**Answer: 4**



Watch Video Solution

**266.** Pungent principle, a sinigrin, of crucifers is a

- A. glycoside having sulphur
- B. glycoside having cyanide
- C. glycoside having special amino acids
- D. tannin

**Answer: 1**



**Watch Video Solution**

**267.** A sulphur containing amino acid is

A. methionine

B. asparagine

C. serine

D. proline

**Answer: 1**



**Watch Video Solution**

**268.** Calcium is mainly a component of

- A. primary walls
- B. secondary wall
- C. chlorophyll
- D. middle lamella

**Answer: 4**



**Watch Video Solution**

**269.** White-bud condition in maize is produced due to the deficiency of

A. iron

B. molybdenum

C. zinc

D. boron

**Answer: 3**



**Watch Video Solution**

**270.** Deficiency of molybdenum causes

- A. poor development of vasculature
- B. bending of leaf tip
- C. brown heart of turnip
- D. mottling & marginal necrosis of leaves

**Answer: 4**



**Watch Video Solution**



271. In crucifers whiptail disease is caused due to the deficiency of

A. manganese

B. Magnesium

C. molybdenum

D. iron

**Answer: 3**



**Watch Video Solution**

272. Which of the following microelements is related to the synthesis of plant auxin (IAA) ?

A. Molybdenum

B. Chlorine

C. Zinc

D. Boron

**Answer: 3**



**Watch Video Solution**

273. Reclamation disease of cereals and legumes is caused by the deficiency of

A. manganese

B. phosphorus

C. copper

D. boron

**Answer: 3**



**Watch Video Solution**

274. Death of stem and root tips occurs due to the deficiency of

A. phosphorus

B. nitrogen

C. calcium

D. carbon

**Answer: 3**



**Watch Video Solution**

**275.** Minerals are absorbed by the roots from the soil in the form of

- A. compounds
- B. very concentrated solution
- C. in the form of ions
- D. in the form of molecules.

**Answer: 3**



**Watch Video Solution**

276. A plant requires calcium for

- A. holding its cells together
- B. synthesizing chlorophyll
- C. photolysis of water
- D. opening and closing its stomata

**Answer: 1**



**Watch Video Solution**

277.  $K^+$  ions control

A. opening and closing of stomata

B. guttation

C. formation of mitotic spindle

D. all of these

**Answer: 1**



**Watch Video Solution**

**278.** Sulphur is an important nutrient for optimum growth and and productivity in

A. fibre crops

B. cereals

C. oil seed crops

D. pulse crops

**Answer: 4**



**Watch Video Solution**

**279.** Plants require sulphur for

A. 1)DNA replication



B. 2)Protein synthesis

C. 3)Glucose synthesis

D. 4)ATP formation

**Answer: 2**



**Watch Video Solution**

**280.** A plant requires nitrogen and sulphur for its

A. cell walls

B. storage vacuoles

C. enzymes

D. energy stores

**Answer: 3**



**Watch Video Solution**

**281.** A plant requires phosphorus for

1. cell walls

2. cell membranes

3. enzymes

4. starch deposits

A. cell walls

B. cell membranes

C. enzymes

D. starch deposits

**Answer: 2**



**Watch Video Solution**

282. A plant is showing symptoms like chlorosis of younger or older leaves, production of sterile flowers and grey spots. It may be due to the deficiency of

A. B

B. K

C. Mn

D. Ca

**Answer: 3**



Watch Video Solution

**283.** Elements required for ATP formation

A. N, Cu

B. K, P

C. N, P

D. P, Ca

**Answer: 3**



**Watch Video Solution**

**284.** Which of the following is a microelement ?

A. Chlorine

B. Hydrogen

C. Nitrogen

D. Oxygen

**Answer: 1**



**Watch Video Solution**

**285.** Phosphorus is always present in

- A. Protein
- B. DNA and RNA
- C. Amino acid
- D. starch

**Answer: 2**



**Watch Video Solution**

**286.** Elements useful in photosynthesis

A. Cu, Co, Fe

B. Cu, Mo, Zn

C. Cl, Mg, Mn

D. Mg, Fe, Co, Mn

**Answer: 3**



**Watch Video Solution**



**287.** Which of the following plant diseases is caused by mineral deficiency?

A. Heart rot of beets

B. White rust

C. Red rot of sugarcane

D. Wilt in cotton

**Answer: 1**



**Watch Video Solution**

**288.** Root of which plant contains a red pigment that has affinity for oxygen ?

A. Carrot

B. Soybean

C. Mustard

D. Radish

**Answer: 2**



**Watch Video Solution**

**289.** Copper is activator in enzyme

A. cytochrome oxidase

B. carbonic anhydrase

C. lactic dehydrogenase

D. tryptophanase

**Answer: 1**



**Watch Video Solution**

**290.** A macronutrient which is component of all organic compounds but is not obtained from soil is

A. N

B. P

C. Mg

D. C

**Answer: 4**



**Watch Video Solution**

**291.** Which group of three micronutrient elements is required for both photosynthesis and mitochondrial electron transport ?

A. Cu, Mn, Fe

B. Co, Ni, Mo

C. Ca, K, Na

D. Mn, Co, Ca

**Answer: 1**



**Watch Video Solution**

292. Most abundant element found in plants is

A. carbon

B. nitrogen

C. iron

D. manganese

**Answer: 1**



**Watch Video Solution**

**293.** Farmers in a particular region were concerned that pre-mature yellowing of leaves of a pulse crop might caused decrease in the yield. Which treatment could be most be most beneficial to obtain maximum seed yield?

- A. Removal of all yellow leaves and spraying the remaining green leaves with 2, 4, 5-trichlorophenoxy acetic acid
- B. Application of iron and magnesium to promote synthesis of chlorophyll

C. Frequent irrigation of the crop

D. Treatment of the plants with cytokinins

alongwith a small dose of nitrogenous

fertilizer.

**Answer: 2**



**Watch Video Solution**

**294.** Prolonged liberal irrigation of agricultural fields is likely to create the problem of



A. acidity

B. aridity

C. salinity

D. metal toxicity

**Answer: 3**



**Watch Video Solution**

**295.** Which is essential for selective permeability of cell membrane.

A. Zn

B. Ca

C. Mo

D. S

**Answer: 2**



**Watch Video Solution**

**296.** Chlorosis in plants occurs due to

A. high sunlight intensity

B. carotenoid degeneration

C. absorption of yellow pigments from the soil

D. deficiency of Mg and Fe in the soil

**Answer: 4**



**Watch Video Solution**

**297.** Mg and Fe are needed for plants in the

A. energy transfer

B. synthesis of chlorophyll pigment in the  
leaves

C. stomatal opening

D. translocation of carbohydrates .

**Answer: 2**



**Watch Video Solution**

**298.** Match the column I with Column II.

**Column I**

- A. Mg
- B. S
- C. I
- D. Mn

**Column II**

- 1. found in some amino acids
- 2. structural component of chlorophyll
- 3. not important for plants
- 4. required for photolysis of water

A. A- 2, B- 1, C- 3, D- 4

B. A- 1, B- 2, C- 3, D- 4

C. A- 1, B- 3, C- 4, D- 2

D. A- 2, B- 3, C- 1, D- 4

**Answer: 1**



[Watch Video Solution](#)

**299.** What is the role of molybdenum?

- A. Nitrogen fixation
- B. Flower induction
- C. Chromosome contraction
- D. Carbon assimilation

**Answer: 1**



[Watch Video Solution](#)

**300.** Plastocyanin contains

A. Mo

B. Mg

C. Cu

D. Zn

**Answer: 3**



**Watch Video Solution**

**301.** Osmolarity of cells is mainly due to

A.  $K^+$

B.  $Mn^{++}$

C.  $Ca^{++}$

D.  $Cl^-$

**Answer: 1**



**Watch Video Solution**



**302.** Copper deficiency leads to

- A. exanthema
- B. whiptail of cauliflower
- C. little leaf condition
- D. interveinal chlorosis

**Answer: 1**



**Watch Video Solution**

**303.** Gray spots of oat are caused due to deficiency of

A. Cu

B. Zn

C. Mn

D. Fe

**Answer: 3**



**Watch Video Solution**

**304.** Most minerals in a soil are in the

A. sand

B. clay

C. silt

D. air pockets

**Answer: 2**



**Watch Video Solution**

**305.** Small clay particles hold calcium, potassium and magnesium ions because surfaces of clay particles are

- A. smooth
- B. covered with tiny crevices
- C. negatively charged
- D. waxy

**Answer: 3**



**Watch Video Solution**

**306.** Most of the dry weight of a tree comes from atoms acquired from

A. soil

B. water

C. air

D. decomposing leaves

**Answer: 3**



**Watch Video Solution**

**307.** A root concentrates minerals by

- A. active transport
- B. facilitated diffusion
- C. osmosis
- D. diffusion

**Answer: 1**



**Watch Video Solution**

**308.** As water and minerals move toward the vascular cylinder of a root, they must enter the cytoplasm of

A. xylem vessels

B. cortex cells

C. endodermal cells

D. pericycle cells

**Answer: 3**



**Watch Video Solution**

**309.** Most vascular plants increase the absorption of minerals by

A. mycorrhizae

B. convertible phloem

C. casparian channels along the phloem

D. companion cells

**Answer: 1**



**Watch Video Solution**



**310.** Uptake of mineral ions into xylem is controlled by

A. epidermal cells

B. cortex cells

C. endodermal cells

D. xylem cells

**Answer: 3**



**Watch Video Solution**

**311.** When a cell contains some nondiffusible or fixed ions which are kept balanced by diffusible ions of opposite charge , this condition is known as

- A. Donnan equilibrium
- B. Chemical equilibrium
- C. Saturation effect
- D. Ionic exchange

**Answer: 1**



**Watch Video Solution**

**312.** Point out the one which does not justify active absorption of minerals ?

- A. Cations and anions are often absorbed at different rates
- B. Absorption of different ions is highly selective
- C. absorption is accompanied by increase in the rate of respiration

D. Absorption is the movement of substances from higher concentration to their lower concentration

**Answer: 4**



**Watch Video Solution**

**313.** Mineral nutrients absorbed by roots, move to leaves through

1. xylem

2. phloem

3. sieve tubes

4. none of these

A. xylem

B. phloem

C. sieve tubes

D. none of these

**Answer: 1**



**Watch Video Solution**

**314.** Membrane pathways for minerals along permeases

1. need ATP

2. need carrier solute complex

3. need pinosomes

4. need diffusion gradient

A. need ATP

B. need carrier solute complex

C. need pinosomes

D. need diffusion gradient

**Answer: 4**



**Watch Video Solution**

**315.** Carrier proteins for active salt uptake

1. have pores
2. form complex with ions
3. function under transpiration pull
4. All of the above

A. have pores

B. form complex with ions

C. function uner transpiration pull

D. All of the above

**Answer: 2**



**Watch Video Solution**

**316.** The ascent of minerals is

1. equal to the rate of translocation of water
2. dependent on transpiration pull
3. through xylem vessel
4. All of the above



- A. equal to the rate of translocation of water
- B. dependent on transpiration pull
- C. through xylem vessel
- D. All of the above

**Answer: 4**



**Watch Video Solution**

**317.** Bidirectional translocation of minerals takes place in

1. xylem
2. phloem
3. cambium
4. parenchyma

A. xylem

B. phloem

C. cambium

D. parenchyma

**Answer: 2**



**Watch Video Solution**

**318.** Passive absorption of minerals depends on

- A. temperature
- B. humidity
- C. metabolic inhibitor
- D. (1) and (3)

**Answer: 1**



**Watch Video Solution**

**319.** Passive absorption of mineral salts is not dependent on

- A. osmosis
- B. diffusion
- C. Donnan equilibrium
- D. ion exchange

**Answer: 1**



**Watch Video Solution**

**320.** Active uptake of minerals by roots mainly depends on

A. availability of oxygen

B. light

C. temperature

D. availability of  $CO_2$

**Answer: 1**



**Watch Video Solution**

**321.** Inorganic nutrients are present in the soil  
in the form of

A. molecules

B. atoms

C. electrically charged ions

D. parasites

**Answer: 3**



**Watch Video Solution**

**322.** Active transport of ions by the cell requires

A. high temperature

B. ATP

C. alkaline pH

D. salts

**Answer: 2**



**Watch Video Solution**

**323.** Theory suggesting that carbon dioxide in respiration helps in mineral absorption is called

- A. Carbonic acid exchange theory
- B. Contact exchange theory
- C. Active mineral absorption
- D. Donnan equilibrium



**Answer: 1**



**Watch Video Solution**

**324.** Insectivorous/carnivorous plants live in medium that are deficient in nitrogen. Select a pair of insectivorous plants

- A. Drosera and Rafflesia
- B. Nepenthes and Utricularia
- C. Dionaea and Viscum
- D. Venus fly trap and Rafflesia.

**Answer: 2**



**Watch Video Solution**

**325. Drosera catches insects by**

A. pitcher

B. adhesive pads

C. bladder

D. tentacles secreting shining liquid

**Answer: 4**



[Watch Video Solution](#)

**326.** Cuscuta is an example of a

- A. heteroparasite
- B. holoparasite
- C. root parasite
- D. semiparasite

**Answer: 2**



[Watch Video Solution](#)

**327.** The example of a partial root parasite is

A. Santalum

B. Cuscuta

C. Arceuthobium

D. Viscum

**Answer: 1**



**Watch Video Solution**

**328.** Saprophytic angiosperms are known as

- A. humus plants
- B. organic plants
- C. facultative saprophytes
- D. obligate saprophytes.

**Answer: 1**



**Watch Video Solution**

**329.** A heterotroph is an organism that derives its energy from

A. light

B. inorganic molecules

C. heat

D. organic molecules

**Answer: 4**



**Watch Video Solution**

**330.** Carnivorous plants living in water logged/boggy habitats are

- A. deficient in nitrates
- B. deficient in sulphites
- C. deficient in oxygen
- D. deficient in many salts.

**Answer: 1**



**Watch Video Solution**

**331.** Which one of the following insectivorous plants is also known as Sundew plant ?

A. Nepenthes

B. Drosera

C. Utricularia

D. Dionaea

**Answer: 2**



**Watch Video Solution**



**332.** Match the following essential elements (List-I) with their respective roles (List-II) and select the correct answer using the codes given below the lists

List-I	List-II
A. Chlorine	1. Constituent of plastocyanin
B. Copper	2. Constituent of nitrate reductase
C. Molybdenum	3. Constituent of alcohol dehydrogenase
D. Zinc	4. Required for O <sub>2</sub> evolution in photosynthesis
	5. Required for phosphate transfer

A. *A B C D*  
 4 1 3 2

B. *A B C D*  
 1 2 5 3

C. 

<i>A</i>	<i>B</i>	<i>C</i>	<i>D</i>
1	4	5	2

D. 

<i>A</i>	<i>B</i>	<i>C</i>	<i>D</i>
4	1	2	3

**Answer: 4**



**Watch Video Solution**

**333.** Which of the following components are associated with nitrate reductase activity?

1. Reduced pyridine nucleotide
2. Flavin adenine dinucleotide
3. Molybdenum

#### 4. Boron

Select the correct answer using the codes given below

A. 1, 2 and 3

B. 1 and 2

C. 2, 3 and 4

D. 1, 3 and 4

**Answer: 1**



**Watch Video Solution**

**334.** Farmers have reported over 50% higher yield of rice by using which of the following biofertilizer?

A. Mycorrhiza

B. *Anabaena azollae*

C. Lichen

D. Legume-rhizome symbiosis

**Answer: 2**



**Watch Video Solution**

**335.** Read the following statements regarding the mineral nutrition in plants

(1) For the elements that are actively mobilized within the plants, the deficiency symptoms tend to appear first in the young tissues.

(2) Manganese competes with iron and magnesium for uptake and with magnesium for binding with enzymes.

(3) Manganese inhibits calcium translocation in shoot apex.

(4) Rhodospirillum is aerobic free-living

nitrogen fixing microbe.

Which of these are correct

A. (i), (iii) & (iv)

B. (ii) & (iv)

C. (ii) & (iii)

D. (ii), (iii) & (iv)

**Answer: 3**



**Watch Video Solution**

**336.** Read the following matches regarding the elements and their deficiency symptoms in plants

(i) Molybdenum - Brown heart of turnip

(ii) Potassium - Plastid disintegration

(iii) Magnesium - Underdeveloped phloem & pith

(iv) Phosphorus - Delay in seed germination

Which of these are correct

A. (i), (iii) & (iv)

B. (ii), (iii) & (iv)

C. (i), (ii) & (iii)

D. (iii) & (iv) only

**Answer: 2**



**Watch Video Solution**

**337.** The disease 'little leaf' of fruit trees is caused by the deficiency of

A. Copper

B. Zinc



C. Manganese

D. Cobalt

**Answer: 2**



**Watch Video Solution**

**338. Match the following**

- |               |  |
|---------------|--|
| (i) Boron     | (p) Water-splitting reaction in photosynthesis |
| (ii) Chlorine | (q) Synthesis of auxin                         |
| (iii) Zinc    | (r) Redox reactions                            |
| (iv) Copper   | (s) Uptake and utilization of $\text{Ca}^{2+}$ |

**A. (i)- (p), (ii)- (r ), (iii)- (q), (iv)- (s)**

B. (i)- (r), (ii)- (p), (iii)- (q), (iv)- (s)

C. (i)- (s), (ii)- (p), (iii)- (q), (iv)- (r )

D. (i)- (s), (ii)- (q), (iii)- (p), (iv)- (r )

**Answer: 3**



**Watch Video Solution**

### 339. Match the following

- |               |   |
|---------------|---|
| (i) Magnesium | (p) Activator of alcohol dehydrogenase      |
| (ii) Zinc     | (q) Component of ferredoxin and cytochromes |
| (iii) Iron    | (r) Activator of Rubisco                    |
| (iv) Boron    | (s) Pollen germination                      |

a. (i)- (r), (ii)- (p), (iii)- (s), (iv)- (q)

b. (i)- (s), (ii)- (p), (iii)- (q), (iv)- (r )

c. (i)- (r), (ii)- (q), (iii)- (p), (iv)- (s)

d. (i)- (r), (ii)- (p), (iii)- (q), (iv)- (s)

A. (i)- (r), (ii)- (p), (iii)- (s), (iv)- (q)

B. (i)- (s), (ii)- (p), (iii)- (q), (iv)- (r )

C. (i)- (r), (ii)- (q), (iii)- (p), (iv)- (s)

D. (i)- (r), (ii)- (p), (iii)- (q), (iv)- (s)

**Answer: 4**



**Watch Video Solution**

**340. Match the following**

- |                |  |
|----------------|--|
| (i) Calcium    | (p) Constituent of ferredoxin, thiamine & biotin               |
| (ii) Potassium | (q) Formation of mitotic spindle                               |
| (iii) Sulphur  | (r) Splitting of water to liberate $O_2$ during photosynthesis |
| (iv) Manganese | (s) Maintenance of anion-cation balance                        |

A. (i)- (q), (ii)- (s), (iii)- (p), (iv)- (r )

B. (i)- (s), (ii)- (q), (iii)- (p), (iv)- (r )

C. (i)- (p), (ii)- (s), (iii)- (q), (iv)- (r )

D. (i)- (q), (ii)- (r), (iii)- (p), (iv)- (s)

**Answer: 1**



**Watch Video Solution**

**341.** Critical toxicity level caused by mineral nutrients means reduction in dry weight of plant tissue by

- A. 5 %
- B. 10 %
- C. 20 %
- D. 25 %

**Answer: 2**



**Watch Video Solution**

**342.** Match List - I (Element) with List - II (Process) and select the correct answer using the codes given below the lists

<b>List-I</b>	<b>List-II</b>
A. Molybdenum	1. Photosynthesis
B. Manganese	2. Respiration
C. Sulphur	3. Nitrate reduction
D. Calcium	4. Cell division
	5. Protein synthesis

A.  $\begin{matrix} A & B & C & D \\ 5 & 2 & 3 & 1 \end{matrix}$

B. 

<i>A</i>	<i>B</i>	<i>C</i>	<i>D</i>
3	1	5	4

C. 

<i>A</i>	<i>B</i>	<i>C</i>	<i>D</i>
2	1	4	5

D. 

<i>A</i>	<i>B</i>	<i>C</i>	<i>D</i>
3	2	4	5

**Answer: 2**



**Watch Video Solution**

**343.** Consider the following statements:

1. Copper is present in cytochrome oxidase.

2. Pantothenic acid is the precursor of coenzyme A.



3. Thiamine pyrophosphate is the prosthetic group in decarboxylases

4. Zinc is present in RNA and DNA polymerases

Which of these statements are correct?

A. 1 and 2

B. 2, 3 and 4

C. 1, 2, 3 and 4

D. 1, 3 and 4

**Answer: 1**



**Watch Video Solution**

**344.** Regarding the mineral nutrition of plants, which one of the following statements is correct?

A. The availability of iron to plants decreases with the increase of acidity of the soil

B. Molybdenum is a constituent of nitrate reductase system

C. Sulphur is a constituent of  
phenylalanine

D. All of the above

**Answer: 2**



**Watch Video Solution**

**345.** Consider the following enzymes

1. Glutamate dehydrogenase
2. Glutamine synthetase
3. Glutamate synthase

Which of these are concerned with ammonia assimilation?

A. 1 and 2

B. 2 and 3

C. 1 and 3

D. 1, 2 and 3

**Answer: 4**



**Watch Video Solution**

**346.** Which one of the following pairs is not correctly matched?

A. Copper          Plastocyanin

B. Sulphur          Serine

C. Molybdenum Nitrate reductase


D. Zinc              Alcohol dehydrogenase

**Answer: 2**



**Watch Video Solution**

347. After going through the diagram choose the correct option



A.

Name of the Process	Enzyme used	(i)	(ii)
---------------------	-------------	-----	------

Trans-amination	Transaminase	Oxidation	Glutamate
Name of the Process	Enzyme used	(i)	(ii)

B. Process

Nitrogen fixation	Nitrogenase	Dehydrogenation	2H
-------------------	-------------	-----------------	----

C.

Name of the Process	Enzyme used	(i)	(ii)
Reductive amination	Dehydrogenase	Reduction	$NH_3$

Name of the Process	Enzyme used	(i)	(ii)
---------------------	-------------	-----	------

D. Process

Nitrogen fixation	Nitrogenase	Reduction	$2H$
-------------------	-------------	-----------	------

**Answer: 4**



**Watch Video Solution**

**348.** Go through the following matches

(i) Calcium - Required by meristematic and differentiating tissues

(ii) Nitrogen - Mineral element required by plants in the greatest amount.

(iii) Magnesium - Activates enzymes involved in DNA and RNA synthesis.

(iv) Iron - Mainly obtained by plants in ferrous form

Which of these are correct

A. (i), (ii) and (iii)



B. (ii) and (iii)

C. (i), (iii) & (iv)

D. All are correct

**Answer: 1**



**Watch Video Solution**

**349.** Read the following matches

(i) Zinc - Activator of catalase

(ii) Calcium - Required during formation of mitotic spindle

(iii) Sulphur - Constituent of ferredoxin

(iv) Chlorine - Essential for water- splitting reaction in photosynthesis

Which of these are correct

A. (i), (ii) & (iii)

B. (ii), (iii) & (iv)

C. (iii) & (iv)

D. (i) & (ii)

**Answer: 2**



**Watch Video Solution**

**350.** Go through the following matches

(i) Copper - Absorbed as cuprous ions

(ii) Molybdenum - Component of nitrate reductase

(iii) Chlorine - Needed in synthesis of auxin

(iv) Boron - Required for uptake and utilization of  $Ca^{2+}$

Which of these are correct:

A. (i), (ii) & (iii)

B. (ii), (iii) & (iv)

C. (ii) & (iv)

D. All are correct

**Answer: 3**



**Watch Video Solution**

**351.** Read the following matches

(i) Boron - Pollen germination

(ii) Manganese - Splitting of water during  
photosynthesis

(iii) Zinc - Activates carboxylases

(iv) Copper - Involved in redox reactions

Which of these are correct

A. (i), (ii) & (iii)

B. (ii), (iii) & (iv)

C. (i), (iii) & (iv)

D. All are correct

**Answer: 4**



**Watch Video Solution**

**352.** Read the following statement regarding the mineral

(i) Both *Rhizobium* and *Frankia* are free living in soil, but as symbionts, can fix atmospheric nitrogen.

(ii) Ammonia synthesis by nitrogenase requires 16 ATP for each ammonia produced.

(iii) While most of plants can assimilate nitrate as well as ammonium ions, the latter is quite toxic to plants and hence cannot accumulate in them.

(iv) Along with the transpiration stream, the

nodules of some plants export the fixed nitrogen as urides.

Which of these are correct

- A. (i), (iii) & (iv)
- B. (ii), (iii) & (iv)
- C. (iii) & (iv)
- D. All are correct

**Answer: 1**



**Watch Video Solution**

**353.** Go through the following matches with reference to the elements and their deficiency symptoms in plants:

(i) Sulphur - Reduced nodulation in legumes

(ii) Boron - Whiptail disease

(iii) Sulphur - Blossom end rot of tomato

(iv) Nitrogen - Wrinkling of cereal grains

Which of these are correct

A. (i), (ii) & (iii)

B. (i) & (iii)

C. (ii), (iii) & (iv)



D. (i) & (iv)

**Answer: 4**



**Watch Video Solution**

**354.** With reference to mineral nutrition in plants, which one of the following pair is not correctly matched?

A. Molybdenum - Required for nitrogen fixation and nitrate reduction

B. Manganese - Required for integrity of chloroplast membrane and for oxygen release in photosynthesis

C. Iron - Required for development of chlorophyll and its pigments.

D. Magnesium - involved in osmosis and ionic balance, and in opening and closing of stomata.

**Answer: 4**



**Watch Video Solution**

**355.** Yield of Rice is enhanced by

- A. Azotobacter
- B. Anabaena
- C. Cyndrospermum
- D. Clostridium

**Answer: 2**



**Watch Video Solution**

**356.** By the reaction of  $\alpha$ -ketoglutaric acid with ammonia, through which of the process glutamic acid is formed

- A. oxidative amination
- B. reductive amination
- C. ammonification
- D. transamination

**Answer: 2**



**Watch Video Solution**

**357.** Which of the following is must for chlorophyll synthesis

A. Fe

B. Mg

C. K

D. Mn

**Answer: 2**



**Watch Video Solution**

**358.** Which of the following is not caused by deficiency of mineral?

A. chlorosis

B. etiolation

C. shortening of internodes

D. necrosis

**Answer: 2**



**Watch Video Solution**

359.  $N_2 + 8(e^-) + 8H^+ + 16ATP$  gives

$2NH_3 + 16ADP + 16P_i$  The above equation refers

to

- A. ammonification
- B. nitrification
- C. nitrogen fixation
- D. denitrification

**Answer: 3**



**Watch Video Solution**

**360.** Which element is essential as electron carrier?

A. Potassium

B. Iron

C. Zinc

D. Calcium

**Answer: 2**



**Watch Video Solution**



**361.** Which of the following is a mobile mineral element in the plants?

A. Ca

B. Mo

C. Fe

D. Cu

**Answer: 2**



**Watch Video Solution**

**362.** Which of the following micronutrients is essential for activation of urease, the enzyme involved in nitrogen metabolism ?

A. Boron

B. Molybdenum

C. Zinc

D. Nickel

**Answer: 4**



**Watch Video Solution**

**363.** In nitrification, ammonia is first oxidised to nitrite by

- A. Nitrosomonas and Nitrococcus
- B. Nitrosomonas and Nitrobactor
- C. Pseudomonas and Nitrococcus
- D. Pseudomonas and Thiobacillus

**Answer: 1**



**Watch Video Solution**

**364.** Leguminous plants are able to fix atmospheric nitrogen through the process of symbiotic nitrogen fixation. Which one of the following statements is not correct during this process of nitrogen fixation?

A. Leghaemoglobin scavenges oxygen and is pinkish in colour

B. Nodules act as sites for nitrogen fixation

C. The enzyme nitrogenase catalyses the conversion of atmospheric of atmospheric  $N_2$  to  $NH_3$

D. Nitrogenase is insensitive to oxygen

**Answer: 4**



**Watch Video Solution**

**365.** Which one of the following is not a micronutrient?

A. Boron

B. Molybdenum

C. Magnesium

D. Zinc

**Answer: 3**



**Watch Video Solution**

**366.** An element playing important role in nitrogen fixation is

A. Zinc

B. Molybdenum

C. Copper

## D. Manganese

**Answer: 2**



**Watch Video Solution**

**367.** One of the free-living, anaerobic nitrogenfixer is

A. Azotobacter

B. Beijernickia

C. Rhodospirillum

D. Rhizobium

**Answer: 3**



**Watch Video Solution**

**368.** Which one of the following is not an essential mineral element for plants while the remaining three are?

A. Iron

B. Manganese



C. Cadmium

D. Phosphorus

**Answer: 3**



**Watch Video Solution**

**369.** An organism used as a biofertilizer for raising soyabean crop is

A. Azotobacter

B. Azospirillum

C. Rhizobium

D. Nostoc

**Answer: 3**



**Watch Video Solution**

**370. Nitrifying bacteria-**

A. Oxidize ammonia to nitrates

B. Convert free nitrogen to nitrogen  
compounds

C. Convert proteins into ammonia

D. Reduce nitrates to free nitrogen

**Answer: 1**



**Watch Video Solution**

**371.** The function of leghaemoglobin in the root nodules of legumes is

A. Inhibition of nitrogenase activity

B. Oxygen removal

C. Nodule differentiation

D. Expression of nif gene

**Answer: 2**



**Watch Video Solution**

**372.** Hydroponics is the method of

A. water conservation

B. plant development in water without soil

C. plant development without soil

D. plant development in saline soil

**Answer: 2**



**Watch Video Solution**

**373.** Which one of the following elements (micronutrients) in plants is not remobilised ?

A. Phosphorus

B. Calcium

C. Potassium

D. Sulphur

**Answer: 2**



**Watch Video Solution**

**374.** Which one of the following is not an essential mineral element for plants while the remaining three are?

A. Iron

B. Manganese

C. Cadmium

D. Phosphorus

**Answer: 3**



**Watch Video Solution**

**375.** Cuscuta is an example of a

A. Predation

B. Endoparasitism

C. Ectoparasitism

D. Brood parasitism

**Answer: 3**



**Watch Video Solution**

**376.** For its action, nitrogenase requires

A.  $Mn^{2+}$

B. Super oxygen radicals

C. High input of energy

D. Light



**Answer: 3**



**Watch Video Solution**

**377.** Which one of the following is wrong statement ?

A. Root nodule forming nitrogen fixers live as aerobes under free-living conditions

B. Phosphorus is a constituent of cell membranes, certain nucleic acids and all

proteins

C. Nitrosomonas and Nitrobacter are chemoautotrophs

D. Anamaena and Nostoc are capable of fixing nitrogen in free-living state also

**Answer: 2**



**Watch Video Solution**

**378.** A nitrogen fixing microbe associated with Azolla in rice fields is

A. Anabaena

B. Frankia

C. Tolypothrix

D. Spirulina

**Answer: 1**



**Watch Video Solution**

**379.** Best defined function of Manganese in green plants is

- A. Calvin cycle
- B. Nitrogen fixation
- C. Water absorption
- D. Photolysis of water

**Answer: 4**



**Watch Video Solution**

**380.** The first stable product of fixation of atmospheric nitrogen in leguminous plant is



B. Glutamate



D. Ammonia

**Answer: 4**



**Watch Video Solution**

**381.** Deficiency symptoms of nitrogen and potassium are visible first in

- A. Buds
- B. Senescent leaves
- C. Young leaves
- D. Roots

**Answer: 2**



**Watch Video Solution**

**382.** Which one gives the most valid and recent explanation for stomatal movements?

A. Potassium influx and efflux

B. Starch hydrolysis

C. Guard cell photosynthesis

D. Transpiration

**Answer: 1**



**Watch Video Solution**

**383.** During biological nitrogen fixation, inactivation of nitrogenase by oxygen poisoning is prevented by

A. leghaemoglobin

B. xanthophyll

C. carotene

D. cytochrome

**Answer: 1**



**Watch Video Solution**



**384.** In which of the following, all three are macronutrients?

A. Iron, copper, molybdenum

B. Molybdenum, magnesium, manganese

C. Nitrogen, nickel, phosphorus

D. Boron, zinc, manganese

**Answer: none**



**Watch Video Solution**

**385.** Which is essential for the growth of root tip?

A. Zn

B. Fe

C. Ca

D. Mn

**Answer: 3**



**Watch Video Solution**

**386.** Select the mismatch

A. Frankia - Alnus

B. Rhodospirillum - Mycorrhiza

C. Anabaena - Nitrogen fixer

D. Rhizobium - Alfalfa

**Answer: 2**



**Watch Video Solution**

**387.** In which of the following forms is iron absorbed by plants?

A. Both ferric and ferrous

B. Free element

C. Ferrous

D. Ferric

**Answer: 4**



**Watch Video Solution**

**388.** Which of the following elements is responsible for maintaining turgor in cells?

A. Calcium

B. Potassium

C. Sodium

D. Magnesium

**Answer: 2**



**Watch Video Solution**