



BIOLOGY

BOOKS - TRUEMAN BIOLOGY

NCERT Exemplar Questions +1 (EXCRETORY PRODUCTS AND THEIR ELIMINATION)



1. The following substances are the excretory products in animals. Choose the least toxic from among them

A. Urea

B. Uric acid

C. Ammonia

D. Carbon dioxide

Answer: b

2. Filtration of the blood takes place at

A. PCT

B. DCT

C. Collecting ducts

D. Malpighian body

Answer: d

3. Which of the following statements is incorrect

A. ADH- prevents conversion of angiotensinogen in blood to angiotensin
B. Aldosterone -facilitates water reabsorption

C. ANF- enhances sodium reabsorption

D. Renin - causes vasodilation

Answer: a





4. A large quantity of one of the following is removed from our body by lungs.

A. CO_2 only

B. H_2O only

 $\mathsf{C}.CO_2$ and H_2O

D. Ammonia

Answer: c

5. The pH of human urine is approximately

A. 6.5

B. 7

C. 6

D. 7.5

Answer: d

6. Different types of excretory structures and animals are given below. Match them appropriately and mark the correct answer from

among those given below

	Excretory structure/ organ		Animale
۸	Protonophridia	١.	Prawn
13,	Nophridia	11.	Cockroach
C	Malpighian tubulos	111.	Earthworm
D	Green gland or	iv.	Flatworms
	Antonnal gland		

A. (D) i, (C) ii, (B) iii and (A) iv

B. (B) i, (C) ii, (A) iii and (B) iv

C. (D) i, (C) ii, (A) iii and (B) iv

D. (B) i, (C) ii, (B) iii and (D) iv

Answer: a

Watch Video Solution

7. Which one of the following statements is incorrect

A. Birds and land snails are uricotelic animals

B. Mammals and frogs are ureotelic

animals

C. Aquatic amphibians and aquatic insects

are ammonotelic animals

D. Birds and reptiles are ureotelic

Answer: d

Watch Video Solution

8. Which of the following pairs is wrong

A. Uricotelic - - - - - - Birds

B. Ureotelic - - - - - - Insects

C. Ammonotelic - - - - Tadpole

D. Ureotelic - - - - - - Elephant

Answer: b

Watch Video Solution

9. Which one of the following statements is

incorrect

A. The medullary zone of kidney is divided
into a few conical masses called medullary pyrarnids projecting into the calyces.
B. Inside the kidney the cortical region ex-

tends in between the medullary pyra-

mids as renal pelvis

C. Glomerulus alongwith Bowman's cap-

sule is called the renal corpuscle

D. Renal corpuscle, proximal convoluted

tubule (PCT) and distal convoluted tu-

bule (OCT) of the nephron are situated

in the cortical region of kidney.

Answer: b

Watch Video Solution

10. The condition of accumulation of urea in

the blood is termed as

A. Renal Calculi

- B. Glomerulonephrltis
- C. Uremia
- D. Ketonuria

Answer: c



11. Which one of the following is also known as

antidiuretic hormone?

A. Oxytocin

- B. Vasopressin
- C. Adrenaline
- D. Calcitonin

Answer: b



12. Match the terms given in Column I with their physiological processes given in Column

II and choose the correct answer

Column I		Column II	
A	Proximal convoluted tubule	i.	Formation of concentrated urine
B .	Distal convoluted tubule	ii.	Filtration of blood
С.	Henle's loop	111.	Reabsorption of 70-80% of electrolytes
D.	Counter-current mechanism	iv.	lonic balance
E.	Ronal corpuscle	V.	Maintenance of concentration gradient in medulla

A. A-iii, B-v, C-iii, D-ii, E-i

B. A-iii, B-iv, C-i, D-v, E-ii

C. A-i, B-iii, C-ii, D-v, E-iv

D. A-iii, B-i, C-iv, D-v, E-ii

Answer: b



13. Match the abnormal conditions given in Col- umn A with their explanations, given in

Col- umn B and Choose the correct option

		Column A		Column B
1	٩	Glycosurea	i.	Accumulation of
E	3.	Renal calculi	ii.	uric acid in joints Inflammation in glomeruli
C	2.	Glomerular nephritis	iii.	Mass of crystallised salts within the
D).	Gout	iv.	kidney Presence of glucose in urine

A. A-i, B-iii, C-ii, D-iv

B. A-iii, B-ii, C-iv, D-i

C. A-iv, B-iii, C-ii, B-i

D. A-iv, B-ii, C-iii, D-i

Answer: c

Watch Video Solution

14. We can produce concentrated / Dilute urine. This is facilitated by a special mechanism. Identify the mechanism.

- A. Reabsorption from PCT
- B. Reabsorption from Collecting Duct
- C. Reabsorption/Secretion in OCT
- D. Counter current mechanism in Henle's

loop vasa recta

Answer: d

15. Dialysing unit (artificial kidney) contains a fluid which is almost same as plasma except that it has

A. High glucose

B. High urea

C. No urea

D. High uric acid

Answer: b