



BIOLOGY

BOOKS - TRUEMAN BIOLOGY

**NEET (UG) -2019 (Conducted by CBSE on
05-05-2019)**

Mcqs

1. Which of the following statements is incorrect?

A. 1)Viroids lack a protein coat

B. 2) Viruses are obligate parasites

C. 3) Infective constituent in viruses is the protein coat

D. 4) Prions consist of abnormally folded proteins

Answer: C



Watch Video Solution

2. Purines found both in DNA and RNA are

A. 1) Adenine and thymine

B. 2) Adenine and guanine

C. 3) Guanine and cytosine

D. 4) Cytosine and thymine

Answer:



Watch Video Solution

3. Which of the following glucose transporters is insulin-dependent?

A. GLUT-1

B. GLUT II

C. GLUT III

D. GLUT IV

Answer: GLUT IV



Watch Video Solution

4. Identify the cells whose secretion protects the lining of gastro-intestinal tract from various enzymes

A. Chief Cells

B. Goblet Cells

C. Oxyntic Cells

D. Duodenal Cells

Answer:



Watch Video Solution

5. Which one of the following equipments is essentially required for growing microbes on a large scale, for industrial production of enzymes?

A. BOD incubator

B. Sludge digester

C. Industrial oven

D. Bioreactor

Answer:



Watch Video Solution

6. Which of the 'following is true for Golden rice' ?

A. 1)It is Vitamin A enriched, with a gene from

daffodil

B. 2) It is pest resistant, with a gene from *Bacillus thuringiensis*

C. 3) It is drought tolerant, developed using *Agrobacterium* vector

D. 4) It has yellow grains, because of a gene introduced from a primitive variety of rice

Answer:



Watch Video Solution

7. Which one of the following is not a method of in situ conservation of biodiversity ?

A. Biosphere Reserve

B. Wildlife Sanctuary

C. Botanical Garden

D. Sacred Grove

Answer:



Watch Video Solution

8. Under which of the following conditions there will be no change in the reading frame of following mRNA?

5'AACAGCGGUGCUAUU 3'

A. Insertion of G at 5th position

B. Deletion of G from 5th position

C. Insertion of A at G at 4th and 5th positions
respectively

D. Deletion of GGU from 7th, 8th and 9th
positions

Answer:



Watch Video Solution

9. Which of these following methods is the suitable for disposal of nuclear waste?

A. Shoot the waste into space

B. Bury the waste under Antarctic ice-cover

C. Dump the waste within rocks under deep
ocean

D. Burry the wnst^e within rocks deep below
the earth's surface

Answer:



Watch Video Solution

10. Match the following organisms with the products they produce

- | | |
|-------------------------------------|-------------------|
| (a) <i>Lactobacillus</i> | (i) Cheese |
| (b) <i>Saccharomyces cerevisiae</i> | (ii) Curd |
| (c) <i>Aspergillus niger</i> | (iii) Citric Acid |
| (d) <i>Acetobacter aceti</i> | (iv) Bread |
| | (v) Acetic Acid |

- A. (a) (b) (c) (d)
ii iv v iii
- B. (a) (b) (c) (d)
ii iv iii v
- C. (a) (b) (c) (d)
iii iv v i
- D. (a) (b) (c) (d)
ii i iii v

Answer:



Watch Video Solution

11. What map unit (Centimorgan) is adopted in the construction of genetic maps?

- A. A unit of distance between two expressed genes, representing 10%-cross over
- B. A unit of distance between two expressed genes, representing 100% cross over
- C. A unit of distance between genes on chromosomes, representing 1% cross over
- D. A unit of distance between genes on chromosomes, representing 50% cross over

Answer:



Watch Video Solution

12. Select the hormone-releasing Intra-Uterine Devices.

A. 1) Vaults, LNG-20

B. 2) Multiload 375, Progestasert

C. 3) Progestasert, LNG-20

D. 4) Lippes Loop, Multiload 375

Answer:



Watch Video Solution

13. Which of the following can be used as a bio control agent in the treatment of plant disease?

A. 1)Trichoderma

B. 2)Chlorella

C. 3)Anabaena

D. 4)Lactobacillus

Answer:



Watch Video Solution

14. Expressed Sequence Tags (ESTs) refers to :

- A. Genes expressed as RN A
- B. Polypeptide expression
- C. DNA polymorphism
- D. Novel DNA sequences

Answer:



Watch Video Solution

15. Colostrum, the yellowish fluid, secreted by mother during the initial days of lactation is very essential to impart immunity to the new born infants because it contains:

- A. Natural killer cells
- B. Monocytes
- C. Macrophages
- D. Immunoglobulin A

Answer:



Watch Video Solution

16. Select the incorrect statement

A. Inbreeding increases homozygosity

B. Inbreeding is essential to evolve purelines
in any animal

C. Inbreeding selects harmful recessive genes
that reduce fertility and productivity

D. Inbreeding helps in accumulation of
superior genes elimination of undesirable
genes

Answer:



Watch Video Solution

17. Select the correct sequence for transport of sperm cells in male reproductive system.

A. Testis → Epididymis → Vasa efferentia
→ Rete testis → Inguinal canal →
Urethra

B. Seminiferous tubules → Rete testis →
Vasa efferentia → Epididymis → Vas

deferens → Ejaculatory duct → Urethra

→ Urethral meatus

C. Seminiferous tubules → Vasa efferentia

→ Epididymis → Inguinal canal →

Urethra

D. Testis → Epididymis → Vasa efferentia

→ Vas deferens → Ejaculatory duct →

Inguinal canal → Urethra → Urethral

meatus

Answer:



18. A gene locus has two alleles A, a. If the frequency of dominant allele A is 0.4, then what will be the frequency of homozygous dominant, heterozygous and homozygous recessive individuals in the population

A. 0.36 (AA), 0.48(Aa), 0.16 (aa)

B. 0.6 (AA), 0.24 (Aa), 0.36 (aa)

C. 0.16 (AA), 0.48 (Aa), 0.36 (aa)

D. 0.16 (AA), 0.36 (Aa), 0.48 (aa)

Answer:



Watch Video Solution

19. Match the following organisms with their respective characteristics

(a) <i>Pila</i>	(i) Flame cells
(b) <i>Bombyx</i>	(ii) Comb plates
(c) <i>Pleurobrachia</i>	(iii) Radula
(d) <i>Tacnia</i>	(iv) Malpighian tubules

- A. (a) (b) (c) (d)
(iii) (ii) (i) (iv)
- B. (a) (b) (c) (d)
(iii) (iv) (ii) (i)
- C. (a) (b) (c) (d)
(ii) (iv) (iii) (i)

- D. (a) (b) (c) (d)
(iii) (ii) (iv) (i)

Answer:



Watch Video Solution

20. The shorter and longer arms of a submetacentric chromosome are referred to as :

- A. s-arm and l-arm respectively
- B. p-arm and q-arm respectively
- C. q-arm and p-arm respectively
- D. m-arm and n-arm respectively

Answer:



Watch Video Solution

21. What is the site of perception of photoperiod necessary for induction of flowering in plants?

Leaves

A. Lateral buds

B. Pulvinus

C. Shoot apex

D. Leaves

Answer:



Watch Video Solution

22. Which part of the brain is responsible for thermoregulation?

- A. Cerebrum
- B. Hypothalamus
- C. Corpus callosum
- D. Medulla oblongata

Answer:



[Watch Video Solution](#)

23. Which of the following pair of organelles does not contain DNA?

- A. 1) Mitochondria and Lysosomes
- B. 2) Chloroplast and Vacuoles
- C. 3) Lysosomes and Vacuoles
- D. 4) Nuclear envelope and Mitochondria

Answer:



[Watch Video Solution](#)

24. What is the genetic disorder in which an individual has an overall masculine development, gynaecomastia, and is sterile?

- A. Turner's syndrome
- B. Klinefelter's syndrome
- C. Edward syndrome
- D. Down's syndrome

Answer:



Watch Video Solution

25. Xylem translocates :

A. Water only

B. Water and mineral salts only

C. Water, mineral salts and some organic
nitrogen only

D. Water, mineral salts, some organic nitrogen
and hormones

Answer:



Watch Video Solution

26. Which of the following pairs of gases is mainly responsible for green house effect?

- A. Ozone and Ammonia
- B. Oxygen and Nitrogen
- C. Nitrogen and Sulphur dioxide
- D. Carbon dioxide and Methane

Answer:



Watch Video Solution

27. Which of the following protocols did aim reducing emission of chlorofluorocarbons into atmosphere?

- A. Montreal protocol
- B. Kyoto protocol
- C. Gothenburg Protocol
- D. Geneva Protocol

Answer:



Watch Video Solution

28. In some plants, the female gamete develops into embryo without fertilization. This phenomenon is known as:

- A. Autogamy
- B. Parthenocarpy
- C. Syngamy
- D. Parthenogenesis

Answer:



Watch Video Solution

29. Which of the following sexually transmitted diseases is not completely curable?

- A. Gonorrhoea
- B. Genital warts
- C. Genital herpes
- D. Chlamydiasis

Answer:



Watch Video Solution

30. Which of the following immune responses is responsible for rejection of kidney graft ?

- A. Auto-immune responses
- B. Humoral immune response
- C. Inflammatory immune response
- D. cell-mediated immune response

Answer:



Watch Video Solution

31. Which of the following factors is responsible for the formation of concentrated urine?

A. Low levels of antidiuretic hormone

B. Maintaining hyperosmolarity towards inner medullary interstitium in the kidneys.

C. Secretion of erythropoietin by juxta glomerular complex

D. Hydrostatic pressure during glomerular filtration

Answer:



Watch Video Solution

32. Which of the following features of genetic code does allow bacteria to produce human insulin by recombinant DNA technology ?

- A. Genetic code is not ambiguous
- B. Genetic code is redundant
- C. Genetic code is nearly universal
- D. Genetic code is specific

Answer:





33. Which of the following statements is not correct

- A. Lysosomes have numerous hydrolytic enzymes
- B. The hydrolytic enzymes of lysosomes are active under acidic pH.
- C. Lysosomes are membrane bound structures
- D. Lysosomes are formed by the process of packaging in the endoplasmic reticulum.

Answer:



Watch Video Solution

34. The concept of "Omnis cellula-e cellula" regard cell division was first proposed by :

- A. Rudolf Virchow
- B. Theodore Schwann
- C. Schleiden
- D. Aristotle

Answer:



Watch Video Solution

35. Use of an artificial kidney during hemodialysis may result in :

Nitrogenous waste build-up in the body

Non-elimination of excess potassium ions

Reduced 'absorption of calcium ions from gastrointestinal tract

Reduced RBC production

Which of the following options is the most appropriate ?

A. (a) and (b) are correct

B. (b) and (c) are correct

C. (c) and (d) are correct

D. (a) and (d) are correct

Answer:



Watch Video Solution

36. What is the direction of movement of sugars in phloem?

A. Non-multidirectional

B. Upward

C. Downward

D. Bi-directional

Answer:



Watch Video Solution

37. Which of the following muscular disorders is inherited?

A. Tetany

B. Muscular dystrophy

C. Myasthenia gravis

D. Botulism

Answer:



Watch Video Solution

38. Consider following features:

(a) Organ system level of organisation

(b) Bilateral symmetry

(c) True coelomates with segmentabon of body

Select the correct option of animal groups which possess all the above characteristics.

A. Annelida, Arthropoda and Chordata

B. Annelida, Arthropoda and Mollusca

C. Arthropoda, Mollusca and Chordata

D. Annelida, Mollusca and Chordata

Answer:



Watch Video Solution

39. The frequency of recombination between gene present on the same chromosome as a measure of the distance between genes was explained by:

A. T.H. Morgan

B. Gregor J. Mendel

C. Alfred Sturtevant

D. Sutton Boveri

Answer:



Watch Video Solution

40. Following statements describe the characteristics of the enzyme Restriction Endonuclease. Identify the incorrect statement.

- A. The enzyme cuts DNA molecule at identified position within the DNA
- B. The enzyme binds DNA at specific sites and cuts only one of the two strands
- C. The enzyme cuts the sugar-phosphate backbone at specific sites on each strand
- D. The enzyme recognizes a specific palindromic nucleotide sequence in the DNA

Answer:



41. Which of the following statements is incorrect

A. Morels and truffles are edible delicacies.

B. Claviceps is a source of many alkaloids and
LSD.

C. Conidia are produced exogenously and as-
cospores endogenously.

D. Yeasts have filamentous bodies with long
thread- like hyphae

Answer:



Watch Video Solution

42. Placentation, in which ovules develop on the inner wall of the ovary or in peripheral part, is:

- A. Basal
- B. Axile
- C. Parietal
- D. Free central

Answer:



[Watch Video Solution](#)

43. Which of the following is the most important for animals and plants being driven to extinction

- A. Habitat loss and fragmentation
- B. Drought and floods
- C. Economic exploitation
- D. Alien species invasion

Answer:



[Watch Video Solution](#)

44. Variations caused by mutation, as proposed by Hugo de Vries, are:

- A. random and directional
- B. random and directionless
- C. small and directional
- D. small and directionless

Answer:



Watch Video Solution

45. Respiratory Quotient (RQ) value of tripalmitin is :

A. 0.9

B. 0.7

C. 0.07

D. 0.09

Answer:



Watch Video Solution

46. In *Antirrhinum* (Snapdragon), a red flower was crossed with a white flower and in F_1 generation pink flowers were obtained. When pink flower were selfed, the F_2 generation showed white, red and pink flowers. Choose the incorrect statement from the following :

- A. This experiment does not follow the Principle of Dominance
- B. Pink colour in F_1 is due to incomplete dominance

C. Ratio

of

F_2 is $\frac{1}{4}$ (Red) : $\frac{2}{4}$ (pink) : $\frac{1}{4}$ (white)

D. Law of Segregation does not apply in this experiment

Answer:



Watch Video Solution

47. Select the incorrect statement

A. 1) Male fruit fly is heterogametic.

B. 2) In male grasshoppers, 50% of sperms have no sex-chromosome.

C. 3) In domesticated fowls sex of progeny depends on the type of sperm rather than egg

D. 4) Human males have one of their sex-chromosome much shorter than the other

Answer:



Watch Video Solution

48. The correct sequence of phases of cell cycle is

:

A. $M \rightarrow G_1 \rightarrow G_2 \rightarrow S$

B. $G_1 \rightarrow G_2 \rightarrow S \rightarrow M$

C. $S \rightarrow G_1 \rightarrow G_2 \rightarrow M$

D. $G_1 \rightarrow S \rightarrow G_2 \rightarrow M$

Answer:



Watch Video Solution

49. Thiobacillus is group of bacteria helpful in carrying out:

- A. Nitrogen fixation
- B. Chemoautotrophic fixation
- C. Nitrification
- D. Denitrification

Answer:



Watch Video Solution

50. Polyblend, a fine powder of recycled modified plastic, has proved to be a good material for:

- A. making plastic sacks
- B. use as a fertilizer
- C. construction of roads
- D. making tubes and pipes

Answer:



Watch Video Solution

51. From evolutionary point of view, retention of the female gametophyte with developing young embryo on the parent sporophyte for some time, is first observed in :

- A. Liverworts
- B. Mosses
- C. Pteridophytes
- D. Gymnosperms

Answer:



Watch Video Solution

52. Select the correct option

A. 1) 8th, 9th and 10th pairs of ribs articulate directly with the sternum.

B. 2) 11th and 12th pairs of ribs are connected to the sternum with the help of hyaline cartilage.

C. 3) Each rib is a flat thin bone and all the ribs are connected dorsally to the thoracic vertebrae and ventrally to the sternum.

D. 4) There are seven pairs of vertebrosteral, three pairs of vertebrochondral and two pairs of vertebral ribs.

Answer:



Watch Video Solution

53. Concanavalin A is :

A. 1) an alkaloid

B. 2) an essential oil

C. 3)a lectin

D. 4)a pigment

Answer:



Watch Video Solution

54. Extrusion of second polar body from egg occurs:

A. a) after entry of sperm but before fertilization

B. b) after fertilization

C. c) before entry of sperm into ovum

D. d) simultaneously with first cleavage

Answer:



Watch Video Solution

55. Pinus seed cannot germinate and establish without fungal association. This is because

A. 1)its embryo is immature

B. 2)it has obligate association with mycorrhizae

C. 3)it has very hard seed coat.

D. 4)its seeds contain inhibitors that prevent ger- mination

Answer:



Watch Video Solution

56. The Earth Summit held in Rio de Janeiro in 1992 was called :

A. 1)to reduce CO_2 emissions and global warming

B. 2)for conservation of biodiversity and sustainable utilization of its benefits.

C. 3)to assess threat posed to native species by invasive weed species

D. 4).for immediate steps to discontinue use of CFCs that were damaging the ozone layer.

Answer:



Watch Video Solution

57. DNA precipitation out of a mixture of biomolecules can be achieved by treatment with:

- A. Isopropanol
- B. Chilled ethanol
- C. Methanol at room temperature
- D. Chilled chloroform

Answer:



Watch Video Solution

58. Grass leaves curl inwards during very dry weather. Select the most appropriate reason from the following:

- A. Closure of stomata
- B. Flaccidity of bulliform cells
- C. Shrinkage of air spaces in spongy mesophyll
- D. Tyloses in vessels

Answer:



Watch Video Solution

59. Match the following structures with the their respective location in organs:

- | | |
|--------------------------|-----------------------|
| (a) Crypts of Lieberkuhn | (i) Pancreas |
| (b) Glisson's Capsule | (ii) Duodenum |
| (c) Islets of Langerhans | (iii) Small intestine |
| (d) Brunner's Glands | (iv) Liver |

Select the correct option from the following

- A. (a) (b) (c) (d)
(iii) (i) (ii) (iv)
- B. (a) (b) (c) (d)
(ii) (iv) (i) (iii)
- C. (a) (b) (c) (d)
(iii) (iv) (i) (ii)
- D. (a) (b) (c) (d)
(iii) (ii) (i) (iv)

Answer:



Watch Video Solution

60. Match the following hormones with the respective disease

- | | |
|--------------------|-------------------------|
| (a) Insulin | (i) Addison's disease |
| (b) Thyroxin | (ii) Diabetes insipidus |
| (c) Corticoids | (iii) Arcomegaly |
| (d) Growth Hormone | (iv) Goitre |
| | (v) Diabetes mellitus |

- A. (a) (b) (c) (d)
(v) (i) (ii) (iii)
- B. (a) (b) (c) (d)
(ii) (iv) (iii) (i)

- C. (a) (b) (c) (d)
(v) (iv) (i) (iii)
- D. (a) (b) (c) (d)
(ii) (iv) (i) (iii)

Answer:



Watch Video Solution

61. Which of the following contraceptive methods involve a role of hormone ?

A. Lactational amenorrhea, Pills, Emergency contraceptives

- B. Barrier method, Lactational amenorrhea,
Pills
- C. CuT, Pills, Emergency contraceptives
- D. Pills, Emergency contraceptives, Barrier
methods

Answer:



Watch Video Solution

62. Drug called 'Heroin' is synthesized by

A. 1) methylation of morphine

B. 2) acetylation of morphine

C. 3) glycosylation of morphine

D. 4) nitration of morphine

Answer:



Watch Video Solution

63. In a species, the weight of newborn ranges from 2 to 5 kg. 97% of the newborn with an average weight between 3 to 3.3 kg survive

whereas 99 of the infants born with weights from 2 to 2.5 or 4.5 to 5 kg die. Which type of selection process is taking place?

- A. Directional Selection
- B. Stabilizing Selection
- C. Disruptive Selection
- D. Cyclical Selection

Answer:



Watch Video Solution

64. Conversion of glucose to glucose-6-phosphate, the first irreversible reaction of glycolysis, is catalyzed by :

- A. Aldolase
- B. Hexokinase
- C. Enolase
- D. Phosphofructokinase

Answer:



Watch Video Solution

65. Which of the following statements is correct?

A. 1) Cornea is an external, transparent and protective proteinaceous covering of the eye-ball

B. 2) Cornea consists of dense connective tissue of elastin and can repair itself.

C. 3) Cornea is convex, transparent layer which is highly vascularised

D. 4) Cornea consists of dense matrix of collagen and is the most sensitive portion

of the eye.

Answer:



Watch Video Solution

66. Which of the following' ecological pyramids is generally inverted?

- A. Pyramid of numbers in grassland
- B. Pyramid of energy
- C. Pyramid of biomass in a forest
- D. Pyramid of biomass in a sea

Answer:



Watch Video Solution

67. Consider the following statements:

(A) Coenzyme or metal ion that is tightly bound to enzyme protein is called prosthetic group,

(B) A complete catalytic active enzyme with its bound prosthetic group is called apoenzyme.

Select the correct option

A. Both (A) and (B) are true.

B. (A) is true and (B) is false

C. Both (A) and (B) are false.

D. (A) is false and (B) is true

Answer:



Watch Video Solution

68. Due to increasing air-borne allergens a pollutants, many people in urban areas a suffering from respiratory disorder cause wheezing due to:

- A. 1)benign growth on mucous lining of nasal cavity
- B. 2)inflammation of bronchi and bronchioles.
- C. 3)proliferation of fibrous tissues and damage of the alveolar walls.
- D. 4)reduction in the secretion of surfactants by pneumocytes

Answer:



Watch Video Solution

69. Which one of the following statements regarding post-fertilization development in flowering plants is incorrect?

- A. Ovary develops into fruit
- B. Zygote develops into embryo
- C. Central cell develops into endosperm
- D. Ovules develop into embryo sac

Answer:



Watch Video Solution

70. Phloem in gymnosperms lacks :

- A. 1) Albuminous cells and sieve cells
- B. 2) Sieve tubes only
- C. 3) Companion cells only
- D. 4) Both sieve tubes and companion cells

Answer:



Watch Video Solution

71. It takes very long time for pineapple plants to produce flowers. Which combination of hormones

can be applied to artificially induce flowering in pineapple plants throughout the year to increase yield?

- A. Auxin and Ethylene
- B. Gibberellin and Cytokinin
- C. Gibberellin and Abscisic acid
- D. Cytokinin and Abscisic acid

Answer:



Watch Video Solution

72. Persistent nucellus in the seed is known as

- A. Chalaza
- B. Perisperm
- C. Hilum
- D. Tegmen

Answer:



Watch Video Solution

73. Cells in G₀ phase :

- A. exit the cell cycle
- B. enter the cell cycle
- C. suspend the cell cycle
- D. terminate the cell cycle

Answer:



Watch Video Solution

74. Match Column -I with Column -II

Column - I

(a) Saprophyte

(b) Parasite

(c) Lichens

(d) Mycorrhiza

Column - II

(i) Symbiotic association of fungi with plant roots

(ii) Decomposition of dead organic materials

(iii) Living on living plants or animals

(iv) Symbiotic association of algae and fungi

Choose the correct answer from the options

A. (a) (b) (c) (d)
(i) (ii) (iii) (iv)

B. (a) (b) (c) (d)
(iii) (ii) (i) (iv)

C. (a) (b) (c) (d)
(ii) (ii) (iii) (iv)

D. (a) (b) (c) (d)
(ii) (iii) (iv) (i)

Answer:



Watch Video Solution

75. What would be the heart rate of a person if the cardiac output is 5 L, blood volume in the ventricles at the end of diastole is 100 mL and at the end of ventricular systole is 50 mL ?

- A. 50 beats per minute
- B. 75 beats per minute
- C. 100 beats per minute
- D. 125 beats per minute

Answer:



Watch Video Solution

76. The trigger for activation of toxin of *Bacillus thuringiensis* is

- A. Body temperature
- B. Moist surface of midgut
- C. Alkaline pH of gut
- D. Acidic pH of stomach

Answer:



Watch Video Solution

77. The ciliated epithelial cells are required to move particles or mucus in a specific direction. In humans, these cells are mainly present in :

- A. Bile duct and Bronchioles
- B. Fallopian tubes and Pancreatic duct
- C. Eustachian tube and Salivary duct
- D. Bronchioles and Fallopian tubes

Answer:





78. Which of the statements given below is not true about formation of Annual Rings in trees?

- A. Annual ring is a combination of spring wood and autumn wood produced in a year
- B. Differential activity of cambium causes light and dark bands of tissue - early and late wood respectively
- C. Activity of cambium depends upon variation in climate

D. Annual rings are not prominent in trees of temperate region

Answer:



Watch Video Solution

79. What is the fate of the male gametes discharged in the synergid ?

A. One fuses with the egg, other(s) degenerate(s) in the synergid

B. All fuse with the egg.

C. One fuses with the egg, other(s) fuse(s) with synergid nucleus

D. One fuses with the egg and other fuses with central cell nuclei.

Answer:



Watch Video Solution

80. Match the following genes of the Lac operon with their respective products.

Column - I

- (a) P-wave
- (b) QRS complex
- (c) T-wave
- (d) Reduction in the size

Column - II

- (i) Depolarisation of ventricles
- (ii) Repolarisation of ventricles
- (iii) Coronary ischemia
- (iv) Depolarisation of of T-wave atria
- (v) Repolarisation of atria

Select the correct option .

- A. (a) (b) (c) (d)
(i) (iii) (ii) (iv)
- B. (a) (b) (c) (d)
(iii) (i) (ii) (iv)
- C. (a) (b) (c) (d)
(iii) (i) (iv) (ii)
- D. (a) (b) (c) (d)
(iii) (iv) (i) (ii)

Answer:



Watch Video Solution

81. Select the correct sequence of organs in the alimentary canal of cockroach starting from mouth:

A. Pharynx → Oesophagus → Crop →

Gizzard → Ileum → Colon → Rectum

B. Pharynx → Oesophagus → Gizzard →

Crop → Ileum → Colon → Rectum

C. Pharynx → Oesophagus → Gizzard →

Ileum → Crop → Colon → Rectum

D. Pharynx → Oesophagus → Ileum →

Crop → Gizzard → Colon → Rectum

Answer:



Watch Video Solution

82. Match the hominids with their correct brain size



- A. (a) (b) (c) (d)
(iii) (i) (iv) (ii)
- B. (a) (b) (c) (d)
(iii) (ii) (i) (iv)

- C. (a) (b) (c) (d)
(iii) (iv) (i) (ii)
- D. (a) (b) (c) (d)
(iv) (iii) (i) (ii)

Answer:



Watch Video Solution

83. Identify the correct pair representing the causative agent of typhoid fever and the confirmatory test for typhoid.

A. Plasmodium vivax/UTI test.

B. Streptococcus pneumoniae/Widal test

C. Salmonella typhi/ Anthrone test

D. Salmonella typhi/Widal test

Answer:



Watch Video Solution

84. How does steroid hormone influence the cellular activities? ,

A. Changing the permeability of the cell membrane.

B. Binding to DNA and forming a geneormone complex.

C. Activating cyclic AMP located on the cell membrane

D. Using aquaporin channels as second messenger

Answer:



Watch Video Solution

85. Tidal Volume and Expiratory Reserve Volume an athlete is 500 mL and 1000 mL respectively. What will be his Expiratory Capacity if the Residual Volume is 1200 mL?

- A. 1500 mL
- B. 1700 mL
- C. 2200 mL
- D. 2700 mL

Answer:



Watch Video Solution

86. Which of the following is a commercial blood cholesterol lowering agent?

A. Cyclosporin A

B. statin

C. Streptokinase

D. Lipases

Answer:



Watch Video Solution

87. Which of the following statements regarding mitochondria is incorrect ?

A. Outer membrane is permeable to monomers of carbohydrates fats and proteins

B. Enzymes of electron transport are embedded in outer membrane

C. Inner membrane is convoluted with infoldings

D. Mitochondrial matrix contains single circular DNA molecule and ribosomes

Answer:



Watch Video Solution

88. Select the correct group of biocontrol agents.

A. *Bacillus thuringiensis*, Tobacco mosaic virus,

Aphids

B. Trichoderma, Baculovirus, Bacillus
thuringiensis

C. Oscillatoria, Rhizobium, Trichoderma

D. Nostoc, Azospirillum,
Nucleopolyhedrovirus

Answer:



Watch Video Solution

89. Select the correctly written scientific name
Mango which was first described by Carolus

Linnaeus

A. *Mangifera indica* Car. Linn

B. *Mangifera indica* Linn

C. *Mangifera indica*

D. *Mangifera Indica*

Answer:



Watch Video Solution