



BIOLOGY

BOOKS - TRUEMAN BIOLOGY

AIPMT-2014 (PLANT MORPHOLOGY)

Mcqs

1. Placenta and pericarp are both edible portions in

A. Potato

B. Apple

C. Banana

D. Tomato

Answer:



Watch Video Solution

2. An example of edible underground stem is

A. Potato

B. Carrot

C. Groundnut

D. Sweet potato

Answer:



Watch Video Solution

3. When two of the sepals or petals are outer, two are inner and one is partly outer partly inner, this condition is known as

A. Valvate

B. Vexillary

C. Imbricate

D. Twisted

Answer: B



Watch Video Solution

4. Which one of the following statements is correct ?

- A. A sterile pistil is called a staminode
- B. The seed in grasses is not endospermic
- C. Mango is a parthenocarpic fruit
- D. A proteinaceous aleurone layer is present
in maize grain

Answer:



Watch Video Solution

5. An aggregate fruit is one which develops from

- A. Multicarpellary superior ovary
- B. Multicarpellary syncarpous gynoecium
- C. Multicarpellary apocarpus gynoecium
- D. Complete inflorescence

Answer:



Watch Video Solution

6. Non-albuminous seed is produced in

A. Pea

B. Maize

C. Castor

D. Wheat

Answer:



Watch Video Solution