



BIOLOGY

BOOKS - TRUEMAN BIOLOGY

NCERT Exemplar Questions +1

(NEURAL CONTROL AND COORDINATION)

Mcqs

1. Chemicals which are released at the synaptic junction are called

A. hormones

B. neurotransmitters

C. lymph

D. cerebrospinal fluid

Answer: b



Watch Video Solution

2. Potential difference across resting membrane is negatively charged. This is due to differential distribution of the following ions.

A. Na^+ & K^+ ions

B. CO_3^{++} & Cl^- ions

C. Ca^{++} & Mg^{++} ions

D. Ca^{+4} & Cl^- ions

Answer: a



Watch Video Solution

3. Resting membrane potential is maintained by

- A. hormones
- B. neurotransmitters
- C. ion pumps
- D. none of the above

Answer: c



Watch Video Solution

4. The function of our visceral organs is controlled by

- A. Sympathetic and somatic neural system
- B. Sympathetic and para sympathetic neural system
- C. Central and somatic nervous system
- D. None of the above

Answer: b



Watch Video Solution

5. Which of the following is not involved in kneejerk reflex ?

A. Muscle spindle

B. Motor neuron

C. Brain

D. Inter neurons

Answer: c



Watch Video Solution

6. An area in the brain which is associated with strong emotion is

A. cerebral cortex

B. cerebellum

C. limbic system

D. medulla

Answer: c



Watch Video Solution

7. Mark the vitamin present in rhodopsin

A. Vit. A

B. Vit B

C. Vit.C

D. Vit. D

Answer: a



Watch Video Solution

8. Human eye ball consists of three layers and it encloses

A. Lens, iris, optic nerve

B. Lens, aqueous humor and vitreous humor

C. Cornea, lens, iris

D. Cornea, lens, optic nerve

Answer: b



Watch Video Solution

9. Wax gland present in the ear canal is called

A. Prostate gland

B. Prostate gland

C. Cowper's gland

D. Sebaceous gland/ceruminous gland

Answer: d



Watch Video Solution

10. The part of internal ear responsible for hearing is

A. cochlea

B. semicircular canal

C. utricle

D. sacculus

Answer: a



Watch Video Solution

11. The organ of Corti is a structure present in

A. external ear

B. middle ear

C. semicircular canal

D. cochlea

Answer: c



Watch Video Solution