



BIOLOGY

BOOKS - TRUEMAN BIOLOGY

NEURAL CONTROL AND COORDINATION



1. Cluster of neuron cell bodies within peripheral nervous system are

A. Nuclei

- B. Ganglia
- C. Laminae
- **D.** Fascicles

Answer: B



2. The correct sequence of meanings from

inner to outer side is

A. Arachnoid membrane \rightarrow dura mater				
ightarrow pia mater				
B. Dura mater $ ightarrow$ arachnoid membrane				
ightarrow pia meter				
C. Pia mater $ ightarrow $ arachnoid membrane $ ightarrow $				
dura mater				
D. Dura mater $ ightarrow$ pia mater $ ightarrow$				
arachnoid membrane				

Answer: C

3. Subdural space is found between

A. Pia mater and arachnoid

B. Dura mater and cranium

C. Arachnoid and dura mater

D. Dura mater and vertebral column

Answer: C

4. Cerebrospinal fluid is present

A. Between pia mater and arachnoid mater

- B. Between the dura mater and cranium
- C. Between arachnoid and dura mater
- D. Beneath the pia mater

Answer: A



5. Cerebrospinal fluid is secreted by

A. Cerebrum

B. Cerebellum

C. olfactory lobe

D. Choroid plexus

Answer: D

Watch Video Solution

6. Choroid plexus is a network of

A. Nerves

B. Capillaries

C. Muscle fibres

D. Lymph vessels

Answer: B

Watch Video Solution

7. The largest part of human brain is

A. Cerebrum

B. Cerebellum

C. Diencephalon

D. medulla oblongata

Answer: A



8. In the brain of mammals, the genu and

splenium are associated with

A. Medulla

B. Vermis

C. Cerebrum

D. Cerebellum

Answer: C



9. Match the entries in column I with those in

column II and choose the correct combination

from the option given

	Column I	Column II
Α	Diencephalon	1. Cerebellum
В	Telencephalon	2. Medulla
С	Myelencephalon	 Amygdala
D	Metencephalon	4. Thalamus

B. A=4, B=3, C=1, D=2

C. A=1, B=2, C=3, D=4

D. A=4, B=1, C=2, D=3

Answer: A

Watch Video Solution

10. In human brain, central sulcus is found

between

- A. Frontal and Parietal lobe
- B. Occipital and parietal lobe
- C. Temporal and parietal lobe
- D. Occipital and temporal lobe

Answer: A

Watch Video Solution

11. Which part of brain controls intellectual ability ?

A. Frontal lobe

B. Parietal lobe

C. Temporal lobe

D. Occipital lobe

Answer: A

Watch Video Solution

12. Olfactory area is present in

A. Frontal lobe

B. Parietal lobe

C. Temporal lobe

D. Occipital lobe

Answer: C

Watch Video Solution

13. In brain, the region for perception of pain

is located in

A. Frontal lobe

B. Parietal lobe

C. Occipital lobe

D. Temporal lobe

Answer: B

Watch Video Solution

14. Somesthetic or post central area is responsible for

A. Initiation	of	motor	impulses	for		
voluntary muscles						
B. Initiation	of	motor	impulses	for		
involuntary muscles						
C. Perception	0	f pain,	touch	and		
temperature						
D. Coordination of speech						

Answer: C

15. Broca's area is connected with

A. Speech function

B. Sensation of smell

C. Learning and reasoning

D. Receiving impulse from eyes

Answer: A

16. The primary visual area is located in

A. Frontal lobe

B. Parietal lobe

C. Occipital lobe

D. Temporal lobe

Answer: C

17. The hippocampus converts information from

A. Short term memory to long term memory B. Long term memory to short term

memory

C. Aggression to remembering fear

D. Does not convert information







18. Feelings of anger, pain and rage are experienced through

A. basal ganglia

B. Occipital lobe

C. Limbic system

D. Reticular system

Answer: C

19. Anterior choroid plexus is found in the roof

of

A. Iter

B. Cerebrum

C. Cerebellum

D. Diencephalon

Answer: D

20. Crura cerebri are found in

A. Forebrain

B. Midbrain

C. Hindbrain

D. None of these

Answer: B

21. Vermis is a part of

A. Optic lobe

B. Midbrain

C. Cerebellum

D. medulla oblongata

Answer: C

22. Purkinje cells are found in

A. Cerebral cortex

B. Cerebellar cortex

C. mammalian heart

D. Semicircular canal

Answer: B

23. Arbor vitae is a part of

A. Cerebrum

B. Midbrain

C. Forebrain

D. Cerebellum

Answer: D

24. Ventricles of brain are lined by the cells called

A. Neuroglia

B. Ependymal

C. Neuron cells

D. Schwann cells

Answer: B

25. The hollow interior of the cerebrum is called

- A. 3rd ventricle
- B. 4th ventricle
- C. Sub arachnoid space
- D. Lateral ventricles

Answer: D

26. Which of the following connect lateral ventricles or paracoel in brain with third ventricle ?

A. Iter

B. Filum terminale

C. Foramen of monro

D. Aquenduct of sylvius

Answer: C

27. The cavity in the region of diencephalon in

the brain is called the

A. Iter

B. Third ventricle

C. lateral ventricle

D. Foramen of monro

Answer: B

28. Hypothalamus form the floor of

A. Optocoel

- B. 3rd ventricle
- C. lateral ventricle
- D. 4th ventricle

Answer: B



29. Column I list the parts of the human brain and column II lists the functions. Match the two columns and identify the correct choice from those given

	Column I		Column II
A	Cerebrum	р	Controls the pituitary
В	Cerebellum	q	Controls vision and hearing
С	Hypothalamus	r	Controls the rate of heartbeat
D	Midbrain	S	Seat of intelligence
		t	Maintains body posture

A. A=t, B=s, C=q, D=p

B. A=s, B=t, C=q, D=p

C. A=t, B=s, C=p, D=q

D. A=s, B=t, C=p, D=q

Answer: D



30. Voluntary muscular coordination is under

control of

A. Cerebellum

B. Hypothalamus

C. Medulla oblongata

D. Cerebral hemisphere

Answer: D

Watch Video Solution

31. Memory weakens if one of the following

parts is injured.

A. Medulla

B. Cerebrum

C. Cerebellum

D. Hypothalamus

Answer: B



32. A person feels no sensation when he puts his hand over flame, the part of the brain which has damaged is

A. Cerebellum

B. Cerebrum

C. Hypothalamus

D. medulla oblongata

Answer: B

Watch Video Solution

33. The major relay station for sensory input

that projects to the cerebral cortex is the

A. Pons

B. Thalamus

C. Cerebellum

D. Hypothalamus

Answer: B

Watch Video Solution

34. Hypothalamus does not control

A. Sexual behaviour

B. Osmoregulation

C. Hunger and satiety

D. Creative thinking and consciousness

Answer: D



35. Which part of the brain is involved in loss

of control when a person drinks alcohol ?

A. Thalamus

B. Hypothalamus

C. Pons varoli

D. Cerebellum

Answer: D



36. Which of the following is mismatched ?

A. Cerebrum - Memory

B. Olfactory lobes - Sense of smell

C. Cerebellum - Equilibrium of body

D. Medulla	oblongata	-	Temperature
regulatio	n		
Answer: D			
Watch Video Solution			

37. All the unconscious activities like heartbeat, involuntary breathing and gut peristalsis are controlled by

A. Medulla oblongata

- B. Cerebrum and medulla
- C. Cerebellum and medulla
- D. Cerebrum and cerebellum

Answer: A

Watch Video Solution

38. The spinal cord in man extends from the

A. Medulla oblongata to the coccyx

B. Level of third cervical vertebra to the

соссух

C. Level of the axis to the lowest lumbar

vertebra

D. Medulla oblongata to the level of the

second lumbar vertebra

Answer: D

39. In the spinal cord, white matter is

A. Surrounded by gray matter

B. Mixed with gray matter

C. Around the gray matter

D. Absent

Answer: C

40. Which is a part of spinal cord ?

A. Ventricle

B. Vertebral canal

C. Ventral canal

D. Central canal

Answer: D

41. The central canal of spinal cord is lined by

A. Goblet cells

B. Epithelial tissue

C. Ependymal cells

D. Keratinized epithelium

Answer: C

42. which cranial nerves are purely sensory ?

A. I, II and VIII

B. I, II and IV

C. I, V and VII

D. None of these

Answer: A

43. A list of cranial nerves are given below

 Optic 2. Oculomotor 3. Trochlear 4.
 Trigeminal 5. Abducent
 Select the nerves that are involved in moving the eyes

- A. 1, 2, 3
- B. 2, 3, 5
- C. 2, 3, 4
- D. 2, 4, 5

Answer: B



44. The third, sixth and eleventh cranial nerves in mammals are respectively

A. Trigeminal, abducens and vagus

B. Trochlear, facial and spinal accessory

C. Oculomotor, abducens and hypoglossal

D. Oculomotor, abdunces and spinal accessory

Answer: D



45. In the serial wise arrangement of cranial nerves, after which nerves we got trochlear nerve ?

A. Optic

B. Olfactory

C. Oculomotor

D. Trigeminal





46. The cranial nerve responsible for focusing the eye is

A. Optic

B. Trochlear

C. Oculomotor

D. Trigeminal





47. The fourth, fifth and ninth cranial nerves in mammals are respectively

A. Oculomotor, facial and vagus

B. Trigeminal, facial and spinal accessory

C. Trochlear , facial and glossopharyngeal

D. Pathetic,

trigeminal

and

glossopharyngeal

Answer: D

Watch Video Solution

48. Which of the following are pure motor nerves ?

A. Trochlear and vagus

B. Abducens and auditory

C. Trochlear and abducens

D. Trochlear and trigeminal

Answer: C

Watch Video Solution

49. Trochlear nerve supplies

A. Superior rectus

B. Inferior oblique

C. Superior oblique

D. Nasal epithelium

Answer: C

Watch Video Solution

50. The trigeminal nerve arises from the brain in the region of

A. Pons and divides into ophthalmic,

maxillary and mandibular branches

B. Medulla and divides into palatine, chorda tympani and hyomandibular branches C. Cerebellum and divides into palatine, chorda tympani and hyomandibular branches

D. Cerebellum and divides into ophthalmic,

maxillary and mandibular branches

Answer: A



51. The cranial nerve involved in chewing of food is the

A. Accessory spinal

B. Trochlear

C. Abducent

D. Trigeminal

Answer: D

52. The largest cranial nerve is

A. Optic

B. Facial

C. maxillary

D. Trigeminal

Answer: D

53. Which one of these transmits nerve impulse away from CNS ?

A. Optic

B. Olfactory

C. Abducens

D. Auditory

Answer: C

54. Indicate the correct match in the following

A. II cranial nerve - vagus

B. V cranial nerve - heart

C. VIII cranial nerve - lower jaw muscle

D. VI cranial nerve - external rectus muscle

of eye

Answer: D

55. A mixed cranial nerve is

A. Facial

B. Auditory

C. Abducens

D. Spinal accessory

Answer: A

56. Movement of tongue muscle is controlled

by

A. Hypoglossal nerve

B. Trigeminal nerve

C. Facial nerve

D. Vagus nerve

Answer: A

57. Which of the following cranial nerves are mixed ?

1. Vagus 2. Trigeminal 3. Glassopharyngeal 4.

Auditory

A.1&2 are correct

B. 2 & 4 are correct

C.1&3 are correct

D. 1, 2 & 3 are correct

Answer: D

58. The only cranial nerve which does not supply the cranial region but to visceral region is

A. Vagus

B. Abducens

C. Trigeminal

D. Hypoglossal

Answer: A

59. The lungs, heart and stomach are supplied by

A. Vagus

B. Trigeminal

C. Hypoglossal

D. Glossopharyngeal

Answer: A

60. The inhibitory effect of the vagus nerve on

the heart is due to the secretion of

A. Glycine

B. Dopamine

C. Acetylcholine

D. Norepinephrine

Answer: C

61. Which of the following is not under the

control of vagus nerve ?

A. Gastrointestinal movement

B. Respiratory movement

C. Salivation

D. Heart beat

Answer: C

62. Which of the following cranial is found only

in amniotes ?

A. Vagus

B. Trigeminal

C. Hypoglossal

D. Glossopharyngeal

Answer: C

63. Select the correct statement regarding spinal nerves

A. Dorsal root is motor and sensory both

- B. Ventral root is sensory and motor both
- C. Dorsal root is sensory and ventral root is

motor

D. Dorsal root is motor and ventral root is

sensory

Answer: C

64. After cutting through the dorsal root of a spinal nerve of a mammal, an associated receptor in the skin were simulated, the animal would

A. Show no response

B. Show a normal but slow response

C. Still be able to feel the stimulation

D. Respond but only at a different level of

spinal cord





65. Which of these statements is a correct ?

- A. All arteries carry purified blood
- B. Urine of all vertebrates is similar
- C. All motor fibres leave spinal cord via

ventral root

D. Red blood corpuscles of all vertebrates

are nucleated

Answer: C



66. Which of these is a correct count of the

spinal nerves in man?

A. 9 Cervical, 12 thoracic, 5 lumbar, 5 sacral,

1 coccygeal

B. 8 cervical, 12 thoracic, 5 lumbar, 5 sacral,

1 coccygeal

C. 7 cervical, 12 thoracic, 5 lumbar, 5 sacral,

1 coccygeal

D. 8 cervical, 11 thoracic, 4 lumbar, 6 sacral, 1

coccygeal

Answer: B

67. In a frog, the connection between brain and spinal cord is severed. The leg of such a frog is picked by a sharp needle. Then it is most likely that the animal will

A. Not show any reaction

B. Move the leg that is picked

C. Move the leg and feel the pain

D. Do not move the leg but feel the pain

Answer: B





68. Pavlov is famous for his poineer work on

A. Double circulation

B. Treatment of rabies

C. Mutation in primrose

D. Conditioned reflex in dog

Answer: D

69. Sympathetic nerve fibres in mammals arise from

A. Sacral nerve

B. Cervical nerves

C. Thoracolumbar nerves

D. III, IV, X cranial nerves

Answer: C

70. Post-ganglionic nerve fibres of

sysmpathetic system are

A. Adrenergic

B. Cholinergic

C. Voluntary

D. None of these

Answer: A

71. The neurotransmitter of preganglionic

sympathetic fibre is

A. Dopamine

B. Epinephrine

C. Acetylcholine

D. Norepinephrine

Answer: C

72. Which of these fibres release epinephrine ?

A. Preganglionic parasympathetic fibres

- B. Postganglionic parasympathetic fibres
- C. Postganglionic sympathetic fibres in the

heart

D. Postganglionic sympathetic fibres in

sweat glands

Answer: C

73. Release of cathecholamines from adrenal medulla (human) is an action of

A. Preganglionic sympathetic nerves

B. Postganglionic sympathetic nerves

C. Preganglionic parasympathetic nerves

D. Postganglionic parasympathetic nerves

Answer: B

74. Craniosacral outflow refers to

A. Sympathetic

B. Parasympathetic

C. Both of these

D. None of these

Answer: B

75. A list of cranial nerves are given below

1. Oculomotor 2.Trigeminal 3. Facial 4. Vestibulocochlear 5. Glossopharyngeal 6 Vagus Select the nerves that are part of the parasympathetic division of the ANS

- A. 1, 4, 5, 6
- B. 2, 3, 4, 5
- C. 1, 2, 4, 5
- D. 1, 3, 5, 6

Answer: D



76. Preganglionic fibres is long in

A. Sympathetic

B. Parasympathetic

C. Equal in both

D. None of these

Answer: B

77. Parasympathetic ganglia are located in

A. Next to or within the organs innervated

B. A chain parallel to the spinal cord

C. The root of spinal nerves

D. The brain

Answer: A

78. A polarized neuron is said to be in

A. Action potential

B. Resting potential

C. Conducting stimulus

D. None of these

Answer: B

79. A nerve impulse will travel through a nerve fibre only if its membrane suddenly becomes more permeable to ions of

A. Sodium

B. Calcium

C. Chloride

D. Potassium

Answer: A

80. Sodium pump stop operating during

A. Repolarization

B. Action potential

C. Resting potential

D. None of the above

Answer: B

81. During repolarization of nerve

A. Na^+ channels are closed and K^+ channel are open B. K^+ gate closes and Na^+ gate open C. Both K^+ and Na^+ gates are closed D. Both gates remain open

Answer: A

82. Absolute refractory period during nerve impulse conduction is the period of

A. Repolarization

B. Depolarization

C. Both repolarization and depolarization

D. Neither repolarization and

depolarization

Answer: A

83. At the time of conduction of nerve impulse,

the repolarization occurs with the

A. Efflux of K^+ ions

B. Influx of K^+ ions

C. Efflux of Na^+ ions

D. Efflux of both Na^+ and K^+ ions

Answer: A

84. Saltatory conduction of impulse occurs in

A. Myelinated nerve fibres

B. Nonmyelinated fibres

C. Both of these

D. None of these

Answer: A

85. Unidirectional transmission of nerve

impulse is maintained by

A. Synapses

B. Graymatter

C. Myelin sheath

D. Membrane polarity

Answer: A

86. which of the following helps in transmission of impulse across the synapse ? A. Na^+ B. K^+

C. Ca^{2+}

D.
$$Mg^{2+}$$



87. Once a synaptic junction between neurons has allowed transmission of a nerve impulse, it is made ready to transmit next impulse by the action of

A. Secretin

B. Acetylcholine

C. Cholecystokinin

D. Acetylcholinesterase

Answer: D





88. Among which one of the following groups of chemicals, all are neurotransmitters ?

A. Glycine, dopamine, melatonin

- B. Somatostatin, serotonin, acetylcholine
- C. Noradrenaline, somatostatin, threonine
- D. Acetylcholine, noradrenaline, dopamine

Answer: D

89. Broca's motor speech area occurs in

A. Frontal lobe

- B. Temporal lobes
- C. Temporal and occipital lobes
- D. parietal lobe and partially in temporal

lobe

Answer: A

90. Part of the brain concerned with the

muscular movement is

A. Thalamus


B. Cerebellum

C. Hippocampus

D. Temporal lobe of cerebrum

Answer: B

91. In the diagram of the lateral view of the human brain, parts are indicated by alphabets. Choose the answer in which these alphabets have been correctly matched with the parts which they indicate ?



A. A = Temporal lobe, B = Parietal lobe, C =


Cerebellum, D = Medulla oblongata, E =

Frontal lobe

B. A = Frontal lobe, B = Temporal lobe, C = cerebrum, D = medulla oblongata, E = **Occipital lobe** C. A = Temporal lobe, B = Parietal lobe, C = cerebrum, D = medulla oblongata, E = Frontal lobe D. A = Frontal lobe, B = temporal lobe, C = cerebellum, D = medulla oblongata, E =

Parietal lobe

Answer: D



nerves

D. Abducens nerves are sensory in nature

which of the above statements are correct ?

A. A and D

B. A and B

C. B and C

D. A and C

Answer: B

93. A man is admitted toa hospital. He is suffering from an abnormally low body temperature, loss of appetitie and extreme thirst. His brains scan would probably show a tumor in


A. Pons

B. Cerebellum

C. Medulla oblongata

D. Hypothalamus

Answer: D



A. A = white matter, B = gray matter, C =

ventral root, D = dorsal root, E = spinal

nerve

B.A = gray matter, B = white matter, C =Ventral root, D = Dorsal root, E = spinal nerve C.A = gray matter, B = white matter, C =dorsal root, D = ventral root, E = spinal nerve D.A = white matter, B = gray matter, C =dorsal root, D = ventral root, E = spinal

nerve

Answer: D



95. Which function will be lost due to damaged of occipital lobe

A. Hearing

B. Speech

C. Vision

D. Memory





96. Pain is experienced by

A. Caloreceptor

- **B. Algesireceptor**
- C. Proprioceptor
- D. Hygroreceptor

Answer: B



97. The receptors found in the muscles, tendons and joints are

- A. Visceroceptors
- B. Teloreceptors
- C. Proprioceptor
- D. None of these

Answer: C





98. Cornea is a transparent part of

A. Retina

B. Choroid

C. Sclerotic

D. Conjunctiva

Answer: C

99. which layer of the wall of an eyeball contains abundant blood vessels ?

A. Lens

B. Retina

C. Choroid

D. Sclerotic

Answer: C

100. The black pigment in the eye, which reduces the internal reflection, is located in

A. Pupil

B. Cornea

C. Sclerotic

D. Choroid

Answer: D

101. Eye lens is

A. Convex

B. Concave

C. Biconcave

D. Biconvex

Answer: D

102. Protein found in eye lens is

A. Opsin

B. Callagene

C. Crystallin

D. Rhodopsin

Answer: C

103. If the circular ciliary muscles of the eye are

unable to contract, the

A. Vision will be lost completely

B. Lens will become more convex

C. Lens will be thin and stretched

D. Bright light will have no adverse effect

on retina

Answer: C

104. Anterior chamber of the eye is the space

between

A. Lens and iris

B. Cornea and iris

C. Lens and retina

D. Cornea and lens

Answer: B

105. Aqueous and vitreous humor are divided

by

A. Lens

B. Iris

C. Retina

D. Optic nerve

Answer: A

106. The space between cornea and the lens is

called

A. Anterior chamber

B. Aqueous chamber

C. Vitreous chamber

D. Canal of schlemm

Answer: B

107. The lens and cornea is not having blood supply. So the nutrients are supplied by

A. Retina

B. Eye lash

C. Blind spot

D. Aqueous humor

Answer: D

108. Ora serrata is

A. Anterior edge of sensory portion of the

retina

- B. Gland present in oral cavity of frog
- C. Oral cavity of protochordates
- D. A part of sclera

Answer: A

109. Retina is most sensitive at

A. In front of ora serrata

B. Fovea centralis

C. Blind spot

D.

Answer: C

110. The point in eye of mammals from which optic nerves and blood vessels leave the eye ball is called

A. Blind spot

B. Fovea centralis

C. Yellow spot

D. None of these

Answer: A

111. An area of the retina which does not have

rods of cones is

A. Red spot

B. Blue spot

C. Blind spot

D. Black spot

Answer: C

112. In nocturnal birds, the retina contains mostly

A. Rods

B. Cones

C. Both in equal numbers

D. None of these

Answer: A

113. It is present in rod cells and useful in night

vision,

A. Melanin

B. Rhodopsin

C. Vitamin C

D. Vitamin K

Answer: B

114. Pigment lodopsin in contained in

A. Rod cells

B. Cone cells

C. Amacrine cells

D. Horizontal cells

Answer: B



115. Photopic vision is associated with

A. Rods

B. Cones

C. Both of these

D. Vitreous humor

Answer: B

Watch Video Solution

116. The eye of cat and dog shine (reflect back

the light focused on them) because

A. Cornea is opaque

B. Retina does not have enough rods

C. Retina has only rods and no cones

D. Choroid is provided with tapetum

lucidum

Answer: D

Watch Video Solution

117. The image formed on the eye retina is

A. Erect and real

B. Erect and virtual

C. Inverted and real

D. Inverted and virtual

Answer: C

Watch Video Solution

118. Eyeball can be moved in the orbit by eyeball muscles. The number of eyeball muscles in each eye is

A. Six

B. Four

C. Five

D. Three

Answer: A

Watch Video Solution

119. Myopia (near-sightedness) is a defect in

human eye in which the image is formed

A. In front of retina and can be corrected

by using a concave lens

B. In front of retina and can be corrected

by using a convex lens

C. Behind the retina and can be corrected

by using a concave lens

D. Behind the retina and can be corrected

by using a convex lens

Answer: A

120. Hypermetropia (long sight) is a condition in human eye in which the image is formed

A. Behind retina and can be corrected by using a concave lens

B. Behind retina and can be corrected by

using a convex lens

C. In front of retina and can be corrected

by using a concave lens

D. In front of retina and can be corrected

by using a convex lens

Answer: B

Watch Video Solution

121. If eyeball is shorter, then probable defect

would be

A. Presbyopia

B. Astigmatism

C. Near-sightedness

D. Far-sightedness

Answer: D



122. Lenses used by those who cannot see near

objects are

A. Plain

B. Concave

C. Convex

D. Any of the above

Answer: C



123. Reduction in elastricity of eye lens with

age causes

A. Myopia

B. Cataract

C. Presbyopia

D. Astigmatism

Answer: C



124. Irregular cornea results in

A. Cataract

B. Glaucoma

C. Strabismus

D. Astigmatism

Answer: D

Watch Video Solution

125. Astigmatism can be corrected by using

A. Plain lens

B. Convex lens

C. Concave lens

D. Cylindrical lens





126. Opacity of the lens in the eye lead to

A. Cataract

- B. Hypermetropia
- C. Presbyopia
- D. Astigmatism

Answer: A



127. In the following abnormalities of the eye which one is a serious condition that leads to blindness ?

A. Myopia

B. Glaucoma

C. Presbyopia

D. Astigmatism

Answer: B



128. Glaucoma is due to

- A. Increase in intraatrial pressure
- B. Increase in intraocular pressure
- C. Increase in intravesical pressure
- D. Increase in intraventricular pressure

Answer: B



129. Glaucoma can be caused by

A. Opacity of lens

B. Drying of vitreous humor

C. Increase in the size of eye ball

D. Blockage of canal of schlemm

Answer: D

130. Helicotrema is located at

A. Middle of cochlea

B. Tip of cochlea

C. Start of cochlea

D. Near fenestra ovalis

Answer: B

131. The waxy substance which coats the surface of auditory canal is produced by

A. Zeis glands

B. Parotid glands

C. Meibomian glands

D. Ceruminous glands

Answer: D

132. Identify the correct sequence of organs/ regions in the organization of human ear as an auditory mechanoreceptor organ A. Pinna - Auditory canal - Tympanic membrane - Malleus - incus - Stapes cochlea - Auditory nerve B. Pinna- Malleus- incus- stapes- auditory canal-tympanic membrane C. Pinna - cochlea - Tympanic membrane -Auditory canal - Malleus - Stapes - Incus -

Auditory nerve

D. Pinna - Tympanic membrane - Auditory

canal - Incus - malleus - Stapes - Cochlea -

Auditory nerve

Answer: A

Watch Video Solution

133. Sound is amplified by the

A. Pinna

B. Ear ossicles

C. Round window

D. Tympanic membrane

Answer: B

Watch Video Solution

134. In the human ear, which bone is connected with the tympanum ?

A. Anvil

B. Stirrup

C. Hammer

D. None of these

Answer: C

Watch Video Solution

135. Anvil-shaped bone is

A. Incus

B. Stapes

C. Malleus

D. Columellaaris

Answer: A



136. Which of the following bones is in direct

contact with oval window ?

A. Incus

B. Stapes

C. Malleus

D. All of these

Answer: B



137. Which of the following bones is in contact

with fenestra rotundus ?

A. Incus

B. Stapes

C. Malleus

D. None of these

Answer: D



138. Eustachian tube helps to

A. Equalise pressure on both sides of

tympanum

B. Keep tympanic chamber moist

C. Amplify sound vibrations

D. Maintain balance

Answer: A



139. In the ear of man, the perilymph passes

from middle ot inner ear through

A. Foramen ovalis

B. Fenestra ovalis

C. Fenestra rotundus

D. Tympanic membrane

Answer: B

Watch Video Solution

140. Bony labyrinth is filled with a fluid called

A. Lymph

B. Perilymph

C. Endolymph

D. Heamolymph

Answer: B

Watch Video Solution

141. Nerve impulse for hearing originates in

A. Eardrum

B. Cochlea

C. Ear ossicles

D. Auditory nerve

Answer: B



142. Which of the following is known as 'cochlear duct' ?

A. Scala media

- B. Scala vestibuli
- C. Scala tympani
- D. None of these





143. In the internal ear, the 'organ of corti' which bear hair cells is located in

A. Sacculus

B. Scala media

C. Scala tympani

D. Scala vestibuli

Answer: B



144. Scala vestibuli and scala media contain respectively

A. Endolymph and perilymph

- B. Perilymph and endolymph
- C. Endolymph only
- D. Perilymph only





145. Which of the following arises from the sacculus

- A. Semicircular canals
- B. Endolymphatic duct
- C. Eustachian tube
- D. None of these





146. Which of the following is balancing organ

?

A. Organ of corti

B. Cochlea

C. Vestibular apparatus

D. Oval window





147. Statolith is an organ which helps in

A. Vision

- B. Equilibrium
- C. Tactile stimulation
- D. Chemical stimulation

Answer: B



148. Receptor cells for balance in human ear are located in

A. Utricle, Saccule and semicircular canals

B. malleus, incus and stapes

C. Eustachian tube

D. Organ of corti







149. Otolith is mainly composed of

A. Lipid

B. Calcium carbonate

C. Mucopolysaccharide

D. Calcium phosphate

Answer: B

150. The glands which help in absorbing odoriferous substances to stimulate olfactory nerve are

- A. Bidder's glands
- B. Cowper's glands
- C. Meibomian glands
- D.

Answer: B

151. A molecule cannot be tasted or smelled until it has been

A. Dissolved in a liquid

B. Converted into a liquid

C. Converted into a neurotransmitter

D. Grouped into a multimolecular comlplex

Answer: A

152. The ciliary body

A. Is the part of sclera

- B. is the part of the iris of the eye
- C. Secretes the vitreous humor
- D. Contains smooth muslces that attach to

the lens by suspensory ligaments

Answer: D

153. Given these structures


1. Lens 2. Aqueous humor 3. vitreous humor 4. Cornea

Choose the correct sequence of the pathway

of light from outside to inside the eyeball

A. 4, 2, 1, 3 B. 1, 2, 3, 4 C. 4, 3, 2, 1 D. 1, 4, 2, 3

Answer: A



C. Can cause cataracts if over produced D. Is secreted by iris

Answer: B



155. Given the area of the retina

1. Macula 2. Fovea centralis 3. Optic disc 4.

Periphery of the retina

Choose the arrangement that lists the areas according to the density of cones, starting with the area that has highest density of cones

A. 2, 1, 4, 3

B. 2, 4, 1, 3

C. 1, 2, 3, 4

D. 1, 3, 2, 4

Answer: A

Watch Video Solution

156. Which of the following is correct for lens

focusing, while seeing distant object ?

A. Tight suspensory ligaments and

rounded lens

B. Contracted ciliary muscles and rounded

lens

C. Relaxed ciliary muscles and tight

suspensory ligament

D. Contracted ciliary muscles and relaxed

suspensory ligaments

Answer: C

157. Fovea in the eye is a central pit in the yellowish pigmented spot called

A. Retina

B. Cornea

C. Choroid

D. Macula lutea

Answer: D

158. Match the following

Provides opening Fovea 1. A for entry of light Transduces RGB Iris 2. B. light 3. Pupil C. Transmits information to CNS D. Controls amount of Lens 4. light entering 5. Optic nerve E. Focuses light on the retina

A. 1-D, 2-A, 3-E, 4-B, 5-C

B. 1-A, 2-B, 3-C, 4-D, 5-E

C. 1-B, 2-D, 3-A, 4-E, 5-C

D. 1-E, 2-A, 3-D, 4-C, 5-B





159. High frequency sound waves vibrate the basilar membrane

A. Near the helicoterma

B. Near the oval window

C. In the middle of cochlea

D. Towards tip of cochlea





160. The order of the three layers of cells in the retina of human eye from inside to outside is

A. Ganglion cells, rods, cones

B. Bipolar cells, photoreceptor cells, ganglion cells

C. Ganglion cells, bipolar cells, photoreceptor cells D. Photoreceptor cells, ganglion cells, bipolar cells Answer: C Watch Video Solution **161.** In the statement "there are several ventricles in the brain and some of these

ventricles are connected by foramen of morno.

This foramen connects \underline{X} which are located in the \underline{Y} of the brain" , X and Y stand respectively for

A. Lateral ventricles and cerebral hemisphere B. Third and fourth ventricles in cerebral hemisphere and medulla oblongata C. Lateral ventricles and third ventricles in cerebral hemisphere and

mesencephalon

D. Lateral ventricles and third ventricle in

cerebral hemispheres and diencephalon

Answer: D

Watch Video Solution

162. Which of the following statement is/are

correct ?

(i) Formation of rhodopsin takes place in dark adaptation

(ii) Destruction of rhodopsin takes place in

light adaptation

(iii) Destruction of rhodopsin takes place in

dark adaptation

(iv) Formation of rhodopsin takes place in

light adaptation

A. (i) and (ii)

B. (ii) and (iv)

C. (i) and (iii)

D. (iv) alone

Answer: A





163. Fight or flight activation of the autonomic nervous system causes which of the following to occur ?

- A. Pupli muscle constriction
- B. Blood flow shifts from digestive to

skeletal muscle circulation

C. Constriction of bronchi results

D. Blood glucose drastically decreases

Answer: B



164. The adrenal medulla is a mass of neurons with all of the following characteristics except

A. Its products are tyrosine derived

B. It releases epinephrine

C. It is responsible for the production of

cortisol and aldosterone

D. It is located above the kidney

Answer: C

Watch Video Solution

165. Action potential is


- A. Decremental phenomenon
- B. Does not obey all or none
- C. K^+ goes from ECF to ICF

D. Always same for any one neuron

Answer: D




166. In the figure related to human ear, what do A, B and C stand for respectively



A. Reissners,	Basilar	and	Tectorial
membran	9		
B. Tectorial,	Basilar	and	Reissners
membran	e		
C. Basilar,	Tectorial	and	Reissners
membrane			
D. Basilar,	Reissners	and	Tectorial
membrane			
Answer: C			

Watch Video Solution

167. In the given figure two regions (1) and (2) of a neuron are shown. Which option tells us best the state of the neuron at the two sites and the direction of flow of nerve impulse ?



A. A - depolarised , B - repolarised , A to B

B. A - resting , B - depolarised , B to A

C. A - depolarised , B - resting , A to B

D. A - resting , B - polarised , B to A

Answer: B

Watch Video Solution

168. Which of the following is wrongly matched ?

A. Fovea - Retina

B. Corpus callosum - Forebrain

C. Limbic system - Forebrain

D. Visual purple - Cones

Answer: D

Watch Video Solution

169. Match list-I with list-II and select the correct answer using the codes given below

lists

List-I		List-II	
A.	Sodium gate	1.	Saltatory conduc- tion of nerve im- pulse
В.	Nodes of Ranvier	2.	Synaptic trans- mission
С.	Acetylcholine	3.	Action potential
D.	Photoreceptor	4.	Transduction
		5.	Dendrite

Watch Video Solution

170. Match list-I with list-II and select the correct answer using the codes given below

lists

List-I	List-II
A Action potential	1. Myelinated nerve fibre
B. Neurosecretion	2. Donnan equilibrium
C. Resting potential	3. Hypothalamus
D. Saltatory	4. Depolarisation
	propagation & repolarisation

Watch Video Solution

171. Which one of the following is the correct

sequence of cranial nerves in chordates ?

A. Facial,	abducens,	auditory,		
glossopharyngeal				
B. Auditory,	facial,	abdunces,		
glossophary	ngeal			
C. Abducens,	facial,	auditory,		
glossopharyngeal				
D. Glossophary	ngeal, facial,	auditory,		
abducens				

Answer: C

172. Cochlea is divided into three chambers or spaces

1. Scala vestibuli 2. Scala media 3. Scala tympani

Basilar membrane and Reissner's membrane

are respectively found between

A. (i) and (iii) and (i) & (ii)

B. (i), (ii) and (iii)

C. (ii) & (iii) and (i) & (iii)

D. (ii) and (iii) and (i) & (ii)

Answer: D

Watch Video Solution

173. Consider the following statements sympathetic nervous system is characterised by

- 1. Acetylcholine as neuro secretion
- 2. Fight of flight activities
- 3. Longer preganglionic fibres

- 4. Non-medullated postganglionic fibres
- 5. Arising from thoracic-lumbar portion

A. 1, 2 and 3

- B. 2, 4, and 5
- C. 2 and 4
- D. 1, 3 and 5

Answer: B



174. Consider the following statements regading Na-K Pump 1. It utilizes ATP. 2. It acts on a resting neuron. 3. It invloves efflux of 3 Na^+ per ATP. 4. It involves influx of 2 K^+ per ATP. 5. Metabolic poisons stop the pump. A. 1 and 2

- B. 1, 2 and 5
- C. 3, 4 and 5

D. 1, 2, 3, 4 and 5

Answer: D

Watch Video Solution

175. which statement is false ?

A. The kidney produces a concerterted

urine by etablishing a high concertration

of salt and urea surronding the

collecting ducts

B. The hpothalalmus is a region of the hind brain important in regulating cardiovascular function, such as heart rate and blood pressure C. In typical reflex arcs, impulses in sensory neurons activate motor neuron via interneurons D. A drop in body temperature is countered measures such as increasing by

metabolic rate and shutting down

circulation in the skin.

Answer: B

Watch Video Solution

176. A 35-year-old female patient presents with weakness and spasticity in the left lower extremity, visual impairment and throbbing in her left eye. MRI confirms areas of demyelination in the anterior corpus callosum. Which of the following cells are specifically

targeted in her condition ?

A. Microglia

B. Oligodendrocytes

C. Astrocytes

D. Schwann cells

Answer: B

177. A teenage girl presents for evaluation of hearing loss in her right ear. She has a history of at least 12 episodes of otitis media as a child, at least one time she perforated her eardrum. Her hearing loss is most likely due to

A. Conductive deafness

B. Sensorineural deafness

C. Central deafness

D. Tinnitus

Answer: A



178. What is not true about the sympathetic nervous system ?

A. It has functions antagonistic to those of

parasympathetic system

B. It has bilateral ganglionated cords

C. It has longer post ganglionic fibres

D. It has stimulatory influence on all

involuntary organs, it supplies

Answer: D



179. Stimulation of target organs by the parasympathetic vagus nerve would exert which of the following effects ?

A. Acetylcholine inhibition of the GI tract

B. Norepinephrine-stimulated increase in

the heart rate

C. Norepinephrine inhibition of pancreatic secretion D. Acetycholine-stimulated increase in pancreatic secretion Answer: D Watch Video Solution 180. Digitalis is a drug that block the $Na^+\,/\,K^+\,$ ATPase and causes which of the following consequences?

A. Decreased	intracellular	calcium			
concentratio	concentration				
B. Decreased	intracellular	sodium			
concentratio	on				
C. Decreased	intracellular	potassium			
concentratio	on				
D. increased	extracellular	sodium			
concentratio	on				

Answer: C

181. Given below are a list of certain metabolic effect

(i) Lipolysis (ii) Glycogenesis (iii) Increasedblood glucose (iv) ProteolysisWhich option shows the correct effect by the

hormone of fight or flight ?

A. (i), (ii), (iii)

B. (i), (iii), (iv)

C. (i) , (ii), (iv)

D. All of them

Answer: B

Watch Video Solution

182. Which of the following is not involved in kneejerk reflex ?

A. Muscle spindle

B. Motor neuron

C. Brain

D. Inter neurons

Answer: C

Watch Video Solution

183. Excessive stimulation of vagus nerve in humans may lead to

A. Hoarse voice

B. Peptic ulcer

C. Efficient digestion of proteins

D. Irregular contraction of diaphragm

Answer: B

Watch Video Solution

184. A person is wearing spectacles with concave lenses for correcting vision. While not using the glasses, the image of a distant object in his case will be formed

A. On the blind spot

B. Behind the retina

C. In front of the retina

D. On the yellow spot

Answer: C

Watch Video Solution

185. Unidirectional transmission of nerve impulse through nerve fibre is due to the fact that

A. Nerve fibre is insulated by a medullary sheath B. Sodium pump start operating only at the cyton and then continues into the nerve fibre C. Neurotransmitters are released by dendrites and not by axon endings D. Neurotransmitters are released by the axon endings and not by dendrites

Answer: D



186. Assertion: Our body secretes adrenaline in intense cold.

Reason: Adrenaline raises metabolic rate.

A. If both assertion and reason are true and the reason is the correct explanation of the assertion, then mark

a.

B. If both assertion and reason are true but

the reason is not the correct explanation

of the assertion, then mark b.

C. If assertion is true statement but reason

is false, then mark c.

D. If both assertion and reason are false

statements, then mark d.


Answer: A

187. Given below is a table comparing the effects of sympathetic and parasympathetic nervous system for four feature (1-4). Which

one feature is correctly described ?

S. Feature No.	Sympathetic nervous system	Parasympa- thetic ner- vous system
(1) Salivary glands(2) Pupil of the eye	Stimulates secretion Dilates	Inhibits secretion Constricts
(3) Heart rate	Decreases	Increases
(4) Intestinal peristalsis		Inhibits

188. Examine the diagram of the two cell types A and B given below and select the correct option



A. Cell A is the rod cell found evenly all over

retina.

B. Cell A is the cone cell more concentrated

in the fovea centralis

C. Cell B is concerned with colour vision in

bright light

D. Cell A is sensitive to low light intensities

Answer: B

Watch Video Solution

189. Find out the wrong statement

A. Organ of corti is located on the tectorial membrane B. The membranous semi-circular canals of internal ear are suspended in the perilymph of the bony canals C. At the posterior pole of the lateral to the blind spot, there is a yellowish pigmented spot called marcula lutea with a central pit called the fovea

D. Along with the hypothalamus, the limbic

system is involved in the regulation of

sexual behaviour, expression of

emotional reactions and motivation.

Answer: A

Watch Video Solution

190. In the resting state of the neural membrane diffusion due to concentration gradients, allowed, would drive

A. Na^+ into the cell

B. Na^+ out of the cell

C. K^+ into the cell

D. K^+ and Na^+ out of the cell

Answer: A

Watch Video Solution

191. Injury to vagus nerve in human is not likely

to affect

- A. Pancreation secretion
- B. Cardiac movements
- C. Tongue movements
- D. Gastrointestinal movements

Answer: C

Watch Video Solution

192. Parkinson's diseases (characterised by tremorse and progressive rigidity of limbs) is caused by degeneration of brain neutrons

that are involved in movement control and

make use of neurotransmitter

A. Norepinephrine

B. Acetylcholine

C. GABA

D. Dopamine

Answer: D

193. In a man, abducens nerve is injured. Which

one of the following functions will be affacted

A. Swallowing

B. Movement of the eye ball

C. Movement of the neck

D. Movement of the tongue

Answer: B

194. Which one of the following does not act

as a neurotransmitter?

A. Acetylcholine

B. Epinephrine

C. Norepinephrine

D. Cortisone

Answer: D

195. Which hormone causes dilation of blood vessels, increased oxygen consumption and glucongenesis

A. ACTH

B. Insulin

C. Adrenaline

D. Glucagon

Answer: C

196. Bowman's glands are located in the

- A. Anterior pituitary
- B. Female reproductive system of

cockroach

- C. Olafactory epithelium of our nose
- D. Proximal end of uriniferous tubules

Answer: C

197. During the transmission of nerve impulse through a nerve fibre, the potential on the inner side of the plasma membrane has which type of electric charge ?

A. First positive, then negative and continue to be negative

B. First negative, then positive and

continue to be positive

C. First positive, then negative and again

back to positive

D. First negative, then positive and again

back to negative

Answer: D



198. Which of the following is an example of

negative feedback loop in humans

A. Secretion of tears after falling of stand

particles in to the eye.

B. Salivation of mouth at the sight of

delicious food

C. Secretion of sweat glands and and

constriction of skin blood vessels when

it is too hot.

D. Constriction of skin blood vessels and

contraction of skeletal muscles when it

is too cold

Answer: D

199. Feeling of tremors of an earthquake, a scared resident of seventh floor of a multistoried building starts climbing down the stairs rapidly. Which hormone initiated this action ?

A. Adrenaline

B. Glucagon


C. Gastrin

D. Thyroxin

Answer: A



200. Given below is a diagrammatic cross section of a single loop of human cochlea



Which one of the following options correctly

represents the names of three different parts

A. A : Perilymph, B : Tectorial membrane C :

Endolymph

?

B. B : Tectorial membrane, C : Perilymph, D :

Secretory cells

C. C : Endolymph, D : Sensory hair cells, A :

serum

D. D : Sensory hair cells, A : Endolymph B :

Tectorial membrane





201. The nerve centres which control the body temperature and the urge for eating are contained in

A. Thalamus

- B. Hypothalamus
- C. Pons
- D. Cerebellum





202. When a neuron is in resting state i.e. not conducting any impulse, the axonal membrane is

A. Comparatively more permeable to Na^+

ions and nearly impermeable to K^+

ions

B. Equally permeable to both Na^+ and K^+ ions C. Impermeable to both Na^+ and K^+ ions D. Comparatively more permeable to K^+ ions and nearly impermeable to Na^+

ions

Answer: D

203. The purplish red pigment rhodopsin contained in the rods type of photoreceptor cells of the human eye, is a derivative of

A. Vitamin B_1

B. Vitamin C

C. Vitamin D

D. Vitamin A

Answer: D

204. A person entering an empty room suddenly finds a snake right in front on opening the door. Which one of the following is likely to happen in his neuro-hormonal control system

A. Neurotransmitters diffuse rapidly across

the cleft and transmit a nerve impulse

B. Hypothalamus activates the parasympa-

thetic division of brain

C. Sympathetic nervous system is activated

releasing epinephrin and norepinephrin

from adrenal cortex

D. Sympathetic nervous system is activated

releasing epinephrin and norepinephrin

from adrenal medulla

Answer: D

205. Which part of the human ear plays no role in hearing as such but is otherwise very much required ?

A. Organ of corti

B. Vestibular apparatus

C. Ear ossicles

D. Eustachian tube

Answer: B

206. The human hind brain comparises three

parts, one of which is

A. Corpus callosum

B. Cerebellum

C. Hypothalamus

D. Spinal cord

Answer: B

207. Mention one role of

Hypothalamus

Pons

Watch Video Solution

208. A nerve impulse is generated when the

nerve cell undergoes

A. Hyperpolarisation

B. Repolarisation

C. Depolarisation

D. Pseudopolarisation

Answer: C

Watch Video Solution

209. Cerebrospinal fluid is secreted by

- A. Ependymal epithelium
- B. Choroid plexus
- C. Pituitary body
- D. Pineal body





210. The capacity to differentiate colours lies in

A. Cones

B. Rods

C. Pigment epithelium

D. Ganglion cell layer





211. In ear, the membranous labyrinth is filled with fluid called

A. Endolymph

- B. Perilymph
- C. Plasma
- D. Haemolymph

Answer: A



212. The region of the vertebrate eye, where the optics nerve passes out of the retina and photoreceptor cells are not present in that region is called_____, And it is located on

A. Fovea, iris

B. Iris, Sclera

C. Blind spot, Retina

D. Optic chiasma, Lens

Answer: C

Watch Video Solution

213. The specific receptor responsible for the

balance of the body and posture are

A. Organ of corti

B. Crista and macula

- C. Tectorial membrane
- D. Basilar membrane

Answer: B



214. Smallest bone in human system is

A. Incus

B. Stapes

C. Malleus

D. Maxilla

Answer: B

Watch Video Solution

215. The charge on the other side of the neuron is

 $\mathsf{A.}+Ve$

B. - Ve

C. Zero

D. Alternate -Ve and +Ve

Answer: A

Watch Video Solution

216. Colour perception in man is due to

A. Rhodospin pigment in rod cells

B. lodospin pigment in cone cells

C. lodospin pigment in rod cells

D. Rhodopsin pigment in cone cells





217. Vomitting centre is located in the

A. Medulla oblongata

- B. Stomach and sometimes in duodenum
- C. GI tract
- D. Hypothalamus

Answer: A

218. In $Na^+ - K^+$ pump of active transport there is

A. Efflux of Na^+ and influx of K^+

B. Only efflux of Na^+

C. Influx of Na^+ and efflux of K^+

D. Influx and efflux of Na^+ only

Answer: A





219. Which one of the following does not act

as a neurotransmitter?

A. Acetylcholine

B. Glutamic acid

C. Epinephrine

D. Tyrosine

Answer: D

220. Which is thickened to form organ of corti

A. Tectorial membrane

- B. Reissner's membrane
- C. Basilar membrane
- D. All of the above

Answer: C

221. Satiety centres of brain is present on

A. Cerebral hemisphere

B. Hypothalamus

C. Cerebellum

D. Medulla oblongata

Answer: B

222. The part of hind brain that is responsible

for hand eye coordination is

A. Pons varoli

B. Thalamus

C. Cerebellum

D. Medulla oblongata

Answer: C

223. Which of the following is not related to

the autonomic nervous system ?

A. Peristalsis

B. Digestion

C. Excretion

D. Memory and learning

Answer: D

224. The bactericidal protein present in human

tears is

A. Transducin

B. Lysozyme

C. Opsin

D. Retinene

Answer: B

225. The brain stem is made up of		
A. Midbrain, pons, cerebellum		
B. Midbrain, pons, medulla oblongata		
C. Diencephalon,	medulla	oblongata,
cerebellum		
D. Cerebellum,	cerebrum,	medulla
oblongata		

Answer: B

226. Movement of tongue muscle is controlled

by

A. Facial nerve

B. Trigeminal nerve

C. Hypoglossal nerve

D. Vagus nerve

Answer: C

227. Which centre is stimulated during increase in body temperature ?

A. Anterior hypothalamus

B. Posterior hypothalamus

C. Limbic system

D. Red nucleus

Answer: A

228. Which function will be lost due to damage

of occipital lobe ?

A. Hearing

B. Speech

C. Vision

D. Memory

Answer: C

229. The optic lobes in humans are

represented by the corpora

A. Bigemina

B. Arenacea

C. Allata

D. Quadrigemina

Answer: D

230. Identify the origin of sympathetic nerve fibres and the location of their ganglia

A. They arise from thoraco-lumber region

of spinal cord and form ganglia just

beside the vertebral column

B. They arise from thoraco-cervical region

of spinal cord and form ganglia just

beside the vertebral column

C. They arise from thoraco-sacral region of spinal cord and form ganglia very close effector organ D. They arise from thoraco-lumber region of spinal cord and form ganglia very close effector organ

Answer: A

231. The number of spinal nerves in human is

A. 10 pairs

B. 12 pairs

C. 43 pairs

D. 31 pairs

Answer: D

232. During synaptic transmission of nerve impulse, neurotransmitter (p) is released from synptic vesicles by the section of ions (Q). Choose the correct P and O

A. P = acetylcholine, Q = Ca^{++}

B. P = acetylcholine, Q = Na^{++}

C. P = GABA, Q = Na^+

D. P = cholinesterase, Q = Ca^{++}

Answer: A





233. Third and fourth ventricles of the brain

are connected by

A. Aqueduct of sylvius


B. Foramen of monro

C. Foramen of magnum

D. Corpus callosum

Answer: A

234. Parts A, B, C and D of the human eye are shown in the diagram. Select the option which gives correct identification along with its functions/ characteristics



A. C - aqueous chamber - reflects the light

which does not pass through the lens

B.D - choroid - its anterior part forms

ciliary body

C. A - Retina - contains photo receptors -


rods and cones

D. B - Blind spot - has only a few rods and

cones

Answer: C

235. A diagram showing axon terminal and synapes is given. Indentify correctly at least two of A-D.



A. A - Neurotransmitter B - Synaptic cleft

B. C - Neurotransmitter D - Ca^{++}

C. A - Receptor C - Synaptic vesicles

D. B - Synaptic connection D - K^+

Answer: C

Watch Video Solution

236. A pregnant female delivey a baby who suffers from stunted growth, mental regardation, Low intelligence quotient and abnormal skin. This is the result of,

A. Cancer of the thyroid gland

B. Over secretion of pars distalis

C. Deficiency of iodine in diet

D. Low secretion of growth hormone

Answer: C

Watch Video Solution

237. Injury localized to the hypothalamus would most likely disrupt

A. Regulation of body temperature

B. Short - term memory

C. Co-ordination during locomotion

D. Executive functions, such as decision

making

Answer: A

Watch Video Solution

238. Fight or flight reaction cause activation of

A. The pancreas leading to a reduction in the blood sugar levels B. The parathyroid glands, leading to in creased metabolic rate C. The kidney, leading to suppression of renin-angiotensis-aldosterone pathway D. The adrenal medulla, leading to increased secretion of epinephrine and norepinephrine

Answer: D



239. Which one of the following statements is not correct ?

A. Rhodospin is the purplish red protein
present in rods only
B. Retina is the light absorbing portion of
visual photo pigments
C. In retina the rods have the photo

pigment rhodopsin while cones have

three different photopigments.

D. Retina is a derivative of vitamin C

Answer: D

Watch Video Solution

240. A gymnast is able to balance his body upside down even in the total darkness because of

A. Vestibular apparatus

B. Tectorial membrane

C. Organ of corti

D. Cochlea

Answer: A

Watch Video Solution

241. Which of the following regions of the brain is incorrectly paired with its function ?

A. Cerebellum - language comprehension

B. Corpus callosum - communication between the left and right cerebral cortices C. Cerebrum - calculation and contemplation

D. Medulla oblongata - homeostatic control

Answer: A

242. Destruction of the anterior horn cells of

the spinal cord would result in loss of

A. Sensory impulses

B. Voluntary motor impulses

C. Commissural impulses

D. Integrating impulses

Answer: B

243. In mammalian eye, the 'fovea' is the centre

of the visual field, where

A. High density of cones occur, but has no

rods

B. The optic nerve leave the eye

C. Only rods are present.

D. More rods than cones are found

Answer: A

244. Photosensitive compound in human eye is

made up of:

A. Opsin and Retinal

B. Opsin and retinol

C. Transducin and retinene

D. Guanosine and Retinol

Answer: A

245. Choose the correct statement.

A. Nociceptors respond to change in presure. B. Meissner's corpuscles are thermoreceptors. C. Photoreceptors in the human eye are depolarized during darkness and become hyperpolarized in response to the light stimulus

D. Receptors do not produces graded

potentials.

Answer: C



246. Receptor sites for neurotransmitters are

present on

A. Membranes of synaptic vesicles

B. Pre-synaptic membrane

C. Tips of axons

D. Post-synaptic membrane

Answer: D

Watch Video Solution

247. Mention any one role of

Cerebellum

Cerebrum

248. Which of the following structures or regions is incorrectly paired with function? A. Corpus : band of fibres connecting left and right cerebral hemispheres. B. Hypothalamus : production of releasing hormones and regulation of temperature, hunger and thirst. C. Limbic system : Consists of fibres tracts that interconnect different regions of brain, control movement.

D. Medulla oblongata : Controls respiration

and cardiovascular reflexes.

Answer: C

Watch Video Solution

249. The transparent lens in the human eye is

held in its place by

A. Smooth muscles attached to the ciliary

body

B. Smooth muscles attached to the iris

C. Ligaments attached to the iris

D. Ligaments attached to the ciliary body

Answer: D

Watch Video Solution

250. Nissi bodies are mainly composed of

A. Free ribosomes and RER

B. Nucleic acids and SER

C. DNA and RNA

D. Proteins and lipids

Answer: A