

# BIOLOGY

## NTA MOCK TESTS ENGLISH

### NTA NEET SET 40

#### Biology

1. The smallest disease - causing agent is ....  
and it is made up of .....

(a) (i) mycoplasma (ii) proteins and nucleic

acids

(b) (i) prions, (ii) Proteins only

(c) (i) viroids, (ii) nucleic acids only

(d) (i) viroids, (ii) proteins only

A. (i) mycoplasma (ii) proteins and nucleic acids

B. (i) prions, (ii) Proteins only

C. (i) viroids, (ii) nucleic and only

D. (i) viroids, (ii) proteins only

**Answer: B**



[Watch Video Solution](#)

2. Select the odd one with respect to the chemical nature of a hormone ?

- A. Peptide and polypeptide
- B. Steroid and iodothyronine
- C. Steroids and amino acid derivative
- D. Nucleic and derivatives

**Answer: D**



[Watch Video Solution](#)

3. In plant nutrition elements are classified as major or minor depending on

A. Their availability in the soil

B. Their relative production in the ash obtained after burning the plants

C. The relative amounts required by the plants

D. Their relative importance in plant growth

**Answer: C**



**Watch Video Solution**

4. Hormones which interact with the membrane - bound receptors normally do not enter the target cell but generate second messengers. These second messengers are referred as

A. Calcium ion the inositol - 3 phosphate

B. Inositol 3- phosphate and CAMP

C. cAMP and calcium ion

D. All of above

**Answer: D**



**Watch Video Solution**

**5. Organisms called Methanogens are most abundant in a**

A. Sulphur rock

B. Cattle yard

C. Polluted stream

D. Hot spring

**Answer: B**



**Watch Video Solution**

**6. The alpha and beta cells are found in**

A. Islets of Langerhans

B. Pancreatic duct

C. Accessory Pancreatic duct

D. Pancreatic acini

**Answer: A**



**Watch Video Solution**

7. Select the option having the fungi which belong to the same class

A. Agaricus and Aspergillus

B. Rhizopus and yeast

C. Morchella and saccharomyces

D. Mucor and yeast

**Answer: C**



**Watch Video Solution**

**8.** The structure that lies at the base of thalamus in the human brain is

A. the structure responsible for the synthesis of oxytocin

B. the structure which forms the major  
part of brain

C. the association area


D. the amygdala

**Answer: A**



**Watch Video Solution**

**9. Identify the labeling A,B and C this plasmid  
given below.**



(a)  $A: Amp^R$ ,  $BTet^R$  and  $C: ROP$

(b)  $A: Tet^R$ ,  $B: Amp^R$  and  $C: ROP$

(c)  $A: Amp^R$ ,  $B: Kan^R$  and  $C: ROP$

(d)  $A: Tet^R$ ,  $B: kan^R$  and  $C: ROP$

A.  $A: Amp^R$ ,  $BTet^R$  and  $C: ROP$

B.  $A: Tet^R$ ,  $B: Amp^R$  and  $C: ROP$

C.  $A: Amp^R$ ,  $B: Kan^R$  and  $C: POR$

D.  $A: Tet^R$ ,  $B: kan^R$  and  $C: ROP$

**Answer: A**



**Watch Video Solution**

**10.** The process of responding to peripheral nerve stimulation that occurs involuntarily is referred to as

(a) Reflex action

(b) Action potential

(c) Nerve impulses

(d) Co - ordination

A. Reflex action

B. Action potential

C. Nerve impulses

D. Co - ordination

**Answer: A**



**Watch Video Solution**

**11.** The main role of bacteria in the carbon cycle involves

A. assimilation of nitrogenous compound

B. Photosynthesis

C. Chemosynthesis

D. digestion or breakdown of organic

**Answer: D**



**Watch Video Solution**

12. Joints which are fused end - to - with the help of dense fibrous connective tissue are referred to as

A. Sutures

B. Synovial joints

C. Cartilaginous joint

D. ball and socket joint

**Answer: A**



**Watch Video Solution**

**13.** Pinus is a gymnosperm because it

(a) bears pollen grains

(b) Is a large tree growing in colder areas

(c) lacks ovary but possesses exposed ovules

(d) Possesses vascular tissues

A. bears pollen grains

B. Is a large tree growing in colder areas

C. lacks ovary but possesses exposed  
ovules

D. Possesses vascular tissues

**Answer: C**



**Watch Video Solution**

**14.** which of the following is considered as anatomical unit of muscle?

A. muscle fibre

B. Sarcomere

C. filaments


D. Sutures

**Answer: A**



**Watch Video Solution**

**15.** Identify the process involved ,recognizing labels 1,2 and 3



- A. Photosynthesis
- B. Respiration in plants
- C. Transpiration process
- D. None

**Answer: C**



**Watch Video Solution**

**16.** Ammonia , urea uric acid , carbon dioxide ,  
water and ions like  $Na^{+}$ ,  $K^{+}$ ,  $Cl^{+}$   
Phosphate, sulfate, etc., are


- A. Excretory substances
- B. Metabolic products
- C. Respiratory substances
- D. both (a) and b)

Answer: D



Watch Video Solution

17. Identify 'X' from the diagram below .



A. Degenerate ( destroyed ) secondary  
nucleus

B. Remnant of nucellus ( persistent nucellus )

C. Peripheral ( outer ) part of endosperm

D. Degenerate ( destroyed ) synergids

**Answer: B**



**Watch Video Solution**

**18.** The iron free compound of haemoglobin is

A. Globin

B. Haematin

C. Bilirubin

D. Haemotoxin

**Answer: A**



**Watch Video Solution**

**19.** In gymnosperms the pollination is

A. Micropylar and anemophilous

B. Micropylar - entomophilous

C. Stigmatic - anemophilous

D. Stigmatic - entomophilous

**Answer: A**



**Watch Video Solution**

**20. Oxygen dissociation curve of haemoglobin is**

A. S shape

B. sigmoid shape

C. Hyperbola

D. Both (a) and ( b )

**Answer: D**



**Watch Video Solution**

**21.** A process where the diploid cell of an ovule outside the embryo sac developing into another embryo sac with reduction is known as

- A. Parthenogenesis
- B. Apospory
- C. Double fertilization
- D. Endosperm formation

**Answer: B**



**Watch Video Solution**

**22.** A specialized center called respiratory rhythm center is primarily responsible for the regulation of respiration . It is located in

A. Cerebellum

B. the lower part of the brain

C. the top portion of the brainstem

D. none of these

**Answer: B**



**Watch Video Solution**

**23.** What is not the incorrect sequence of prophase I of meiosis ?

A. Leptotene , pachytene, zygotene ,  
diakinesis diplotene

B. Diplotene , leptotene, pachytene,  
zygotene , diakinesis

C. Diakinesis , diplotene , leptotene ,  
zygotene , pachytene .

D. Leptotene , zygotene , pachytene ,  
diplotene, diakinesis

**Answer: D**



**Watch Video Solution**

**24.** The principle organ in humans involved in the absorption of nutrients like glucose ,fructose, fatty acids , glycerol and amino acids is

A. Stomach

B. Small intestine

C. Mouth

D. large intestine

**Answer: B**



**Watch Video Solution**

**25.** Which character marks the beginning of the second phase of mitosis ?

- A. Appearance of chromosomes
- B. Initiation of spindle
- C. Disintegration of nuclear envelope
- D. Formation of equatorial plate

**Answer: C**



**26.** What are the steps of the endomembrane system ?

A. The proteins and lipids get wrapped in a vesicle , drifted to Golgi , attach to cis - Golgi , move through Golgi , exit trans - Golgi in a new vesicle , drift to the cell membrane , and exocytosis .

B. The proteins and lipids get wrapped in a vesicle , drifted to the endoplasmic reticulum , attach to trans Golgi , move through Golgi , exit cis Golgi in a new vesicle , drift to the cell membrane , and exocytosis .

C. The carbohydrates and lipids get wrapped in a vesicle , drifted to Golgi , attach to cis Golgi , move through Golgi ,

exit trans Golgi in a new vesicle , drift to the cell membrane , and exocytosis .

D. The nucleic acids and lipids get wrapped in a vesicle , drifted to the endoplasmic reticulum, attach to trans Golgi , move through Golgi , exit cis Golgi in a new vesicle , drift to the cell membrane , and exocytosis .

**Answer: A**



**Watch Video Solution**

27. A fleshy folds of tissue , which extends down from mons pubis and surrounds vaginal orifice is

(a) labia minora

(b) labia majora

(c) clitoris

(d) hymen

A. labia minora

B. labia majora

C. clitoris

D. hymen

**Answer: B**



**Watch Video Solution**

**28.** Read the following four statements (i -iv)

(i) Every chromosome essentially has a primary constriction or the centromere.

(ii) During different stages of cell division, cells show structured chromosomes in place of the nucleus .

(iii) Nuclear pores are the passages through which movement of RNA and Protein takes place in one direction between the nucleus and cytoplasm.

(iv) Chromatin contains DNA, some basic proteins called histone and RNA only .

How many of the above statement are correct

A. Four

B. One

C. Two

D. Three

**Answer: C**



**Watch Video Solution**

**29.** An inverted pear - shaped organ attached to the pelvic wall involved in reproduction is

A. Womb

B. Uterus

C. Breast

D. Both (a) and (b)

**Answer: D**



**Watch Video Solution**

**30.** Shape of the cell may vary depending on

- (a) Mode of nutrition
- (b) Type of nucleus
- (c) The volume of cytoplasm
- (d) Function they perform

**A.** Mode of nutrition

**B.** Type of nucleus

C. The volume of cytoplasm


D. Function they perform

**Answer: D**



**Watch Video Solution**

31. Identify the structures labelled as A and B .



	<i>A</i>	<i>B</i>
A.	Spermatogonia	Spermatid

- B.  $A$   $B$   
Oocyte Spermatozoa
- C.  $A$   $B$   
Spematid Spermatozoa
- D.  $A$   $B$   
Spermatogonia Spermatozoa

**Answer: D**



**Watch Video Solution**

**32.** Which one of the following statements pertaining to plant structure is correct ?

A. The shoot apical meristem has a quiescent centre .

B. Cork lacks stomata but lenticels carry out transpiration

C. Passage cells help in transfer of food from cortex to phloem

D. Sieve tube elements possess cytoplasm but no nuclei .

**Answer: D**



**Watch Video Solution**

**33.** The oral contraceptives developed by CDRI has lesser side effects because it

- (a) contains a non - steroidal preparation
- (b) contains both estrogen and progesterone
- (c) inhibits ovulation and implantation
- (d) has to be taken for a period of 21 days

A. contains a non - steroidal preparation

B. contains both estrogen and  
progesterone

C. inhibits ovulation and implantation

D. has to be taken for a period of 21 days .

**Answer: A**



**Watch Video Solution**

**34.** When a meristematic tissue "Cambium" is present inside a vascular bundle, the bundle is said to be

A. Conjoint

B. Open

C. Closed

D. Collateral

**Answer: B**



**Watch Video Solution**

**35.** Which of the following barrier methods are made of rubber ?

A. Cervical cap

B. Multiload 375

C. Progestasert

D. Lippes loop

**Answer: A**



**Watch Video Solution**

**36.** which of the following is not correct with respect to binomial nomenclature ?

A. The naming system of binomial nomenclature was given by Carolus Linnaeus and is being practised by biologists all over the world .

B. Both the words in a biological name , when handwritten , are separately underlined , or printed in italics to indicate their Latin origin

C. The first word starts with a capital letter while the second one starts with a small

letter .

D. The first word in biological name represents the specific epithet while the second component denotes the genus.

**Answer: D**



**Watch Video Solution**

**37.** A person injured in a road accident and requiring an urgent immune response was

brought to a doctor.

Define the type of immunity.

- A. Artificially acquired active immunity
- B. Naturally acquired active immunity
- C. Naturally acquired passive immunity
- D. Artificially acquired passive immunity

**Answer: D**



**Watch Video Solution**

**38.** What is the function of the rich protein layer found in *Euglena* instead of a cell wall ?

- A. It contributes to photosynthesis .
- B. It helps in locomotion
- C. It contributes to flexibility
- D. It allows the organism to be heterotrophic in the absence of sunlight.

**Answer: D**





39. choose the incorrect match with respect to disorder and their associated clinical condition .

A.

Disorder	Associated clinical condition
Cardiac arrest	When heart stops beating

B.

Disorder	Associated clinical condition
Heart attack	When the heart muscle is suddenly damaged

C.

Disorder	Associated clinical condition
Heart failure	When the heart is not pumping blood effectively

D.

Disorder	Associated clinical condition
Ischemic heart disease	Causes due to deposition of calcium, fat, cholesterol and fibrous tissue, which makes the lumen of arteries narrower

**Answer: C**



**Watch Video Solution**

**40. Assertion :** The megaspore mother cell divides mitotically to produce four spores

**Reason :** Megaspore mother cells are diploid and megaspore is haploid.

A. Both statements are true and statement

II is a correct explanation of Statement I.

- B. Both statements are true but statement II is not a correct explanation of Statement I.
- C. Statement I is true but statement II is wrong.
- D. Statement I is wrong but statement II is true.

**Answer: D**



**Watch Video Solution**

**41.** Cannabinoid receptors are principle present in

A. Brain

B. Bone marrow

C. Muscles

D. Gonads

**Answer: A**



**Watch Video Solution**

**42.** If diploid chromosome number in a flowering plant is 12, then which one of the following will have only 6 chromosomes

A. Endosperm

B. Leaf cells

C. Cotyledons

D. Synergids

**Answer: D**



**Watch Video Solution**

**43.** In a population of 1000 individuals 360 belong to genotype AA, 480 to Aa and the remaining 160 to aa. Based on this data, the frequency of allele A in the population is

- A. Evolution
- B. Inbreeding
- C. Gene migration
- D. Genetic equilibrium

**Answer: A**



**Watch Video Solution**

**44.** How many of the following statements is / are incorrect ?

A. Nuclear type of endosperm is the rarest type of endosperm ,in which the nucleus remains intact.

B. Cellular type of endosperm involves both karyokinesis and cytokinesis, simultaneously.

C. Cellular type of endosperm is found in coconut .

A. One

B. Two

C. Three

D. None

**Answer: B**



**Watch Video Solution**

**45.** A more ape - like form was observed in .....

While ..... Was more man - like .

A. Dryopithecus and Ramapithecus

B. Ramapithecus and Java man

C. Java man and Peking man

D. Neanderthal man and Cro - magnon man

**Answer: A**



**Watch Video Solution**

**46.** Nucellar embryo is

A. Apomictic haploid

B. Apomictic diploid

C. Amphimictic haploid

D. Amphimictic diploid

**Answer: B**



**Watch Video Solution**

**47.** The size of the brain of Neanderthal is about

A. 1400 cc

B. 900 cc

C. 600 cc

D. 1600 cc

**Answer: A**



**Watch Video Solution**

**48.** The period of viability in seeds vary from species to species . Which of the following plants has seeds with the highest recorded period of viability ?

A. Orobanche uniflora

B. Striga asiatica

C. Phoenix dactylifera

D. Lupinus arcticus

**Answer: D**



**Watch Video Solution**

**49.** Which of the statement about breeding is wrong

A. By inbreeding purelines cannot be evolved

B. Continued inbreeding , especially close inbreeding increases fertility and productivity

C. Cross - breeding allows desirable qualities of two different breeds to be combined

D. Inbreeding exposes harmful recessive genes that are eliminated by selection

**Answer: B**



**Watch Video Solution**

**50.** Which of the following statements are correct ?

A. Ginger , Potato , onion and zamikand

B. Bryophyllum and Kalanchoe

C. Pistia , Chrysanthemum and pineapple

D. Sweet potato , Asparagus , Tapioca and  
Dahlia

**Answer: D**



**Watch Video Solution**

**51.** Arrange the following structures according to their decreasing number .

1. Hepatic or gastric caeca
2. Malpighian tubules
3. Ommatidia

A. Malpighian tubule > Ommatidia >

Hepatic caeca

B. Ommatidia > Malpighian tubule >

Hepatic caeca

C. Hepatic caeca > Ommatidia >

Malpighian tubule

D. Malpighian tubule > Ommatidia >

Hepatic caeca

**Answer: B**



**Watch Video Solution**

52. If a double - stranded DNA has 30% of guanine , what will be the percentage of adenine and thymine base pairs ?

A. 20 %

B. 30 %

C. 40 %

D. 60 %

**Answer: C**



**Watch Video Solution**

**53.** How many of the following substances given in the list below are secreted by exocrine glands ?

Saliva, oil, digestive enzymes, thyroxine, FSH, mucus , insulin , earwax.

A. Five

B. Four

C. Six

D. Three

**Answer: A**



**Watch Video Solution**

**54.** When a phosphate group is linked to '5' OH of deoxyadenosine by phosphodiester linkage , a corresponding nucleotide is formed, which is

- A. Adenosine
- B. Adenylic acid
- C. Adenine
- D. Deoxyadenylic acid

**Answer: D**



**Watch Video Solution**

**55.** Comb plates for locomotion are found in :

A. Porifera

B. Cnidaria

C. Ctenophora

D. Mollusca

**Answer: C**



Watch Video Solution

**56.** Which of the following is incorrect about nucleosome ?

- A. Histones are organized to form a unit of eight molecules called a histone octamer
- B. The negatively charged DNA is wrapped around the positively charged histone octamer .

C. Nucleosome constitute the repeating unit of a structure in nucleus called chromatin

D. The nucleosome in chromatin are seen as 'Beads on string' structure when viewed under light microscope .

**Answer: D**



**Watch Video Solution**

57. Which of the following organisms is not radially symmetrical ?

A. Pila

B. Echinus

C. Cucumaria

D. Ctenoplane

**Answer: A**



**Watch Video Solution**

58. To determine the type of organic compounds found in living organisms, the living tissue is ground in

- A. Trichloroacetic acid
- B. Trichloroamino acid
- C. Trichlorobenzoic acid
- D. Trichlorobutyric acid

**Answer: A**



**Watch Video Solution**

**59.** Which of the following present in maximum percentage in living matter ?

A. Carbon

B. Nitrogen

C. Oxygen

D. Potassium

**Answer: C**



**Watch Video Solution**

**60.** Which of the following organism is not radially symmetrical ?

A. Reptiles and birds

B. Snails and insects

C. Insects and birds

D. All of the above

**Answer: D**



**Watch Video Solution**

61. The efficiency of an enzyme in catalyzing a reaction is due to its capacity

A. By increasing activation energy of the reaction

B. By decreasing activation energy of the reaction

C. By supplying heat energy

D. First increases and then decreases activation energy

**Answer: B**



Watch Video Solution

62. By an angiogram ,it was analyzed that there is a restriction to the flow of blood in the blood vessels. Which of the following disease can arise due to such a medical condition ?

A. Angina pectoris and coronary artery disease

B. Heart failure and AMS

C. Diabetes and arteriosclerosis

D. Emphysema and atherosclerosis

**Answer: A**



**Watch Video Solution**

**63.** Which of the following fruit develops from monocarpellary or multicarpellary syncarpous ovary and forms a single fruit ?

A. Simple fruit

B. Aggregate fruit

C. Multiple fruit

D. Composite fruit

**Answer: A**



**Watch Video Solution**

**64.** Which of the following is not medicinal plant ?

A. Muliathi

B. Aloe vera

C. Belladonna

D. Indigofera

**Answer: D**



**Watch Video Solution**

**65.** Which of the following statement is incorrect ? .

A. In Australian acacia , the petioles expand, become green and synthesize food.

B. If more than two leaves arise at a node and form a whorl , it is called whorled , as in mustard.

C. In palmately compound leaves , the leaflets are attached at a common point , i.e., at the petiole , as in silk cotton .

D. Leaves of dicotyledonous plants generally possess reticulate venation , while parallel venation is the characteristic of most monocotyledons.

**Answer: B**



**Watch Video Solution**

**66.** Study of the seed is called

A. Aleurone layer

B. Scutellum

C. Coleoptile

D. Coleorhizae

**Answer: A**



**Watch Video Solution**

**67.** According to Allen's rule, the mammals from colder climates have

A. Shorter ears and longer limbs

B. Shorter ears and shorter limbs

C. Longer ears and shorter limbs

D. Longer ears and longer limbs

**Answer: B**



**Watch Video Solution**

**68.** At freezing point of a solution there is always

A. Competitive inclusion

B. Competitive release

C. Gause's principle

D. Resource portioning

**Answer: B**



**Watch Video Solution**

**69.** Match the gases in column - I with their source in column - II.

	Column-I	Column-II
(A)	Nitrous oxide ( $\text{N}_2\text{O}$ )	(1) Secondary pollutant from car exhausts
(B)	Chlorofluorocarbons (CFCs)	(2) Combustion of fossil fuels, wood, etc.
(C)	Methane ( $\text{CH}_4$ )	(3) Denitrification
(D)	Ozone ( $\text{O}_3$ )	(4) Refrigerators, aerosol, sprays
(E)	Carbon dioxide ( $\text{CO}_2$ )	(5) Cattle dung and toilets

A.  $\begin{matrix} A & B & C & D & E \\ 3 & 4 & 5 & 1 & 2 \end{matrix}$

B.  $\begin{matrix} A & B & C & D & E \\ 5 & 1 & 3 & 4 & 2 \end{matrix}$

C.  $\begin{matrix} A & B & C & D & E \\ 4 & 5 & 1 & 2 & 3 \end{matrix}$

D.  $\begin{matrix} A & B & C & D & E \\ 1 & 3 & 4 & 5 & 2 \end{matrix}$

**Answer: A**



**Watch Video Solution**

70. Water ( prevention and control of pollution ) Act was passed in the year

A. 1974

B. 1987

C. 1995

D. 1986

**Answer: A**



**Watch Video Solution**

71. Which of the following is incorrect about the experiment performed by T. W. Engelmann ?

A. The experimental organism used was *Cladophora* (green algae).

B. For the experimental purpose, the suspension of aerobic bacteria was utilized .

C. The bacteria accumulated mainly in the region of the orange and green parts of

the light spectrum.

D. For splitting of light into its spectral component prism was used .

**Answer: C**



**Watch Video Solution**

**72.** Find out the incorrect statement from the following.

A. Dark reaction depends on the product formed by light reaction.

B. In stroma, enzymatic reactions incorporate  $CO_2$  into the plant leading to the synthesis of sugar.

C. Purple and green sulphur bacteria use  $H_2S$  as hydrogen donor.

D. There is no division of labour in chloroplast.

**Answer: D**



Watch Video Solution

**73.** Which of the following reaction involved substrate - level phosphorylation ?

A. 2 - phosphoglycerate to 2 -

phosphoenolpyruvate

B. Fructose to Fructose - 6 - phosphate

C. Phosphoenolpyruvic acid to pyruvic acid

D. Fructose 1, 6 -bisphosphate to PGAL and

DHAP

**Answer: C**



**Watch Video Solution**

**74.** In an electron transport chain , the cytochrome which donates electrons to  $O_2$  is

- A. Cytochrome b
- B. Cytochrome c
- C. Cytochrome  $a_3$
- D. Cytochrome a

**Answer: C**



**Watch Video Solution**

**75.** The following experiment was performed to test the effect of auxin on the plant growth . Five plant seedlings ( all growing actively ) were prepared as below , they were unilaterally illuminated ,and growth was measured after 10 days.

Treatments :

Plant A : Tip not removed , nothing applied

Plant B : Tip removed , nothing applied

Plant C : Tip removed , gelation block with cytokinin was placed on the cut edge

Plant D : Tip removed gelation block with auxin placed on the cut edge.

A. A and B

B. A and D


C. B and C

D. A, B, C and D

**Answer: B**



76. In the below diagrams, A and B are initial areas of leaves. A' and B are areas of leaves after growth . Which of the following is correct ?



A. Both relative and absolute growth of leaves are same

B. Absolute growth is same , but relative growth is different

C. Absolute growth is different , but relative growth is the same

D. Both absolute and relative growth of leaves are different

**Answer: C**



**Watch Video Solution**

77. Conversion of milk to curd improves its nutritional value by increasing the amount of

A. Vitamin D

B. Vitamin  $B_{12}$

C. Vitamin A

D. Vitamin E

**Answer: B**



**Watch Video Solution**

**78.** Study of the seed is called

- A. Downstream processing
- B. Bioprocessing
- C. Postproduction processing
- D. Upstream processing

**Answer: A**



**Watch Video Solution**

## 79. State True or False

- (i) Heterozygous female for haemophilia may transmit the disease to sons
- (ii) Affected individuals with phenylketonuria lack an enzyme that converts the amino acid phenylalanine into phenylpyruvic acid
- (iii) Klinefelter's syndrome is caused due to the presence of an additional copy of X-chromosome resulting in a karyotype of  $47/XXX$
- (iv) Failure of segregation of homologous pair

of chromosomes during cell division cyclic results in Turner's syndrome.

- A. Down's syndrome
- B. AIDS
- C. Turner's syndrome
- D. Klinefelter's syndrome

**Answer: A**



**Watch Video Solution**

**80.** Find out the total number of mendelian disorders from the following :

Cystic fibrosis , Haemophilia, sickle cell anaemia , colour blindness , Thalassemia, phenylketonuria

A. 4

B. 5

C. 6

D. 3

**Answer: C**



Watch Video Solution

**81.** A diseased man marries a normal woman. They get three daughters and five sons. All the daughters were diseased and sons were normal. The gene of this disease is

A. Sex - linked dominant

B. Sex- linked recessive

C. Autosomal recessive


D. Autosomal dominant

**Answer: A**



**Watch Video Solution**

**82.** Analyze the pedigree chart that is given below and select the correct option.



A. Inheritance of a sex - linked inborn error of metabolism like phenylketonuria

B. Inheritance of condition like Phenylketonuria as an autosomal recessive trait

C. The pedigree chart is wrong as this is not possible

D. Inheritance of a recessive sex - linked disease like haemophilia

**Answer: B**



Watch Video Solution

**83.** Name the blank spaces a, b, c and d from the table given below :

Type of Microbe	Scientific name	Product	Medical application
(i) Fungus (ii) c	a <i>Monascus purpureus</i>	Cyclosporin Statin	b d

A. a = Lactobacillus

b = Cyclosporin Ploysporum

c = Fungus

d = Penicillin

B. a = Lactobacillus

b = Trichoderma Polysporum

c = Yeast

d = Penicillin

C. a = Lactobacillus

b = Trichoderma Polysporum

c = Bacteria

d = Red mould

D. a = Lactobacillus

b = Trichoderma Polysporum

c = Fungus

d = Black mould

**Answer: B**



**Watch Video Solution**

**84.** If a homozygous tall plant is crossed with homozygous dwarf plant, the off spring will be

A. 20 map units

B. 9.8 map units

C. 10.2 map units

D. 10 map units

**Answer: D**



**Watch Video Solution**

**85.** Which of the following represents the steps involved in developing GMOs ?

A. Identification of DNA with desirable gene

B. Introduction of identified DNA into the host .

C. Maintenance of introduced DNA in the host and transfer of the DNA to its progeny

D. All the above

**Answer: D**



**Watch Video Solution**

**86.** In order to find out the different types of gametes produced by a pea plant having the genotype AaBb. It should be crossed to a plant with the genotype

A. NaCl

B. Ethidium bromide

C. Ethylene bromide

D. NaBr

**Answer: B**



Watch Video Solution

**87.** In the process of insertional inactivation

- A. Only statement - I is correct
- B. Only statement - II is correct
- C. Both statements are correct
- D. Both statement are incorrect

**Answer: D**



**Watch Video Solution**

**88.** Which group of vertebrates comprises the highest number of endangered species : -

A. Birds

B. Mammals

C. Fishes

D. Reptiles

**Answer: B**



**Watch Video Solution**

**89.** In the world summit on sustainable development held in 2002 in Johannesburg, South Africa, how many countries pledged their commitment to achieve a significant reduction in the current rate of biodiversity loss at global, regions and local levels by 2010 ?

A. 100

B. 180

C. 190

D. 200

**Answer: C**



**Watch Video Solution**

**90.** Read the following statements carefully :

( i ) primary succession is a very slow process taking thousands of years for the climax to be reached.

(ii) The energy at a higher trophic level is always more than at a lower level

(iii) Bacterial and fungal enzymes degrade detritus into simple inorganic substances. This process is called fragmentation .

(iv ) All succession, whether taking place in water or on land, proceeds to a similar climax community : the mesic condition . Which of the two above statements are correct ?

A. (i) and (ii)

B. (ii) and (iii)

C. (i) and (iv)

D. (iii) and (iv)

**Answer: C**



**Watch Video Solution**