



### **BIOLOGY**

# BOOKS - CENGAGE BIOLOGY (ENGLISH)

## BIOTECHNOLOGY:PRINCIPLES AND PROCESSES



1. 3'-5' exonucleolytic degradation of DNA is

performed by which enzyme ?

A. a.DNA polymerase

B. b.Alkaline phosphatase

C. c.DNA ligase

D. d.RNA polymerase

Answer: A

**2.** The technique of gel electrophoresis was developed by

A. a.Kary Mullis

B. b.J.S Chamberlain

C. c. A.Tiselius

D. d.F.Sanger

Answer: C

3. Which of the following dyes can be used to

visualize nucleic acid after electrophoresis ?

A. a.Acridine orange

B. b.Ethidium bromide

C. c.Bromophenol blue

D. d.Both (1) and (2)

Answer: D

4. Which of the following bonds are formed by

the action of DNA ligase ?

A. Sugar-phosphate bond

B. Phosphodiester bond

C. Both (1) and (2)

D. Phosphate-phosphate bond

Answer: C

5. Who were responsible for the isolation of "methylase" kind of enzyme from E coli in 1960's ?

A. Cohen and Boyer

B. Banting and Best

C. Linn and Arber

D. Smith and Wilcox

Answer: C

6. The specific sequence recognized by

"molecular scissors" is called

A. Isomer

B. Isobar

C. Misnomer

D. Palindrome

Answer: D

7. When a piece of DNA is digested with Eco RI,

what kind of ends are created ?

A. Blunt ends

B. Flush ends

C. Cohesive ends

D. Non-staggered ends

Answer: C

**8.** The sticky ends generated by the action of Eco RI on insert DNA facilitate the action of which enzyme ?

A. DNA polymerase

B. Taq polymerase

C. Alkaline phosphatase

D. DNA ligase

Answer: D

**9.** Which is incorrect with respect to DNA polymerase III?

A. It requires ATP for polymerase action.

B. It is required for PCR.

C. It is more active than DNA polymerases I

and II.

D. It is requires a pre-formed DNA template

to work on.







**10.** Which is not an application of modern biotechnology?

A. Production of humulin

B. Developing a DNA vaccine

C. Gene therapy

D. Production of cheese and butter

Answer: D

**11.** Which of the following cannot be related to biotechnology ?

A. Integration of natural science and organisms.

B. Techniques to alter the chemistry of DNA.

C. Introducing undersirable genes into the target organism.

D. Maintenance of sterile ambience to

enable the growth of only the desired

microbes.

Answer: C

Watch Video Solution

**12.** Which of the following specific DNA sequence is responsible for initiating replication ?

#### A. Vector site

- B. Restriction enzymes action site
- C. Ori site
- D. Palindromic site

#### Answer: C



**13.** Autonomously replicating, circular, extra chromosomal DNA of prokaryotic cell is called

A. Satellite DNA

B. Plasmid

C. Recombinant DNA

D. Nucleoid

**Answer: B** 

Watch Video Solution

14. Key tools to be involved in recombinant

DNA technolgy are

**Restriction enzymes** 

Polymerase enzyme

Ligase enzymes

Vectors

A. (A) only

B. (A) and (C) only

C. (A) , (B) and (C )

D. (A),(B) ,(C ) and (D)

#### Answer: D

**15.** The first restriction endonuclease was:

A. Hind II

B. Eco RI

C. Bam HI

D. Pst I

Answer: A



**16.** Approximately how many restriction enzymes have been isolated from the different (over 230) strains of bacteria:

A. 300

B. 600

C. 750

D. 900

Answer: D



**17.** The conventional method for naming restriction enymes is followed. In case of Eco RI the "R" indiates

A. Genus

**B.** Species

C. Name of the scientist

D. Strain

Answer: D

**18.** The restriction endonuclease enzyme binds to the DNA and cuts

A. Any one stand of the double helix

B. Each of the two strands at specific

points in their base-sugar bonds

C. Each of the two strands at specific

points in their base-phosphate bonds

D. Each of the two strands at specific

points in their sugar-phosphate

backbones

#### Answer: D

Watch Video Solution

**19.** The specific palindromic sequence which is recognised by EcoRI is:

A. 
$$\begin{array}{l}
5'G^{\downarrow}AATTC^{3'} \\
3,CTTAA^{\uparrow}G_{5'} \\
B. \\
\frac{5'CCC^{\downarrow}GGG^{3'}}{3,GGG^{\uparrow}CCC_{5'}} \\
C. \\
\frac{5'ACT^{\downarrow}ACT^{3'}}{3,TCA^{\uparrow}TGA_{5'}}
\end{array}$$

D.  $\frac{5'G^{\downarrow}GATTC}{_{3'}CCTAG^{\uparrow}G}$ 

Answer: A

Watch Video Solution

**20.** During gel electrophoresis for separation of DNA fragment :

A. Smallest fragment will move to the

farthest point towards cathode

B. Smallest	fragment	will	move	to	the
farthest point towards anode					
C. Largest	fragment	will	move	to	the
farthest point towards cathode					
D. Largest	fragment	will	move	to	the
farthest point towards anode					

Answer: B

**21.** After electrophoresis the separated DNA fragment can be vishualised ethidium bromide gel exposed UV light . These DNA fragments appear as \_\_\_\_\_ coloured bands :

A. Orange

B. Blue

C. Silver

D. Green

Answer: A





**22.** The procedure through which a piece of DNA is introduced in a host bacterium is

A. Cloning

**B.** Transformation

C. PCR

D. Clonal selection

Answer: B

**23.** After completing the transformation experiment involving the coding sequence of enzyme n -galactosidase, the recombinant colonies should:

A. Give blue colour

B. Not give blue colour

C. Have active  $\beta$ -galactosidase

D. Both (2) and (3)

#### Answer: B



**24.** Which of the following microbes transform normal plant and animal cells to cancerous cells respecively?

- A. Agrobacterium tumifaciens
- B. Retroviruses
- C. DNA viruses
- D. Plasmids

Answer: B



**25.** Which of the following is not applicable to

Agrobacterium tumifaciens?

A. Pathogen of several dicot plants.

B. Has the ability to transform normal

plant cells.

- C. Delivers gene of our interest.
- D. Ti plasmid of it is always pathogenic to plants without any exception.





### **26.** Insertional inactivation is related to:

A. Microinjection

- B. Gene gun
- C. Gel electrophoresis
- D. Selection of recombinants

Answer: D



**27.** For transformation with recombinan DNA, the bacterial cells must first be made compentent which means

A. Should increase their metabolic
reactions
B. Should decrease their metabolic
reactions

C. Increase efficiency with which DNA

enters the bacterium

D. Ability to divide fast

Answer: C

Watch Video Solution

**28.** Which of the following methods can be used for making the bacterial cell " competent"

A. Treating with specific concentration of

```
divalent cation (Ca^{2+})
```

B. Treating with specific concentration of

monovalent cation  $(K^+)$ 

C. Heat shock

D. Both (1) and (3)

Answer: D

29. Which of the following techniques can be

used to introduce foreign DNA into cell?

A. Using disarmed pathogen

**B.** Microinjection

C. Gene gun

D. All of these

Answer: D

**30.** During heat shock, the temperature used for giving thermal shock to the bacterium is

A.  $82^{\,\circ}\,C$ 

- B.  $100^{\,\circ}\,C$
- C. Liquid nitrogen
- D.  $42^{\,\circ}\,C$

Answer: D



**31.** Which of the following enzymes is used in case of fungus to cause the release of DNA along with other macromolecules?

A. Lysozyme

B. Cellulase

C. Chitinase

D. Amylase

Answer: C

**32.** During the isolation of DNA, the addition of which of the following causes the precipitation of purified DNA?

A. Chilled ethanol

B. Ribonuclease enzyme

C. DNA polymerase

D. Proteases

Answer: A
33. Which of the following is the correct sequence of PCR (polymerase chain reaction)? A. Denaturation < Annealing <**Extension** B. Extension < Denaturation <Annealing C. Annealing < Extension <Denaturation

D. Denaturation <	Extension
-------------------	-----------

Annealing

### Answer: A



34. The most commonly used bioreactor is of

stirring type. The stirrer facilitates

A. Temperature control

B. pH control

C. Oxygen availability

D. Product removal

### Answer: C



**35.** After completion of the biosynthetic stage in the bioreactors, the product undergoes separation and purification processes, collectively termed as

- A. Upstream processing
- B. Downstream processing
- C. Modern biotechnology
- D. Gene amplification

Answer: B



**36.** From isolated DNA from a cell culture with

seven desired genes, DNA segment can be

excised by molecular scissors or chemical

scalpels what biotechnologists call as

A. Polymerase enzymes

B. DNA ligase

C. Restriction enzymes

D. Helicase

Answer: C

Watch Video Solution

**37.** All the following statements about Stanley Cohen and Herbert Boyer are correct but one is wrong. Which one is wrong

A. They discovered recombinant DNA (rDNA) technology, and this marks the birth of modern biotechnology. B. They first produced healthy sheep clone, a Finn Dorset lamb, Dolly, from the differentiated adult mammary cells.

C. They invented genetic engineering by combining a piece of foreign DNA containing a gene from a bacterium with a bacterial plasmid using the enzyme restriction endonuclease. D. They isolated the antibiotic resistance gene by cutting out a piece of DNA from the pasmid which was responsible for conferring antibiotic resistance.

Answer: B



# 38. What is the fate of a piece of DNA which is somehow transferred into an alien organism?A. a.This piece of DNA would not be able to multiply itself in the progeny cells of the

organism if not intergrated into the

genome of the oganism.

B. b.If the alien piece of DNA has become a

part of the chromosome, it will replicate.

C. c.If the alien piece of DNA is linked with

the origin of replication in chromosome,

it will replicate.

D. d.All of these

Answer: D

Watch Video Solution

**39.** In the year 1963 , the two enzymes responsible for restricting the growth of

bacteriophage in Escherichia coli were isolated

. They were respectively

A. a.Ligase, restriction endonuclease

B. b.Helicase, restriction endonuclease

C. c.Methylase, restriction endonuclease

D. d.DNA polymerase, restriction

endonuclease

Answer: C

Watch Video Solution

**40.** The cutting of DNA by restriction endonucleases results in fragments of DNA. These fragments are generally separated by a technique known as

A. Gel- filtration chromatography

**B.** Centrifugation

C. Gel electrophoresis

D. Thin-layer chromatography

### Answer: C

Watch Video Solution

**41.** Which of the following bacteria are known as natural genetic engineers of plants, as gene transfer is happening in nature without human interference?

A. a.Azotobacter

B. b.Agrobacterium tumefaciens

C. c.Escherichia coli

D. d.Rhizobium

**Answer: B** 



**42.** The technique in which a foreign DNA precipitated on the surface of tungsten of gold particles and shot into the target cells is known as

A. Microinjection

B. Chemical- mediated genetic

transformation

C. Electroporation

# D. Biolistics

Answer: D

Watch Video Solution

**43.** Isolation of the genetic material in pure form, free from other macromolecules can be achieved by treating the bacterial cells/plant or animal tissues with the following enzymes, except

A. Lysozyme

# B. Cellulase

## C. Chitinase

D. Ligase

### Answer: D

Watch Video Solution

# **44.** Which of the following is not a recombinant protein used in medical practice

A. TPA (tissue plasminogen activator)

B. Interferon (  $\alpha$ , $\beta$ , and  $\gamma$ )

C. Vaccine (for hepatitis B)

D. Heparin

Answer: D

Watch Video Solution

**45.** cDNA is

A. Circular DNA in bacteria

B. Complementary DNA

C. Copy DNA

D. Both (2) and (3)

Answer: D

Watch Video Solution

46. A: Restriction enzymes belong to a larger class of enzymes called nucleases.
R: Each restriction enzymes recognises sequence in the DNA.

- A. Temin and Baltimore
- B. Milstein and Kohler
- C. Arber, Nathans, and Smith
- D. Holley, Khorana, and Nirenberg

Answer: C

Watch Video Solution

47. Plasmids are used in genetic engineering

because they are

A. are easily available B. are able to integrate with host chromosome C. are able to replicate along with chromosomal DNA D. contain DNA sequence coding for drug resistance Answer: C

Watch Video Solution

**48.** Which of the following processes/techniques can be included under biotechnology? (i) In vitro fertilisation (ii) Synthesis of a gene (iii) Correcting a defective gene (iv) Developing a DNA vaccine A. (B) and (D) only

B. (B),(C), and (D)

C. (A) and (B)

D. (A),(B) ,(C ) and (D)

### Answer: D



**49.** The tumour -inducing (Ti) plasmid has now been modified into a cloning vector which is no more pathogenic to the plants but is still able to use the mechanisms to deliver genes of our interest into a variety of plants because Ti plasmid has been modified by

A. Adding tumor-forming genes

B. Deleting tumor-forming genes

C. Adding genes resistant to

endonucleases

D. Deleting endonuclease

Answer: B

Watch Video Solution

**50.** Which of the following statements is incorrect?

A. Plasmids have the ability to replicate within the bacterial cells independent of the control of chromosomal DNA. B. Some plasmids have only one or two copies per cell whereas others may have 15-100 copies per cell. C. Bacteriophages have the ability to replicate within the bacterial cell independent of the control of chromosomal DNA.

D. Transformation is a procedure of separation and isolation of DNA

fragments.

Answer: D

Watch Video Solution

**51.** Which of the following is the first artificial cloning vector that has two selectable markers —tetracycline (tetR) and antibiotic restriction enzymes (ampR)?

A. YAC

#### B. BAC

C. pBR322

D. Cosmid vectors

Answer: C

Watch Video Solution

52. Restriction endonucleases are most widely

used in recombinant DNA technology. They are

obtained from

- A. Bacteriophase
- **B. Bacterial cells**
- C. Plasmids
- D. All prokaryotic cells

Answer: B



**53.** All the following statements are correct about genetic engineering, but one is wrong. Which one is wrong?

A. It is a technique for artificially and deliberately modifying DNA (genes) to suit human needs. B. It is often referred as gene splicing. C. The organism carrying the foreign genes is termed as transgenic or GMO. D. Alec Jeffrey is the father of genetic engineering.

Answer: D

Watch Video Solution

**54.** All the following are the properties of the enzyme taq polymerase except:

A. It is thermostable DNA polymerase

B. It is isolated from a bacterium, Thermus

aquaticus

C. It is used for the amplification of gene of

interest using PCR

D. It is thermostable RNA polymerase





**55.** Which of the following is incorrect match?

A. Gene therapy : An abnormal gene is

replaced by normal gene

B. Cloning : Ability to multiply copies of

antibiotic resistance gene in E. coli

C. Restriction enzymes : Molecular scissors

D. Exonucleases : Molecular glue

### Answer: D

Watch Video Solution

**56.** Appropriate techniques have been developed for large scale cell culture using bioreactors for producing :

A. Foreign gene product

**B.** Vaccines

### C. Hormones

D. All of these

### Answer: D



57. The uptake of genes by cells in microbes

and plants is termed as

A. Insertional inactivation

**B.** Transformation

C. Selectable markers

D. Cloning vectors

### Answer: B



**58.** If we ligate a foreign, DNA at the Barn HI site of tetracycline resistance gene in pBR322

the recombinant plasmid will:

A. Show ampicillin resistance only

- B. Show tetracycline resistance
- C. Will grow well on tetracycline-containing

medium

D. Will not grow on ampicillin-containing

medium

Answer: A

Watch Video Solution

**59.** Polyethylene glycol can help in the uptake of foreign DNA into the host cell, this type of gene transfer is called as:

A. Electroporation

B. Chemical- mediated genetic

transformation

C. Microinjection

D. Particle gun

Answer: B





**60.** The normal E. coli cells carry resistance against which of the following antibiotics?

A. Ampicillin

B. Chloramphenicol

C. Tetracycline or kanamycin

D. None of these

### Answer: D

Watch Video Solution

**61.** The isolation of the genetic material from fungal cells does not involve the use of

A. Agarose

B. Chitinase

C. Ethanol

D. Water

Answer: A


**62.** In a restriction digestion experiment, the sticky ends of vector rejoined forming a circular vector without insert. Which enzyme can be used to eliminate this possibility?

A. DNA ligase

B. Alkaline phosphatase

C. DNA polymerase

D. RNA polymerase

Answer: B

**63.** Denaturation can be achieved at which temperature during PCR?

A.  $72^\circ C$ 

B.  $95^{\,\circ}\,C$ 

C.  $40^{\circ}C$ 

D.  $25^{\,\circ}\,C$ 

Answer: B



**64.** Choose the incorrect statement with respect to Agrobacterium tumefaciens.

- A. a.It is a Gram-negative soil bacterium.
- B. b.It produces crown gall disease in dicot plants.
- C. c.The foreign DNA is inserted at the ori

site of Ti plasmid.

D. d.Ti plasmid becomes incorporated into

the plant chromosomal DNA.





**65.** Which is not a method for the introduction of recombinant DNA into host cells?

A. Electroporation

**B. Biolistics** 

C. Transfection

D. Restriction digestion

#### Answer: D



# **66.** The essential requirements for a gene amplification reaction are

- A. 20 mg of DNA template
- B. Forward and reverse primers

 $\mathsf{C}.\,Mg^{2\,+}$ 

D. All of these

#### Answer: D



**67.** Choose the incorrect statement with respect to PCR reaction:

A. It requires Taq polymerase.

B. It requires dNTP's.

C. It generates 2nmolecules after nnumber

of cycles.

polymerization step is greater than or

equal to  $90^{\circ}C$ .

Answer: D

Watch Video Solution

**68.** Which of the following is not an application of PCR ?

A. DNA fingerprinting

B. DNA foot-printing

C. Detection of mutation

D. Prenatal diagnosis

### Answer: B

Watch Video Solution

**69.** Rejoining of vector molecule after restriction enzyme digestion can be avoided by

A. Using different enzymes for insert and
vector
B. Using same enzyme for insert and vector
C. Using DNA ligase immediately after
digestion
D. Using alkaline phosphatase on only
vector
Answer: D
Watch Video Solution

70. If the gene of interest is cloned at ECoRI in pBR322, the recombinant E-coli after transformation are A. Ampicillin

B. Tetracycline

C. Both (1) and (2)

D. Kanamycin

Answer: A

**71.** It is theoretically possible for a gene from any organism to function in any other organism. Why is this possible ?

A. All organisms have ribbosomes.

- B. All orgainsms have the same genetic code.
- C. All organisms are made up of cells.
- D. All organisms have similar nuclei.

Answer: B



**72.** If you remove the fimbriae from the bacterial cell, which of the following would you expect to happen ?

A. The cell would create incomplete

plasmids.

B. The cell would be unable to replicate is

DNA.

C. The cell would become an obligate

parasite.

D. The cell would be easily infected

bacteriophages.

Answer: D

Watch Video Solution

**73.** Assume that you are trying to insert a gene into a plasmid and someone gives you a preparation of DNA cut with restriction enzyme X. The gene you wish to insert has sites on both ends for cutting by restriction enzyme Y. You have a plasmid with a single site for Y, but not for X. Your strategy should be to A. Cut the plasmid with restriction enzyme X and inert the fragments cut with Y into the plasmid B. Cut the plasmid with restriction enzyme X and insert the gene into the plasmid C. Cut the plasmid twice with restriction

enzyme Y and ligate the two fragments

into the plasmid cut with the same enzyme

D. Cut the plasmid twice with restriction

enzyme Y and ligate the two fragments

onto the ends of the human DNA

fragments cut with restriction enzyme X

Answer: C

**74.** I. Transform bacteria with recombinant DNA molecule.

II. Cut the plasmid DNA using restriction enzymes.

III. Extract plasmid DNA from bacteria cells.

IV. Hydrogen-bond the plasmid DNA to nonplasmid DNA fragments.

V. Use ligate to seal plasmid DNA to nonplasmid DNA.

From the given list, which of the following is the most logical sequence of steps for splicing foregain DNA into a plasmid and inserting the

## plasmid into a bacterium ?

A. IV,V,I,II,III

B. III,II,IV,V,I

C. III,IV,V,I,II

D. II,III,V,IV,I

**Answer: B** 



75. Agrobacterium tumefaciens used in

Genetic engineering for

A. DNA mapping

B. DNA modification

C. Vector

D. DNA fingerprinting

Answer: C

76. A genetically engineered bacteria used for

clearing oil spills is:

A. Escherischia coli

B. Bacillus subtilis

C. Agrobacterium tumefaciens

D. Pseudomonas putida

Answer: D

**77.** Who isolated the first restriction endonucleases :

A. Temin and Baltimore

B. Sanger

C. Nathan and Smith

D. Paul Berg

Answer: C

78. Genetic engineering is

A. Study of extra-nuclear gene

B. Manipulation of genes by artificial

method

C. Manipulation of RNA

D. Manipulation of enzymes

Answer: B

**79.** Which of the following enzymes cut the DNA molecule at specific nucleotide sequence

A. Restriction endonuclease

B. DNA ligase

?

C. RNA polymerase

D. Exonuclease

Answer: A

80. DNA fingerprinting was invented by

A. Kary Mullis

B. Alec Jeffery

C. Dr. Paul Berg

D. Francis Collins

Answer: B

81. Which structure involved in genetic

engineering

A. Plastid

B. Plasmid

C. Codon

D. None

**Answer: B** 

82. Which of the following is the example of

chemical scissors

A. Eco RI

B. Hind III

C. Bam I

D. All of the above

Answer: D

**83.** Restriction endonucleases are used in genetic engineering because :

A. They can degrade harmful proteins

B. They can join DNA fragments

C. They can cut DNA at Variable sites

D. They can cut DNA at specific base

sequences

Answer: D

84. The term 'chimeric DNA' refers to

A. DNA which contains uracil

B. DNA synthesized from RNA

C. Recombinant DNA

D. DNA which contains single strand

Answer: C

**85.** A piece of nucleic acid using to find out a gene, by forming hybrid with it, is called as

A. cDNA

B. DNA probe

C. Sticky end

D. Blunt end

Answer: B

86. Which of the following is the example of

direct gene transfer:

A. Microinjection

**B.** Electroporation

C. Particle gun

D. All the above

Answer: D

**87.** How many copies of DNA sample are poduced in PCR technique after 6-cycle

A. 4

B. 32

C. 16

D. 64

Answer: C

88. Western blotting is used for the

identification of :-

A. DNA

B. RNA

C. Protein

D. All of the above

Answer: C

**89.** In r-DNA technique which of the following technique is not used in introducing DNA into host cell

A. Transduction

B. Conjugation

C. Transformation

D. Electroporation

Answer: B

**90.** Which of the following techniques are used in analyzing restrication fragment length polymorphism (RFLP) :-

Electrophoresis

Electroporation

Methylation

**Restrication digestion** 

A. (a) and (c )

B. (c ) and (d)

C. (a) and (d)

D. (b) and (d)

Answer: C

Watch Video Solution

**91.** Restriction enzymes are :

A. Not always required in genetic

engineering

B. Essential tool in genetic engineering

C. Nucleases that cleave DNA at specific

sites

D. Both (2) and (3)

Answer: D

Watch Video Solution

**92.** Function of restriction endonuclease enzyme is

A. It is useful in genetic engineering

B. It protects the bacterial DNA against

foreign DNA

C. It is helpful in transcription

D. It is helpful in protein synthesis

Answer: B

Watch Video Solution

**93.** Which of the followoing restriction endonuclease enzyme produce blunt end in

DNA :


D. All the above

#### Answer: C

94. A bacterium modifies its DNA by adding methyl groups to the DNA, It does so toA. Clone its DNA

B. Be able to transcribe many genes

simultaneously

C. Turn its gene on

D. Protect its DNA from its own restriction

enzyme

Answer: D

#### 95. Restriction enzymes

A. Are endonucleases which cleave DNA at

specific sites

B. MakeDNA complementary to an

existingDNA or RNA

C. Cut or join DNA fragments

D. Are required in vector-less direct gene

transfer





**96.** What is the first step in the Southern Blot technique

A. Denaturation of DNA on the gel for

hybridization with specific probe.

B. Production of a group of genetically

identical cells.

C. Digestion of DNA by restriction enzyme.

D. Isolation of DNA from a nucleated cell

such as the one from the scene of crime.

Answer: A

Watch Video Solution

97. Which of the following is not produced by

E-Coli in the lactose operon.

A. Beta galactosidase

B. Thiogalactoside transacetylase

C. Lactose dehydrogenase

D. Lactose permease

Answer: C

Watch Video Solution

**98.** The technique of transferring DNA fargment separated on agarose gel to a synthetic membrane such as nitrocellulose is

- A. Northern blotting
- B. Southern blotting
- C. Western blotting
- D. Dot blotting

## Answer: B

Watch Video Solution

**99.** Electroporation procedure involves:

A. Fast passage of food through sieve pores in phloem elements with the help of electric stimulation B. Opening of stomatal pores during night by artificial light C. Making transient pores in the cell membrane to introduce gene constructs D. Purification of saline water with the help of a membrane system

Answer: C



# 100. The total number of nitrogenous bases in

# human genome is estimated to be about

A. 3.5 million

- B. 35 thousand
- C. 35 million
- D. 3.1 billion

#### Answer: D





# **101.** The restriction enzyem ECO RI has the property of

A. Endonuclease activity

- B. Exonuclease activity
- C. Ligation activity
- D. Correcting the topology of replicating

DNA

Answer: A



102. DNA ligase is an enzyme that catalyses the

A. Splitting of DNA threads into small bits

B. Joining of the fragments of DNA

C. Denaturation of DNA

D. Synthesis of DNA

Answer: B

103. More advancement in genetic engineering

is due to

A. Restriction endonuclease

B. Reverse transcriptase

C. Protease

D. Zymase

Answer: A

104. The function of polymerase chain reaction

(PCR) is

A. Translation

**B.** Transcription

C. DNA amplification

D. None of these

Answer: C

105. Which of the following is used as a best

genetic vector in plants?

A. Bacillus thuriengenesis

B. Agrobacterium tumefaciens

C. Pseudomonas putida

D. All of these

Answer: B

**106.** The transfer of protein from electophoretic gel to nitrocellulose membrane is known as

A. Transferase

B. Northern blotting

C. Western blotting

D. Southern blotting

## Answer: C

107. DNA fingerprinting was first discovered by

A. Alec Jeffery

B. Kary Mullis

C. C.Milstein

D. Dr. Paul Berg

Answer: A



108. Which of the following abnormalities is

due to autosomal dominant mutation ?

A. Terminase

B. Endonuclease

C. Ligase

D. DNA polymerase

Answer: C

109. Plasmid has been used as vector because:-

A. It is circular DNA which has capacity to

join eukaryotic DNA

B. It can move between prokaryotic and

eukaryotic cells

C. Both ends show replication

D. It has antibiotic resistance gene

Answer: A

**110.** Which of the following product is formed by genetic engineering to treat pituitary dwarfism ?

- A. Restriction endonuclease (Eco RI)
- B. Ligase
- C. Exonuclease
- D. Alkaline phosphate

## Answer: A

**111.** Genetic variation in a population arises due to

A. Restriction endonuclease

B. DNA ligase

C. Transcriptase

D. Primase

Answer: A

112. DNA fingerprinting refers to

A. Techniques used for the identification of fingerprints of individuals B. Molecular analysis of profiles of DNA samples C. Analysis of DNA samples using imprinting devices D. Techniques used for molecular analysis

of different specimens of DNA





C. Are used in genetic engineering for

ligating two DNA molecules

D. Are used for in vitro DNA sythesis

Answer: A

> Watch Video Solution

**114.** Genetic identity of a human male is determined by

A. Bacterial cell can carry out RNA splicing

reactions

B. The mechanism of gene regulation is

identical in humans and bacteria

C. human chromosome can replicate in

bacterial cell

D. Genetic code is universal

Answer: D

**115.** Two microbes found to be very useful in genetic engineering are-

A. Escherischia coli and Agrobacterium tumefaciens

B. Vibro cholerae and a tailed

bacteriophage

C. Diplococcus sp. And Pseudomonas sp.

D. Crown gall bacterium and Caenorhabdits

elegans

#### Answer: A



116. A: Restriction enzymes belong to a largerclass of enzymes called nucleases.R: Each restriction enzymes recognises

sequence in the DNA.

A. Cuts the DNA molecule randomly

B. Cuts the DNA molecule at specific sites

C. Restricts the synthesis of DNA inside the

nucleus

D. Synthesis DNA

Answer: B

Watch Video Solution

117. Satellite DNA is useful tool in ;

A. Organ transplantation

B. Sex determination

C. Forensic science

D. Genetic engineering

#### Answer: C



**118.** Assertion: DNA ligase plays an important role in recombinant DNA technology.Reason: The linking of antibiotic resistance gene with plasmid vector became possible by enzyme DNA ligase

- A. If both Assertion and Reason are true and the reason is the correct explanation of the assertion, then mark (1).
- B. If both Assertion and Reason are true
  but the reason is not the correct
  explanation of the assertion then mark
  (2).
- C. If Assertion is true but Reason are false, then mark(3).

then mark(4).

Answer: A



119. A: Restriction enzymes belong to a larger

class of enzymes called nucleases.

R: Each restriction enzymes recognises sequence in the DNA.

- A. If both Assertion and Reason are true and the reason is the correct explanation of the assertion, then mark (1).
- B. If both Assertion and Reason are true
  but the reason is not the correct
  explanation of the assertion then mark
  (2).
- C. If Assertion is true but Reason are false, then mark(3).

then mark(4).

Answer: B



120. A: During gel electrophoresis, the DNA

fragments move towards the anode.

R: DNA fragments are negatively charged molecules .

- A. If both Assertion and Reason are true and the reason is the correct explanation of the assertion, then mark (1).
- B. If both Assertion and Reason are true
  but the reason is not the correct
  explanation of the assertion then mark
  (2).
- C. If Assertion is true but Reason are false, then mark(3).

then mark(4).

Answer: A

Watch Video Solution

**121.** A: Selection of recombinants due to inactivation of antibiotics is cumbersome procedure.

R: It requires simultaneous plating on two plates having different antibiotics.

- A. If both Assertion and Reason are true and the reason is the correct explanation of the assertion, then mark (1).
- B. If both Assertion and Reason are true
  but the reason is not the correct
  explanation of the assertion then mark
  (2).
- C. If Assertion is true but Reason are false, then mark(3).

then mark(4).

Answer: A

Watch Video Solution

**122.** A: Taq Polymerase is involved in PCR technique.

R: This enzyme remain active during the high temperature including denaturation of double stranded DNA.
- A. If both Assertion and Reason are true and the reason is the correct explanation of the assertion, then mark (1).
- B. If both Assertion and Reason are true
  but the reason is not the correct
  explanation of the assertion then mark
  (2).
- C. If Assertion is true but Reason are false, then mark(3).

# D. If both Assertion and Reason are false,

then mark(4).

Answer: A

Watch Video Solution

**123.** Assertion : Small DNA fragments will arrange towards the positive end after gel electrophoresis.

Reason : DNA is negatively charged.

- A. If both Assertion and Reason are true and the reason is the correct explanation of the assertion, then mark (1).
- B. If both Assertion and Reason are true
  but the reason is not the correct
  explanation of the assertion then mark
  (2).
- C. If Assertion is true but Reason are false, then mark(3).

D. If both Assertion and Reason are false,

then mark(4).

Answer: A

Watch Video Solution

**124.** Taq polymerase enzyme is used in

A. If both Assertion and Reason are true

and the reason is the correct

explanation of the assertion, then mark (1).

B. If both Assertion and Reason are true

but the reason is not the correct explanation of the assertion then mark (2).

C. If Assertion is true but Reason are false,

then mark(3).

D. If both Assertion and Reason are false,

then mark(4).



# Archives Choose The Correct Option

**1.** The linking of antibiotic resistance gene with

the plasmid vector became possible with:

A. DNA polymerase

B. Exonucleases

C. DNA ligase

D. Endonucleases

# Answer: C

Watch Video Solution

2. Gel electrophoresis is used for

A. construction of recombinant DNA by

joining with cloning vectors

B. isolation of DNA molecule

C. cutting of DNA into fragments

# D. separation of DNA fragments according

to their size

Answer: D



3. Polyethylene glycol method is used for

A. Energy production from sewage

- B. Gene transfer without a vector
- C. Biodiesel production

D. Seedless fruit production

Answer: B

Watch Video Solution

**4.** Restriction endonucleases are enzymes which

A. Make cuts at specific positions within

the DNA molecule

B. Recognize a specific nucleotide sequence

# for binding of DNA ligase

C. Restrict the action of enzyme DNA

polymerase

D. Remove nucleotides from the ends of

the DNA molecule.

Answer: A

**5.** DNA or RNA segment tagged with a radioactive molcule is called

A. Vector

B. Probe

C. Clone

D. Plasmid

**Answer: B** 

**6.** Which one of the following palindromic base sequences in DNA can be easily cut at about the middle by some particular restriction enzyme ?





7. Which one of the following is used as vector

for cloning genes into higher organisms?

A. Baculovirus

B. Samonella typhimurium

C. Rhizopusnigricans

D. Retrovirus

## Answer: D



# 8. Agarose extracted from sea weeds finds use

in

A. Gel electrophoresis

B. Spectrophotometry

# C. Tissue Culture

D. PCR

## Answer: A



# 9. There is a restriction endonuclease called

Eco RI. What does 'co' part in it stand for ?

A. coli

B. colon

C. coelon

D. coenzyme

## Answer: A



# 10. PCR and restriction Fragments length

Polymorphism are the methods for

A. Genetic transformation

B. DNA sequencing

C. Genetic fingerprinting

D. Studyof enzymes

## Answer: C



11. Which one is true statement regarding DNA

polymerase used in PCR ?

A. It is serves as a selectable marker.

B. It is isolated from a virus.

C. It remains active at high temperature .

D. It is used to ligate introduced DNA in

recipient cells.

Answer: C

Watch Video Solution

**12.** For transformation, micro-particles coated with DNA to be bombarded from gene gun are made up of

(a) silver or platium

(b) platinum or zinc

(c) silicon or platinum

(d) gold or tungsten

A. Platinum or zinc

B. Silicon or platinum

C. Gold or tungsten

D. Silver or platinum

#### Answer: C

13. A single strand of nucleic acid tagged with

a radioactive molcule is called

A. Selectable marker

B. Plasmid

C. Probe

D. Vector

Answer: C

**14.** The given figure is the diagrammatic representation of the E. coli vector pBR 322. Which one of the given options correctly identifies its certain component (s)?



#### A. rop-reduced osmotic pressure

B. Hind III, Eco RI-selectable markers

# C. ampR,tetR-antibiotic resistance genes

D. ori-original restriction enzyme

Answer: C

Watch Video Solution

**15.** Which one of the following is a case of wrong matching?

A. Vector DNA : Site for tRNA sythesis

B. Micropropagation : In vitro production of

plants in large numbers

C. Callus: Unorganized mass of cells

produced in tissue culture

D. Somatic hybridization : Fusion of two

diverse cells

Answer: A

16. Biolistics (gene-gun) is suitable for

- A. Disarming pathogen vectors
- B. Transformation of plant cells
- C. Constructing recombinant DNA by

joining with vectors

D. DNA fingerprinting

#### Answer: B

- **17.** In genetic engineering, the antibiotics are used
  - A. As selectable markers
  - B. To select healthy vectors
  - C. As sequences from where replication

starts

D. To keep the cultures free of infection

Answer: A

18. The basis of DNA fingerprinting is

A. The relative proportions of purines and

pyrimidines in DNA.

B. The relative difference in the DNA

occurrence in blood, skin, and saliva.

C. The relative amount of DNA in the ridges

and grooves of fingerprints.

D. Satellite DNA occurring as highly

repeated short DNA segments.

## Answer: D



**19.** The figure below shows three steps (A, B, C) of Polymerase Chain Reaction (PCR). Select the option giving correct identification together with what it represents ?



A. B-Denaturation at a temperature of

about  $98^{\,\circ}C$  separating the two DNA

strands

B. A-Denaturation at a temperature of

about  $50\,^\circ C$ 

C. C-Extension in the presence of heat

stable DNA polymerase

D. A-Annealing with two sets of primers

Answer: A

**20.** Which one of the following represents a

palindromic sequence in DNA?

## A. 5'-GA AT TC-3',3'-CT TA AG-5'

B. 5'-C CATC C-3',3'-GA ATC C-5'

C. 5'-CAT TAG-3',3'-GATA AC-5'

D. 5'-GATAC C-3',3'-C CTA AG-5'

Answer: A

**21.** DNA fragments generated by the restriction endonucleases in a chemical reaction can be separated by

A. Polymerase chain reaction

B. Electrophoresis

C. Restriction mapping

D. Centrifugation

# Answer: B

**22.** The colonies of recombinant bacteria appear white in contrast to blue colonies of non-recombinant bacteria because of

A. Insertional inactivation of alphagalactosidase in non-recombinant bacteria. B. Insertional inactivation of alphagalactosidase in recombinant bacteria C. Inactivation of glycosidase enzyme in recombinant bacteria

D. Non-recombinant bacteria containing

beta-galactosidase

#### Answer: B

Watch Video Solution

**23.** Which vector can clone only a small fragment of DNA ?

A. Bacterial artificial chromosome

B. Yeast artificial chromosome

C. Plasmid

D. Cosmid

## Answer: C



24. In vitro clonal propagation in plants is

characterized by

A. PCR and RAPD

B. Northern blotting

C. Electrophoresis and HPLC

D. Microscopy

## Answer: A

Watch Video Solution

# **25.** An analysis of chromosomal DNA using Southern hybridization technique does not use

A. Electrophoresis

B. Blotting

C. Autoradiography

D. PCR

Answer: D

Watch Video Solution

**26.** Golden rice is a genetically modified crop plant where the incorporated gene is meant for biosynthesis of:

A. Vitamin A

B. Vitamin B

C. Vitamin C

D. Omega 3

Answer: A

Watch Video Solution

27. Which of the following is not a feature of

the plasmids
A. Independent replication

- B. Circular structure
- C. Transferable
- D. Single-stranded

Answer: D

Watch Video Solution

28. The taq polymerase enzyme is obtained

from

- A. Thermus aquaticus
- B. Thiobacillus ferroxidans
- C. Bacillus subtills
- D. Pseudomonas putida

Answer: A

Watch Video Solution

**29.** Which of the following is a restriction endonucleases?

A. Hind II

**B.** Protease

C. Dnase l

D. Rnase

Answer: A



**30.** Stirred - tank bioreactors have been designed for

A. availability of oxygen thoughout the

process

B. ensuring anaerobic conditions in the

culture vessel

C. purification of product

D. addition of preservatives to the product

Answer: A

**31.** A foreign DNA and plasmid cut by the same restriction endonuclease can be joined to form a recombinant plasmid using

A. Polymerase-III

B. Ligase

C. Eco RI

D. Taq polymerase

Answer: B

32. Which of the following is not component

of downstream processing?

A. Preservation

**B.** Expression

C. Separation

D. Purification

Answer: B

33. Which of the following restriction enzymes

produces blunt ends?

A. Xho I

B. Hind III

C. Sal I

D. Eco RV

Answer: D